



BARGE "CBC-341"

CANAL BARGE COMPANY

HULL NO. 4694

CORRECTION TABLE FOR TRIM AFT.			
FOR INNGAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 0 7/8"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 7/8"	(-) 0' - 1 7/8"	(+) 0' - 1 7/8"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 2 3/4"	(+) 0' - 2 3/4"
2'-0"	(-) 0' - 3 3/4"	(-) 0' - 3 3/4"	(+) 0' - 3 3/4"
2'-6"	(-) 0' - 4 5/8"	(-) 0' - 4 5/8"	(+) 0' - 4 5/8"
3'-0"	(-) 0' - 5 5/8"	(-) 0' - 5 5/8"	(+) 0' - 5 5/8"
3'-6"	(-) 0' - 6 1/2"	(-) 0' - 6 1/2"	(+) 0' - 6 1/2"
4'-0"	(-) 0' - 7 1/2"	(-) 0' - 7 1/2"	(+) 0' - 7 1/2"
4'-6"	(-) 0' - 8 3/8"	(-) 0' - 8 3/8"	(+) 0' - 8 3/8"
5'-0"	(-) 0' - 9 1/4"	(-) 0' - 9 1/4"	(+) 0' - 9 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 11/19/09 BY: 
INSPECTORATE AMERICA CORPORATION

FORM "TRIM-3" REV. #1 5/93



BARGE "CBC-341"

CANAL BARGE COMPANY

INNAGE TABLE

TANK NO.
1 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	106	0	13,746	0	29,438	0	45,151	0	60,930	0	76,712	0	92,494	0	108,277	0	124,059	0	139,841	0	155,624	0	171,406	0	187,114	0		0	
1/4	147	1/4	14,074	1/4	29,787	1/4	45,478	1/4	61,268	1/4	77,041	1/4	92,823	1/4	108,605	1/4	124,388	1/4	140,170	1/4	155,953	1/4	171,735	1/4	187,388	1/4		1/4	
1/2	188	1/2	14,403	1/2	30,095	1/2	45,805	1/2	61,587	1/2	77,370	1/2	93,152	1/2	108,934	1/2	124,717	1/2	140,499	1/2	156,281	1/2	172,064	1/2	187,661	1/2		1/2	
3/4	311	3/4	14,731	3/4	30,424	3/4	46,134	3/4	61,916	3/4	77,698	3/4	93,481	3/4	109,263	3/4	125,045	3/4	140,828	3/4	156,610	3/4	172,392	3/4	187,935	3/4		3/4	
1	435	1	15,060	1	30,752	1	46,482	1	62,245	1	78,027	1	93,810	1	109,592	1	125,374	1	141,157	1	156,939	1	172,721	1	188,209	1		1	
1/4	558	1/4	15,388	1/4	31,081	1/4	46,791	1/4	62,574	1/4	78,356	1/4	94,138	1/4	109,921	1/4	125,703	1/4	141,485	1/4	157,268	1/4	173,050	1/4	188,446	1/4		1/4	
1/2	681	1/2	15,716	1/2	31,409	1/2	47,120	1/2	62,902	1/2	78,685	1/2	94,467	1/2	110,249	1/2	126,032	1/2	141,814	1/2	157,597	1/2	173,379	1/2	188,583	1/2		1/2	
3/4	804	3/4	16,045	3/4	31,737	3/4	47,449	3/4	63,231	3/4	79,014	3/4	94,796	3/4	110,578	3/4	126,361	3/4	142,143	3/4	157,925	3/4	173,708	3/4	188,920	3/4		3/4	
2	1,079	2	16,373	2	32,066	2	47,776	2	63,560	2	79,342	2	95,125	2	110,907	2	126,689	2	142,472	2	158,254	2	174,038	2	189,167	2		2	
1/4	1,278	1/4	16,702	1/4	32,394	1/4	48,106	1/4	63,889	1/4	79,671	1/4	95,454	1/4	111,236	1/4	127,018	1/4	142,801	1/4	158,583	1/4	174,366	1/4	189,358	1/4		1/4	
1/2	1,478	1/2	17,030	1/2	32,723	1/2	48,435	1/2	64,218	1/2	80,000	1/2	95,782	1/2	111,565	1/2	127,347	1/2	143,129	1/2	158,912	1/2	174,694	1/2	189,559	1/2		1/2	
3/4	1,759	3/4	17,359	3/4	33,050	3/4	48,764	3/4	64,546	3/4	80,329	3/4	96,111	3/4	111,893	3/4	127,676	3/4	143,458	3/4	159,241	3/4	175,023	3/4	189,759	3/4		3/4	
3	2,040	3	17,687	3	33,377	3	49,093	3	64,875	3	80,658	3	96,440	3	112,222	3	128,005	3	143,787	3	159,569	3	175,352	3	189,960	3		3	
1/4	2,322	1/4	18,015	1/4	33,704	1/4	49,422	1/4	65,204	1/4	80,986	1/4	96,768	1/4	112,551	1/4	128,333	1/4	144,116	1/4	159,898	1/4	175,690	1/4	190,124	1/4		1/4	
1/2	2,603	1/2	18,344	1/2	34,031	1/2	49,750	1/2	65,533	1/2	81,315	1/2	97,098	1/2	112,880	1/2	128,662	1/2	144,445	1/2	160,227	1/2	176,009	1/2	190,288	1/2		1/2	
3/4	2,925	3/4	18,668	3/4	34,358	3/4	50,078	3/4	65,862	3/4	81,644	3/4	97,425	3/4	113,209	3/4	128,991	3/4	144,773	3/4	160,556	3/4	176,338	3/4	190,463	3/4		3/4	
4	3,248	4	18,998	4	34,686	4	50,408	4	66,190	4	81,973	4	97,755	4	113,537	4	129,320	4	145,102	4	160,884	4	176,667	4	190,617	4		4	
1/4	3,570	1/4	19,311	1/4	35,012	1/4	50,737	1/4	66,519	1/4	82,302	1/4	98,084	1/4	113,866	1/4	129,649	1/4	145,431	1/4	161,213	1/4	176,998	1/4	190,744	1/4		1/4	
1/2	3,893	1/2	19,633	1/2	35,339	1/2	51,066	1/2	66,848	1/2	82,630	1/2	98,413	1/2	114,195	1/2	129,977	1/2	145,760	1/2	161,542	1/2	177,324	1/2	190,872	1/2		1/2	
3/4	4,221	3/4	19,958	3/4	35,668	3/4	51,394	3/4	67,177	3/4	82,959	3/4	98,742	3/4	114,524	3/4	130,306	3/4	146,089	3/4	161,871	3/4	177,653	3/4	191,000	3/4		3/4	
5	4,549	5	20,278	5	35,993	5	51,723	5	67,500	5	83,288	5	99,070	5	114,853	5	130,635	5	146,417	5	162,200	5	177,982	5	191,127	5		5	
1/4	4,878	1/4	20,601	1/4	36,320	1/4	52,052	1/4	67,834	1/4	83,617	1/4	99,399	1/4	115,181	1/4	130,964	1/4	146,746	1/4	162,529	1/4	178,311	1/4	191,219	1/4		1/4	
1/2	5,206	1/2	20,923	1/2	36,647	1/2	52,381	1/2	68,163	1/2	83,946	1/2	99,728	1/2	115,510	1/2	131,293	1/2	147,075	1/2	162,857	1/2	178,640	1/2	191,310	1/2		1/2	
3/4	5,535	3/4	21,245	3/4	36,974	3/4	52,710	3/4	68,492	3/4	84,274	3/4	100,057	3/4	115,838	3/4	131,621	3/4	147,404	3/4	163,186	3/4	178,968	3/4	191,401	3/4		3/4	
6	5,863	6	21,568	6	37,301	6	53,038	6	68,821	6	84,603	6	100,385	6	116,168	6	131,950	6	147,733	6	163,516	6	179,297	6	191,492	6		6	
1/4	6,192	1/4	21,890	1/4	37,629	1/4	53,367	1/4	69,160	1/4	84,932	1/4	100,714	1/4	116,497	1/4	132,279	1/4	148,061	1/4	163,844	1/4	179,626	1/4	191,547	1/4		1/4	
1/2	6,520	1/2	22,213	1/2	37,956	1/2	53,695	1/2	69,478	1/2	85,261	1/2	101,043	1/2	116,825	1/2	132,608	1/2	148,390	1/2	164,173	1/2	179,956	1/2	191,602	1/2		1/2	
3/4	6,849	3/4	22,541	3/4	38,283	3/4	54,025	3/4	69,807	3/4	85,590	3/4	101,372	3/4	117,154	3/4	132,937	3/4	148,719	3/4	164,501	3/4	180,284	3/4	191,656	3/4		3/4	
7	7,177	7	22,870	7	38,610	7	54,354	7	70,136	7	85,918	7	101,701	7	117,483	7	133,265	7	149,048	7	164,830	7	180,612	7	191,711	7		7	
1/4	7,505	1/4	23,198	1/4	38,937	1/4	54,682	1/4	70,465	1/4	86,247	1/4	102,029	1/4	117,812	1/4	133,594	1/4	149,377	1/4	165,159	1/4	180,941	1/4	191,729	1/4		1/4	
1/2	7,834	1/2	23,520	1/2	39,264	1/2	55,011	1/2	70,794	1/2	86,576	1/2	102,358	1/2	118,141	1/2	133,923	1/2	149,705	1/2	165,488	1/2	181,270	1/2	191,747	1/2		1/2	
3/4	8,162	3/4	23,855	3/4	39,591	3/4	55,340	3/4	71,122	3/4	86,905	3/4	102,687	3/4	118,469	3/4	134,252	3/4	150,034	3/4	165,816	3/4	181,599	3/4	191,765	3/4		3/4	
8	8,491	8	24,183	8	39,918	8	55,669	8	71,451	8	87,234	8	103,018	8	118,798	8	134,581	8	150,363	8	166,145	8	181,928	8	191,784	8		8	
1/4	8,819	1/4	24,512	1/4	40,245	1/4	55,998	1/4	71,780	1/4	87,562	1/4	103,345	1/4	119,127	1/4	134,909	1/4	150,692	1/4	166,474	1/4	182,256	1/4	191,841	1/4		1/4	
1/2	9,148	1/2	24,840	1/2	40,572	1/2	56,326	1/2	72,109	1/2	87,891	1/2	103,673	1/2	119,456	1/2	135,238	1/2	151,021	1/2	166,803	1/2	182,585	1/2	191,802	1/2		1/2	
3/4	9,476	3/4	25,169	3/4	40,899	3/4	56,655	3/4	72,438	3/4	88,220	3/4	104,002	3/4	119,785	3/4	135,567	3/4	151,349	3/4	167,132	3/4	182,914	3/4	191,802	3/4		3/4	
9	9,804	9	25,497	9	41,226	9	56,984	9	72,766	9	88,549	9	104,331	9	120,113	9	135,898	9	151,678	9	167,460	9	183,243	9	191,802	9		9	
1/4	10,133	1/4	25,826	1/4	41,553	1/4	57,313	1/4	73,096	1/4	88,878	1/4	104,660	1/4	120,442	1/4	136,225	1/4	152,007	1/4	167,789	1/4	183,572	1/4	191,802	1/4		1/4	
1/2	10,461	1/2	26,154	1/2	41,880	1/2	57,642	1/2	73,424	1/2	89,206	1/2	104,989	1/2	120,771	1/2	136,553	1/2	152,336	1/2	168,118	1/2	183,900	1/2	191,802	1/2		1/2	
3/4	10,790	3/4	26,482	3/4	42,207	3/4	57,970	3/4	73,753	3/4	89,535	3/4	105,317	3/4	121,100	3/4	136,882	3/4	152,665	3/4	168,447	3/4	184,229	3/4	191,802	3/4		3/4	
10	11,118	10	26,811	10	42,534	10	58,299	10	74,082	10	89,864	10	105,646	10	121,429	10	137,211	10	152,993	10	168,776	10	184,558	10	191,802	10		10	
1/4	11,447	1/4	27,139	1/4	42,861	1/4	58,628	1/4	74,410	1/4	90,193	1/4	105,975	1/4	121,757	1/4	137,540	1/4	153,322	1/4	169,104	1/4	184,887	1/4	191,802	1/4		1/4	
1/2	11,775	1/2	27,468	1/2	43,188	1/2	58,957	1/2	74,739	1/2	90,522	1/2	106,304	1/2	122,088	1/2	137,869	1/2	153,651	1/2	169,433	1/2	185,216	1/2	191,802	1/2		1/2	
3/4	12,104																												



BARGE "CBC-341" **CANAL BARGE COMPANY** INNAGE TABLE

TANK NO.
2 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	104	0	13,415	0	28,729	0	44,084	0	59,454	0	74,847	0	90,240	0	105,633	0	121,026	0	136,419	0	151,813	0	167,206	0	182,597	0	197,989	0	213,381
1/4	144	1/4	13,735	1/4	29,049	1/4	44,383	1/4	59,776	1/4	75,168	1/4	90,561	1/4	105,954	1/4	121,347	1/4	136,740	1/4	152,133	1/4	167,526	1/4	182,917	1/4	198,309	1/4	213,701
1/2	184	1/2	14,058	1/2	29,370	1/2	44,702	1/2	60,095	1/2	75,488	1/2	90,881	1/2	106,275	1/2	121,668	1/2	137,061	1/2	152,454	1/2	167,847	1/2	183,238	1/2	198,630	1/2	214,021
3/4	305	3/4	14,376	3/4	29,690	3/4	45,023	3/4	60,416	3/4	75,809	3/4	91,202	3/4	106,595	3/4	121,988	3/4	137,382	3/4	152,775	3/4	168,168	3/4	183,559	3/4	198,951	3/4	214,342
1	426	1	14,697	1	30,011	1	45,343	1	60,737	1	76,130	1	91,523	1	106,916	1	122,309	1	137,702	1	153,095	1	168,488	1	183,879	1	199,271	1	214,662
1 1/4	545	1 1/4	15,017	1 1/4	30,331	1 1/4	45,664	1 1/4	61,057	1 1/4	76,450	1 1/4	91,844	1 1/4	107,237	1 1/4	122,630	1 1/4	138,023	1 1/4	153,416	1 1/4	168,809	1 1/4	184,200	1 1/4	199,592	1 1/4	214,983
1 1/2	665	1 1/2	15,338	1 1/2	30,652	1 1/2	45,985	1 1/2	61,378	1 1/2	76,771	1 1/2	92,164	1 1/2	107,557	1 1/2	122,950	1 1/2	138,344	1 1/2	153,737	1 1/2	169,130	1 1/2	184,521	1 1/2	199,913	1 1/2	215,304
1 3/4	889	1 3/4	15,658	1 3/4	30,972	1 3/4	46,306	1 3/4	61,699	1 3/4	77,092	1 3/4	92,485	1 3/4	107,878	1 3/4	123,271	1 3/4	138,664	1 3/4	154,057	1 3/4	169,450	1 3/4	184,841	1 3/4	200,233	1 3/4	215,624
2	1,084	2	16,079	2	31,293	2	46,628	2	62,019	2	77,412	2	92,805	2	108,198	2	123,592	2	138,985	2	154,378	2	169,771	2	185,162	2	200,554	2	215,945
2 1/4	1,248	2 1/4	16,300	2 1/4	31,514	2 1/4	46,847	2 1/4	62,240	2 1/4	77,633	2 1/4	93,026	2 1/4	108,419	2 1/4	123,813	2 1/4	139,206	2 1/4	154,599	2 1/4	170,000	2 1/4	185,391	2 1/4	200,783	2 1/4	216,174
2 1/2	1,442	2 1/2	16,820	2 1/2	31,934	2 1/2	47,268	2 1/2	62,661	2 1/2	78,054	2 1/2	93,447	2 1/2	108,840	2 1/2	124,233	2 1/2	139,626	2 1/2	155,019	2 1/2	170,413	2 1/2	185,804	2 1/2	201,196	2 1/2	216,587
2 3/4	1,717	2 3/4	16,841	2 3/4	32,253	2 3/4	47,588	2 3/4	62,981	2 3/4	78,375	2 3/4	93,768	2 3/4	109,161	2 3/4	124,554	2 3/4	139,947	2 3/4	155,340	2 3/4	170,733	2 3/4	186,124	2 3/4	201,516	2 3/4	216,907
3	1,981	3	17,261	3	32,573	3	47,909	3	63,302	3	78,695	3	94,088	3	109,481	3	124,875	3	140,268	3	155,661	3	171,054	3	186,445	3	201,837	3	217,228
3 1/4	2,266	3 1/4	17,582	3 1/4	32,892	3 1/4	48,230	3 1/4	63,623	3 1/4	79,016	3 1/4	94,409	3 1/4	109,802	3 1/4	125,196	3 1/4	140,586	3 1/4	155,982	3 1/4	171,375	3 1/4	186,766	3 1/4	202,158	3 1/4	217,549
3 1/2	2,640	3 1/2	17,902	3 1/2	33,211	3 1/2	48,550	3 1/2	63,944	3 1/2	79,337	3 1/2	94,700	3 1/2	110,123	3 1/2	125,516	3 1/2	140,906	3 1/2	156,302	3 1/2	171,696	3 1/2	187,087	3 1/2	202,479	3 1/2	217,870
3 3/4	2,865	3 3/4	18,217	3 3/4	33,530	3 3/4	48,871	3 3/4	64,264	3 3/4	79,657	3 3/4	95,050	3 3/4	110,444	3 3/4	125,837	3 3/4	141,230	3 3/4	156,623	3 3/4	172,016	3 3/4	187,407	3 3/4	202,799	3 3/4	218,181
4	3,169	4	18,531	4	33,849	4	49,192	4	64,586	4	79,978	4	95,371	4	110,764	4	126,157	4	141,550	4	156,944	4	172,337	4	187,728	4	203,120	4	218,511
4 1/4	3,484	4 1/4	18,846	4 1/4	34,169	4 1/4	49,512	4 1/4	64,908	4 1/4	80,299	4 1/4	95,692	4 1/4	111,086	4 1/4	126,478	4 1/4	141,871	4 1/4	157,254	4 1/4	172,637	4 1/4	188,028	4 1/4	203,420	4 1/4	218,811
4 1/2	3,798	4 1/2	19,160	4 1/2	34,488	4 1/2	49,833	4 1/2	65,226	4 1/2	80,619	4 1/2	96,013	4 1/2	111,408	4 1/2	126,799	4 1/2	142,182	4 1/2	157,568	4 1/2	172,951	4 1/2	188,342	4 1/2	203,734	4 1/2	219,125
4 3/4	4,119	4 3/4	19,476	4 3/4	34,807	4 3/4	50,154	4 3/4	65,547	4 3/4	80,940	4 3/4	96,333	4 3/4	111,726	4 3/4	127,119	4 3/4	142,503	4 3/4	157,886	4 3/4	173,269	4 3/4	188,660	4 3/4	204,052	4 3/4	219,443
5	4,439	5	19,789	5	35,126	5	50,475	5	65,868	5	81,261	5	96,654	5	112,047	5	127,440	5	142,833	5	158,226	5	173,619	5	189,010	5	204,402	5	219,793
5 1/4	4,760	5 1/4	20,104	5 1/4	35,446	5 1/4	50,796	5 1/4	66,188	5 1/4	81,581	5 1/4	96,976	5 1/4	112,366	5 1/4	127,761	5 1/4	143,154	5 1/4	158,547	5 1/4	173,940	5 1/4	189,331	5 1/4	204,724	5 1/4	220,115
5 1/2	5,080	5 1/2	20,419	5 1/2	35,765	5 1/2	51,116	5 1/2	66,509	5 1/2	81,902	5 1/2	97,295	5 1/2	112,688	5 1/2	128,082	5 1/2	143,475	5 1/2	158,868	5 1/2	174,261	5 1/2	189,652	5 1/2	205,044	5 1/2	220,435
5 3/4	5,401	5 3/4	20,733	5 3/4	36,084	5 3/4	51,437	5 3/4	66,830	5 3/4	82,223	5 3/4	97,616	5 3/4	113,009	5 3/4	128,402	5 3/4	143,795	5 3/4	159,188	5 3/4	174,582	5 3/4	190,000	5 3/4	205,426	5 3/4	220,817
6	5,722	6	21,048	6	36,403	6	51,757	6	67,160	6	82,544	6	97,937	6	113,330	6	128,723	6	144,116	6	159,509	6	174,902	6	190,293	6	205,685	6	221,076
6 1/4	6,042	6 1/4	21,362	6 1/4	36,722	6 1/4	52,078	6 1/4	67,471	6 1/4	82,864	6 1/4	98,257	6 1/4	113,650	6 1/4	129,044	6 1/4	144,437	6 1/4	159,830	6 1/4	175,223	6 1/4	190,614	6 1/4	206,006	6 1/4	221,397
6 1/2	6,363	6 1/2	21,677	6 1/2	37,041	6 1/2	52,399	6 1/2	67,792	6 1/2	83,185	6 1/2	98,578	6 1/2	113,971	6 1/2	129,364	6 1/2	144,757	6 1/2	160,150	6 1/2	175,544	6 1/2	190,936	6 1/2	206,328	6 1/2	221,719
6 3/4	6,683	6 3/4	21,997	6 3/4	37,361	6 3/4	52,719	6 3/4	68,112	6 3/4	83,506	6 3/4	98,969	6 3/4	114,282	6 3/4	129,655	6 3/4	145,078	6 3/4	160,471	6 3/4	175,864	6 3/4	191,250	6 3/4	206,642	6 3/4	222,101
7	7,004	7	22,318	7	37,680	7	53,040	7	68,433	7	83,826	7	99,219	7	114,613	7	130,006	7	145,399	7	160,792	7	176,186	7	191,579	7	206,971	7	222,362
7 1/4	7,324	7 1/4	22,638	7 1/4	37,999	7 1/4	53,361	7 1/4	68,754	7 1/4	84,147	7 1/4	99,540	7 1/4	114,933	7 1/4	130,326	7 1/4	145,719	7 1/4	161,113	7 1/4	176,506	7 1/4	191,899	7 1/4	207,291	7 1/4	222,683
7 1/2	7,645	7 1/2	22,959	7 1/2	38,318	7 1/2	53,681	7 1/2	69,075	7 1/2	84,468	7 1/2	99,861	7 1/2	115,254	7 1/2	130,647	7 1/2	146,040	7 1/2	161,433	7 1/2	176,826	7 1/2	192,219	7 1/2	207,611	7 1/2	223,002
7 3/4	7,966	7 3/4	23,279	7 3/4	38,637	7 3/4	54,002	7 3/4	69,395	7 3/4	84,788	7 3/4	100,181	7 3/4	115,575	7 3/4	130,968	7 3/4	146,361	7 3/4	161,754	7 3/4	177,147	7 3/4	192,540	7 3/4	207,932	7 3/4	223,323
8	8,286	8	23,600	8	38,957	8	54,323	8	69,716	8	85,109	8	100,502	8	115,896	8	131,288	8	146,682	8	162,076	8	177,469	8	192,862	8	208,254	8	223,645
8 1/4	8,608	8 1/4	23,921	8 1/4	39,276	8 1/4	54,644	8 1/4	70,037	8 1/4	85,430	8 1/4	100,823	8 1/4	116,218	8 1/4	131,609	8 1/4	147,002	8 1/4	162,395	8 1/4	177,788	8 1/4	193,181	8 1/4	208,573	8 1/4	224,004
8 1/2	8,927	8 1/2	24,241	8 1/2	39,596	8 1/2	54,964	8 1/2	70,357	8 1/2	85,750	8 1/2	101,144	8 1/2	116,537	8 1/2	131,930	8 1/2	147,323	8 1/2	162,718	8 1/2	178,109	8 1/2	193,502	8 1/2	208,894	8 1/2	224,325
8 3/4	9,248	8 3/4	24,562	8 3/4	39,914	8 3/4	55,285	8 3/4	70,678	8 3/4	86,071	8 3/4	101,464	8 3/4	116,867	8 3/4	132,250	8 3/4	147,644	8 3/4	163,037	8 3/4	178,430	8 3/4	193,823	8 3/4	209,215	8 3/4	224,646
9	9,568	9	24,882	9	40,233	9	55,606	9	70,998	9	86,392	9	101,788	9	117,178	9	132,671	9	147,964	9	163,357	9	178,750	9	194,143	9	209,535	9	225,007
9 1/4	9,889	9 1/4	25,203	9 1/4	40,563	9 1/4	55,926	9 1/4	71,319	9 1/4	86,713	9 1/4	102,106	9 1/4	117,499	9 1/4	132,992	9 1/4	148,285	9 1/4	163,678	9 1/4	179,071	9 1/4	194,464	9 1/4	209,856	9 1/4	225,328
9 1/2	10,209	9 1/2	25,523	9 1/2	40,872	9 1/2	56,247																						



INSPECTORATE

ISO 9002 ACCREDITED

BARGE "CBC-341" **CANAL BARGE COMPANY**

INNAGE TABLE

TANK NO.
3 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4894

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.		
0	105	0	13,654	0	28,243	0	44,853	0	60,448	0	76,043	0	91,639	0	107,234	0	122,829	0	138,424	0	153,983	0	164,834	0	174,189	0	174,189	0	174,189	0	174,189
1/4	148	1/4	13,980	1/4	29,670	1/4	45,178	1/4	60,773	1/4	76,368	1/4	91,964	1/4	107,559	1/4	123,154	1/4	138,749	1/4	154,344	1/4	165,195	1/4	174,550	1/4	174,550	1/4	174,550	1/4	174,550
1/2	186	1/2	14,306	1/2	29,996	1/2	46,603	1/2	61,098	1/2	76,693	1/2	92,289	1/2	107,884	1/2	123,479	1/2	139,074	1/2	154,669	1/2	165,520	1/2	174,875	1/2	174,875	1/2	174,875	1/2	174,875
3/4	308	3/4	14,633	3/4	30,222	3/4	45,828	3/4	61,423	3/4	77,018	3/4	92,613	3/4	108,209	3/4	123,804	3/4	139,399	3/4	154,994	3/4	165,845	3/4	175,200	3/4	175,200	3/4	175,200	3/4	175,200
1	431	1	14,959	1	30,549	1	46,153	1	61,748	1	77,343	1	92,938	1	108,534	1	124,129	1	139,724	1	155,319	1	166,170	1	175,525	1	175,525	1	175,525	1	175,525
1 1/4	563	1 1/4	15,285	1 1/4	30,875	1 1/4	46,478	1 1/4	62,073	1 1/4	77,668	1 1/4	93,263	1 1/4	108,858	1 1/4	124,454	1 1/4	140,049	1 1/4	155,644	1 1/4	166,495	1 1/4	175,850	1 1/4	175,850	1 1/4	175,850	1 1/4	175,850
1 1/2	675	1 1/2	15,611	1 1/2	31,201	1 1/2	46,802	1 1/2	62,398	1 1/2	77,993	1 1/2	93,588	1 1/2	109,183	1 1/2	124,779	1 1/2	140,374	1 1/2	155,969	1 1/2	166,820	1 1/2	176,175	1 1/2	176,175	1 1/2	176,175	1 1/2	176,175
3/4	873	3/4	15,938	3/4	31,527	3/4	47,127	3/4	62,723	3/4	78,318	3/4	93,913	3/4	109,509	3/4	125,104	3/4	140,699	3/4	156,294	3/4	167,145	3/4	176,500	3/4	176,500	3/4	176,500	3/4	176,500
2	1,070	2	16,264	2	31,854	2	47,452	2	63,047	2	78,643	2	94,238	2	109,833	2	125,428	2	141,024	2	156,619	2	167,470	2	176,825	2	176,825	2	176,825	2	176,825
2 1/4	1,268	2 1/4	16,590	2 1/4	32,180	2 1/4	47,777	2 1/4	63,372	2 1/4	78,968	2 1/4	94,563	2 1/4	110,158	2 1/4	125,753	2 1/4	141,349	2 1/4	156,944	2 1/4	167,795	2 1/4	177,150	2 1/4	177,150	2 1/4	177,150	2 1/4	177,150
2 1/2	1,466	2 1/2	16,917	2 1/2	32,506	2 1/2	48,102	2 1/2	63,697	2 1/2	79,293	2 1/2	94,888	2 1/2	110,483	2 1/2	126,078	2 1/2	141,673	2 1/2	157,268	2 1/2	168,119	2 1/2	177,474	2 1/2	177,474	2 1/2	177,474	2 1/2	177,474
3/4	1,745	3/4	17,243	3/4	32,831	3/4	48,427	3/4	64,022	3/4	79,617	3/4	95,213	3/4	110,808	3/4	126,403	3/4	141,998	3/4	157,593	3/4	168,444	3/4	177,799	3/4	177,799	3/4	177,799	3/4	177,799
3	2,025	3	17,569	3	33,166	3	48,752	3	64,347	3	79,942	3	95,538	3	111,133	3	126,728	3	142,323	3	157,918	3	168,769	3	178,124	3	178,124	3	178,124	3	178,124
3 1/4	2,304	3 1/4	17,895	3 1/4	33,481	3 1/4	49,077	3 1/4	64,672	3 1/4	80,267	3 1/4	95,862	3 1/4	111,458	3 1/4	127,053	3 1/4	142,648	3 1/4	158,243	3 1/4	169,094	3 1/4	178,449	3 1/4	178,449	3 1/4	178,449	3 1/4	178,449
3 1/2	2,584	3 1/2	18,222	3 1/2	33,806	3 1/2	49,402	3 1/2	64,997	3 1/2	80,592	3 1/2	96,187	3 1/2	111,783	3 1/2	127,378	3 1/2	142,973	3 1/2	158,568	3 1/2	169,419	3 1/2	178,774	3 1/2	178,774	3 1/2	178,774	3 1/2	178,774
3/4	2,904	3/4	18,548	3/4	34,131	3/4	49,727	3/4	65,322	3/4	80,917	3/4	96,512	3/4	112,108	3/4	127,703	3/4	143,298	3/4	158,893	3/4	169,744	3/4	179,099	3/4	179,099	3/4	179,099	3/4	179,099
4	3,224	4	18,864	4	34,456	4	50,051	4	65,647	4	81,242	4	96,837	4	112,432	4	128,028	4	143,623	4	159,218	4	170,069	4	179,424	4	179,424	4	179,424	4	179,424
4 1/4	3,644	4 1/4	19,193	4 1/4	34,781	4 1/4	50,376	4 1/4	65,972	4 1/4	81,567	4 1/4	97,162	4 1/4	112,757	4 1/4	128,353	4 1/4	143,948	4 1/4	159,543	4 1/4	170,394	4 1/4	179,749	4 1/4	179,749	4 1/4	179,749	4 1/4	179,749
4 1/2	3,885	4 1/2	19,503	4 1/2	35,106	4 1/2	50,701	4 1/2	66,296	4 1/2	81,892	4 1/2	97,487	4 1/2	113,082	4 1/2	128,677	4 1/2	144,273	4 1/2	159,868	4 1/2	170,719	4 1/2	180,074	4 1/2	180,074	4 1/2	180,074	4 1/2	180,074
3/4	4,191	3/4	19,823	3/4	35,431	3/4	51,026	3/4	66,621	3/4	82,217	3/4	97,812	3/4	113,407	3/4	129,002	3/4	144,598	3/4	160,193	3/4	171,044	3/4	180,399	3/4	180,399	3/4	180,399	3/4	180,399
5	4,617	5	20,143	5	35,755	5	51,351	5	66,946	5	82,542	5	98,137	5	113,732	5	129,327	5	144,923	5	160,518	5	171,369	5	180,724	5	180,724	5	180,724	5	180,724
5 1/4	4,844	5 1/4	20,464	5 1/4	36,080	5 1/4	51,676	5 1/4	67,271	5 1/4	82,866	5 1/4	98,462	5 1/4	114,057	5 1/4	129,652	5 1/4	145,247	5 1/4	160,842	5 1/4	171,693	5 1/4	181,048	5 1/4	181,048	5 1/4	181,048	5 1/4	181,048
5 1/2	5,170	5 1/2	20,784	5 1/2	36,405	5 1/2	52,001	5 1/2	67,596	5 1/2	83,191	5 1/2	98,787	5 1/2	114,382	5 1/2	129,977	5 1/2	145,572	5 1/2	161,167	5 1/2	172,018	5 1/2	181,373	5 1/2	181,373	5 1/2	181,373	5 1/2	181,373
3/4	5,498	3/4	21,104	3/4	36,730	3/4	52,326	3/4	67,921	3/4	83,516	3/4	99,111	3/4	114,707	3/4	130,302	3/4	145,897	3/4	161,492	3/4	172,343	3/4	181,698	3/4	181,698	3/4	181,698	3/4	181,698
6	5,822	6	21,424	6	37,056	6	52,651	6	68,246	6	83,841	6	99,436	6	115,032	6	130,627	6	146,222	6	161,817	6	172,668	6	182,023	6	182,023	6	182,023	6	182,023
6 1/4	6,149	6 1/4	21,745	6 1/4	37,380	6 1/4	52,976	6 1/4	68,571	6 1/4	84,166	6 1/4	99,761	6 1/4	115,367	6 1/4	130,952	6 1/4	146,547	6 1/4	162,142	6 1/4	173,003	6 1/4	182,358	6 1/4	182,358	6 1/4	182,358	6 1/4	182,358
6 1/2	6,476	6 1/2	22,065	6 1/2	37,705	6 1/2	53,300	6 1/2	68,896	6 1/2	84,491	6 1/2	100,086	6 1/2	115,681	6 1/2	131,277	6 1/2	146,872	6 1/2	162,467	6 1/2	173,318	6 1/2	182,673	6 1/2	182,673	6 1/2	182,673	6 1/2	182,673
3/4	6,801	3/4	22,391	3/4	38,030	3/4	53,626	3/4	69,221	3/4	84,816	3/4	100,411	3/4	115,906	3/4	131,502	3/4	147,097	3/4	162,692	3/4	173,543	3/4	182,898	3/4	182,898	3/4	182,898	3/4	182,898
7	7,128	7	22,717	7	38,355	7	53,950	7	69,545	7	85,141	7	100,736	7	116,331	7	131,926	7	147,522	7	163,117	7	173,968	7	183,323	7	183,323	7	183,323	7	183,323
7 1/4	7,454	7 1/4	23,044	7 1/4	38,680	7 1/4	54,276	7 1/4	69,870	7 1/4	85,466	7 1/4	101,061	7 1/4	116,656	7 1/4	132,251	7 1/4	147,847	7 1/4	163,442	7 1/4	174,293	7 1/4	183,648	7 1/4	183,648	7 1/4	183,648	7 1/4	183,648
7 1/2	7,780	7 1/2	23,370	7 1/2	39,005	7 1/2	54,600	7 1/2	70,195	7 1/2	85,791	7 1/2	101,386	7 1/2	116,981	7 1/2	132,576	7 1/2	148,172	7 1/2	163,767	7 1/2	174,618	7 1/2	183,973	7 1/2	183,973	7 1/2	183,973	7 1/2	183,973
3/4	8,107	3/4	23,696	3/4	39,329	3/4	54,926	3/4	70,520	3/4	86,115	3/4	101,711	3/4	117,306	3/4	132,902	3/4	148,498	3/4	164,093	3/4	174,944	3/4	184,299	3/4	184,299	3/4	184,299	3/4	184,299
8	8,433	8	24,023	8	39,654	8	55,260	8	70,845	8	86,440	8	102,036	8	117,631	8	133,226	8	148,821	8	164,416	8	175,267	8	184,622	8	184,622	8	184,622	8	184,622
8 1/4	8,759	8 1/4	24,349	8 1/4	39,979	8 1/4	55,576	8 1/4	71,170	8 1/4	86,765	8 1/4	102,360	8 1/4	117,956	8 1/4	133,581	8 1/4	149,146	8 1/4	164,741	8 1/4	175,592	8 1/4	184,947	8 1/4	184,947	8 1/4	184,947	8 1/4	184,947
8 1/2	9,085	8 1/2	24,675	8 1/2	40,304	8 1/2	55,900	8 1/2	71,495	8 1/2	87,090	8 1/2	102,685	8 1/2	118,281	8 1/2	133,878	8 1/2	149,471	8 1/2	165,066	8 1/2	175,917	8 1/2	185,272	8 1/2	185,272	8 1/2	185,272	8 1/2	185,272
3/4	9,412	3/4	25,001	3/4	40,629	3/4	56,226	3/4	71,820	3/4	87,415	3/4	103,010	3/4	118,606	3/4	134,202	3/4	149,796	3/4	165,391	3/4	176,242	3/4	185,597	3/4	185,597	3/4	185,597	3/4	185,597
9	9,738	9	25,328	9	40,954	9	56,549	9	72,1																						

TANK NO.
1 PORT OR STAR

HULL NO. 4694

[illegible]

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/19/09

REFERENCE GAUGE HEIGHT: 15'-1 3/4" (TO RIM OF 2" DIAMETER HATCH
LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.



INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341" **CANAL BARGE COMPANY** **OUTAGE TABLE**

TANK NO.
2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN US GALLONS

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-2 1/2" (TO RIM OF 2" DIAMETER HATCH
 LOCATED ON EXPANSION DOME)

STRAPPED: 11/19/03

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
 IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
 ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
 INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341" **CANAL BARGE COMPANY** **OUTAGE TABLE**

TANK NO.
2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	0	0	184,717	0	170,092	0	154,699	0	138,308	0	123,913	0	108,519	0	93,126
1/4	1/4	1/4	1/4	184,521	1/4	168,771	1/4	154,378	1/4	138,986	1/4	123,592	1/4	108,199	1/4	92,606
1/2	1/2	1/2	1/2	184,290	1/2	168,451	1/2	154,067	1/2	138,684	1/2	123,271	1/2	107,878	1/2	92,488
3/4	3/4	3/4	3/4	184,058	3/4	168,130	3/4	153,737	3/4	138,344	3/4	122,950	3/4	107,557	3/4	92,164
1	1	1	1	183,827	1	168,809	1	153,416	1	138,023	1	122,630	1	107,237	1	91,844
1/4	1/4	1/4	1/4	183,595	1/4	168,488	1/4	153,095	1/4	137,702	1/4	122,309	1/4	106,916	1/4	91,523
1/2	1/2	1/2	1/2	183,328	1/2	168,169	1/2	152,776	1/2	137,382	1/2	121,988	1/2	106,598	1/2	91,202
3/4	3/4	3/4	3/4	183,061	3/4	167,847	3/4	152,454	3/4	137,061	3/4	121,668	3/4	106,275	3/4	90,881
2	2	2	2	182,794	2	167,526	2	152,133	2	136,740	2	121,347	2	105,954	2	90,541
1/4	1/4	1/4	1/4	182,527	1/4	167,206	1/4	151,813	1/4	136,419	1/4	121,026	1/4	105,631	1/4	90,240
1/2	1/2	1/2	1/2	182,224	1/2	166,886	1/2	151,492	1/2	136,099	1/2	120,704	1/2	105,319	1/2	89,919
3/4	3/4	3/4	3/4	181,922	3/4	166,564	3/4	151,171	3/4	135,778	3/4	120,385	3/4	104,992	3/4	89,599
3	3	3	3	181,619	3	166,244	3	150,861	3	135,467	3	120,064	3	104,671	3	89,278
1/4	1/4	1/4	1/4	181,316	1/4	165,923	1/4	150,530	1/4	135,137	1/4	119,744	1/4	104,350	1/4	88,957
1/2	1/2	1/2	1/2	180,985	1/2	165,582	1/2	150,209	1/2	134,816	1/2	119,423	1/2	104,030	1/2	88,637
3/4	3/4	3/4	3/4	180,675	3/4	165,262	3/4	149,888	3/4	134,495	3/4	119,102	3/4	103,709	3/4	88,316
4	4	4	4	180,354	4	164,961	4	149,568	4	134,175	4	118,782	4	103,388	4	87,986
1/4	1/4	1/4	1/4	180,033	1/4	164,640	1/4	149,247	1/4	133,864	1/4	118,461	1/4	103,068	1/4	87,676
1/2	1/2	1/2	1/2	179,713	1/2	164,319	1/2	148,926	1/2	133,533	1/2	118,140	1/2	102,747	1/2	87,354
3/4	3/4	3/4	3/4	179,392	3/4	163,999	3/4	148,605	3/4	133,213	3/4	117,819	3/4	102,426	3/4	87,033
5	5	5	5	179,071	5	163,678	5	148,286	5	132,892	5	117,499	5	102,106	5	86,713
1/4	1/4	1/4	1/4	178,751	1/4	163,357	1/4	147,964	1/4	132,571	1/4	117,178	1/4	101,785	1/4	86,392
1/2	1/2	1/2	1/2	178,430	1/2	163,037	1/2	147,644	1/2	132,250	1/2	116,857	1/2	101,464	1/2	86,071
3/4	3/4	3/4	3/4	178,109	3/4	162,718	3/4	147,323	3/4	131,930	3/4	116,537	3/4	101,144	3/4	85,750
6	6	6	6	177,788	6	162,396	6	147,002	6	131,609	6	116,216	6	100,823	6	85,430
1/4	1/4	1/4	1/4	177,468	1/4	162,076	1/4	146,682	1/4	131,289	1/4	115,895	1/4	100,502	1/4	85,109
1/2	1/2	1/2	1/2	177,147	1/2	161,754	1/2	146,361	1/2	130,968	1/2	115,575	1/2	100,181	1/2	84,788
3/4	3/4	3/4	3/4	176,826	3/4	161,433	3/4	146,040	3/4	130,647	3/4	115,254	3/4	99,861	3/4	84,468
7	7	7	7	176,503	7	161,113	7	145,719	7	130,326	7	114,933	7	99,540	7	84,147
1/4	1/4	1/4	1/4	176,184	1/4	160,792	1/4	145,399	1/4	130,008	1/4	114,613	1/4	99,219	1/4	83,826
1/2	1/2	1/2	1/2	175,861	1/2	160,471	1/2	145,078	1/2	129,685	1/2	114,292	1/2	98,899	1/2	83,506
3/4	3/4	3/4	3/4	175,544	3/4	160,151	3/4	144,757	3/4	129,364	3/4	113,971	3/4	98,578	3/4	83,185
8	8	8	8	175,223	8	159,830	8	144,437	8	128,944	8	113,650	8	98,257	8	82,864
1/4	1/4	1/4	1/4	174,900	1/4	159,509	1/4	144,116	1/4	128,623	1/4	113,330	1/4	97,937	1/4	82,544
1/2	1/2	1/2	1/2	174,582	1/2	159,188	1/2	143,795	1/2	128,302	1/2	113,009	1/2	97,618	1/2	82,223
3/4	3/4	3/4	3/4	174,261	3/4	158,868	3/4	143,475	3/4	127,982	3/4	112,688	3/4	97,298	3/4	81,902
9	9	9	9	173,940	9	158,547	9	143,154	9	127,781	9	112,368	9	96,976	9	81,581
1/4	1/4	1/4	1/4	173,619	1/4	158,226	1/4	142,833	1/4	127,460	1/4	112,047	1/4	96,654	1/4	81,261
1/2	1/2	1/2	1/2	173,299	1/2	157,906	1/2	142,513	1/2	127,139	1/2	111,726	1/2	96,333	1/2	80,940
3/4	3/4	3/4	3/4	172,978	3/4	157,586	3/4	142,192	3/4	126,818	3/4	111,406	3/4	96,013	3/4	80,619
10	10	10	10	172,657	10	157,264	10	141,871	10	126,497	10	111,085	10	95,692	10	80,298
1/4	1/4	1/4	1/4	172,337	1/4	156,944	1/4	141,550	1/4	126,177	1/4	110,764	1/4	95,371	1/4	79,978
1/2	1/2	1/2	1/2	172,016	1/2	156,623	1/2	141,230	1/2	125,857	1/2	110,444	1/2	95,050	1/2	79,657
3/4	3/4	3/4	3/4	171,695	3/4	156,302	3/4	140,909	3/4	125,536	3/4	110,123	3/4	94,730	3/4	79,337
11	11	11	11	171,375	11	155,982	11	140,588	11	125,215	11	109,802	11	94,409	11	79,016
1/4	1/4	1/4	1/4	171,054	1/4	155,661	1/4	140,268	1/4	124,896	1/4	109,481	1/4	94,088	1/4	78,695
1/2	1/2	1/2	1/2	170,733	1/2	155,340	1/2	139,947	1/2	124,575	1/2	109,161	1/2	93,768	1/2	78,375
3/4	3/4	3/4	3/4	170,413	3/4	155,019	3/4	139,626	3/4	124,253	3/4	108,840	3/4	93,447	3/4	78,054

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/19/09

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-2 1/4" (TO RIM OF 2" DIAMETER HATCH
 LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
 IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
 ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

TANK NO.
3 PORT

HULL NO. 4694

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

[illegible]

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/18/08

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-2 1/4" (TO RIM OF 2" DIAMETER HATCH
LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE


INSPECTORATE AMERICA CORPORATION

TANK NO.
3 STAR

HULL NO. 4694

[illegible]

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/18/09

★ CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-2" (TO RIM OF 2" DIAMETER HATCH
LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341" CANAL BARGE COMPANY

INNAGE TABLE

FUEL OIL TANK

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	0	0	3,483	0	6,926	0	10,390	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	72	1/4	3,635	1/4	6,999	1/4	10,462	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	144	1/2	3,607	1/2	7,071	1/2	10,534	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	3,680	3/4	7,143	3/4	10,606	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	289	1	3,752	1	7,215	1	10,678	1		1		1		1		1		1		1		1		1		1		1	
1 1/4	361	1 1/4	3,824	1 1/4	7,287	1 1/4	10,750	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	433	1 1/2	3,898	1 1/2	7,359	1 1/2	10,822	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	505	3 1/4	3,968	3 1/4	7,431	3 1/4	10,895	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
2	577	2	4,040	2	7,504	2	10,967	2		2		2		2		2		2		2		2		2		2		2	
1 1/4	649	1 1/4	4,113	1 1/4	7,578	1 1/4	11,039	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	721	1 1/2	4,185	1 1/2	7,648	1 1/2	11,111	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	794	3 1/4	4,257	3 1/4	7,720	3 1/4	11,183	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3	866	3	4,329	3	7,792	3	11,255	3		3		3		3		3		3		3		3		3		3		3	
1 1/4	938	1 1/4	4,401	1 1/4	7,864	1 1/4	11,327	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,010	1 1/2	4,473	1 1/2	7,938	1 1/2	11,400	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,082	3 1/4	4,545	3 1/4	8,009	3 1/4	11,472	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
4	1,154	4	4,618	4	8,081	4	11,544	4		4		4		4		4		4		4		4		4		4		4	
1 1/4	1,227	1 1/4	4,690	1 1/4	8,153	1 1/4	11,616	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,299	1 1/2	4,762	1 1/2	8,225	1 1/2	11,688	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,371	3 1/4	4,834	3 1/4	8,297	3 1/4	11,760	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
5	1,443	5	4,906	5	8,369	5	11,833	5		5		5		5		5		5		5		5		5		5		5	
1 1/4	1,515	1 1/4	4,978	1 1/4	8,442	1 1/4	11,905	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,587	1 1/2	5,050	1 1/2	8,514	1 1/2	11,977	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,659	3 1/4	5,123	3 1/4	8,586	3 1/4	12,049	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
6	1,732	6	5,195	6	8,658	6	12,121	6		6		6		6		6		6		6		6		6		6		6	
1 1/4	1,804	1 1/4	5,267	1 1/4	8,730	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,876	1 1/2	5,339	1 1/2	8,802	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,948	3 1/4	5,411	3 1/4	8,874	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
7	2,020	7	5,483	7	8,947	7		7		7		7		7		7		7		7		7		7		7		7	
1 1/4	2,092	1 1/4	5,556	1 1/4	9,019	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,164	1 1/2	5,628	1 1/2	9,091	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	2,237	3 1/4	5,700	3 1/4	9,163	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
8	2,309	8	5,772	8	9,235	8		8		8		8		8		8		8		8		8		8		8		8	
1 1/4	2,381	1 1/4	5,844	1 1/4	9,307	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,453	1 1/2	5,916	1 1/2	9,379	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	2,525	3 1/4	5,988	3 1/4	9,452	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
9	2,597	9	6,061	9	9,524	9		9		9		9		9		9		9		9		9		9		9		9	
1 1/4	2,670	1 1/4	6,133	1 1/4	9,596	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,742	1 1/2	6,205	1 1/2	9,668	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	2,814	3 1/4	6,277	3 1/4	9,740	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
10	2,886	10	6,349	10	9,812	10		10		10		10		10		10		10		10		10		10		10		10	
1 1/4	2,958	1 1/4	6,421	1 1/4	9,884	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,030	1 1/2	6,493	1 1/2	9,957	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,102	3 1/4	6,568	3 1/4	10,029	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
11	3,176	11	6,638	11	10,101	11		11		11		11		11		11		11		11		11		11		11		11	
1 1/4	3,247	1 1/4	6,710	1 1/4	10,173	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,319	1 1/2	6,782	1 1/2	10,245	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,391	3 1/4	6,854	3 1/4	10,317	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	

CAPACITIES GIVEN IN U.S. GALLONS

REFERENCE GAUGE HEIGHT : 4'-0 3/4" (RIM OF 2" DIAMETER STAND PIPE
NEAR CENTER OF TANK)

STRAPPED: 11/19/08

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341" CANAL BARGE COMPANY

OUTAGE TABLE

FUEL OIL TANK

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0	10,606	0	7,143	0	3,680	0	216	0	0	0	0	0	0	0
1/4	1/4	10,534	1/4	7,071	1/4	3,607	1/4	144	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	10,462	1/2	6,999	1/2	3,535	1/2	72	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	10,390	3/4	6,926	3/4	3,463	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	10,317	1	6,854	1	3,381	1		1	1	1	1	1	1	1
1/4	1/4	10,245	1/4	6,782	1/4	3,319	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	10,173	1/2	6,710	1/2	3,247	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	10,101	3/4	6,638	3/4	3,175	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	10,029	2	6,566	2	3,102	2		2	2	2	2	2	2	2
1/4	1/4	9,957	1/4	6,493	1/4	3,030	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,884	1/2	6,421	1/2	2,958	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	9,812	3/4	6,349	3/4	2,886	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	9,740	3	6,277	3	2,814	3		3	3	3	3	3	3	3
1/4	1/4	9,668	1/4	6,205	1/4	2,742	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,596	1/2	6,133	1/2	2,670	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	9,524	3/4	6,061	3/4	2,597	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	9,452	4	5,988	4	2,525	4		4	4	4	4	4	4	4
1/4	1/4	9,379	1/4	5,916	1/4	2,453	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,307	1/2	5,844	1/2	2,381	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	9,235	3/4	5,772	3/4	2,309	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	9,163	5	5,700	5	2,237	5		5	5	5	5	5	5	5
1/4	1/4	9,091	1/4	5,628	1/4	2,164	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,019	1/2	5,556	1/2	2,092	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	8,947	3/4	5,483	3/4	2,020	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	8,874	6	5,411	6	1,948	6		6	6	6	6	6	6	6
1/4	1/4	8,802	1/4	5,339	1/4	1,876	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	8,730	1/2	5,267	1/2	1,804	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	8,658	3/4	5,195	3/4	1,732	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	8,586	7	5,123	7	1,659	7		7	7	7	7	7	7	7
1/4	1/4	8,514	1/4	5,050	1/4	1,587	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	8,442	1/2	4,978	1/2	1,515	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	8,369	3/4	4,906	3/4	1,443	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8,297	8	4,834	8	1,371	8		8	8	8	8	8	8	8
1/4	1/4	8,225	1/4	4,762	1/4	1,299	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	8,153	1/2	4,690	1/2	1,227	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	8,081	3/4	4,618	3/4	1,154	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	8,009	9	4,546	9	1,082	9		9	9	9	9	9	9	9
1/4	1/4	7,936	1/4	4,473	1/4	1,010	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	7,864	1/2	4,401	1/2	938	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	7,792	3/4	4,329	3/4	866	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	7,720	10	4,257	10	794	10		10	10	10	10	10	10	10
1/4	1/4	7,648	1/4	4,185	1/4	721	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	7,576	1/2	4,113	1/2	649	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	7,504	3/4	4,040	3/4	577	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	7,431	11	3,968	11	505	11		11	11	11	11	11	11	11
1/4	1/4	7,359	1/4	3,896	1/4	433	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	7,287	1/2	3,824	1/2	361	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	7,215	3/4	3,752	3/4	289	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN US GALLONS

REFERENCE GAUGE HEIGHT : 4'-0 3/4" (RIM OF 2" DIAMETER STAND PIPE
NEAR CENTER OF TANK)

STRAPPED: 11/19/09

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION