



INSPECTORATE

BARGE "HSM-3203"
HARDIN ST MARINE, LLC

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T069

Table with columns for gauge height (0 FT. to 15 FT.) and corresponding capacity values. Includes sub-columns for 1/4, 1/2, and 3/4 gauge readings.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/20/13

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation signature and logo



INSPECTORATE

BARGE "HSM-3203"
HARDIN ST MARINE, LLC
OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T069

Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values for each foot. Includes sub-columns for 1/4, 1/2, and 3/4 increments.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/20/13

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "HSM-3203"
HARDIN ST MARINE, LLC

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T069

Table with 20 columns (0 FT. to 15 FT.) and multiple rows showing capacity data for various heights and gauges. Includes a diagonal line on the left side of the table.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/20/13

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA-CORPORATION logo



INSPECTORATE

BARGE "HSM-3203"
HARDIN ST MARINE, LLC

OUTGAUGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T069

Table with 30 columns representing gauges from 0 FT. to 15 FT. and multiple rows for each gauge height, showing capacity values in barrels of 42 U.S. Gallons.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/20/13

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-8 3/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature and 'INSPECTORATE AMERICA CORPORATION' text.



INSPECTORATE

BARGE "HSM-3203"
HARDIN ST MARINE, LLC
OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T069

Table with 21 columns (2 FT. to 17 FT.) and multiple rows (0 to 11) showing capacity values in barrels of 42 U.S. gallons. Each cell contains a value and a gauge height fraction (e.g., 1/4, 1/2, 3/4).

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/20/13

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of the inspector

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "HSM-3203"
HARDIN ST MARINE, LLC

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T069

Table with columns for height (2 FT. to 17 FT.) and corresponding capacity values for each height.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/20/13

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

