



BARGE "HSM-3207"
HARDIN ST MARINE, LLC

OUTAGE TABLE

1 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 15 FT.) and rows for gauge readings (0 to 11). Each cell contains numerical values representing capacity or measurement. Includes a diagonal line on the left side of the table.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "HSM-3207"
HARDIN ST MARINE, LLC

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with 20 columns (0 FT. to 15 FT.) and multiple rows of data. Each cell contains a value and a gauge reading (e.g., 1/4, 1/2, 3/4). Values decrease from left to right and increase from top to bottom.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-8 3/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



INSPECTORATE

BARGE "HSM-3207"
HARDIN ST MARINE, LLC

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with 21 columns (0 FT. to 15 FT.) and multiple rows of capacity data for each gauge height.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and Inspectorate America Corporation logo



INSPECTORATE

BARGE "HSM-3207"
HARDIN ST MARINE, LLC

OUTAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for keel heights (2 FT. to 17 FT.) and rows for gauge readings. Includes numerical values for each measurement point and a diagonal line indicating a strike point.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA-CORPORATION



INSPECTORATE

BARGE "HSM-3207"
HARDIN ST MARINE, LLC

OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (2 FT. to 17 FT.) and rows for gauge numbers (0 to 11). Each cell contains a numerical value representing capacity in barrels.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature of Inspector

INSPECTORATE AMERICA CORPORATION



BARGE "HSM-3207"
HARDIN ST MARINE, LLC
OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with 22 columns representing gauging heights from 2 FT. to 17 FT. and rows representing different gauge levels from 0 to 11. Each cell contains four numerical values for different gauge types.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "HSM-3207"
HARDIN ST MARINE, LLC

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for gauge height (0 to 17 FT) and corresponding capacity values in barrels of 42 U.S. gallons. Includes sub-columns for 1/4, 1/2, and 3/4 inch increments.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 11/11/2013

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA CORPORATION