

BARGE "HSM 3220"
HARDIN STREET MARINE

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL No. 06-2108

Table with columns for height (FT.) and capacity (BARRELS) for various barge levels (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11). Rows include IN and 1/4 increments for each level.

NOTE: GAUGE POINT: TO TOP LIP OF HERMETIC BALL VALVE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK..
REFERENCE GAUGE HEIGHT: 15'-9 1/2" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/27/07 BY: JF
DATE COMPUTED: 12/14/07 BY: WHF
DATE ISSUED: 12/14/07





BARGE "HSM 3220"
HARDIN STREET MARINE

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL No. 06-2108

Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values in barrels for each height. Includes sub-rows for 1/4, 1/2, and 3/4 increments.

NOTE: GAUGE POINT: TO TOP LIP OF HERMETIC BALL VALVE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15'-9 1/2" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/27/07 BY: JF
DATE COMPUTED: 12/14/07 BY: WHF
DATE ISSUED: 12/14/07

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett





