

Entered Bus ✓ 3/18/05

MAP 703

COMPARTMENT: 1 PORT

GAUGE HEIGHT: 11' 5 3/4"

STRAPPED: 12/27/04

RIM OF HATCH OPPOSITE HINGE LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

COMPUTED IN BARRELS	GAUGE TYPE: OUTAGE									
	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT
0	0.00	3.699.17	3.334.18	2.969.18	2.602.46	2.234.78	1.867.10	1.499.42	1.131.74	764.06
1/4	3.904.03	3.691.56	3.326.57	2.961.56	2.594.80	2.227.12	1.859.44	1.491.76	1.124.08	756.40
1/2	3.903.68	3.683.96	3.318.97	2.953.98	2.587.14	2.219.46	1.851.76	1.484.10	1.116.42	748.81
3/4	3.903.32	3.676.36	3.311.36	2.946.37	2.579.48	2.211.80	1.844.12	1.476.44	1.108.76	741.21
1	3.902.96	3.668.75	3.303.76	2.938.77	2.571.82	2.204.14	1.836.46	1.468.78	1.101.10	733.62
1/4	3.902.60	3.661.15	3.296.16	2.931.16	2.564.16	2.196.16	1.828.80	1.461.12	1.093.44	726.03
1/2	3.901.48	3.653.54	3.288.55	2.923.56	2.556.50	2.188.82	1.821.14	1.453.46	1.085.78	718.70
3/4	3.900.36	3.645.94	3.280.95	2.915.96	2.548.84	2.181.16	1.813.48	1.445.80	1.078.12	711.37
2	3.899.24	3.638.34	3.273.34	2.908.35	2.541.18	2.173.50	1.805.82	1.438.14	1.070.46	704.04
1/4	3.898.12	3.630.74	3.265.74	2.900.75	2.533.52	2.165.84	1.798.16	1.430.48	1.062.80	696.71
1/2	3.896.24	3.623.13	3.258.14	2.893.14	2.525.86	2.158.18	1.790.50	1.422.82	1.055.14	689.38
3/4	3.894.36	3.615.52	3.250.53	2.885.54	2.518.20	2.150.52	1.782.84	1.415.16	1.047.48	682.05
3	3.892.48	3.607.92	3.242.93	2.877.94	2.510.54	2.142.86	1.775.18	1.407.50	1.039.82	674.72
1/4	3.890.59	3.600.32	3.235.32	2.870.33	2.502.88	2.135.20	1.767.52	1.399.84	1.032.16	667.39
1/2	3.887.95	3.592.71	3.227.72	2.862.73	2.495.22	2.127.54	1.759.86	1.392.18	1.024.50	660.06
3/4	3.885.30	3.585.11	3.220.12	2.855.12	2.487.56	2.119.88	1.752.20	1.384.52	1.016.84	652.73
4	3.882.65	3.577.50	3.212.51	2.847.52	2.479.90	2.112.22	1.744.54	1.376.86	1.009.18	645.40
1/4	3.880.01	3.569.90	3.204.91	2.839.92	2.472.24	2.104.66	1.736.88	1.369.20	1.001.52	638.07
1/2	3.876.60	3.562.30	3.197.30	2.832.26	2.464.58	2.096.90	1.729.22	1.361.54	993.86	630.74
3/4	3.873.19	3.554.69	3.189.70	2.824.60	2.456.92	2.089.24	1.721.56	1.353.88	986.20	623.41
5	3.869.78	3.547.09	3.182.10	2.816.94	2.449.26	2.081.58	1.713.90	1.346.22	978.54	616.08
1/4	3.866.37	3.539.48	3.174.44	2.809.28	2.441.60	2.073.92	1.706.24	1.338.56	970.88	608.75
1/2	3.862.20	3.531.88	3.166.89	2.801.62	2.433.94	2.066.26	1.698.58	1.330.90	963.22	601.42
3/4	3.858.03	3.524.29	3.159.29	2.793.96	2.426.28	2.058.60	1.690.92	1.323.24	955.56	594.09
6	3.853.86	3.516.67	3.151.68	2.786.30	2.418.62	2.050.94	1.683.26	1.315.58	947.90	586.76
1/4	3.849.69	3.509.07	3.144.08	2.778.64	2.410.96	2.043.28	1.675.60	1.307.92	940.24	579.43
1/2	3.844.75	3.501.46	3.136.47	2.770.98	2.403.30	2.035.62	1.667.94	1.300.26	932.58	572.10
3/4	3.839.82	3.493.88	3.128.87	2.763.32	2.395.64	2.027.96	1.660.28	1.292.60	924.92	564.77
7	3.834.89	3.486.26	3.121.26	2.755.66	2.387.98	2.020.30	1.652.62	1.284.94	917.26	557.44
1/4	3.829.95	3.478.65	3.113.66	2.748.00	2.380.32	2.012.64	1.644.96	1.277.28	909.60	550.11
1/2	3.824.26	3.471.05	3.106.06	2.740.34	2.372.66	2.004.98	1.637.30	1.269.62	901.94	543.23
3/4	3.818.56	3.463.44	3.098.45	2.732.68	2.365.00	1.997.32	1.629.64	1.261.96	894.28	536.35
8	3.812.86	3.455.84	3.090.85	2.725.02	2.357.34	1.989.66	1.621.99	1.254.30	886.62	529.47
1/4	3.807.16	3.448.24	3.083.24	2.717.36	2.349.68	1.982.00	1.614.32	1.246.64	878.96	522.59
1/2	3.800.70	3.440.63	3.075.64	2.709.70	2.342.02	1.974.34	1.606.66	1.238.98	871.30	515.71
3/4	3.794.24	3.433.03	3.068.04	2.702.04	2.334.36	1.966.68	1.599.00	1.231.32	863.64	508.83
9	3.787.78	3.425.42	3.060.43	2.694.38	2.326.70	1.959.02	1.591.34	1.223.66	855.98	501.95
1/4	3.781.32	3.417.82	3.052.83	2.686.72	2.319.04	1.951.36	1.583.68	1.216.00	848.32	495.06
1/2	3.774.09	3.410.22	3.045.22	2.679.06	2.311.38	1.943.70	1.576.02	1.208.34	840.66	488.18
3/4	3.766.86	3.402.61	3.037.62	2.671.40	2.303.72	1.936.04	1.568.36	1.200.68	833.00	481.30
10	3.759.63	3.395.01	3.030.02	2.663.74	2.296.06	1.928.38	1.560.70	1.193.02	825.34	474.42
1/4	3.752.40	3.387.40	3.022.41	2.656.08	2.288.40	1.920.72	1.553.04	1.185.36	817.68	467.54
1/2	3.744.79	3.379.80	3.014.81	2.648.42	2.280.74	1.913.06	1.545.38	1.177.70	810.02	460.66
3/4	3.737.19	3.372.20	3.007.20	2.640.76	2.273.08	1.905.40	1.537.72	1.170.04	802.36	453.78
11	3.729.58	3.364.59	2.999.60	2.633.10	2.265.42	1.897.74	1.530.06	1.162.38	794.70	446.90
1/4	3.721.98	3.356.99	2.992.00	2.625.44	2.257.76	1.890.08	1.522.40	1.154.72	787.04	440.02
1/2	3.714.39	3.349.38	2.984.39	2.617.78	2.250.10	1.882.42	1.514.74	1.147.06	779.38	433.86
3/4	3.706.77	3.341.78	2.976.79	2.610.12	2.242.44	1.874.76	1.507.08	1.139.40	771.72	427.70

MAP 703

COMPARTMENT: 1 STAR

COMPARIMENT: 1 STAR				GAUGE HEIGHT: 11' 5 1/4"				STRAPPED: 12/27/04						
COMPUTED IN BARRELS				GAUGE TYPE: OUTAGE				RIM OF HATCH OPPOSITE HINGE LOCATED NEAR CENTER OF TANK						
				BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN										
	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT		
0	0.00	3,714.39	3,349.38	2,984.39	2,617.78	2,250.10	1,882.42	1,514.74	1,147.06	779.38	433.86	134.66		
1/4	0.00	3,706.77	3,341.78	2,976.79	2,610.12	2,242.44	1,874.76	1,507.08	1,139.40	771.72	427.70	128.67		
1/2	0.00	3,699.17	3,334.18	2,969.18	2,602.46	2,234.78	1,867.10	1,499.42	1,131.74	764.06	421.54	122.69		
3/4	3,904.03	3,691.56	3,326.57	2,961.58	2,594.80	2,227.12	1,859.44	1,491.76	1,124.08	756.40	415.38	116.70		
1	3,903.68	3,683.96	3,318.97	2,953.98	2,587.14	2,219.46	1,851.78	1,484.10	1,116.42	748.81	409.23	110.72		
1/4	3,903.32	3,676.36	3,311.36	2,946.37	2,579.48	2,211.80	1,844.12	1,476.44	1,108.76	741.21	403.07	104.74		
1/2	3,902.96	3,668.75	3,303.76	2,938.77	2,571.82	2,204.14	1,836.46	1,468.78	1,101.10	733.62	396.91	98.75		
3/4	3,902.60	3,661.15	3,296.16	2,931.16	2,564.16	2,196.48	1,828.80	1,461.12	1,093.44	726.03	390.75	92.77		
2	3,901.48	3,653.54	3,288.55	2,923.56	2,556.50	2,188.82	1,821.14	1,453.46	1,085.78	718.70	384.32	87.96		
1/4	3,900.36	3,645.94	3,280.95	2,915.96	2,548.84	2,181.16	1,813.48	1,445.80	1,078.12	711.37	377.89	83.14		
1/2	3,899.24	3,638.34	3,273.34	2,908.35	2,541.18	2,173.50	1,805.82	1,438.14	1,070.46	704.04	371.46	78.33		
3/4	3,898.12	3,630.74	3,265.74	2,900.75	2,533.52	2,165.84	1,798.16	1,430.48	1,062.80	696.71	365.02	73.52		
3	3,896.24	3,623.13	3,258.14	2,893.14	2,525.86	2,158.18	1,790.50	1,422.82	1,055.14	689.38	358.59	68.71		
1/4	3,894.36	3,615.52	3,250.53	2,885.54	2,518.20	2,150.52	1,782.84	1,415.16	1,047.48	682.05	352.16	63.90		
1/2	3,892.48	3,607.92	3,242.93	2,877.94	2,510.54	2,142.86	1,775.18	1,407.50	1,039.82	674.72	345.73	59.08		
3/4	3,890.59	3,600.32	3,235.32	2,870.33	2,502.88	2,135.20	1,767.52	1,399.84	1,032.16	667.39	339.30	54.27		
4	3,887.95	3,592.71	3,227.72	2,862.73	2,495.22	2,127.54	1,759.86	1,392.18	1,024.50	660.06	332.86	49.27		
1/4	3,886.30	3,585.11	3,220.12	2,855.12	2,487.56	2,119.88	1,752.20	1,384.52	1,016.84	652.73	326.43	44.27		
1/2	3,884.65	3,577.50	3,212.51	2,847.52	2,479.90	2,112.22	1,744.54	1,376.86	1,009.18	645.40	320.00	39.28		
3/4	3,880.01	3,569.90	3,204.91	2,839.92	2,472.24	2,104.66	1,736.88	1,369.20	1,001.52	638.07	313.57	34.28		
5	3,876.60	3,562.30	3,197.30	2,832.26	2,464.58	2,096.90	1,729.22	1,361.54	993.86	630.74	307.14	30.35		
1/4	3,873.19	3,554.69	3,189.70	2,824.60	2,456.92	2,089.24	1,721.56	1,353.88	986.20	623.41	300.70	26.42		
1/2	3,869.78	3,547.09	3,182.10	2,816.94	2,449.26	2,081.58	1,713.90	1,346.22	978.54	616.08	294.27	22.49		
3/4	3,866.37	3,539.48	3,174.49	2,809.28	2,441.60	2,073.92	1,706.24	1,338.56	970.88	608.75	287.84	18.56		
6	3,862.20	3,531.88	3,166.89	2,801.62	2,433.94	2,066.26	1,698.58	1,330.90	963.22	601.42	281.41			
1/4	3,858.03	3,524.29	3,159.29	2,793.96	2,426.28	2,058.60	1,690.92	1,323.24	955.56	594.09	274.98			
1/2	3,853.86	3,516.67	3,151.68	2,786.30	2,418.62	2,050.94	1,683.26	1,315.58	947.90	586.76	268.54			
3/4	3,849.69	3,509.07	3,144.08	2,778.64	2,410.96	2,043.28	1,675.60	1,307.92	940.24	579.43	262.11			
7	3,844.75	3,501.46	3,136.47	2,770.98	2,403.30	2,035.62	1,667.94	1,300.26	932.58	572.10	255.68			
1/4	3,839.82	3,493.88	3,128.87	2,763.32	2,395.64	2,027.96	1,660.28	1,292.60	924.92	564.77	249.25			
1/2	3,834.89	3,486.26	3,121.26	2,755.66	2,387.98	2,020.30	1,652.62	1,284.94	917.26	557.44	242.82			
3/4	3,829.95	3,478.65	3,113.66	2,748.00	2,380.32	2,012.64	1,644.96	1,277.28	909.60	550.11	236.38			
8	3,824.26	3,471.05	3,106.06	2,740.34	2,372.66	2,004.98	1,637.30	1,269.62	901.94	543.23	230.40			
1/4	3,818.56	3,463.44	3,098.45	2,732.68	2,365.00	1,997.32	1,629.64	1,261.96	894.28	536.35	224.42			
1/2	3,812.86	3,455.84	3,090.85	2,725.02	2,357.34	1,989.66	1,621.99	1,254.30	886.62	529.47	218.43			
3/4	3,807.16	3,448.24	3,083.24	2,717.36	2,349.68	1,982.00	1,614.32	1,246.64	878.96	522.59	212.45			
9	3,800.70	3,440.63	3,075.64	2,709.70	2,342.02	1,974.34	1,606.66	1,238.98	871.30	515.71	206.46			
1/4	3,794.24	3,433.03	3,068.04	2,702.04	2,334.36	1,966.68	1,599.00	1,231.32	863.64	508.83	200.48			
1/2	3,787.78	3,425.42	3,060.43	2,694.38	2,326.70	1,959.02	1,591.34	1,223.66	855.98	501.95	194.50			
3/4	3,781.32	3,417.82	3,052.83	2,686.72	2,319.04	1,951.36	1,583.68	1,216.00	848.32	495.06	188.51			
10	3,774.09	3,410.22	3,045.22	2,679.06	2,311.38	1,943.70	1,576.02	1,208.34	840.66	488.18	182.53			
1/4	3,766.86	3,402.61	3,037.62	2,671.40	2,303.72	1,936.04	1,568.36	1,200.68	833.00	481.30	176.54			
1/2	3,759.63	3,395.01	3,030.02	2,663.74	2,296.06	1,928.38	1,560.70	1,193.02	825.34	474.42	170.56			
3/4	3,752.40	3,387.40	3,022.41	2,656.08	2,288.40	1,920.72	1,553.04	1,185.36	817.68	467.54	164.59			
11	3,744.79	3,379.80	3,014.81	2,648.42	2,280.74	1,913.06	1,545.38	1,177.70	810.02	460.66	158.59			
1/4	3,737.19	3,372.20	3,007.20	2,640.76	2,273.08	1,905.40	1,537.72	1,170.04	802.36	453.78	152.61			
1/2	3,729.58	3,364.59	2,999.60	2,633.10	2,265.42	1,897.74	1,530.06	1,162.38	794.70	446.90	146.62			
3/4	3,721.98	3,356.99	2,992.00	2,625.44	2,257.76	1,890.08	1,522.40	1,154.72	787.04	440.02	140.64			

MAP 703

COMPARTMENT: 2 PORT

GAUGE HEIGHT: 41.5"

STRAPPED: 12/27/04

COMPUTED IN BARRELS

GAUGE TYPE: OUTRAGE

RIM OF HATCH OPPOSITE HINGE LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	3,835.36	3,632.94	3,285.08	2,937.22	2,587.42	2,236.63	1,885.85	1,535.06	1,184.28	833.50	485.75	139.64
1/4	3,835.02	3,625.69	3,277.83	2,929.98	2,580.11	2,229.32	1,878.54	1,527.76	1,176.97	826.19	479.20	132.37
1/2	3,834.68	3,618.44	3,270.59	2,922.73	2,572.80	2,222.02	1,871.23	1,520.45	1,169.66	818.88	472.66	125.09
3/4	3,834.34	3,611.20	3,263.34	2,915.48	2,565.49	2,214.71	1,863.92	1,513.14	1,162.36	811.57	466.11	117.82
1	3,834.00	3,603.95	3,256.09	2,908.24	2,558.18	2,207.40	1,856.62	1,505.83	1,155.05	804.26	459.56	110.55
1/4	3,832.93	3,596.70	3,248.85	2,900.99	2,550.88	2,200.09	1,849.31	1,498.52	1,147.74	796.96	452.29	104.00
1/2	3,831.87	3,589.45	3,241.60	2,893.74	2,543.57	2,192.78	1,842.00	1,491.22	1,140.43	789.65	445.02	97.46
3/4	3,830.80	3,582.21	3,234.35	2,886.50	2,536.20	2,185.48	1,834.69	1,483.91	1,133.12	782.34	437.75	90.91
2	3,829.74	3,574.96	3,227.13	2,879.25	2,528.95	2,178.17	1,827.38	1,476.60	1,125.82	775.03	430.48	84.36
1/4	3,827.94	3,567.74	3,219.86	2,872.00	2,521.64	2,170.86	1,820.08	1,469.28	1,118.51	767.72	423.21	77.81
1/2	3,826.15	3,560.47	3,212.61	2,864.75	2,514.34	2,163.55	1,812.77	1,461.98	1,111.20	760.42	415.93	71.26
3/4	3,824.36	3,553.22	3,205.36	2,857.51	2,507.03	2,156.24	1,805.46	1,454.68	1,103.89	753.11	408.66	64.72
3	3,822.56	3,545.97	3,198.12	2,850.26	2,499.72	2,148.94	1,798.15	1,447.37	1,096.58	745.80	401.39	58.17
1/4	3,820.04	3,538.73	3,190.87	2,843.01	2,492.41	2,141.63	1,790.84	1,440.06	1,089.28	738.49	394.12	51.81
1/2	3,817.52	3,531.48	3,183.62	2,835.77	2,485.10	2,134.32	1,783.54	1,432.75	1,081.97	731.18	386.85	45.44
3/4	3,815.00	3,524.23	3,176.38	2,828.52	2,477.80	2,127.01	1,776.23	1,425.44	1,074.66	723.88	379.58	39.08
4	3,812.48	3,516.98	3,169.13	2,821.27	2,470.49	2,119.70	1,768.92	1,418.14	1,067.35	716.57	372.31	32.72
1/4	3,809.24	3,509.74	3,161.88	2,813.96	2,463.18	2,112.40	1,761.61	1,410.83	1,060.04	709.26	365.04	26.18
1/2	3,805.99	3,502.49	3,154.63	2,806.66	2,455.87	2,105.09	1,754.30	1,403.52	1,052.74	701.95	357.77	23.63
3/4	3,802.74	3,495.24	3,147.39	2,799.35	2,448.56	2,097.78	1,747.00	1,396.21	1,045.43	694.64	350.50	19.09
5	3,799.49	3,488.00	3,140.14	2,792.04	2,441.26	2,090.47	1,739.69	1,388.90	1,038.12	687.34	343.22	14.54
1/4	3,795.52	3,480.75	3,132.89	2,784.73	2,433.95	2,083.16	1,732.38	1,381.60	1,030.81	680.03	335.95	
1/2	3,791.54	3,473.50	3,125.65	2,777.42	2,426.64	2,075.86	1,725.07	1,374.29	1,023.50	672.72	328.68	
3/4	3,787.57	3,466.26	3,118.40	2,770.12	2,419.33	2,068.55	1,717.76	1,366.98	1,016.20	665.41	321.41	
6	3,783.59	3,459.01	3,111.15	2,762.81	2,412.02	2,061.24	1,710.46	1,359.67	1,008.89	658.10	314.14	
1/4	3,778.89	3,451.76	3,103.91	2,755.50	2,404.72	2,053.93	1,703.15	1,352.36	1,001.58	650.80	306.87	
1/2	3,774.19	3,444.51	3,096.66	2,748.19	2,397.41	2,046.62	1,695.84	1,345.06	994.27	643.49	299.60	
3/4	3,769.49	3,437.27	3,089.41	2,740.88	2,390.10	2,039.32	1,688.53	1,337.75	986.96	636.18	292.33	
7	3,764.78	3,430.02	3,082.16	2,733.58	2,382.79	2,032.01	1,681.22	1,330.44	979.66	628.87	285.06	
1/4	3,759.36	3,422.77	3,074.92	2,726.27	2,375.48	2,024.70	1,673.92	1,323.13	972.35	621.56	277.79	
1/2	3,753.93	3,415.53	3,067.67	2,718.96	2,368.18	2,017.39	1,666.61	1,315.82	965.04	614.26	270.51	
3/4	3,748.50	3,408.28	3,060.42	2,711.65	2,360.87	2,010.08	1,659.30	1,308.52	957.73	606.95	263.24	
8	3,743.07	3,401.03	3,053.18	2,704.34	2,353.56	2,002.78	1,651.99	1,301.21	950.42	599.64	255.97	
1/4	3,736.91	3,393.79	3,045.93	2,697.04	2,346.25	1,995.47	1,644.68	1,293.90	943.12	592.33	248.70	
1/2	3,730.76	3,386.54	3,038.68	2,689.73	2,338.94	1,988.16	1,637.38	1,286.59	935.81	585.02	241.43	
3/4	3,724.60	3,379.29	3,031.44	2,682.42	2,331.64	1,980.85	1,630.07	1,279.28	928.50	577.72	234.16	
9	3,718.44	3,372.04	3,024.19	2,675.11	2,324.33	1,973.54	1,622.76	1,271.98	921.19	570.41	226.89	
1/4	3,711.56	3,364.80	3,016.94	2,667.80	2,317.02	1,966.24	1,615.45	1,264.67	913.88	563.10	219.62	
1/2	3,704.69	3,357.55	3,009.69	2,660.50	2,309.71	1,958.93	1,608.14	1,257.36	906.58	555.79	212.35	
3/4	3,697.80	3,350.30	3,002.45	2,653.19	2,302.40	1,951.62	1,600.84	1,250.05	899.27	548.48	205.08	
10	3,690.91	3,343.06	2,995.20	2,645.88	2,295.10	1,944.31	1,593.53	1,242.74	891.96	541.18	197.80	
1/4	3,683.67	3,335.81	2,987.95	2,638.57	2,287.79	1,937.00	1,586.22	1,235.44	884.65	533.87	190.53	
1/2	3,676.42	3,328.56	2,980.71	2,631.26	2,280.48	1,929.70	1,578.91	1,228.13	877.34	526.56	183.26	
3/4	3,669.17	3,321.32	2,973.46	2,623.96	2,273.17	1,922.39	1,571.60	1,220.82	870.04	519.25	175.99	
11	3,661.92	3,314.07	2,966.21	2,616.65	2,265.86	1,915.08	1,564.30	1,213.51	862.73	511.94	168.72	
1/4	3,654.68	3,306.82	2,958.97	2,609.34	2,258.56	1,907.77	1,556.99	1,206.20	855.42	505.40	161.45	
1/2	3,647.43	3,299.57	2,951.72	2,602.03	2,251.25	1,900.46	1,549.68	1,198.90	848.11	498.85	154.18	
3/4	3,640.18	3,292.33	2,944.47	2,594.72	2,243.94	1,893.16	1,542.37	1,191.59	840.80	492.30	146.91	

MAP 703

COMPARTMENT: 2 STAR

GAUGE HEIGHT: 41"5"

STRAPPED: 12/27/04

COMPUTED IN BARRELS

GAUGE TYPE: OUTAGE

RIM OF HATCH OPPOSITE HINGE LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	3,895.36	3,632.94	3,285.08	2,937.22	2,587.42	2,236.63	1,886.85	1,535.06	1,184.28	833.50	485.75	139.64
1/4	3,895.02	3,625.69	3,277.83	2,929.98	2,580.11	2,229.32	1,878.54	1,527.76	1,176.97	826.19	479.20	132.37
1/2	3,894.68	3,618.44	3,270.59	2,922.73	2,572.80	2,222.02	1,871.23	1,520.45	1,169.66	818.88	472.66	125.09
3/4	3,894.34	3,611.20	3,263.34	2,915.48	2,565.49	2,214.71	1,863.92	1,513.14	1,162.36	811.57	466.11	117.82
1	3,894.00	3,603.95	3,256.09	2,908.24	2,558.18	2,207.40	1,856.62	1,505.83	1,155.05	804.26	459.56	110.55
1/4	3,893.93	3,596.70	3,248.85	2,900.99	2,550.88	2,200.09	1,849.31	1,498.52	1,147.74	796.96	452.29	104.00
1/2	3,893.87	3,589.45	3,241.60	2,893.74	2,543.57	2,192.78	1,842.00	1,491.22	1,140.43	789.65	445.02	97.46
3/4	3,893.80	3,582.21	3,234.35	2,886.50	2,536.20	2,185.48	1,834.69	1,483.91	1,133.12	782.34	437.75	90.91
2	3,893.74	3,574.96	3,227.13	2,879.25	2,528.95	2,178.17	1,827.38	1,476.60	1,125.82	775.03	430.48	84.36
1/4	3,893.94	3,567.74	3,219.86	2,872.00	2,521.64	2,170.86	1,820.08	1,469.29	1,118.51	767.72	423.21	77.81
1/2	3,893.15	3,560.47	3,212.61	2,864.75	2,514.34	2,163.55	1,812.77	1,461.98	1,111.20	760.42	415.93	71.26
3/4	3,892.36	3,553.22	3,205.36	2,857.51	2,507.03	2,156.24	1,805.46	1,454.68	1,103.89	753.11	408.66	64.72
3	3,892.56	3,545.97	3,198.12	2,850.26	2,499.72	2,148.94	1,798.15	1,447.37	1,096.58	745.80	401.39	58.17
1/4	3,892.04	3,538.73	3,190.87	2,843.01	2,492.41	2,141.63	1,790.84	1,440.06	1,089.28	738.49	394.12	51.81
1/2	3,891.52	3,531.48	3,183.62	2,835.77	2,485.10	2,134.32	1,783.54	1,432.75	1,081.97	731.18	386.85	45.44
3/4	3,891.00	3,524.23	3,176.38	2,828.52	2,477.80	2,127.01	1,776.23	1,425.44	1,074.66	723.88	379.58	39.08
4	3,891.48	3,516.98	3,169.13	2,821.27	2,470.49	2,119.70	1,768.92	1,418.14	1,067.35	716.57	372.31	32.72
1/4	3,890.94	3,509.74	3,161.88	2,813.96	2,463.18	2,112.40	1,761.61	1,410.83	1,060.04	709.26	365.04	26.18
1/2	3,890.99	3,502.49	3,154.63	2,806.66	2,455.87	2,105.09	1,754.30	1,403.52	1,052.74	701.95	357.77	23.63
3/4	3,890.74	3,495.24	3,147.39	2,799.35	2,448.56	2,097.78	1,747.00	1,396.21	1,045.43	694.64	350.50	19.09
5	3,799.49	3,488.00	3,140.14	2,792.04	2,441.26	2,090.47	1,739.69	1,388.90	1,038.12	687.34	343.22	14.54
1/4	3,795.52	3,480.75	3,132.89	2,784.73	2,433.95	2,083.16	1,732.38	1,381.60	1,030.81	680.03	335.95	
1/2	3,791.54	3,473.50	3,125.65	2,777.42	2,426.64	2,075.86	1,725.07	1,374.29	1,023.50	672.72	328.68	
3/4	3,787.57	3,466.26	3,118.40	2,770.12	2,419.33	2,068.55	1,717.76	1,366.98	1,016.20	665.41	321.41	
6	3,783.59	3,459.01	3,111.15	2,762.81	2,412.02	2,061.24	1,710.46	1,359.67	1,008.89	658.10	314.14	
1/4	3,778.89	3,451.76	3,103.91	2,755.50	2,404.72	2,053.93	1,703.15	1,352.36	1,001.58	650.80	306.87	
1/2	3,774.19	3,444.51	3,096.66	2,748.19	2,397.41	2,046.62	1,695.84	1,345.06	994.27	643.49	299.60	
3/4	3,769.49	3,437.27	3,089.41	2,740.88	2,390.10	2,039.32	1,688.53	1,337.75	986.96	636.18	292.33	
7	3,764.78	3,430.02	3,082.16	2,733.58	2,382.79	2,032.01	1,681.22	1,330.44	979.66	628.87	285.06	
1/4	3,759.36	3,422.77	3,074.92	2,726.27	2,375.48	2,024.70	1,673.92	1,323.13	972.35	621.56	277.79	
1/2	3,753.93	3,415.53	3,067.67	2,718.96	2,368.18	2,017.39	1,666.61	1,315.82	965.04	614.26	270.51	
3/4	3,748.50	3,408.28	3,060.42	2,711.65	2,360.87	2,010.08	1,659.30	1,308.52	957.73	606.95	263.24	
8	3,743.07	3,401.03	3,053.18	2,704.34	2,353.56	2,002.78	1,651.99	1,301.21	950.42	599.64	255.97	
1/4	3,736.91	3,393.79	3,045.93	2,697.04	2,346.25	1,995.47	1,644.68	1,293.90	943.12	592.33	248.70	
1/2	3,730.76	3,386.54	3,038.68	2,689.73	2,338.94	1,988.16	1,637.38	1,286.59	935.81	585.02	241.43	
3/4	3,724.60	3,379.29	3,031.44	2,682.42	2,331.64	1,980.85	1,630.07	1,279.28	928.50	577.72	234.16	
9	3,718.44	3,372.04	3,024.19	2,675.11	2,324.33	1,973.54	1,622.76	1,271.98	921.19	570.41	226.89	
1/4	3,711.56	3,364.80	3,016.94	2,667.80	2,317.02	1,966.24	1,615.45	1,264.67	913.88	563.10	219.62	
1/2	3,704.69	3,357.55	3,009.69	2,660.50	2,309.71	1,958.93	1,608.14	1,257.36	906.58	555.79	212.35	
3/4	3,697.80	3,350.30	3,002.45	2,653.19	2,302.40	1,951.62	1,600.84	1,250.05	899.27	548.48	205.08	
10	3,690.91	3,343.06	2,995.20	2,645.88	2,295.10	1,944.31	1,593.53	1,242.74	891.96	541.18	197.80	
1/4	3,683.67	3,335.81	2,987.95	2,638.57	2,287.79	1,937.00	1,586.22	1,235.44	884.65	533.87	190.53	
1/2	3,676.42	3,328.56	2,980.71	2,631.26	2,280.48	1,929.70	1,578.91	1,228.13	877.34	526.56	183.26	
3/4	3,669.17	3,321.32	2,973.46	2,623.96	2,273.17	1,922.39	1,571.60	1,220.82	870.04	519.25	175.99	
11	3,661.92	3,314.07	2,966.21	2,616.65	2,265.86	1,915.08	1,564.30	1,213.51	862.73	511.94	168.72	
1/4	3,654.68	3,306.82	2,958.97	2,609.34	2,258.56	1,907.77	1,556.99	1,206.20	855.42	505.40	161.45	
1/2	3,647.43	3,299.57	2,951.72	2,602.03	2,251.25	1,900.46	1,549.68	1,198.90	848.11	498.85	154.18	
3/4	3,640.18	3,292.33	2,944.47	2,594.72	2,243.94	1,893.16	1,542.37	1,191.59	840.80	492.30	146.91	

MAP 703

COMPARTMENT: 3 PORT

GAUGE HEIGHT: 4' 5 1/2"

STRAPPED: 12/27/04

COMPUTED IN BARRELS

GAUGE TYPE: OUTAGE

RM OF HATCH OPPOSITE HINGE LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	0.00	3.793.71	3.430.59	3.067.47	2.702.99	2.337.75	1.972.52	1.607.29	1.242.06	876.83	513.91	153.36
1/4	3.997.45	3.786.14	3.423.02	3.059.90	2.695.38	2.330.14	1.964.91	1.599.68	1.234.45	869.22	507.08	145.77
1/2	3.997.10	3.778.58	3.415.46	3.052.34	2.687.77	2.322.54	1.957.30	1.592.07	1.226.84	861.61	500.24	138.18
3/4	3.996.74	3.771.01	3.407.89	3.044.77	2.680.16	2.314.93	1.949.69	1.584.46	1.219.23	854.00	493.40	130.59
1	3.996.39	3.763.45	3.400.00	3.037.21	2.672.55	2.307.32	1.942.09	1.576.85	1.211.62	846.39	486.57	123.00
1/4	3.996.04	3.755.88	3.392.76	3.029.64	2.664.94	2.299.71	1.934.48	1.569.24	1.204.01	838.78	479.73	115.41
1/2	3.994.92	3.748.32	3.385.20	3.022.08	2.657.33	2.292.10	1.926.87	1.561.64	1.196.40	831.17	472.14	108.58
3/4	3.993.81	3.740.75	3.377.63	3.014.50	2.649.72	2.284.49	1.919.26	1.554.03	1.188.79	823.56	464.55	101.74
2	3.992.70	3.733.19	3.370.07	3.006.95	2.642.11	2.276.88	1.911.65	1.546.42	1.181.19	815.95	456.96	94.90
1/4	3.991.58	3.725.62	3.362.50	2.999.38	2.634.50	2.269.27	1.904.04	1.538.81	1.173.58	808.34	449.37	88.07
1/2	3.989.71	3.718.06	3.354.94	2.991.82	2.626.90	2.261.66	1.896.43	1.531.20	1.165.97	800.74	441.78	81.23
3/4	3.987.84	3.710.49	3.347.37	2.984.25	2.619.29	2.254.05	1.888.82	1.523.59	1.158.36	793.13	434.19	74.40
3	3.985.97	3.702.93	3.339.81	2.976.69	2.611.68	2.246.45	1.881.21	1.515.98	1.150.75	785.52	426.60	67.56
1/4	3.984.10	3.695.36	3.332.24	2.969.12	2.604.07	2.238.84	1.873.60	1.508.37	1.143.14	777.91	419.01	60.72
1/2	3.981.47	3.687.80	3.324.68	2.961.56	2.596.46	2.231.23	1.866.00	1.500.76	1.135.53	770.30	411.42	54.08
3/4	3.978.83	3.680.23	3.317.11	2.953.99	2.588.85	2.223.62	1.858.39	1.493.15	1.127.92	762.69	403.83	47.44
4	3.976.20	3.672.67	3.309.55	2.946.43	2.581.24	2.216.01	1.850.78	1.485.55	1.120.31	755.08	396.24	40.80
1/4	3.973.57	3.665.10	3.301.98	2.938.86	2.573.63	2.208.40	1.843.17	1.477.94	1.112.70	747.47	388.65	34.16
1/2	3.970.18	3.657.54	3.294.42	2.931.26	2.566.02	2.200.79	1.835.56	1.470.33	1.105.10	739.86	381.06	29.42
3/4	3.966.79	3.649.97	3.286.85	2.923.65	2.556.41	2.193.18	1.827.95	1.462.72	1.097.49	732.25	373.47	24.67
5	3.963.40	3.642.41	3.279.29	2.916.04	2.550.81	2.185.57	1.820.34	1.455.11	1.089.88	724.65	365.88	19.93
1/4	3.960.01	3.634.84	3.271.72	2.908.43	2.543.20	2.177.96	1.812.73	1.447.50	1.082.27	717.04	358.29	15.18
1/2	3.955.86	3.627.28	3.264.16	2.900.82	2.535.59	2.170.36	1.805.12	1.439.89	1.074.66	709.43	350.70	
3/4	3.951.71	3.619.71	3.256.59	2.893.21	2.527.98	2.162.75	1.797.51	1.432.28	1.067.05	701.82	343.11	
6	3.947.56	3.612.15	3.249.03	2.885.60	2.520.37	2.155.14	1.789.91	1.424.67	1.059.44	694.21	335.52	
1/4	3.943.41	3.604.58	3.241.46	2.877.99	2.512.76	2.147.53	1.782.30	1.417.06	1.051.83	686.60	327.93	
1/2	3.938.50	3.597.02	3.233.90	2.870.38	2.505.15	2.139.92	1.774.69	1.409.46	1.044.22	678.99	320.34	
3/4	3.933.59	3.589.45	3.226.33	2.862.77	2.497.54	2.132.31	1.767.08	1.401.85	1.036.61	671.38	312.75	
7	3.928.68	3.581.89	3.218.77	2.855.17	2.489.93	2.124.70	1.759.47	1.394.24	1.029.01	663.77	305.16	
1/4	3.923.78	3.574.32	3.211.20	2.847.56	2.482.32	2.117.09	1.751.86	1.386.63	1.021.40	656.16	297.57	
1/2	3.918.11	3.566.76	3.203.64	2.839.95	2.474.72	2.109.48	1.744.25	1.379.02	1.013.79	648.56	289.98	
3/4	3.912.44	3.559.19	3.196.07	2.832.34	2.467.11	2.101.87	1.736.64	1.371.41	1.006.18	640.95	282.39	
8	3.906.78	3.551.63	3.188.51	2.824.73	2.459.50	2.094.27	1.729.03	1.363.80	998.57	633.34	274.80	
1/4	3.901.11	3.544.06	3.180.94	2.817.12	2.451.89	2.086.66	1.721.42	1.356.19	990.96	625.73	267.21	
1/2	3.894.68	3.536.50	3.173.38	2.809.51	2.444.28	2.079.05	1.713.82	1.348.58	983.35	618.12	259.62	
3/4	3.888.26	3.528.93	3.165.81	2.801.90	2.436.67	2.071.44	1.706.21	1.340.97	975.74	610.51	252.03	
9	3.881.83	3.521.37	3.158.25	2.794.29	2.429.06	2.063.83	1.698.60	1.333.37	968.13	602.90	244.44	
1/4	3.875.40	3.513.80	3.150.68	2.786.68	2.421.45	2.056.22	1.690.99	1.325.76	960.52	595.29	236.85	
1/2	3.868.22	3.506.24	3.143.12	2.779.08	2.413.84	2.048.61	1.683.38	1.318.15	952.92	587.68	229.26	
3/4	3.861.03	3.498.67	3.135.55	2.771.47	2.406.23	2.041.00	1.675.77	1.310.54	945.31	580.07	221.67	
10	3.853.85	3.491.11	3.127.99	2.763.86	2.398.63	2.033.39	1.668.16	1.302.93	937.70	572.47	214.08	
1/4	3.846.66	3.483.54	3.120.42	2.756.25	2.391.02	2.025.78	1.660.55	1.295.32	930.09	564.86	206.49	
1/2	3.839.10	3.475.98	3.112.86	2.748.64	2.383.41	2.018.18	1.652.94	1.287.71	922.48	557.25	198.90	
3/4	3.831.53	3.468.41	3.105.29	2.741.03	2.375.80	2.010.57	1.645.33	1.280.10	914.87	549.64	191.31	
11	3.823.97	3.460.85	3.097.73	2.733.42	2.368.19	2.002.96	1.637.73	1.272.49	907.26	542.03	183.72	
1/4	3.816.40	3.453.28	3.090.16	2.725.81	2.360.58	1.995.35	1.630.12	1.264.88	899.65	534.42	176.13	
1/2	3.808.84	3.445.72	3.082.60	2.718.20	2.352.97	1.987.74	1.622.51	1.257.28	892.04	527.54	168.54	
3/4	3.801.27	3.438.15	3.075.03	2.710.59	2.345.36	1.980.13	1.614.90	1.249.67	884.43	520.75	160.95	

MAP 703

COMPARTMENT: 3 STAR

GAUGE HEIGHT: 4' 5 1/4"

STRAPPED: 1227/64

COMPUTED IN BARRELS

GAUGE TYPE: OUTAGE

RIM OF HATCH OPPOSITE HINGE LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	0.00	3.801 27	3.438 15	3.075 03	2.710 59	2.345 36	1.980 13	1.614 90	1.249 67	884 43	520 75	160 95
1/4	0.00	3.793 71	3.430 59	3.067 47	2.702 99	2.337 75	1.972 52	1.607 29	1.242 06	876 83	513 91	153 36
1/2	3.997 45	3.786 14	3.423 02	3.059 90	2.695 38	2.330 14	1.964 91	1.599 68	1.234 45	869 22	507 08	145 77
3/4	3.997 10	3.778 58	3.415 46	3.052 34	2.687 77	2.322 54	1.957 30	1.592 07	1.226 84	861 61	500 24	138 18
1	3.996 74	3.771 01	3.407 89	3.044 77	2.680 16	2.314 93	1.949 69	1.584 46	1.219 23	854 00	493 40	130 59
1/4	3.996 39	3.763 45	3.400 00	3.037 21	2.672 55	2.307 32	1.942 09	1.576 85	1.211 62	846 39	486 57	123 00
1/2	3.996 04	3.755 88	3.392 76	3.029 64	2.664 94	2.299 71	1.934 48	1.569 24	1.204 01	838 78	479 73	115 41
3/4	3.994 92	3.748 32	3.385 20	3.022 08	2.657 33	2.292 10	1.926 87	1.561 64	1.196 40	831 17	472 14	108 58
2	3.993 81	3.740 75	3.377 63	3.014 50	2.649 72	2.284 49	1.919 26	1.554 03	1.188 79	823 56	464 55	101 74
1/4	3.992 70	3.733 19	3.370 07	3.006 95	2.642 11	2.276 88	1.911 65	1.546 42	1.181 19	815 95	456 96	94 90
1/2	3.991 58	3.725 62	3.362 50	2.999 38	2.634 50	2.269 27	1.904 04	1.538 81	1.173 58	808 34	449 37	88 07
3/4	3.989 71	3.718 06	3.354 94	2.991 82	2.626 90	2.261 66	1.896 43	1.531 20	1.165 97	800 74	441 78	81 23
3	3.987 84	3.710 49	3.347 37	2.984 25	2.619 29	2.254 05	1.888 82	1.523 59	1.158 36	793 13	434 19	74 40
1/4	3.986 97	3.702 93	3.339 81	2.976 69	2.611 68	2.246 45	1.881 21	1.515 98	1.150 75	785 52	426 60	67 56
1/2	3.984 10	3.695 36	3.332 24	2.969 12	2.604 07	2.238 84	1.873 60	1.508 37	1.143 14	777 91	419 01	60 72
3/4	3.981 47	3.687 80	3.324 68	2.961 56	2.596 46	2.231 23	1.866 00	1.500 76	1.135 53	770 30	411 42	54 08
4	3.978 83	3.680 23	3.317 11	2.953 99	2.588 85	2.223 62	1.858 39	1.493 15	1.127 92	762 69	403 83	47 44
1/4	3.976 20	3.672 67	3.309 55	2.946 43	2.581 24	2.216 01	1.850 78	1.485 55	1.120 31	755 08	396 24	40 80
1/2	3.973 57	3.665 10	3.301 98	2.938 86	2.573 63	2.208 40	1.843 17	1.477 94	1.112 70	747 47	388 65	34 16
3/4	3.970 18	3.657 54	3.294 42	2.931 26	2.566 02	2.200 79	1.835 56	1.470 33	1.105 10	739 86	381 06	29 42
5	3.966 79	3.649 97	3.286 85	2.923 65	2.558 41	2.193 18	1.827 95	1.462 72	1.097 49	732 25	373 47	24 67
1/4	3.963 40	3.642 41	3.279 29	2.916 04	2.550 81	2.185 57	1.820 34	1.455 11	1.089 88	724 65	365 88	19 93
1/2	3.960 01	3.634 84	3.271 72	2.908 43	2.543 20	2.177 96	1.812 73	1.447 50	1.082 27	717 04	358 29	15 18
3/4	3.955 86	3.627 28	3.264 16	2.900 82	2.535 59	2.170 36	1.805 12	1.439 89	1.074 66	709 43	350 70	
6	3.951 71	3.619 71	3.256 59	2.893 21	2.527 98	2.162 75	1.797 51	1.432 28	1.067 05	701 82	343 11	
1/4	3.947 56	3.612 15	3.249 03	2.885 60	2.520 37	2.155 14	1.789 91	1.424 67	1.059 44	694 21	335 52	
1/2	3.943 41	3.604 58	3.241 46	2.877 99	2.512 76	2.147 53	1.782 30	1.417 06	1.051 83	686 60	327 93	
3/4	3.938 50	3.597 02	3.233 90	2.870 38	2.505 15	2.139 92	1.774 69	1.409 46	1.044 22	678 99	320 34	
7	3.933 59	3.589 45	3.226 33	2.862 77	2.497 54	2.132 31	1.767 08	1.401 85	1.036 61	671 38	312 75	
1/4	3.928 68	3.581 89	3.218 77	2.855 17	2.489 93	2.124 70	1.759 47	1.394 24	1.029 01	663 77	305 16	
1/2	3.923 78	3.574 32	3.211 20	2.847 56	2.482 32	2.117 09	1.751 86	1.386 63	1.021 40	656 16	297 57	
3/4	3.918 11	3.566 76	3.203 64	2.839 95	2.474 72	2.109 48	1.744 25	1.379 02	1.013 79	648 56	289 98	
8	3.912 44	3.559 19	3.196 07	2.832 34	2.467 11	2.101 87	1.736 64	1.371 41	1.006 18	640 95	282 39	
1/4	3.906 78	3.551 63	3.188 51	2.824 73	2.459 50	2.094 27	1.729 03	1.363 80	998 57	633 34	274 80	
1/2	3.901 11	3.544 06	3.180 94	2.817 12	2.451 89	2.086 66	1.721 42	1.356 19	990 96	625 73	267 21	
3/4	3.894 68	3.536 50	3.173 38	2.809 51	2.444 28	2.079 05	1.713 82	1.348 58	983 35	618 12	259 62	
9	3.888 26	3.528 93	3.165 81	2.801 90	2.436 67	2.071 44	1.706 21	1.340 97	975 74	610 51	252 03	
1/4	3.881 83	3.521 37	3.158 25	2.794 29	2.429 06	2.063 83	1.698 60	1.333 37	968 13	602 90	244 44	
1/2	3.875 40	3.513 80	3.150 68	2.786 68	2.421 45	2.056 22	1.690 99	1.325 76	960 52	595 29	236 85	
3/4	3.868 22	3.506 24	3.143 12	2.779 08	2.413 84	2.048 61	1.683 38	1.318 15	952 92	587 68	229 26	
10	3.861 03	3.498 67	3.135 55	2.771 47	2.406 23	2.041 00	1.675 77	1.310 54	945 31	580 07	221 67	
1/4	3.853 85	3.491 11	3.127 99	2.763 86	2.398 63	2.033 39	1.668 16	1.302 93	937 70	572 47	214 08	
1/2	3.846 66	3.483 54	3.120 42	2.756 25	2.391 02	2.025 78	1.660 55	1.295 32	930 09	564 86	206 49	
3/4	3.839 10	3.475 98	3.112 86	2.748 64	2.383 41	2.018 18	1.652 94	1.287 71	922 46	557 25	198 90	
11	3.831 53	3.468 41	3.105 29	2.741 03	2.375 80	2.010 57	1.645 33	1.280 10	914 87	549 64	191 31	
1/4	3.823 97	3.460 85	3.097 73	2.733 42	2.368 18	2.002 96	1.637 73	1.272 49	907 26	542 03	183 72	
1/2	3.816 40	3.453 28	3.090 16	2.725 81	2.360 59	1.995 35	1.630 12	1.264 88	899 65	534 42	176 13	
3/4	3.808 84	3.445 72	3.082 60	2.718 20	2.352 97	1.987 74	1.622 51	1.257 28	892 04	527 58	168 54	

Barge ID	Barge Number	UOM	Gauge Type	Date Strapped	Strapped By	Comment
MAP	703	BARRELS	OUTAGE	12/27/04	INSPECTORATE	BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN.

Barge ID	Barge Number	Comp	Gauge Height
MAP	703	1 PORT	137.750
MAP	703	1 STAR	137.250
MAP	703	2 PORT	137.000
MAP	703	2 STAR	137.000
MAP	703	3 PORT	137.500
MAP	703	3 STAR	137.250