

Barge ID	Barge Number	UOM	Gauge Type	Date Strapped	Strapped By	Comment
MAP	721	BARRELS	OUTAGE	10/29/04	INSPECTORATE	BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN.

Barge ID	Barge Number	Comp	Gauge Height
MAP	721	1 PORT	137.000
MAP	721	1 STAR	137.250
MAP	721	2 PORT	137.000
MAP	721	2 STAR	137.250
MAP	721	3 PORT	137.000
MAP	721	3 STAR	137.750

MAP 721

COMPARTMENT: 1 PORT

GAUGE HEIGHT: 11" 5"

STRAPPED: 10/29/04

COMPUTED IN BARRELS

GAUGE TYPE: OUTAGE

BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	4,004.73	3,791.35	3,424.72	3,058.10	2,690.68	2,322.85	1,955.03	1,587.20	1,219.38	851.56	486.63	131.56
1/4	4,004.37	3,783.71	3,417.09	3,050.46	2,683.01	2,315.19	1,947.37	1,579.54	1,211.72	843.89	479.69	124.59
1/2	4,004.01	3,776.07	3,409.45	3,042.82	2,675.35	2,307.53	1,939.70	1,571.88	1,204.05	836.23	472.75	117.62
3/4	4,003.65	3,768.43	3,401.81	3,035.19	2,667.69	2,299.86	1,932.04	1,564.22	1,196.39	828.57	465.81	110.65
1	4,003.29	3,760.80	3,394.17	3,027.55	2,660.02	2,292.20	1,924.38	1,556.55	1,188.73	820.90	458.87	103.67
1/4	4,002.17	3,753.16	3,386.53	3,019.91	2,652.36	2,284.54	1,916.71	1,548.89	1,181.07	813.24	451.21	97.62
1/2	4,001.04	3,745.52	3,378.90	3,012.27	2,644.70	2,276.87	1,909.05	1,541.23	1,173.40	805.58	443.55	91.57
3/4	3,999.92	3,737.88	3,371.26	3,004.63	2,637.04	2,269.21	1,901.39	1,533.56	1,165.74	797.92	435.88	85.52
2	3,998.79	3,730.24	3,363.62	2,997.00	2,629.34	2,261.55	1,893.72	1,525.90	1,158.08	790.25	428.22	79.46
1/4	3,996.90	3,722.61	3,355.98	2,989.36	2,621.71	2,253.89	1,886.06	1,518.24	1,150.41	782.59	420.56	73.41
1/2	3,995.01	3,714.97	3,348.34	2,981.72	2,614.05	2,246.22	1,878.40	1,510.57	1,142.75	774.93	412.89	67.36
3/4	3,993.12	3,707.33	3,340.71	2,974.08	2,606.38	2,238.56	1,870.74	1,502.91	1,135.09	767.26	405.23	61.31
3	3,991.23	3,699.69	3,333.07	2,966.44	2,598.72	2,230.90	1,863.07	1,495.25	1,127.42	759.60	397.57	55.26
1/4	3,988.57	3,692.05	3,325.43	2,958.81	2,591.06	2,223.23	1,855.41	1,487.59	1,119.72	751.94	389.91	49.43
1/2	3,985.91	3,684.42	3,317.79	2,951.17	2,583.39	2,215.57	1,847.75	1,479.92	1,112.10	744.27	382.24	43.61
3/4	3,983.26	3,676.78	3,310.15	2,943.53	2,575.73	2,207.91	1,840.08	1,472.26	1,104.44	736.61	374.56	37.79
4	3,980.60	3,669.14	3,302.52	2,935.89	2,568.07	2,200.24	1,832.42	1,464.60	1,096.77	728.95	366.92	31.97
1/4	3,977.18	3,661.50	3,294.88	2,928.23	2,560.41	2,192.58	1,824.76	1,456.93	1,089.11	721.29	359.25	27.66
1/2	3,973.75	3,653.86	3,287.24	2,920.57	2,552.74	2,184.92	1,817.09	1,449.27	1,081.45	713.62	351.59	23.35
3/4	3,970.33	3,646.23	3,279.60	2,912.90	2,545.08	2,177.26	1,809.43	1,441.61	1,073.78	705.96	343.93	
5	3,966.90	3,638.59	3,271.96	2,905.24	2,537.42	2,169.59	1,801.77	1,433.94	1,066.12	698.30	336.26	
1/4	3,962.71	3,630.95	3,264.33	2,897.58	2,529.75	2,161.93	1,794.11	1,426.28	1,058.46	690.63	328.70	
1/2	3,958.52	3,623.31	3,256.69	2,889.91	2,522.09	2,154.27	1,786.44	1,418.62	1,050.79	682.97	321.14	
3/4	3,954.33	3,615.67	3,249.05	2,882.25	2,514.43	2,146.60	1,778.78	1,410.96	1,043.13	675.31	313.57	
6	3,950.14	3,608.04	3,241.41	2,874.59	2,506.76	2,138.94	1,771.12	1,403.29	1,035.47	667.64	306.01	
1/4	3,945.19	3,600.40	3,233.77	2,866.93	2,499.10	2,131.28	1,763.45	1,395.63	1,027.81	659.98	298.44	
1/2	3,940.23	3,592.76	3,226.14	2,859.26	2,491.44	2,123.61	1,755.79	1,387.97	1,020.14	652.32	290.88	
3/4	3,935.28	3,585.12	3,218.50	2,851.60	2,483.78	2,115.95	1,748.13	1,380.30	1,012.48	644.66	283.32	
7	3,930.32	3,577.48	3,210.86	2,843.94	2,476.11	2,108.29	1,740.46	1,372.64	1,004.62	636.99	275.75	
1/4	3,924.60	3,569.85	3,203.22	2,836.27	2,468.45	2,100.63	1,732.80	1,364.98	997.15	629.33	268.39	
1/2	3,918.87	3,562.21	3,195.58	2,828.61	2,460.79	2,092.96	1,725.14	1,357.31	989.49	621.67	261.02	
3/4	3,913.15	3,554.57	3,187.95	2,820.95	2,453.12	2,085.30	1,717.48	1,349.65	981.83	614.00	253.65	
8	3,907.43	3,546.93	3,180.31	2,813.28	2,445.48	2,077.64	1,709.81	1,341.99	974.16	606.34	246.28	
1/4	3,900.94	3,539.29	3,172.67	2,805.62	2,437.80	2,069.97	1,702.15	1,334.33	966.50	598.68	238.92	
1/2	3,894.45	3,531.66	3,165.03	2,797.96	2,430.13	2,062.31	1,694.49	1,326.66	958.84	591.01	231.55	
3/4	3,887.96	3,524.02	3,157.39	2,790.30	2,422.47	2,054.65	1,686.82	1,319.00	951.18	583.35	224.18	
9	3,881.47	3,516.38	3,149.76	2,782.63	2,414.81	2,046.98	1,679.16	1,311.34	943.51	575.69	216.82	
1/4	3,874.22	3,508.74	3,142.12	2,774.97	2,407.15	2,039.32	1,671.50	1,303.67	935.85	568.03	209.65	
1/2	3,866.96	3,501.10	3,134.48	2,767.31	2,399.48	2,031.66	1,663.83	1,296.01	928.19	560.36	202.48	
3/4	3,859.71	3,493.47	3,126.84	2,759.64	2,391.82	2,024.00	1,656.17	1,288.35	920.52	552.70	195.31	
10	3,852.45	3,485.83	3,119.20	2,751.98	2,384.16	2,016.33	1,648.51	1,280.68	912.86	545.04	188.14	
1/4	3,844.81	3,478.19	3,111.57	2,744.32	2,376.49	2,008.67	1,640.85	1,273.02	905.20	537.37	180.97	
1/2	3,837.18	3,470.55	3,103.93	2,736.83	2,368.83	2,001.01	1,633.18	1,265.36	897.53	529.71	173.80	
3/4	3,829.54	3,462.91	3,096.29	2,728.99	2,361.17	1,993.34	1,625.52	1,257.70	889.67	522.05	166.63	
11	3,821.90	3,455.28	3,088.65	2,721.33	2,353.50	1,985.68	1,617.86	1,250.03	882.21	514.38	159.46	
1/4	3,814.26	3,447.64	3,081.01	2,713.67	2,345.84	1,978.02	1,610.19	1,242.37	874.55	507.45	152.46	
1/2	3,806.62	3,440.00	3,073.38	2,706.00	2,338.18	1,970.35	1,602.53	1,234.71	866.88	500.51	145.51	
3/4	3,798.99	3,433.36	3,065.74	2,698.34	2,330.52	1,962.69	1,594.87	1,227.04	859.22	493.57	138.54	

MAP 721

COMPARTMENT: 1 STAR

GAUGE HEIGHT: 11' 5 1/4"

STRAPPED: 10/29/04

RIM OF HATCH LOCATED NEAR CENTER OF TANK

BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	COMPUTED IN BARRELS				GAUGE TYPE: OUTAGE				GAUGE TYPE: OUTAGE						
	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT			
0	4,004.73	3,791.35	3,424.72	3,058.10	2,690.68	2,322.85	1,955.03	1,587.20	1,219.38	851.56	486.63	131.56			
1/4	4,004.37	3,783.71	3,417.09	3,050.40	2,683.01	2,315.19	1,947.37	1,579.54	1,211.72	843.89	479.69	124.59			
1/2	4,004.01	3,776.07	3,409.45	3,042.82	2,675.35	2,307.53	1,939.70	1,571.88	1,204.05	836.23	472.75	117.62			
3/4	4,003.65	3,768.43	3,401.81	3,035.19	2,667.69	2,299.86	1,932.04	1,564.22	1,196.39	828.57	465.81	110.65			
1	4,003.29	3,760.80	3,394.17	3,027.55	2,660.02	2,292.20	1,924.38	1,556.55	1,188.73	820.90	458.87	103.67			
1/4	4,002.17	3,753.16	3,386.53	3,019.91	2,652.36	2,284.54	1,916.71	1,548.89	1,181.07	813.24	451.21	97.62			
1/2	4,001.04	3,745.52	3,378.90	3,012.27	2,644.70	2,276.87	1,909.05	1,541.23	1,173.40	805.58	443.55	91.57			
3/4	3,999.92	3,737.88	3,371.26	3,004.63	2,637.04	2,269.21	1,901.39	1,533.56	1,165.74	797.92	435.88	85.52			
2	3,998.79	3,730.24	3,363.62	2,997.00	2,629.37	2,261.55	1,893.72	1,525.90	1,158.08	790.25	428.22	79.46			
1/4	3,996.90	3,722.61	3,355.98	2,989.36	2,621.71	2,253.89	1,886.06	1,518.24	1,150.41	782.59	420.56	73.41			
1/2	3,995.01	3,714.97	3,348.34	2,981.72	2,614.05	2,246.22	1,878.40	1,510.57	1,142.75	774.93	412.89	67.36			
3/4	3,993.12	3,707.33	3,340.71	2,974.08	2,606.38	2,238.56	1,870.74	1,502.91	1,135.09	767.26	405.23	61.31			
3	3,991.23	3,699.69	3,333.07	2,966.44	2,598.72	2,230.90	1,863.07	1,495.25	1,127.42	759.60	397.57	55.26			
1/4	3,988.57	3,692.05	3,325.43	2,958.81	2,591.06	2,223.23	1,855.41	1,487.59	1,119.76	751.94	389.91	49.43			
1/2	3,985.91	3,684.42	3,317.79	2,951.17	2,583.39	2,215.57	1,847.75	1,479.92	1,112.10	744.27	382.24	43.61			
3/4	3,983.26	3,676.78	3,310.15	2,943.53	2,575.73	2,207.91	1,840.08	1,472.26	1,104.44	736.61	374.58	37.79			
4	3,980.60	3,669.14	3,302.52	2,935.89	2,568.07	2,200.25	1,832.42	1,464.60	1,096.77	728.95	366.92	31.97			
1/4	3,977.18	3,661.50	3,294.88	2,928.23	2,560.41	2,192.58	1,824.76	1,456.93	1,089.11	721.29	359.25	27.66			
1/2	3,973.75	3,653.86	3,287.24	2,920.57	2,552.74	2,184.92	1,817.09	1,449.27	1,081.45	713.62	351.59	23.35			
3/4	3,970.33	3,646.23	3,279.60	2,912.90	2,545.08	2,177.26	1,809.43	1,441.61	1,073.78	705.96	343.93				
5	3,966.90	3,638.59	3,271.96	2,905.24	2,537.42	2,169.59	1,801.77	1,433.94	1,066.12	698.30	336.26				
1/4	3,962.71	3,630.95	3,264.33	2,897.58	2,529.75	2,161.93	1,794.11	1,426.28	1,058.46	690.63	328.70				
1/2	3,958.52	3,623.31	3,256.69	2,889.91	2,522.09	2,154.27	1,786.44	1,418.62	1,050.79	682.97	321.14				
3/4	3,954.33	3,615.67	3,249.05	2,882.25	2,514.43	2,146.60	1,778.78	1,410.96	1,043.13	675.31	313.57				
6	3,950.14	3,608.04	3,241.41	2,874.59	2,506.76	2,138.94	1,771.12	1,403.29	1,035.47	667.64	306.01				
1/4	3,945.19	3,600.40	3,233.77	2,866.93	2,499.10	2,131.28	1,763.45	1,395.63	1,027.81	659.98	298.44				
1/2	3,940.23	3,592.76	3,226.14	2,859.26	2,491.44	2,123.61	1,755.79	1,387.97	1,020.14	652.32	290.88				
3/4	3,935.28	3,585.12	3,218.50	2,851.60	2,483.78	2,115.95	1,748.13	1,380.30	1,012.48	644.66	283.32				
7	3,930.32	3,577.48	3,210.86	2,843.94	2,476.11	2,108.29	1,740.46	1,372.64	1,004.82	636.99	275.75				
1/4	3,924.32	3,569.85	3,203.22	2,836.27	2,468.45	2,100.63	1,732.80	1,364.98	997.15	629.33	268.39				
1/2	3,918.87	3,562.21	3,195.58	2,828.61	2,460.79	2,092.96	1,725.14	1,357.31	989.49	621.67	261.02				
3/4	3,913.15	3,554.57	3,187.95	2,820.86	2,453.12	2,085.30	1,717.48	1,349.65	981.83	614.00	253.65				
8	3,907.43	3,546.93	3,180.31	2,813.28	2,445.46	2,077.64	1,709.81	1,341.99	974.16	606.34	246.28				
1/4	3,900.94	3,539.29	3,172.67	2,805.62	2,437.80	2,069.97	1,702.15	1,334.33	966.50	598.68	238.92				
1/2	3,894.45	3,531.66	3,165.03	2,797.96	2,430.13	2,062.31	1,694.49	1,326.66	958.84	591.01	231.55				
3/4	3,887.96	3,524.02	3,157.39	2,790.30	2,422.47	2,054.65	1,686.82	1,319.00	951.18	583.35	224.18				
9	3,881.47	3,516.38	3,149.76	2,782.63	2,414.81	2,046.98	1,679.16	1,311.34	943.51	575.69	216.82				
1/4	3,874.22	3,508.74	3,142.12	2,774.97	2,407.15	2,039.32	1,671.50	1,303.67	935.85	568.03	209.65				
1/2	3,866.96	3,501.10	3,134.48	2,767.31	2,399.48	2,031.66	1,663.83	1,296.01	928.19	560.36	202.48				
3/4	3,859.71	3,493.47	3,126.84	2,759.64	2,391.82	2,024.00	1,656.17	1,288.35	920.52	552.70	195.31				
10	3,852.45	3,485.83	3,119.20	2,751.98	2,384.16	2,016.33	1,648.51	1,280.68	912.86	545.04	188.14				
1/4	3,844.81	3,478.19	3,111.57	2,744.32	2,376.49	2,008.67	1,640.85	1,273.02	905.20	537.37	180.97				
1/2	3,837.18	3,470.55	3,103.93	2,736.65	2,368.83	2,001.01	1,633.18	1,265.36	897.53	529.71	173.80				
3/4	3,829.54	3,462.91	3,096.29	2,728.99	2,361.17	1,993.34	1,625.52	1,257.70	889.87	522.05	166.63				
11	3,821.90	3,455.28	3,088.65	2,721.33	2,353.50	1,985.68	1,617.86	1,250.03	882.21	514.38	159.46				
1/4	3,814.26	3,447.64	3,081.01	2,713.67	2,345.84	1,978.02	1,610.19	1,242.37	874.55	507.45	152.48				
1/2	3,806.62	3,440.00	3,073.38	2,706.00	2,338.18	1,970.35	1,602.53	1,234.71	866.88	500.51	145.51				
3/4	3,798.99	3,432.36	3,065.74	2,698.34	2,330.52	1,962.69	1,594.87	1,227.04	859.22	493.59	138.54				

MAP 721

COMPARTMENT: 2 PORT

GAUGE HEIGHT: 11" 5"

STRAPPED: 10/29/04

COMPUTED IN BARRELS
0 FT 1 FT 2 FT 3 FT 4 FT 5 FT 6 FT 7 FT 8 FT 9 FT 10 FT 11 FT

GAUGE TYPE: OUTGAGE
RIM OF HATCH LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

0	4.114.99	3.897.14	3.522.79	3.148.44	2.773.25	2.397.65	2.022.05	1.646.45	1.270.85	895.26	522.76	150.28
1/4	4.114.62	3.889.34	3.514.99	3.140.64	2.765.43	2.389.83	2.014.23	1.638.63	1.263.03	887.43	515.72	142.45
1/2	4.114.26	3.881.54	3.507.19	3.132.84	2.757.60	2.382.00	2.006.40	1.630.80	1.255.20	879.60	508.67	134.63
3/4	4.113.89	3.873.74	3.499.39	3.125.04	2.749.78	2.374.18	1.998.58	1.622.98	1.247.38	871.78	501.62	126.80
1	4.113.53	3.865.94	3.491.58	3.117.24	2.741.95	2.366.35	1.990.75	1.615.15	1.239.55	863.95	494.58	118.98
1/4	4.112.38	3.858.15	3.483.79	3.109.44	2.734.13	2.358.53	1.982.93	1.607.33	1.231.73	856.13	486.75	111.93
1/2	4.111.23	3.850.35	3.475.99	3.101.64	2.726.30	2.350.70	1.975.10	1.599.50	1.223.90	848.30	478.93	104.88
3/4	4.110.09	3.842.55	3.468.20	3.093.84	2.718.48	2.342.88	1.967.28	1.591.68	1.216.08	840.48	471.10	97.84
2	4.108.94	3.834.75	3.460.40	3.086.04	2.710.65	2.335.05	1.959.45	1.583.85	1.208.25	832.65	463.28	90.79
1/4	4.107.01	3.826.95	3.452.60	3.078.25	2.702.83	2.327.23	1.951.63	1.576.03	1.200.43	824.83	455.45	83.74
1/2	4.105.08	3.819.15	3.444.80	3.070.45	2.695.00	2.319.40	1.943.80	1.568.20	1.192.60	817.00	447.63	76.69
3/4	4.103.15	3.811.35	3.437.00	3.062.65	2.687.18	2.311.56	1.935.98	1.560.38	1.184.78	809.18	439.80	69.65
3	4.101.22	3.803.55	3.429.20	3.054.85	2.679.35	2.303.75	1.928.15	1.552.55	1.176.95	801.35	431.98	62.60
1/4	4.098.51	3.795.75	3.421.40	3.047.05	2.671.53	2.295.93	1.920.33	1.544.73	1.169.13	793.53	424.15	55.75
1/2	4.095.80	3.787.95	3.413.60	3.039.25	2.663.70	2.288.10	1.912.50	1.536.90	1.161.30	785.70	416.33	48.91
3/4	4.093.08	3.780.16	3.405.80	3.031.45	2.655.88	2.280.28	1.904.68	1.529.08	1.153.48	777.88	408.50	42.06
4	4.090.37	3.772.36	3.398.00	3.023.65	2.648.05	2.272.45	1.896.85	1.521.25	1.145.65	770.05	400.68	35.21
1/4	4.086.88	3.764.56	3.390.21	3.015.83	2.640.23	2.264.63	1.889.03	1.513.43	1.137.83	762.23	392.85	30.32
1/2	4.083.38	3.756.76	3.382.41	3.008.00	2.632.40	2.256.80	1.881.20	1.505.60	1.130.00	754.40	385.03	25.43
3/4	4.079.88	3.748.96	3.374.61	3.000.18	2.624.58	2.248.98	1.873.38	1.497.78	1.122.18	746.58	377.20	
5	4.076.39	3.741.14	3.366.81	2.992.35	2.616.75	2.241.15	1.865.55	1.489.95	1.114.35	738.75	369.38	
1/4	4.072.11	3.733.36	3.359.01	2.984.53	2.608.93	2.233.33	1.857.73	1.482.13	1.106.53	730.93	361.55	
1/2	4.067.83	3.725.56	3.351.21	2.976.70	2.601.10	2.225.50	1.849.90	1.474.30	1.098.70	723.10	353.73	
3/4	4.063.55	3.717.76	3.343.41	2.968.88	2.593.28	2.217.68	1.842.08	1.466.48	1.090.88	715.28	345.90	
6	4.059.28	3.709.96	3.335.61	2.961.05	2.585.45	2.209.85	1.834.25	1.458.65	1.083.05	707.45	338.08	
1/4	4.054.22	3.702.17	3.327.81	2.953.23	2.577.63	2.202.03	1.826.43	1.450.63	1.075.23	699.63	330.25	
1/2	4.049.16	3.694.37	3.320.01	2.945.40	2.569.80	2.194.20	1.818.60	1.443.00	1.067.40	691.80	322.43	
3/4	4.044.10	3.686.57	3.312.22	2.937.58	2.561.98	2.186.38	1.810.78	1.435.18	1.059.58	683.98	314.60	
7	4.039.04	3.678.77	3.304.42	2.929.75	2.554.15	2.178.55	1.802.95	1.427.35	1.051.75	676.15	306.78	
1/4	4.033.19	3.670.97	3.296.62	2.921.93	2.546.33	2.170.73	1.795.13	1.419.53	1.043.93	668.33	298.95	
1/2	4.027.35	3.663.17	3.288.82	2.914.10	2.538.50	2.162.90	1.787.30	1.411.70	1.036.10	660.50	291.13	
3/4	4.021.51	3.655.37	3.281.02	2.906.28	2.530.68	2.155.08	1.779.48	1.403.88	1.028.28	652.68	283.30	
8	4.015.66	3.647.57	3.273.22	2.898.45	2.522.85	2.147.25	1.771.65	1.396.05	1.020.45	644.85	275.48	
1/4	4.009.04	3.639.77	3.265.42	2.890.63	2.515.03	2.139.43	1.763.83	1.388.23	1.012.63	637.03	267.65	
1/2	4.002.41	3.631.97	3.257.62	2.882.80	2.507.20	2.131.60	1.756.00	1.380.40	1.004.80	629.20	259.83	
3/4	3.995.79	3.624.18	3.249.82	2.874.98	2.499.38	2.123.78	1.748.18	1.372.58	996.98	621.38	252.00	
9	3.989.16	3.616.38	3.242.02	2.867.15	2.491.55	2.115.95	1.740.35	1.364.75	989.15	613.55	244.18	
1/4	3.981.76	3.608.58	3.234.23	2.859.33	2.483.73	2.108.13	1.732.53	1.356.93	981.33	605.73	236.35	
1/2	3.974.35	3.600.78	3.226.43	2.851.50	2.475.90	2.100.30	1.724.70	1.349.10	973.50	597.90	228.53	
3/4	3.966.94	3.592.98	3.218.63	2.843.68	2.468.08	2.092.48	1.716.88	1.341.28	965.68	590.08	220.70	
10	3.959.53	3.585.18	3.210.83	2.835.85	2.460.25	2.084.65	1.709.05	1.333.45	957.85	582.25	212.88	
1/4	3.951.73	3.577.38	3.203.03	2.828.03	2.452.43	2.076.83	1.701.23	1.325.63	950.03	574.43	205.05	
1/2	3.943.93	3.569.58	3.195.23	2.820.20	2.444.60	2.069.00	1.693.40	1.317.80	942.20	566.60	197.23	
3/4	3.936.14	3.561.78	3.187.43	2.812.38	2.436.78	2.061.18	1.685.58	1.309.98	934.38	558.78	189.40	
11	3.928.34	3.553.98	3.179.63	2.804.55	2.428.95	2.053.35	1.677.75	1.302.15	926.55	550.95	181.56	
1/4	3.920.54	3.546.19	3.171.83	2.796.73	2.421.13	2.045.53	1.669.93	1.294.33	918.73	543.91	173.75	
1/2	3.912.74	3.538.39	3.164.03	2.788.90	2.413.30	2.037.70	1.662.10	1.286.50	910.90	536.86	165.93	
3/4	3.904.94	3.530.59	3.156.24	2.781.08	2.405.48	2.029.88	1.654.28	1.278.68	903.08	529.81	158.10	

MAP 721

COMPARTMENT: 2 STAR

GAUGE HEIGHT: 11' 5 1/4"

STRAPPED: 10/29/04

COMPUTED IN BARRELS GAUGE TYPE: OUTAGE RIM OF HATCH LOCATED NEAR CENTER OF TANK
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	4,114.99	3,897.14	3,522.79	3,148.44	2,773.25	2,397.65	2,022.05	1,646.45	1,270.85	895.25	522.76	150.28
1/4	4,114.62	3,889.34	3,514.99	3,140.64	2,765.43	2,389.83	2,014.23	1,638.63	1,263.03	887.43	515.72	142.45
1/2	4,114.26	3,881.54	3,507.19	3,132.84	2,757.60	2,382.00	2,006.40	1,630.80	1,255.20	879.60	508.67	134.63
3/4	4,113.89	3,873.74	3,499.39	3,125.04	2,749.78	2,374.18	1,998.58	1,622.98	1,247.38	871.78	501.62	126.80
1	4,113.53	3,865.94	3,491.59	3,117.24	2,741.95	2,366.35	1,990.75	1,615.15	1,239.55	863.95	494.58	118.98
1/4	4,112.38	3,858.15	3,483.79	3,109.44	2,734.13	2,358.53	1,982.93	1,607.33	1,231.73	856.13	486.75	111.93
1/2	4,111.23	3,850.35	3,475.99	3,101.64	2,726.30	2,350.70	1,975.10	1,599.50	1,223.90	848.30	478.93	104.88
3/4	4,110.09	3,842.55	3,468.20	3,093.84	2,718.48	2,342.88	1,967.28	1,591.68	1,216.08	840.48	471.10	97.84
2	4,108.94	3,834.75	3,460.40	3,086.04	2,710.65	2,335.05	1,959.45	1,583.85	1,208.25	832.65	463.28	90.79
1/4	4,107.01	3,826.95	3,452.60	3,078.25	2,702.83	2,327.23	1,951.63	1,576.03	1,200.43	824.83	455.45	83.74
1/2	4,105.06	3,819.15	3,444.80	3,070.45	2,695.00	2,319.40	1,943.80	1,568.20	1,192.60	817.00	447.63	76.69
3/4	4,103.15	3,811.35	3,437.00	3,062.65	2,687.18	2,311.58	1,935.98	1,560.38	1,184.76	809.18	439.80	69.65
3	4,101.22	3,803.55	3,429.20	3,054.85	2,679.35	2,303.75	1,928.15	1,552.55	1,176.95	801.35	431.96	62.60
1/4	4,099.51	3,795.75	3,421.40	3,047.05	2,671.53	2,295.93	1,920.33	1,544.73	1,169.13	793.53	424.15	55.75
1/2	4,097.80	3,787.95	3,413.60	3,039.25	2,663.70	2,288.10	1,912.50	1,536.90	1,161.30	785.70	416.33	48.91
3/4	4,095.08	3,780.16	3,405.80	3,031.45	2,655.88	2,280.28	1,904.68	1,529.08	1,153.48	777.88	408.50	42.06
4	4,090.37	3,772.36	3,398.00	3,023.65	2,648.05	2,272.45	1,896.85	1,521.25	1,145.65	770.05	400.68	35.21
1/4	4,086.88	3,764.56	3,390.21	3,015.83	2,640.23	2,264.63	1,889.03	1,513.43	1,137.83	762.23	392.85	30.32
1/2	4,083.38	3,756.76	3,382.41	3,008.00	2,632.40	2,256.80	1,881.20	1,505.60	1,130.00	754.40	385.03	25.43
3/4	4,079.88	3,748.96	3,374.61	3,000.18	2,624.58	2,248.98	1,873.38	1,497.78	1,122.18	746.58	377.20	
5	4,076.39	3,741.16	3,366.81	2,992.35	2,616.75	2,241.15	1,865.55	1,489.95	1,114.35	738.75	369.38	
1/4	4,072.11	3,733.36	3,359.01	2,984.53	2,608.93	2,233.33	1,857.73	1,482.13	1,106.53	730.93	361.50	
1/2	4,067.83	3,725.56	3,351.21	2,976.70	2,601.01	2,225.50	1,849.90	1,474.30	1,098.70	723.10	353.73	
3/4	4,063.55	3,717.76	3,343.41	2,968.88	2,593.28	2,217.68	1,842.08	1,466.48	1,090.88	715.28	345.90	
6	4,059.28	3,709.96	3,335.61	2,961.05	2,585.45	2,209.85	1,834.25	1,458.65	1,083.05	707.45	338.08	
1/4	4,054.22	3,702.17	3,327.81	2,953.23	2,577.63	2,202.03	1,826.43	1,450.83	1,075.23	699.63	330.25	
1/2	4,049.16	3,694.37	3,320.01	2,945.40	2,569.80	2,194.20	1,818.60	1,443.00	1,067.40	691.80	322.43	
3/4	4,044.10	3,686.57	3,312.22	2,937.58	2,561.98	2,186.38	1,810.78	1,435.18	1,059.58	683.98	314.60	
7	4,039.04	3,678.77	3,304.42	2,929.75	2,554.15	2,178.55	1,802.95	1,427.35	1,051.75	676.15	306.78	
1/4	4,033.19	3,670.97	3,296.62	2,921.93	2,546.33	2,170.73	1,795.13	1,419.53	1,043.93	668.33	298.95	
1/2	4,027.35	3,663.17	3,288.82	2,914.10	2,538.50	2,162.90	1,787.30	1,411.70	1,036.10	660.50	291.13	
3/4	4,021.51	3,655.37	3,281.02	2,906.28	2,530.68	2,155.08	1,779.43	1,403.88	1,028.28	652.68	283.30	
8	4,015.66	3,647.57	3,273.22	2,898.45	2,522.85	2,147.25	1,771.65	1,396.05	1,020.45	644.85	275.48	
1/4	4,009.04	3,639.77	3,265.42	2,890.63	2,515.03	2,139.43	1,763.83	1,388.23	1,012.63	637.03	267.65	
1/2	4,002.41	3,631.97	3,257.62	2,882.80	2,507.20	2,131.60	1,756.00	1,380.40	1,004.80	629.20	259.83	
3/4	3,995.79	3,624.18	3,249.82	2,874.98	2,499.38	2,123.78	1,748.18	1,372.58	996.98	621.38	252.00	
9	3,989.16	3,616.38	3,242.02	2,867.15	2,491.55	2,115.95	1,740.35	1,364.75	989.15	613.55	244.18	
1/4	3,981.76	3,608.58	3,234.23	2,859.33	2,483.73	2,108.13	1,732.53	1,356.93	981.33	605.73	236.35	
1/2	3,974.35	3,600.78	3,226.43	2,851.50	2,475.90	2,100.30	1,724.70	1,349.10	973.50	597.90	228.53	
3/4	3,966.94	3,592.98	3,218.63	2,843.68	2,468.08	2,092.48	1,716.88	1,341.28	965.68	590.08	220.70	
10	3,959.53	3,585.18	3,210.83	2,835.85	2,460.25	2,084.65	1,709.05	1,333.45	957.85	582.25	212.88	
1/4	3,951.73	3,577.38	3,203.03	2,828.03	2,452.43	2,076.83	1,701.23	1,325.63	950.03	574.43	205.05	
1/2	3,943.93	3,569.58	3,195.23	2,820.20	2,444.60	2,069.00	1,693.40	1,317.80	942.20	566.60	197.23	
3/4	3,936.14	3,561.78	3,187.43	2,812.38	2,436.78	2,061.18	1,685.58	1,309.98	934.38	558.78	189.40	
11	3,928.34	3,553.98	3,179.63	2,804.55	2,428.95	2,053.35	1,677.75	1,302.15	926.55	550.95	181.58	
1/4	3,920.54	3,546.19	3,171.83	2,796.73	2,421.13	2,045.53	1,669.93	1,294.33	918.73	543.91	173.75	
1/2	3,912.74	3,538.39	3,164.03	2,788.90	2,413.30	2,037.70	1,662.10	1,286.50	910.90	536.60	165.93	
3/4	3,904.94	3,530.59	3,156.24	2,781.08	2,405.48	2,029.88	1,654.28	1,278.68	903.08	529.81	158.10	

MAP 721

COMPARTMENT: 3 PORT

GAUGE HEIGHT: 11' 5"

STRAPPED: 10/29/04

RIM OF HATCH LOCATED NEAR CENTER OF TANK

BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

COMPUTED IN BARRELS				GAUGE TYPE: OUTAGE				BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN				
	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT
0	3,998.29	3,786.62	3,422.88	3,059.14	2,694.59	2,329.65	1,964.70	1,599.76	1,234.82	869.87	507.95	146.02
1/4	3,997.94	3,779.05	3,415.30	3,051.56	2,686.99	2,322.05	1,957.10	1,592.16	1,227.21	862.27	501.10	138.42
1/2	3,997.58	3,771.47	3,407.72	3,043.98	2,679.39	2,314.44	1,949.50	1,584.55	1,219.61	854.67	494.25	130.82
3/4	3,997.23	3,763.89	3,400.15	3,036.40	2,671.78	2,306.84	1,941.89	1,576.95	1,212.01	847.06	487.40	123.21
1	3,996.87	3,756.31	3,392.57	3,028.82	2,664.18	2,299.24	1,934.29	1,569.35	1,204.40	839.46	480.56	115.61
1/4	3,996.76	3,748.73	3,384.99	3,021.25	2,656.58	2,291.63	1,926.69	1,561.74	1,196.80	831.86	472.95	108.76
1/2	3,996.64	3,741.16	3,377.41	3,013.67	2,648.97	2,284.03	1,919.09	1,554.14	1,189.20	824.25	465.35	101.92
3/4	3,993.53	3,733.58	3,369.83	3,006.09	2,641.37	2,276.43	1,911.48	1,546.54	1,181.59	816.65	457.75	95.07
2	3,992.41	3,726.00	3,362.26	2,998.51	2,633.77	2,268.82	1,903.88	1,538.94	1,173.99	809.05	450.14	88.22
1/4	3,990.54	3,718.42	3,354.68	2,990.93	2,626.17	2,261.22	1,896.28	1,531.33	1,166.39	801.44	442.54	81.37
1/2	3,988.66	3,710.84	3,347.10	2,983.36	2,618.56	2,253.62	1,888.67	1,523.73	1,158.79	793.84	434.94	74.52
3/4	3,986.79	3,703.27	3,339.52	2,975.78	2,610.96	2,246.02	1,881.07	1,516.13	1,151.18	786.24	427.33	67.68
3	3,984.91	3,695.69	3,331.94	2,968.20	2,603.36	2,238.41	1,873.47	1,508.52	1,143.58	778.64	419.73	60.83
1/4	3,982.28	3,688.11	3,324.37	2,960.62	2,595.75	2,230.81	1,865.86	1,500.92	1,135.98	771.03	412.13	54.18
1/2	3,979.64	3,680.53	3,316.79	2,953.04	2,588.15	2,223.21	1,858.26	1,493.32	1,128.37	763.43	404.53	47.52
3/4	3,977.01	3,672.95	3,309.21	2,945.47	2,580.55	2,215.60	1,850.66	1,485.71	1,120.77	755.83	396.92	40.87
4	3,974.37	3,665.38	3,301.63	2,937.89	2,572.94	2,208.00	1,843.06	1,478.11	1,113.17	748.22	389.32	34.22
1/4	3,970.98	3,657.80	3,294.05	2,930.29	2,565.34	2,200.40	1,835.45	1,470.51	1,105.56	740.62	381.72	29.47
1/2	3,967.58	3,650.22	3,286.48	2,922.68	2,557.74	2,192.79	1,827.85	1,462.91	1,097.96	733.02	374.11	24.72
3/4	3,964.18	3,642.64	3,278.90	2,915.08	2,550.14	2,185.19	1,820.25	1,455.30	1,090.36	725.41	366.51	
5	3,960.78	3,635.06	3,271.32	2,907.48	2,542.52	2,177.59	1,812.64	1,447.70	1,082.76	717.81	358.91	
1/4	3,956.63	3,627.49	3,263.74	2,899.87	2,534.93	2,169.98	1,805.04	1,440.10	1,075.15	710.21	351.30	
1/2	3,952.47	3,619.91	3,256.16	2,892.27	2,527.33	2,162.38	1,797.44	1,432.49	1,067.55	702.61	343.70	
3/4	3,948.31	3,612.33	3,248.59	2,884.67	2,519.72	2,154.78	1,789.83	1,424.89	1,059.95	695.00	336.10	
6	3,944.16	3,604.75	3,241.01	2,877.06	2,512.12	2,147.18	1,782.23	1,417.29	1,052.34	687.40	328.50	
1/4	3,939.24	3,597.17	3,233.43	2,869.46	2,504.52	2,139.57	1,774.63	1,409.68	1,044.74	679.80	320.89	
1/2	3,934.32	3,589.60	3,225.85	2,861.86	2,496.91	2,131.97	1,767.03	1,402.08	1,037.14	672.19	313.29	
3/4	3,929.41	3,582.20	3,218.27	2,854.26	2,489.31	2,124.37	1,759.42	1,394.48	1,029.53	664.59	305.69	
7	3,924.49	3,574.44	3,210.70	2,846.65	2,481.71	2,116.76	1,751.82	1,386.88	1,021.93	656.99	298.08	
1/4	3,918.82	3,566.86	3,203.12	2,839.05	2,474.11	2,109.18	1,744.22	1,379.27	1,014.33	649.38	290.48	
1/2	3,913.14	3,559.28	3,195.54	2,831.45	2,466.50	2,101.56	1,736.61	1,371.67	1,006.73	641.78	282.88	
3/4	3,907.46	3,551.71	3,187.96	2,823.84	2,458.90	2,093.95	1,729.01	1,364.07	999.12	634.18	275.27	
8	3,901.78	3,544.30	3,180.38	2,816.24	2,451.30	2,086.35	1,721.41	1,356.46	991.52	626.58	267.67	
1/4	3,895.35	3,536.55	3,172.81	2,808.64	2,443.69	2,078.75	1,713.80	1,348.86	983.92	618.97	260.07	
1/2	3,888.91	3,528.97	3,165.23	2,801.03	2,436.09	2,071.15	1,706.20	1,341.26	976.31	611.37	252.47	
3/4	3,882.47	3,521.39	3,157.65	2,793.43	2,428.49	2,063.54	1,698.60	1,333.65	968.71	603.77	244.86	
9	3,876.04	3,513.82	3,150.07	2,785.83	2,420.88	2,055.94	1,691.00	1,326.05	961.11	596.16	237.26	
1/4	3,868.84	3,506.24	3,142.49	2,778.23	2,413.28	2,048.34	1,683.39	1,318.45	953.50	588.56	229.66	
1/2	3,861.64	3,498.66	3,134.92	2,770.62	2,405.68	2,040.73	1,675.79	1,310.85	945.90	580.96	222.05	
3/4	3,854.45	3,491.08	3,127.34	2,763.02	2,398.08	2,033.13	1,668.19	1,303.24	938.30	573.35	214.45	
10	3,847.25	3,483.50	3,119.76	2,755.42	2,390.47	2,025.53	1,660.58	1,295.64	930.70	565.75	206.85	
1/4	3,839.67	3,475.93	3,112.16	2,747.81	2,382.87	2,017.92	1,652.98	1,288.04	923.09	558.15	199.24	
1/2	3,832.09	3,468.35	3,104.60	2,740.21	2,375.27	2,010.32	1,645.38	1,280.43	915.49	550.55	191.64	
3/4	3,824.51	3,460.77	3,097.03	2,732.61	2,367.66	2,002.72	1,637.77	1,272.83	907.89	542.94	184.04	
11	3,816.94	3,453.19	3,089.45	2,725.00	2,360.06	1,995.12	1,630.17	1,265.23	900.28	535.34	176.44	
1/4	3,809.36	3,445.61	3,081.87	2,717.40	2,352.46	1,987.51	1,622.57	1,257.62	892.68	528.49	168.83	
1/2	3,801.78	3,438.04	3,074.29	2,709.80	2,344.85	1,979.91	1,614.97	1,250.02	885.08	521.64	161.23	
3/4	3,794.20	3,430.46	3,066.71	2,702.20	2,337.25	1,972.31	1,607.36	1,242.42	877.47	514.80	153.63	

MAP 721

COMPARTMENT: 3 STAR

GAUGE HEIGHT: 11' 5 3/4"

STRAPPED: 10/29/04

BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

COMPUTED IN BARRELS	GAUGE TYPE: OUTAGE										
	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT
0	3,998.29	3,786.62	3,422.88	3,059.14	2,694.59	2,329.65	1,964.70	1,599.76	1,234.82	869.87	507.95
1/4	3,997.94	3,779.05	3,415.30	3,051.56	2,688.99	2,322.05	1,957.10	1,592.16	1,227.21	862.27	501.10
1/2	3,997.58	3,771.47	3,407.72	3,043.98	2,679.39	2,314.44	1,949.50	1,584.55	1,219.61	854.67	494.25
3/4	3,997.23	3,763.89	3,400.15	3,036.40	2,671.78	2,306.84	1,941.89	1,576.95	1,212.01	847.06	487.40
1	3,996.87	3,756.31	3,392.57	3,028.82	2,664.18	2,299.24	1,934.29	1,569.35	1,204.40	839.46	480.56
1/4	3,996.76	3,748.73	3,384.99	3,021.25	2,656.58	2,291.63	1,926.69	1,561.74	1,196.80	831.86	472.95
1/2	3,996.64	3,741.16	3,377.41	3,013.67	2,648.97	2,284.03	1,919.09	1,554.14	1,189.20	824.25	465.35
3/4	3,996.53	3,733.58	3,368.83	3,006.09	2,641.37	2,276.43	1,911.48	1,546.54	1,181.59	816.65	457.75
2	3,992.41	3,726.00	3,362.26	2,998.51	2,633.77	2,268.82	1,903.88	1,538.94	1,173.99	809.05	450.14
1/4	3,990.54	3,718.42	3,354.68	2,990.93	2,626.17	2,261.22	1,896.28	1,531.33	1,166.39	801.44	442.54
1/2	3,988.66	3,710.84	3,347.10	2,983.36	2,618.56	2,253.62	1,888.67	1,523.73	1,158.79	793.84	434.94
3/4	3,986.79	3,703.27	3,339.52	2,975.78	2,610.96	2,246.02	1,881.07	1,516.13	1,151.18	786.24	427.33
3	3,984.91	3,695.69	3,331.94	2,968.20	2,603.36	2,238.41	1,873.47	1,508.52	1,143.58	778.64	419.73
1/4	3,982.28	3,688.11	3,324.37	2,960.62	2,595.75	2,230.81	1,865.86	1,500.92	1,135.98	771.03	412.13
1/2	3,979.64	3,680.53	3,316.79	2,953.04	2,588.15	2,223.21	1,858.26	1,493.32	1,128.37	763.43	404.53
3/4	3,977.01	3,672.95	3,309.21	2,945.47	2,580.55	2,215.60	1,850.66	1,485.71	1,120.77	755.83	396.92
4	3,974.37	3,665.38	3,301.63	2,937.89	2,572.94	2,208.00	1,843.06	1,478.11	1,113.17	748.22	389.32
1/4	3,970.98	3,657.80	3,294.05	2,930.29	2,565.34	2,200.40	1,835.45	1,470.51	1,105.56	740.62	381.72
1/2	3,967.58	3,650.22	3,286.48	2,922.68	2,557.74	2,192.79	1,827.85	1,462.91	1,097.96	733.02	374.11
3/4	3,964.18	3,642.64	3,278.90	2,915.08	2,550.14	2,185.19	1,820.25	1,455.30	1,090.36	725.41	366.51
5	3,960.78	3,635.06	3,271.32	2,907.48	2,542.53	2,177.59	1,812.64	1,447.70	1,082.76	717.81	358.91
1/4	3,956.63	3,627.49	3,263.74	2,899.87	2,534.93	2,169.98	1,805.04	1,440.10	1,075.15	710.21	351.30
1/2	3,952.47	3,619.91	3,256.16	2,892.27	2,527.33	2,162.38	1,797.44	1,432.49	1,067.55	702.61	343.70
3/4	3,948.31	3,612.33	3,248.59	2,884.67	2,519.72	2,154.78	1,789.83	1,424.89	1,059.95	695.00	336.10
6	3,944.16	3,604.75	3,241.01	2,877.06	2,512.12	2,147.18	1,782.23	1,417.29	1,052.34	687.40	328.50
1/4	3,939.24	3,597.17	3,233.43	2,869.46	2,504.52	2,139.57	1,774.63	1,409.68	1,044.74	679.80	320.89
1/2	3,934.32	3,589.60	3,225.85	2,861.86	2,496.91	2,131.97	1,767.03	1,402.08	1,037.14	672.19	313.29
3/4	3,929.41	3,582.02	3,218.27	2,854.26	2,489.31	2,124.37	1,759.42	1,394.48	1,029.53	664.59	305.69
7	3,924.49	3,574.44	3,210.70	2,846.65	2,481.71	2,116.76	1,751.82	1,386.88	1,021.93	656.99	298.08
1/4	3,918.82	3,566.86	3,203.12	2,839.05	2,474.11	2,109.16	1,744.22	1,379.27	1,014.33	649.38	290.48
1/2	3,913.14	3,559.28	3,195.54	2,831.45	2,466.50	2,101.56	1,736.61	1,371.67	1,006.73	641.78	282.88
3/4	3,907.46	3,551.71	3,187.96	2,823.84	2,458.90	2,093.95	1,729.01	1,364.07	999.12	634.18	275.27
8	3,901.78	3,544.13	3,180.38	2,816.24	2,451.30	2,086.35	1,721.41	1,356.46	991.52	626.58	267.67
1/4	3,895.35	3,536.55	3,172.81	2,808.64	2,443.69	2,078.75	1,713.80	1,348.86	983.92	618.97	260.07
1/2	3,888.91	3,528.97	3,165.23	2,801.03	2,436.09	2,071.15	1,706.20	1,341.26	976.31	611.37	252.47
3/4	3,882.47	3,521.39	3,157.65	2,793.45	2,428.49	2,063.54	1,698.60	1,333.65	968.71	603.77	244.86
9	3,876.04	3,513.82	3,150.07	2,785.83	2,420.88	2,055.94	1,691.00	1,326.05	961.11	596.16	237.26
1/4	3,868.84	3,506.24	3,142.49	2,778.23	2,413.28	2,048.34	1,683.39	1,318.45	953.50	588.56	229.66
1/2	3,861.64	3,498.66	3,134.92	2,770.62	2,405.68	2,040.73	1,675.79	1,310.85	945.90	580.96	222.05
3/4	3,854.45	3,491.08	3,127.34	2,763.02	2,398.08	2,033.13	1,668.19	1,303.24	938.30	573.35	214.45
10	3,847.25	3,483.50	3,119.76	2,755.42	2,390.47	2,025.53	1,660.58	1,295.64	930.70	565.75	206.85
1/4	3,839.67	3,475.93	3,112.18	2,747.81	2,382.87	2,017.92	1,652.98	1,288.04	923.09	558.15	199.24
1/2	3,832.09	3,468.35	3,104.60	2,740.21	2,375.27	2,010.32	1,645.38	1,280.43	915.49	550.55	191.64
3/4	3,824.51	3,460.77	3,097.03	2,732.61	2,367.66	2,002.72	1,637.77	1,272.83	907.89	542.94	184.04
11	3,816.94	3,453.19	3,089.45	2,725.00	2,360.06	1,995.12	1,630.17	1,265.23	900.28	535.34	176.44
1/4	3,809.36	3,445.61	3,081.87	2,717.40	2,352.46	1,987.51	1,622.57	1,257.62	892.68	528.49	168.83
1/2	3,801.78	3,438.04	3,074.29	2,709.80	2,344.85	1,979.91	1,614.97	1,250.02	885.08	521.64	161.23
3/4	3,794.20	3,430.46	3,066.71	2,702.20	2,337.25	1,972.31	1,607.36	1,242.42	877.47	514.80	153.63