













# BARGE "MPC-640"

MARATHON PETROLEUM CORP.

HULL NO. 2169-13

CORRECTION TABLE FOR TRIM AFT.

## FOR OUTGAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(+) 0' - 0 1/8"	(+) 0' - 0 1/8"	NIL
1'-0"	(+) 0' - 0 1/4"	(+) 0' - 0 1/4"	NIL
1'-6"	(+) 0' - 0 3/8"	(+) 0' - 0 3/8"	NIL
2'-0"	(+) 0' - 0 1/2"	(+) 0' - 0 1/2"	NIL
2'-6"	(+) 0' - 0 5/8"	(+) 0' - 0 5/8"	NIL
3'-0"	(+) 0' - 0 3/4"	(+) 0' - 0 3/4"	NIL
3'-6"	(+) 0' - 1"	(+) 0' - 1"	NIL
4'-0"	(+) 0' - 1 1/8"	(+) 0' - 1 1/8"	NIL
4'-6"	(+) 0' - 1 1/4"	(+) 0' - 1 1/4"	NIL
5'-0"	(+) 0' - 1 3/8"	(+) 0' - 1 3/8"	NIL

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "INNAGE" GAUGES, REVERSE SIGNS.

DATE: 7/9/08

BY:

INSPECTORATE AMERICA CORPORATION