

OUTAGE TABLE

TANK NO.
1 STAR

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

REFERENCE GAUGE HEIGHT : 11'-5" (RIM OF HATCH LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION

John



ISO 9002 ACCREDITED

BARGE "MPC-727"
MARATHON PETROLEUM COMPANY
OUTAGE TABLE

TANK NO.
1 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2154-1

		0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.	
N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	3,944.65	3,733.91	3,732.10	3,012.28	2,650.66	2,288.65	1,926.63	1,564.62	1,202.60	840.58	481.28	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	130.12	
2	3,944.34	3,728.40	3,366.58	3,004.76	2,643.12	2,281.11	1,919.09	1,557.07	1,195.06	833.04	472.56	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	123.22	
3	3,943.94	3,718.88	3,358.06	2,997.25	2,635.58	2,273.56	1,915.55	1,549.53	1,181.52	825.50	467.56	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	116.33	
4	3,943.59	3,711.36	3,350.55	2,989.23	2,628.04	2,268.02	1,904.01	1,541.99	1,173.97	817.96	460.70	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	109.43	
5	3,943.23	3,703.84	3,343.03	2,982.21	2,620.50	2,258.48	1,896.46	1,534.45	1,172.43	810.47	453.83	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	102.54	
6	3,942.12	3,696.33	3,335.51	2,974.70	2,612.95	2,250.94	1,888.92	1,528.91	1,166.89	802.87	446.25	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	96.55	
7	3,941.01	3,688.81	3,327.99	2,967.18	2,605.41	2,243.38	1,881.34	1,519.36	1,159.36	795.33	438.67	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	90.56	
8	3,939.89	3,681.29	3,320.48	2,959.66	2,597.87	2,235.85	1,873.84	1,511.82	1,148.81	787.79	431.10	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	84.58	
9	3,938.78	3,673.78	3,312.96	2,952.14	2,590.33	2,228.31	1,866.30	1,504.28	1,142.26	780.25	423.52	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	78.59	
10	3,936.91	3,666.26	3,305.44	2,944.63	2,582.19	2,220.77	1,858.75	1,498.74	1,134.72	772.71	415.94	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	72.61	
11	3,935.04	3,658.74	3,297.93	2,937.11	2,575.24	2,213.23																									

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 11'-5" (RIM OF HATCH LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

BARGE "MPC-727"
MARATHON PETROLEUM COMPANY

OUTAGE TABLE

TANK NO.
2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2154-1

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1/4	4,233.30	1/4	4,008.84	1/4	3,623.16	1/4	3,237.48	1/4	2,851.58	1/4	2,465.56	1/4	2,071.51	1/4	1,693.53	1/4	1,307.52	1/4	921.50	1/4	538.61	1/4	154.84	1/4	154.84	1/4	154.84	1/4	154.84
1/2	4,232.92	1/2	4,000.81	1/2	3,615.13	1/2	3,229.45	1/2	2,843.54	1/2	2,457.52	1/2	2,071.51	1/2	1,685.49	1/2	1,299.47	1/2	913.46	1/2	531.35	1/2	146.77	1/2	146.77	1/2	146.77	1/2	146.77
3/4	4,232.54	3/4	3,992.77	3/4	3,607.09	3/4	3,221.41	3/4	2,835.50	3/4	2,449.48	3/4	2,063.46	3/4	1,677.45	3/4	1,291.43	3/4	905.42	3/4	524.09	3/4	138.71	3/4	138.71	3/4	138.71	3/4	138.71
1	4,232.17	1	3,984.74	1	3,599.06	1	3,213.38	1	2,827.45	1	2,441.44	1	2,055.42	1	1,669.41	1	1,283.39	1	897.37	1	516.83	1	130.65	1	130.65	1	130.65	1	130.65
1/4	4,231.79	1/4	3,976.70	1/4	3,591.02	1/4	3,205.34	1/4	2,819.41	1/4	2,433.40	1/4	2,047.38	1/4	1,661.36	1/4	1,275.35	1/4	889.33	1/4	509.56	1/4	122.59	1/4	122.59	1/4	122.59	1/4	122.59
1/2	4,229.61	1/2	3,968.67	1/2	3,582.99	1/2	3,197.31	1/2	2,811.37	1/2	2,428.35	1/2	2,039.34	1/2	1,653.32	1/2	1,267.31	1/2	881.29	1/2	501.50	1/2	115.33	1/2	115.33	1/2	115.33	1/2	115.33
3/4	4,229.43	3/4	3,960.63	3/4	3,574.95	3/4	3,189.27	3/4	2,803.33	3/4	2,417.31	3/4	2,031.30	3/4	1,645.28	3/4	1,259.26	3/4	873.25	3/4	493.44	3/4	108.07	3/4	108.07	3/4	108.07	3/4	108.07
2	4,228.25	2	3,952.60	2	3,566.92	2	3,181.24	2	2,795.29	2	2,409.27	2	2,023.25	2	1,637.24	2	1,251.22	2	865.21	2	485.38	2	93.54	2	93.54	2	93.54	2	93.54
1/4	4,227.06	1/4	3,944.56	1/4	3,558.88	1/4	3,173.20	1/4	2,787.24	1/4	2,401.23	1/4	2,015.21	1/4	1,629.20	1/4	1,243.18	1/4	857.16	1/4	477.32	1/4	86.28	1/4	86.28	1/4	86.28	1/4	86.28
1/2	4,225.08	1/2	3,936.53	1/2	3,550.85	1/2	3,165.17	1/2	2,779.20	1/2	2,393.19	1/2	2,007.17	1/2	1,621.15	1/2	1,235.14	1/2	849.12	1/2	469.25	1/2	79.02	1/2	79.02	1/2	79.02	1/2	79.02
3/4	4,223.09	3/4	3,928.49	3/4	3,542.81	3/4	3,157.13	3/4	2,771.16	3/4	2,385.14	3/4	1,999.13	3/4	1,613.11	3/4	1,227.10	3/4	841.08	3/4	461.19	3/4	71.76	3/4	71.76	3/4	71.76	3/4	71.76
3	4,221.10	3	3,920.46	3	3,534.78	3	3,149.10	3	2,763.12	3	2,377.10	3	1,991.09	3	1,605.07	3	1,219.05	3	833.04	3	453.13	3	64.50	3	64.50	3	64.50	3	64.50
1/4	4,219.11	1/4	3,912.42	1/4	3,526.74	1/4	3,141.06	1/4	2,755.08	1/4	2,369.06	1/4	1,984.94	1/4	1,597.93	1/4	1,211.01	1/4	825.00	1/4	445.07	1/4	57.45	1/4	57.45	1/4	57.45	1/4	57.45
1/2	4,216.31	1/2	3,904.39	1/2	3,518.71	1/2	3,133.03	1/2	2,747.03	1/2	2,361.02	1/2	1,975.00	1/2	1,588.99	1/2	1,202.97	1/2	816.95	1/2	437.01	1/2	50.39	1/2	50.39	1/2	50.39	1/2	50.39
3/4	4,213.52	3/4	3,896.35	3/4	3,510.67	3/4	3,124.99	3/4	2,738.99	3/4	2,352.98	3/4	1,966.96	3/4	1,580.94	3/4	1,194.93	3/4	808.91	3/4	428.94	3/4	43.34	3/4	43.34	3/4	43.34	3/4	43.34
4	4,210.73	4	3,888.32	4	3,502.64	4	3,116.96	4	2,730.95	4	2,344.93	4	1,958.92	4	1,572.90	4	1,186.89	4	800.87	4	420.88	4	36.28	4	36.28	4	36.28	4	36.28
1/4	4,207.93	1/4	3,880.28	1/4	3,494.60	1/4	3,108.92	1/4	2,722.91	1/4	2,336.89	1/4	1,950.88	1/4	1,564.86	1/4	1,178.84	1/4	792.83	1/4	412.82	1/4	31.24	1/4	31.24	1/4	31.24	1/4	31.24
1/2	4,204.33	1/2	3,872.25	1/2	3,486.57	1/2	3,100.88	1/2	2,714.87	1/2	2,328.85	1/2	1,942.83	1/2	1,556.82	1/2	1,170.80	1/2	784.79	1/2	404.76	1/2	26.20	1/2	26.20	1/2	26.20	1/2	26.20
3/4	4,200.73	3/4	3,864.21	3/4	3,478.53	3/4	3,098.84	3/4	2,706.82	3/4	2,320.81	3/4	1,934.79	3/4	1,548.78	3/4	1,162.76	3/4	776.74	3/4	396.70	3/4	21.17	3/4	21.17	3/4	21.17	3/4	21.17
5	4,197.13	5	3,856.18	5	3,470.50	5	3,084.80	5	2,698.78	5	2,312.77	5	1,926.75	5	1,540.73	5	1,154.72	5	768.70	5	388.63	5	19.17	5	19.17	5	19.17	5	19.17
1/4	4,193.52	1/4	3,848.14	1/4	3,462.46	1/4	3,076.76	1/4	2,690.74	1/4	2,304.72	1/4	1,918.71	1/4	1,532.69	1/4	1,146.68	1/4	760.66	1/4	380.57	1/4	17.17	1/4	17.17	1/4	17.17	1/4	17.17
1/2	4,189.12	1/2	3,840.11	1/2	3,454.43	1/2	3,068.71	1/2	2,682.70	1/2	2,296.68	1/2	1,910.67	1/2	1,524.65	1/2	1,138.63	1/2	752.62	1/2	372.51	1/2	16.17	1/2	16.17	1/2	16.17	1/2	16.17
3/4	4,184.71	3/4	3,832.07	3/4	3,446.39	3/4	3,060.67	3/4	2,674.66	3/4	2,288.64	3/4	1,902.62	3/4	1,516.61	3/4	1,130.59	3/4	744.58	3/4	364.45	3/4	15.17	3/4	15.17	3/4	15.17	3/4	15.17
6	4,180.30	6	3,824.04	6	3,438.36	6	3,052.63	6	2,666.61	6	2,280.60	6	1,894.58	6	1,508.57	6	1,122.55	6	736.53	6	356.39	6	14.17	6	14.17	6	14.17	6	14.17
1/4	4,175.89	1/4	3,816.00	1/4	3,430.32	1/4	3,044.59	1/4	2,658.57	1/4	2,272.56	1/4	1,886.54	1/4	1,500.52	1/4	1,114.51	1/4	728.49	1/4	348.32	1/4	13.17	1/4	13.17	1/4	13.17	1/4	13.17
1/2	4,170.68	1/2	3,807.97	1/2	3,422.29	1/2	3,036.55	1/2	2,650.53	1/2	2,264.51	1/2	1,878.50	1/2	1,492.48	1/2	1,106.47	1/2	720.45	1/2	340.26	1/2	12.17	1/2	12.17	1/2	12.17	1/2	12.17
3/4	4,165.47	3/4	3,799.93	3/4	3,414.25	3/4	3,028.50	3/4	2,642.49	3/4	2,256.47	3/4	1,870.46	3/4	1,484.44	3/4	1,098.42	3/4	712.41	3/4	332.20	3/4	11.17	3/4	11.17	3/4	11.17	3/4	11.17
7	4,160.25	7	3,791.90	7	3,406.22	7	3,020.46	7	2,634.45	7	2,248.43	7	1,862.41	7	1,476.40	7	1,090.38	7	704.37	7	324.14	7	10.17	7	10.17	7	10.17	7	10.17
1/4	4,155.04	1/4	3,783.86	1/4	3,398.18	1/4	3,012.42	1/4	2,626.40	1/4	2,240.39	1/4	1,854.37	1/4	1,468.36	1/4	1,082.34	1/4	696.32	1/4	316.08	1/4	9.17	1/4	9.17	1/4	9.17	1/4	9.17
1/2	4,149.02	1/2	3,775.83	1/2	3,390.15	1/2	3,004.38	1/2	2,618.36	1/2	2,232.35	1/2	1,846.33	1/2	1,460.31	1/2	1,074.30	1/2	688.28	1/2	308.01	1/2	8.17	1/2	8.17	1/2	8.17	1/2	8.17
3/4	4,143.00	3/4	3,767.79	3/4	3,382.11	3/4	2,996.34	3/4	2,610.32	3/4	2,224.30	3/4	1,838.29	3/4	1,452.27	3/4	1,066.26	3/4	680.24	3/4	299.95	3/4	7.17	3/4	7.17	3/4	7.17	3/4	7.17
8	4,136.98	8	3,759.76	8	3,374.08	8	2,988.29	8	2,602.28	8	2,216.26	8	1,830.25	8	1,444.23	8	1,058.21	8	672.20	8	291.89	8	6.17	8	6.17	8	6.17	8	6.17
1/4	4,130.96	1/4	3,751.72	1/4	3,366.04	1/4	2,980.25	1/4	2,594.24	1/4	2,208.22	1/4	1,822.20	1/4	1,436.19	1/4	1,050.17	1/4	664.16	1/4	283.83	1/4	5.17	1/4	5.17	1/4	5.17	1/4	5.17
1/2	4,124.13	1/2	3,743.69	1/2	3,358.01	1/2	2,972.21	1/2	2,586.19	1/2	2,200.18	1/2	1,814.16	1/2	1,428.15	1/2	1,042.13	1/2	656.11	1/2	275.77	1/2	4.17	1/2	4.17	1/2	4.17	1/2	4.17
3/4	4,117.31																												



INSPECTORATE

ISO 9002 ACCREDITED

BARGE "MPC-727"
MARATHON PETROLEUM COMPANY

OUTAGE TABLE

TANK NO.
3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2154-1

		0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	3.739.76	0	3.382.50	0	3.025.23	0	2.667.42	0	2.309.24	0	1.957.07	0	1.592.89	0	1.234.71	0	876.54	0	519.10	0	165.83	0								
1/4	1/4	3.732.32	1/4	3.375.05	1/4	3.017.79	1/4	2.659.96	1/4	2.301.78	1/4	1.943.60	1/4	1.585.43	1/4	1.227.25	1/4	869.08	1/4	512.37	1/4	158.36	1/4								
1/2	1/2	3.724.88	1/2	3.367.61	1/2	3.010.35	1/2	2.652.49	1/2	2.294.32	1/2	1.936.14	1/2	1.577.97	1/2	1.219.79	1/2	861.61	1/2	506.65	1/2	150.89	1/2								
3/4	3/4	3.925.34	3/4	3.360.17	3/4	3.002.90	3/4	2.645.03	3/4	2.286.86	3/4	1.928.68	3/4	1.570.50	3/4	1.212.33	3/4	854.15	3/4	499.92	3/4	143.42	3/4								
1	1	3.924.99	1	3.352.72	1	2.995.46	1	2.637.57	1	2.279.39	1	1.921.22	1	1.563.04	1	1.204.87	1	846.69	1	492.19	1	135.96	1								
1/4	1/4	3.924.64	1/4	3.345.28	1/4	2.988.02	1/4	2.630.11	1/4	2.271.93	1/4	1.913.76	1/4	1.555.58	1/4	1.197.94	1/4	838.23	1/4	485.47	1/4	128.49	1/4								
1/2	1/2	3.924.29	1/2	3.695.10	1/2	2.980.57	1/2	2.622.65	1/2	2.264.47	1/2	1.906.29	1/2	1.548.12	1/2	1.189.94	1/2	831.77	1/2	478.74	1/2	121.02	1/2								
3/4	3/4	3.923.94	3/4	3.687.66	3/4	2.973.13	3/4	2.615.18	3/4	2.257.01	3/4	1.898.83	3/4	1.540.66	3/4	1.182.48	3/4	824.30	3/4	472.02	3/4	113.55	3/4								
2	2	3.922.85	2	3.680.22	2	2.965.69	2	2.607.72	2	2.249.55	2	1.891.37	2	1.533.19	2	1.175.02	2	816.84	2	464.55	2	106.83	2								
1/4	1/4	3.921.75	1/4	3.672.77	1/4	2.958.25	1/4	2.600.26	1/4	2.242.08	1/4	1.883.91	1/4	1.525.73	1/4	1.167.56	1/4	809.38	1/4	457.08	1/4	100.10	1/4								
1/2	1/2	3.920.66	1/2	3.665.33	1/2	2.950.80	1/2	2.592.80	1/2	2.234.62	1/2	1.876.45	1/2	1.518.27	1/2	1.160.09	1/2	801.92	1/2	449.61	1/2	93.37	1/2								
3/4	3/4	3.919.56	3/4	3.657.89	3/4	2.943.36	3/4	2.585.34	3/4	2.227.16	3/4	1.868.88	3/4	1.510.81	3/4	1.152.63	3/4	794.46	3/4	442.14	3/4	86.65	3/4								
3	3	3.917.72	3	3.650.45	3	2.935.92	3	2.577.87	3	2.219.70	3	1.861.52	3	1.503.35	3	1.145.17	3	788.99	3	434.68	3	79.92	3								
1/4	1/4	3.915.88	1/4	3.643.00	1/4	2.928.47	1/4	2.570.41	1/4	2.212.24	1/4	1.854.06	1/4	1.495.88	1/4	1.137.71	1/4	778.53	1/4	427.21	1/4	73.20	1/4								
1/2	1/2	3.914.04	1/2	3.635.56	1/2	2.921.03	1/2	2.562.95	1/2	2.204.77	1/2	1.846.60	1/2	1.488.42	1/2	1.130.25	1/2	772.07	1/2	419.74	1/2	66.47	1/2								
3/4	3/4	3.912.20	3/4	3.628.12	3/4	2.913.59	3/4	2.555.49	3/4	2.197.31	3/4	1.839.14	3/4	1.480.96	3/4	1.122.78	3/4	764.61	3/4	412.27	3/4	59.74	3/4								
4	4	3.909.61	4	3.620.67	4	2.906.14	4	2.548.03	4	2.189.85	4	1.831.67	4	1.473.50	4	1.115.32	4	757.15	4	404.80	4	53.21	4								
1/4	1/4	3.907.02	1/4	3.613.23	1/4	2.898.70	1/4	2.540.56	1/4	2.182.39	1/4	1.824.21	1/4	1.466.04	1/4	1.107.86	1/4	749.68	1/4	397.34	1/4	46.68	1/4								
1/2	1/2	3.904.43	1/2	3.605.79	1/2	2.891.26	1/2	2.533.10	1/2	2.174.93	1/2	1.816.75	1/2	1.458.57	1/2	1.100.40	1/2	742.22	1/2	388.87	1/2	40.14	1/2								
3/4	3/4	3.901.84	3/4	3.598.34	3/4	2.883.82	3/4	2.525.64	3/4	2.167.46	3/4	1.809.29	3/4	1.451.11	3/4	1.092.94	3/4	734.76	3/4	382.40	3/4	33.61	3/4								
5	5	3.898.51	5	3.590.90	5	2.876.35	5	2.516.18	5	2.160.00	5	1.801.83	5	1.443.65	5	1.085.47	5	727.30	5	374.93	5	28.94	5								
1/4	1/4	3.895.17	1/4	3.583.46	1/4	2.868.89	1/4	2.507.72	1/4	2.152.54	1/4	1.794.36	1/4	1.436.19	1/4	1.078.01	1/4	719.84	1/4	367.46	1/4	24.27	1/4								
1/2	1/2	3.891.83	1/2	3.576.01	1/2	2.861.43	1/2	2.503.25	1/2	2.145.08	1/2	1.786.90	1/2	1.428.73	1/2	1.070.55	1/2	712.37	1/2	360.00	1/2	19.61	1/2								
3/4	3/4	3.888.50	3/4	3.568.57	3/4	2.853.97	3/4	2.495.79	3/4	2.137.82	3/4	1.779.44	3/4	1.421.26	3/4	1.063.09	3/4	704.91	3/4	352.53	3/4	14.94	3/4								
6	6	3.884.41	6	3.561.13	6	2.846.51	6	2.488.33	6	2.130.45	6	1.771.98	6	1.413.80	6	1.055.63	6	697.45	6	345.06	6		6								
1/4	1/4	3.880.33	1/4	3.553.69	1/4	2.839.04	1/4	2.480.87	1/4	2.122.69	1/4	1.764.52	1/4	1.406.34	1/4	1.046.16	1/4	689.93	1/4	337.59	1/4		1/4								
1/2	1/2	3.876.25	1/2	3.546.24	1/2	2.831.58	1/2	2.473.41	1/2	2.115.23	1/2	1.757.05	1/2	1.398.88	1/2	1.040.70	1/2	682.53	1/2	330.12	1/2		1/2								
3/4	3/4	3.872.16	3/4	3.538.80	3/4	2.824.12	3/4	2.465.94	3/4	2.107.77	3/4	1.749.59	3/4	1.391.42	3/4	1.033.24	3/4	675.06	3/4	322.66	3/4		3/4								
7	7	3.867.34	7	3.531.36	7	2.816.66	7	2.458.48	7	2.100.31	7	1.742.13	7	1.383.95	7	1.023.78	7	667.60	7	315.19	7		7								
1/4	1/4	3.862.51	1/4	3.523.91	1/4	2.809.20	1/4	2.451.02	1/4	2.092.84	1/4	1.734.67	1/4	1.376.49	1/4	1.018.32	1/4	660.14	1/4	307.72	1/4		1/4								
1/2	1/2	3.857.68	1/2	3.516.47	1/2	2.801.73	1/2	2.443.56	1/2	2.085.58	1/2	1.727.21	1/2	1.369.03	1/2	1.010.85	1/2	652.68	1/2	300.25	1/2		1/2								
3/4	3/4	3.852.85	3/4	3.509.03	3/4	2.794.27	3/4	2.436.10	3/4	2.077.92	3/4	1.719.74	3/4	1.361.57	3/4	1.003.39	3/4	645.22	3/4	292.78	3/4		3/4								
8	8	3.847.27	8	3.501.58	8	2.786.81	8	2.428.63	8	2.070.46	8	1.712.28	8	1.354.11	8	995.93	8	637.75	8	285.32	8		8								
1/4	1/4	3.841.70	1/4	3.494.14	1/4	2.779.35	1/4	2.421.17	1/4	2.063.00	1/4	1.704.82	1/4	1.346.64	1/4	988.47	1/4	630.29	1/4	277.85	1/4		1/4								
1/2	1/2	3.836.12	1/2	3.486.70	1/2	2.771.89	1/2	2.413.71	1/2	2.055.53	1/2	1.697.36	1/2	1.339.18	1/2	981.01	1/2	622.83	1/2	270.38	1/2		1/2								
3/4	3/4	3.830.54	3/4	3.479.26	3/4	2.764.42	3/4	2.406.25	3/4	2.046.07	3/4	1.689.90	3/4	1.331.72	3/4	973.54	3/4	615.37	3/4	262.91	3/4		3/4								
9	9	3.824.22	9	3.471.81	9	2.756.96	9	2.398.79	9	2.040.61	9	1.682.43	9	1.324.26	9	966.08	9	607.91	9	255.44	9		9								
1/4	1/4	3.817.90	1/4	3.464.37	1/4	2.749.50	1/4	2.391.32	1/4	2.033.15	1/4	1.674.97	1/4	1.316.80	1/4	958.62	1/4	600.44	1/4	247.98	1/4		1/4								
1/2	1/2	3.811.58	1/2	3.456.93	1/2	2.742.04	1/2	2.383.86	1/2	2.025.69	1/2	1.667.51	1/2	1.309.33	1/2	951.16	1/2	592.98	1/2	240.51	1/2		1/2								