



BARGE "MPC-907"
MARATHON PETROLEUM CORP.

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2169-30

		0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
N		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N	
0		0	5,098.76	0	4,830.02	0	4,471.75	0	4,113.48	0	3,755.21	0	3,396.94	0	3,038.66	0	2,680.39	0	2,322.12	0	1,963.85	0	1,605.58	0	1,247.30	0	889.03	0	530.76	0	187.56		
1/4	1/4	1/4	5,098.14	1/4	4,822.56	1/4	4,464.29	1/4	4,106.02	1/4	3,747.74	1/4	3,389.47	1/4	3,031.20	1/4	2,672.93	1/4	2,314.66	1/4	1,956.38	1/4	1,598.11	1/4	1,239.84	1/4	881.57	1/4	523.30	1/4	180.78		
1/2	1/2	1/2	5,097.52	1/2	4,815.10	1/2	4,456.82	1/2	4,098.55	1/2	3,740.28	1/2	3,382.01	1/2	3,023.74	1/2	2,665.46	1/2	2,307.19	1/2	1,948.92	1/2	1,590.65	1/2	1,232.38	1/2	874.10	1/2	515.83	1/2	174.00		
3/4	3/4	3/4	5,096.89	3/4	4,807.63	3/4	4,449.36	3/4	4,091.09	3/4	3,732.82	3/4	3,374.54	3/4	3,016.27	3/4	2,658.00	3/4	2,299.73	3/4	1,941.46	3/4	1,583.18	3/4	1,224.91	3/4	866.64	3/4	508.37	3/4	167.21		
1	1	1	5,096.27	1	4,800.17	1	4,441.90	1	4,083.62	1	3,725.35	1	3,367.08	1	3,008.81	1	2,650.54	1	2,292.26	1	1,933.99	1	1,575.72	1	1,217.45	1	859.18	1	500.90	1	160.43		
1/4	1/4	1/4	5,094.41	1/4	4,792.70	1/4	4,434.43	1/4	4,076.16	1/4	3,717.89	1/4	3,359.62	1/4	3,001.34	1/4	2,643.07	1/4	2,284.80	1/4	1,926.53	1/4	1,568.26	1/4	1,209.98	1/4	851.71	1/4	493.50	1/4	153.77		
1/2	1/2	1/2	5,092.54	1/2	4,785.24	1/2	4,426.97	1/2	4,068.70	1/2	3,710.42	1/2	3,352.15	1/2	2,993.88	1/2	2,635.61	1/2	2,277.34	1/2	1,919.06	1/2	1,560.79	1/2	1,202.52	1/2	844.25	1/2	486.10	1/2	147.12		
3/4	3/4	3/4	5,090.67	3/4	4,777.78	3/4	4,419.50	3/4	4,061.23	3/4	3,702.96	3/4	3,344.69	3/4	2,986.42	3/4	2,628.14	3/4	2,269.87	3/4	1,911.60	3/4	1,553.33	3/4	1,195.06	3/4	836.78	3/4	478.69	3/4	140.46		
2	2	2	5,088.80	2	4,770.31	2	4,412.04	2	4,053.77	2	3,695.50	2	3,337.22	2	2,978.95	2	2,620.68	2	2,262.41	2	1,904.14	2	1,545.86	2	1,187.59	2	829.32	2	471.29	2	133.80		
1/4	1/4	1/4	5,085.69	1/4	4,762.85	1/4	4,404.58	1/4	4,046.30	1/4	3,688.03	1/4	3,329.76	1/4	2,971.49	1/4	2,613.22	1/4	2,254.94	1/4	1,896.67	1/4	1,538.40	1/4	1,180.13	1/4	821.86	1/4	463.88	1/4	127.14		
1/2	1/2	1/2	5,082.58	1/2	4,755.38	1/2	4,397.11	1/2	4,038.84	1/2	3,680.57	1/2	3,322.30	1/2	2,964.02	1/2	2,605.75	1/2	2,247.48	1/2	1,889.21	1/2	1,530.94	1/2	1,172.66	1/2	814.39	1/2	456.48	1/2	120.48		
3/4	3/4	3/4	5,079.47	3/4	4,747.92	3/4	4,389.65	3/4	4,031.38	3/4	3,673.10	3/4	3,314.83	3/4	2,956.56	3/4	2,598.29	3/4	2,240.02	3/4	1,881.74	3/4	1,523.47	3/4	1,165.20	3/4	806.93	3/4	449.08	3/4	113.83		
3	3	3	5,076.36	3	4,740.46	3	4,382.18	3	4,023.91	3	3,665.64	3	3,307.37	3	2,949.10	3	2,590.82	3	2,232.55	3	1,874.28	3	1,516.01	3	1,157.74	3	799.46	3	441.67	3	107.17		
1/4	1/4	1/4	5,072.00	1/4	4,732.99	1/4	4,374.72	1/4	4,016.45	1/4	3,658.18	1/4	3,299.90	1/4	2,941.63	1/4	2,583.36	1/4	2,225.09	1/4	1,866.82	1/4	1,508.54	1/4	1,150.27	1/4	792.00	1/4	434.39	1/4	100.64		
1/2	1/2	1/2	5,067.65	1/2	4,725.53	1/2	4,367.26	1/2	4,008.98	1/2	3,650.71	1/2	3,292.44	1/2	2,934.17	1/2	2,575.90	1/2	2,217.62	1/2	1,859.35	1/2	1,501.08	1/2	1,142.81	1/2	784.54	1/2	427.11	1/2	94.10		
3/4	3/4	3/4	5,063.29	3/4	4,718.06	3/4	4,359.79	3/4	4,001.52	3/4	3,643.25	3/4	3,284.98	3/4	2,926.70	3/4	2,568.43	3/4	2,210.16	3/4	1,851.89	3/4	1,493.62	3/4	1,135.34	3/4	777.07	3/4	419.83	3/4	87.67		
4	4	4	5,058.94	4	4,710.60	4	4,352.33	4	3,994.06	4	3,635.78	4	3,277.51	4	2,919.24	4	2,560.97	4	2,202.70	4	1,844.42	4	1,486.15	4	1,127.88	4	769.61	4	412.55	4	81.04		
1/4	1/4	1/4	5,053.34	1/4	4,703.14	1/4	4,344.86	1/4	3,986.59	1/4	3,628.32	1/4	3,270.05	1/4	2,911.78	1/4	2,553.50	1/4	2,195.23	1/4	1,836.96	1/4	1,478.69	1/4	1,120.42	1/4	762.14	1/4	405.27	1/4	74.50		
1/2	1/2	1/2	5,047.74	1/2	4,695.67	1/2	4,337.40	1/2	3,979.13	1/2	3,620.86	1/2	3,262.58	1/2	2,904.31	1/2	2,546.04	1/2	2,187.77	1/2	1,829.50	1/2	1,471.22	1/2	1,112.95	1/2	754.68	1/2	397.99	1/2	67.97		
3/4	3/4	3/4	5,042.14	3/4	4,688.21	3/4	4,329.94	3/4	3,971.66	3/4	3,613.39	3/4	3,255.12	3/4	2,896.85	3/4	2,538.58	3/4	2,180.30	3/4	1,822.03	3/4	1,463.76	3/4	1,105.49	3/4	747.22	3/4	390.71	3/4	61.44		
5	5	5	5,038.54	5	4,680.74	5	4,322.47	5	3,964.20	5	3,605.93	5	3,247.66	5	2,889.38	5	2,531.11	5	2,172.84	5	1,814.57	5	1,456.30	5	1,098.02	5	739.75	5	383.43	5	54.90		
1/4	1/4	1/4	5,029.69	1/4	4,673.28	1/4	4,315.01	1/4	3,956.74	1/4	3,598.46	1/4	3,240.19	1/4	2,881.92	1/4	2,523.65	1/4	2,165.38	1/4	1,807.10	1/4	1,448.83	1/4	1,090.56	1/4	732.29	1/4	376.28	1/4	49.23		
1/2	1/2	1/2	5,022.85	1/2	4,665.82	1/2	4,307.54	1/2	3,949.27	1/2	3,591.00	1/2	3,232.73	1/2	2,874.46	1/2	2,516.18	1/2	2,157.91	1/2	1,799.64	1/2	1,441.37	1/2	1,083.10	1/2	724.82	1/2	369.12	1/2	43.55		
3/4	3/4	3/4	5,016.00	3/4	4,658.35	3/4	4,300.08	3/4	3,941.81	3/4	3,583.54	3/4	3,225.26	3/4	2,866.99	3/4	2,508.72	3/4	2,150.45	3/4	1,792.18	3/4	1,433.90	3/4	1,075.63	3/4	717.36	3/4	361.97	3/4	37.88		
6	6	6	5,009.16	6	4,650.89	6	4,292.62	6	3,934.34	6	3,576.07	6	3,217.80	6	2,859.53	6	2,501.26	6	2,142.98	6	1,784.71	6	1,426.44	6	1,068.17	6	709.90	6	354.81	6	32.20		
1/4	1/4	1/4	5,001.70	1/4	4,643.42	1/4	4,285.15	1/4	3,926.88	1/4	3,568.61	1/4	3,210.34	1/4	2,852.06	1/4	2,493.79	1/4	2,135.52	1/4	1,777.25	1/4	1,418.98	1/4	1,060.70	1/4	702.43	1/4	347.66	1/4	27.99		
1/2	1/2	1/2	4,994.23	1/2	4,635.96	1/2	4,277.69	1/2	3,919.42	1/2	3,561.14	1/2	3,202.87	1/2	2,844.60	1/2	2,486.33	1/2	2,128.06	1/2	1,769.78	1/2	1,411.51	1/2	1,053.24	1/2	694.97	1/2	340.50	1/2	23.78		
3/4	3/4	3/4	4,986.77	3/4	4,628.50	3/4	4,270.22	3/4	3,911.95	3/4	3,553.68	3/4	3,195.41	3/4	2,837.14	3/4	2,478.86	3/4	2,120.59	3/4	1,762.32	3/4	1,404.05	3/4	1,045.78	3/4	687.50	3/4	333.35	3/4	19.57		
7	7	7	4,979.30	7	4,621.03	7	4,262.76	7	3,904.49	7	3,546.22	7	3,187.94	7	2,829.67	7	2,471.40	7	2,113.13	7	1,754.86	7	1,396.58	7	1,038.31	7	680.04	7	326.19	7	15.36		
1/4	1/4	1/4	4,971.84	1/4	4,613.57	1/4	4,255.30	1/4	3,897.02	1/4	3,538.75	1/4	3,180.48	1/4	2,822.21	1/4	2,463.94	1/4	2,105.66	1/4	1,747.39	1/4	1,389.12	1/4	1,030.85	1/4	672.58	1/4	319.16	1/4			
1/2	1/2	1/2	4,964.38	1/2	4,606.10	1/2	4,247.83	1/2	3,889.56	1/2	3,531.29	1/2	3,173.02	1/2	2,814.74	1/2	2,456.47	1/2	2,098.20	1/2	1,739.93	1/2	1,381.66	1/2	1,023.38	1/2	665.11	1/2	312.13				



BARGE "MPC-907"
MARATHON PETROLEUM CORP.

OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2169-30

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
N	0	5,154.17	0	4,884.44	0	4,524.88	0	4,165.31	0	3,805.74	0	3,446.17	0	3,086.60	0	2,727.04	0	2,367.47	0	2,007.90	0	1,648.33	0	1,288.76	0	929.20	0	569.63	0	210.06	
1/4	1/4	5,153.64	1/4	4,876.95	1/4	4,517.39	1/4	4,157.82	1/4	3,798.25	1/4	3,438.68	1/4	3,079.11	1/4	2,719.55	1/4	2,359.98	1/4	2,000.41	1/4	1,640.84	1/4	1,281.27	1/4	921.71	1/4	562.14	1/4	202.57	
1/2	1/2	5,152.92	1/2	4,869.46	1/2	4,509.89	1/2	4,150.33	1/2	3,790.76	1/2	3,431.19	1/2	3,071.62	1/2	2,712.05	1/2	2,352.49	1/2	1,992.92	1/2	1,633.35	1/2	1,273.78	1/2	914.21	1/2	554.65	1/2	195.08	
3/4	3/4	5,152.29	3/4	4,861.97	3/4	4,502.40	3/4	4,142.84	3/4	3,783.27	3/4	3,423.70	3/4	3,064.13	3/4	2,704.56	3/4	2,345.00	3/4	1,985.43	3/4	1,625.66	3/4	1,266.29	3/4	906.72	3/4	547.16	3/4	187.59	
1	1	5,151.67	1	4,854.48	1	4,494.91	1	4,135.34	1	3,775.78	1	3,416.21	1	3,056.64	1	2,697.07	1	2,337.50	1	1,977.94	1	1,618.37	1	1,258.80	1	899.23	1	539.66	1	180.10	
1/4	1/4	5,149.79	1/4	4,846.99	1/4	4,487.42	1/4	4,127.85	1/4	3,768.29	1/4	3,408.72	1/4	3,049.15	1/4	2,689.58	1/4	2,330.01	1/4	1,970.45	1/4	1,610.88	1/4	1,251.31	1/4	891.74	1/4	532.17	1/4	172.61	
1/2	1/2	5,147.92	1/2	4,839.50	1/2	4,479.93	1/2	4,120.36	1/2	3,760.79	1/2	3,401.23	1/2	3,041.66	1/2	2,682.09	1/2	2,322.52	1/2	1,962.95	1/2	1,603.39	1/2	1,243.82	1/2	884.25	1/2	524.68	1/2	165.11	
3/4	3/4	5,146.05	3/4	4,832.01	3/4	4,472.44	3/4	4,112.87	3/4	3,753.30	3/4	3,393.74	3/4	3,034.17	3/4	2,674.60	3/4	2,315.03	3/4	1,955.46	3/4	1,595.90	3/4	1,236.33	3/4	876.76	3/4	517.19	3/4	157.62	
2	2	5,144.17	2	4,824.52	2	4,464.95	2	4,105.38	2	3,745.81	2	3,386.24	2	3,026.68	2	2,667.11	2	2,307.54	2	1,947.97	2	1,588.40	2	1,228.84	2	869.27	2	509.70	2	150.13	
1/4	1/4	5,141.05	1/4	4,817.03	1/4	4,457.46	1/4	4,097.89	1/4	3,738.32	1/4	3,378.75	1/4	3,019.19	1/4	2,659.62	1/4	2,300.05	1/4	1,940.48	1/4	1,580.91	1/4	1,221.35	1/4	861.78	1/4	502.21	1/4	142.64	
1/2	1/2	5,137.93	1/2	4,809.53	1/2	4,449.97	1/2	4,090.40	1/2	3,730.83	1/2	3,371.26	1/2	3,011.69	1/2	2,652.13	1/2	2,292.56	1/2	1,932.99	1/2	1,573.42	1/2	1,213.85	1/2	854.29	1/2	494.72	1/2	135.15	
3/4	3/4	5,134.80	3/4	4,802.04	3/4	4,442.48	3/4	4,082.91	3/4	3,723.34	3/4	3,363.77	3/4	3,004.20	3/4	2,644.64	3/4	2,285.07	3/4	1,925.50	3/4	1,565.93	3/4	1,206.36	3/4	846.80	3/4	487.23	3/4	127.66	
3	3	5,131.68	3	4,794.55	3	4,434.98	3	4,075.42	3	3,715.85	3	3,356.28	3	2,996.71	3	2,637.14	3	2,277.58	3	1,918.01	3	1,558.44	3	1,198.87	3	839.30	3	479.74	3	120.17	
1/4	1/4	5,127.31	1/4	4,787.06	1/4	4,427.49	1/4	4,067.93	1/4	3,708.36	1/4	3,348.79	1/4	2,989.22	1/4	2,629.65	1/4	2,270.09	1/4	1,910.52	1/4	1,550.95	1/4	1,191.38	1/4	831.81	1/4	472.25	1/4	112.68	
1/2	1/2	5,122.94	1/2	4,779.57	1/2	4,420.00	1/2	4,060.43	1/2	3,700.87	1/2	3,341.30	1/2	2,981.73	1/2	2,622.16	1/2	2,262.59	1/2	1,903.03	1/2	1,543.46	1/2	1,183.89	1/2	824.32	1/2	464.75	1/2	105.19	
3/4	3/4	5,118.56	3/4	4,772.08	3/4	4,412.51	3/4	4,052.94	3/4	3,693.38	3/4	3,333.81	3/4	2,974.24	3/4	2,614.67	3/4	2,255.10	3/4	1,895.54	3/4	1,535.97	3/4	1,176.40	3/4	816.83	3/4	457.26	3/4	97.70	
4	4	5,114.19	4	4,764.59	4	4,405.02	4	4,045.45	4	3,685.88	4	3,326.32	4	2,966.75	4	2,607.18	4	2,247.61	4	1,888.04	4	1,528.48	4	1,168.91	4	809.34	4	449.77	4	90.20	
1/4	1/4	5,110.05	1/4	4,757.10	1/4	4,397.53	1/4	4,037.96	1/4	3,678.39	1/4	3,318.83	1/4	2,959.26	1/4	2,599.69	1/4	2,240.12	1/4	1,880.55	1/4	1,520.99	1/4	1,161.42	1/4	801.85	1/4	442.28	1/4	82.71	
1/2	1/2	5,102.95	1/2	4,749.61	1/2	4,390.04	1/2	4,030.47	1/2	3,670.90	1/2	3,311.33	1/2	2,951.77	1/2	2,592.20	1/2	2,232.63	1/2	1,873.06	1/2	1,513.49	1/2	1,153.93	1/2	794.36	1/2	434.79	1/2	75.22	
3/4	3/4	5,097.33	3/4	4,742.12	3/4	4,382.55	3/4	4,022.98	3/4	3,663.41	3/4	3,303.84	3/4	2,944.28	3/4	2,584.71	3/4	2,225.14	3/4	1,865.57	3/4	1,506.00	3/4	1,146.44	3/4	786.87	3/4	427.30	3/4	67.73	
5	5	5,091.71	5	4,734.62	5	4,375.06	5	4,015.49	5	3,655.92	5	3,296.35	5	2,936.78	5	2,577.22	5	2,217.65	5	1,858.08	5	1,498.51	5	1,138.94	5	779.38	5	419.81	5	60.24	
1/4	1/4	5,084.84	1/4	4,727.13	1/4	4,367.57	1/4	4,008.00	1/4	3,648.43	1/4	3,288.86	1/4	2,929.29	1/4	2,569.73	1/4	2,210.16	1/4	1,850.59	1/4	1,491.02	1/4	1,131.45	1/4	771.89	1/4	412.32	1/4	53.68	
1/2	1/2	5,077.97	1/2	4,719.64	1/2	4,360.07	1/2	4,000.51	1/2	3,640.94	1/2	3,281.37	1/2	2,921.80	1/2	2,562.23	1/2	2,202.67	1/2	1,843.10	1/2	1,483.53	1/2	1,123.96	1/2	764.39	1/2	404.83	1/2	47.12	
3/4	3/4	5,071.10	3/4	4,712.15	3/4	4,352.58	3/4	3,993.02	3/4	3,633.45	3/4	3,273.88	3/4	2,914.31	3/4	2,554.74	3/4	2,195.18	3/4	1,835.61	3/4	1,476.04	3/4	1,116.47	3/4	756.90	3/4	397.34	3/4	40.57	
6	6	5,064.23	6	4,704.66	6	4,345.09	6	3,985.52	6	3,625.96	6	3,266.39	6	2,906.82	6	2,547.25	6	2,187.68	6	1,828.12	6	1,468.55	6	1,108.98	6	749.41	6	389.84	6	34.01	
1/4	1/4	5,056.74	1/4	4,697.17	1/4	4,337.60	1/4	3,978.03	1/4	3,618.47	1/4	3,258.90	1/4	2,899.33	1/4	2,539.76	1/4	2,180.19	1/4	1,820.63	1/4	1,461.06	1/4	1,101.49	1/4	741.92	1/4	382.35	1/4	29.32	
1/2	1/2	5,049.25	1/2	4,689.68	1/2	4,330.11	1/2	3,970.54	1/2	3,610.97	1/2	3,251.41	1/2	2,891.84	1/2	2,532.27	1/2	2,172.70	1/2	1,813.13	1/2	1,463.57	1/2	1,094.00	1/2	734.43	1/2	374.86	1/2	24.64	
3/4	3/4	5,041.76	3/4	4,682.19	3/4	4,322.62	3/4	3,963.05	3/4	3,603.48	3/4	3,243.92	3/4	2,884.35	3/4	2,524.78	3/4	2,165.21	3/4	1,805.64	3/4	1,446.08	3/4	1,086.61	3/4	726.94	3/4	367.37	3/4	19.96	
7	7	5,034.26	7	4,674.70	7	4,315.13	7	3,955.56	7	3,595.99	7	3,236.42	7	2,876.86	7	2,517.29	7	2,157.72	7	1,798.15	7	1,438.58	7	1,079.02	7	719.45	7	359.88	7	* 15.27	
1/4	1/4	5,026.77	1/4	4,667.21	1/4	4,307.64	1/4	3,948.07	1/4	3,588.50	1/4	3,228.93	1/4	2,869.37	1/4	2,509.80	1/4	2,150.23	1/4	1,790.66	1/4	1,431.09	1/4	1,071.53	1/4	711.96	1/4	352.39	1/4		
1/2	1/2	5,019.28	1/2	4,659.71	1/2	4,300.15	1/2	3,940.58	1/2	3,581.01	1/2	3,221.44	1/2	2,861.87	1/2	2,502.31	1/2	2,142.74	1/2	1,783.17	1/2	1,423.60	1/2	1,064.03	1/2	704.47	1/2	344.90	1/2		
3/4	3/4	5,011.79	3/4	4,652.22	3/4	4,292.66	3/4	3,933.09	3/4	3,573.52	3/4	3,213.95	3/4	2,854.38	3/4	2,494.82	3/4	2,135.25	3/4	1,775.68	3/4	1,416.11	3/4	1,056.54	3/4	696.98	3/4	337.41	3/4		
8	8	5,004.30	8	4,644.73	8	4,285.16																									



BARGE "MPC-907"
MARATHON PETROLEUM CORP.

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2169-30

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
N		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N	
0		0		0		0		0		0		0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 3/10/09

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 15'-7 1/4" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


INSPECTORATE AMERICA CORPORATION



BARGE "MPC-907"
MARATHON PETROLEUM CORP.

OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2169-30

		0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
N		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N	
0		0	4,734.09	0	4,522.23	0	4,252.03	0	3,981.84	0	3,708.84	0	3,428.27	0	3,068.99	0	2,709.71	0	2,350.43	0	1,991.15	0	1,631.87	0	1,272.59	0	913.31	0	554.03	0	194.76		
1/4		1/4	4,733.72	1/4	4,516.60	1/4	4,246.41	1/4	3,976.21	1/4	3,703.11	1/4	3,420.78	1/4	3,061.50	1/4	2,702.22	1/4	2,342.94	1/4	1,983.66	1/4	1,624.38	1/4	1,265.10	1/4	905.82	1/4	546.54	1/4	187.26		
1/2		1/2	4,733.35	1/2	4,510.97	1/2	4,240.78	1/2	3,970.58	1/2	3,697.37	1/2	3,413.30	1/2	3,054.02	1/2	2,694.74	1/2	2,335.46	1/2	1,976.18	1/2	1,616.90	1/2	1,257.62	1/2	898.34	1/2	539.06	1/2	179.78		
3/4		3/4	4,732.02	3/4	4,505.34	3/4	4,235.15	3/4	3,964.96	3/4	3,691.63	3/4	3,405.81	3/4	3,046.53	3/4	2,687.25	3/4	2,327.97	3/4	1,968.69	3/4	1,609.41	3/4	1,250.13	3/4	890.85	3/4	531.57	3/4	172.29		
1		1	4,730.70	1	4,499.71	1	4,229.52	1	3,959.33	1	3,685.89	1	3,398.33	1	3,039.05	1	2,679.77	1	2,320.49	1	1,961.21	1	1,601.93	1	1,242.65	1	883.37	1	524.09	1	164.81		
1/4		1/4	4,729.37	1/4	4,494.08	1/4	4,223.89	1/4	3,953.70	1/4	3,680.16	1/4	3,390.84	1/4	3,031.56	1/4	2,672.28	1/4	2,313.00	1/4	1,953.72	1/4	1,594.44	1/4	1,235.16	1/4	875.88	1/4	516.60	1/4	157.32		
1/2		1/2	4,728.04	1/2	4,488.45	1/2	4,218.26	1/2	3,948.07	1/2	3,674.42	1/2	3,383.36	1/2	3,024.08	1/2	2,664.80	1/2	2,305.52	1/2	1,946.24	1/2	1,586.96	1/2	1,227.68	1/2	868.40	1/2	509.12	1/2	149.84		
3/4		3/4	4,726.76	3/4	4,482.82	3/4	4,212.63	3/4	3,942.44	3/4	3,668.68	3/4	3,375.87	3/4	3,016.69	3/4	2,657.31	3/4	2,298.03	3/4	1,938.75	3/4	1,579.47	3/4	1,220.19	3/4	860.91	3/4	501.63	3/4	142.35		
2		2	4,723.48	2	4,477.19	2	4,207.00	2	3,936.81	2	3,662.95	2	3,368.39	2	3,009.11	2	2,649.83	2	2,290.55	2	1,931.27	2	1,571.99	2	1,212.71	2	853.43	2	494.15	2	134.87		
1/4		1/4	4,721.20	1/4	4,471.57	1/4	4,201.37	1/4	3,931.18	1/4	3,657.21	1/4	3,360.90	1/4	3,001.62	1/4	2,642.34	1/4	2,283.06	1/4	1,923.78	1/4	1,564.50	1/4	1,205.22	1/4	845.94	1/4	486.66	1/4	127.38		
1/2		1/2	4,718.92	1/2	4,465.94	1/2	4,195.74	1/2	3,925.55	1/2	3,651.47	1/2	3,353.42	1/2	2,994.14	1/2	2,634.86	1/2	2,275.58	1/2	1,916.30	1/2	1,557.02	1/2	1,197.74	1/2	838.46	1/2	479.18	1/2	119.90		
3/4		3/4	4,715.68	3/4	4,460.31	3/4	4,190.12	3/4	3,919.92	3/4	3,645.74	3/4	3,345.93	3/4	2,986.65	3/4	2,627.37	3/4	2,268.09	3/4	1,908.81	3/4	1,549.53	3/4	1,190.25	3/4	830.97	3/4	471.69	3/4	112.41		
3		3	4,712.44	3	4,454.68	3	4,184.49	3	3,914.29	3	3,640.00	3	3,338.45	3	2,979.17	3	2,619.89	3	2,260.61	3	1,901.33	3	1,542.05	3	1,182.77	3	823.49	3	464.21	3	104.93		
1/4		1/4	4,709.20	1/4	4,449.05	1/4	4,178.86	1/4	3,908.67	1/4	3,634.26	1/4	3,330.96	1/4	2,971.68	1/4	2,612.40	1/4	2,253.12	1/4	1,893.84	1/4	1,534.56	1/4	1,175.28	1/4	816.00	1/4	456.72	1/4	97.44		
1/2		1/2	4,705.96	1/2	4,443.42	1/2	4,173.23	1/2	3,903.04	1/2	3,628.52	1/2	3,323.48	1/2	2,964.20	1/2	2,604.92	1/2	2,245.64	1/2	1,886.36	1/2	1,527.08	1/2	1,167.80	1/2	808.52	1/2	449.24	1/2	89.96		
3/4		3/4	4,701.77	3/4	4,437.79	3/4	4,167.60	3/4	3,897.41	3/4	3,622.79	3/4	3,315.99	3/4	2,956.71	3/4	2,596.71	3/4	2,238.15	3/4	1,878.87	3/4	1,519.59	3/4	1,160.31	3/4	801.03	3/4	441.75	3/4	82.47		
4		4	4,697.57	4	4,432.16	4	4,161.97	4	3,891.78	4	3,617.05	4	3,308.51	4	2,949.23	4	2,589.95	4	2,230.67	4	1,871.39	4	1,512.11	4	1,152.83	4	793.55	4	434.27	4	74.99		
1/4		1/4	4,693.38	1/4	4,426.53	1/4	4,156.34	1/4	3,886.15	1/4	3,611.31	1/4	3,301.02	1/4	2,941.74	1/4	2,582.46	1/4	2,223.18	1/4	1,863.90	1/4	1,504.62	1/4	1,145.34	1/4	786.06	1/4	426.78	1/4	67.50		
1/2		1/2	4,689.18	1/2	4,420.90	1/2	4,150.71	1/2	3,880.52	1/2	3,605.58	1/2	3,293.54	1/2	2,934.26	1/2	2,574.98	1/2	2,215.70	1/2	1,856.42	1/2	1,497.14	1/2	1,137.86	1/2	778.58	1/2	419.30	1/2	60.02		
3/4		3/4	4,684.03	3/4	4,415.28	3/4	4,145.08	3/4	3,874.89	3/4	3,599.84	3/4	3,286.05	3/4	2,926.77	3/4	2,567.49	3/4	2,208.21	3/4	1,848.93	3/4	1,489.65	3/4	1,130.37	3/4	771.09	3/4	411.81	3/4	53.48		
5		5	4,678.88	5	4,409.65	5	4,139.45	5	3,869.26	5	3,594.10	5	3,278.57	5	2,919.29	5	2,560.01	5	2,200.73	5	1,841.45	5	1,482.17	5	1,122.89	5	763.61	5	404.33	5	46.95		
1/4		1/4	4,673.73	1/4	4,404.02	1/4	4,133.83	1/4	3,863.63	1/4	3,588.37	1/4	3,271.08	1/4	2,911.80	1/4	2,552.52	1/4	2,193.24	1/4	1,833.96	1/4	1,474.68	1/4	1,115.40	1/4	756.12	1/4	396.84	1/4	40.41		
1/2		1/2	4,668.58	1/2	4,398.39	1/2	4,128.20	1/2	3,858.00	1/2	3,582.63	1/2	3,263.60	1/2	2,904.32	1/2	2,545.04	1/2	2,185.76	1/2	1,826.48	1/2	1,467.20	1/2	1,107.92	1/2	748.64	1/2	389.36	1/2	33.88		
3/4		3/4	4,662.95	3/4	4,392.76	3/4	4,122.57	3/4	3,852.27	3/4	3,576.89	3/4	3,256.11	3/4	2,896.83	3/4	2,537.55	3/4	2,178.27	3/4	1,818.99	3/4	1,459.71	3/4	1,100.43	3/4	741.15	3/4	381.87	3/4	29.21		
6		6	4,657.32	6	4,387.13	6	4,116.94	6	3,846.53	6	3,571.15	6	3,248.63	6	2,889.35	6	2,530.07	6	2,170.79	6	1,811.51	6	1,452.23	6	1,092.95	6	733.67	6	374.39	6	24.55		
1/4		1/4	4,651.69	1/4	4,381.50	1/4	4,111.31	1/4	3,840.79	1/4	3,565.38	1/4	3,241.14	1/4	2,881.86	1/4	2,522.58	1/4	2,163.30	1/4	1,804.02	1/4	1,444.74	1/4	1,085.46	1/4	728.18	1/4	366.90	1/4	19.88		
1/2		1/2	4,646.06	1/2	4,375.87	1/2	4,105.68	1/2	3,835.06	1/2	3,559.61	1/2	3,233.66	1/2	2,874.38	1/2	2,515.10	1/2	2,155.82	1/2	1,796.54	1/2	1,437.26	1/2	1,077.98	1/2	718.70	1/2	359.42	1/2	15.21		
3/4		3/4	4,640.44	3/4	4,370.24	3/4	4,100.05	3/4	3,829.32	3/4	3,553.84	3/4	3,226.17	3/4	2,866.89	3/4	2,507.61	3/4	2,148.33	3/4	1,789.05	3/4	1,429.77	3/4	1,070.49	3/4	711.21	3/4	351.93	3/4			
7		7	4,634.81	7	4,364.61	7	4,094.42	7	3,823.58	7	3,548.06	7	3,218.89	7	2,859.41	7	2,500.13	7	2,140.85	7	1,781.57	7	1,422.29	7	1,063.01	7	703.73	7	344.45	7			
1/4		1/4	4,629.18	1/4	4,358.99	1/4	4,088.79	1/4	3,817.85	1/4	3,542.22	1/4	3,211.20	1/4	2,851.92	1/4	2,492.64	1/4	2,133.36	1/4	1,774.08	1/4	1,414.80	1/4	1,055.52	1/4	696.24	1/4	336.96	1/4			
1/2		1/2	4,623.55	1/2	4,353.36	1/2	4,083.16	1/2	3,812.11	1/2	3,536.37	1/2	3,203.72	1/2	2,844.44	1/2	2,485.16	1/2	2,125.88	1/2	1,766.60	1/2	1,407.32	1/2	1,048.04	1/2	688.76	1/2	329.48	1/2			
3/4		3/4	4,617.92	3/4	4,347.73	3/4	4,077.54	3/4	3,806.37	3/4																							



BARGE "MPC-907"
MARATHON PETROLEUM CORP.

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2169-30

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
N	0	0	4,733.72	0	4,516.60	0	4,246.41	0	3,976.21	0	3,703.11	0	3,420.78	0	3,061.50	0	2,702.22	0	2,342.94	0	1,983.66	0	1,624.38	0	1,265.10	0	905.82	0	546.54	0	187.26
1/4	1/4	1/4	4,733.35	1/4	4,510.97	1/4	4,240.78	1/4	3,970.58	1/4	3,697.37	1/4	3,413.30	1/4	3,054.02	1/4	2,694.74	1/4	2,335.46	1/4	1,976.18	1/4	1,616.90	1/4	1,257.62	1/4	898.34	1/4	539.06	1/4	179.78
1/2	1/2	1/2	4,732.02	1/2	4,505.34	1/2	4,235.15	1/2	3,964.96	1/2	3,691.63	1/2	3,405.81	1/2	3,046.53	1/2	2,687.25	1/2	2,327.97	1/2	1,968.69	1/2	1,609.41	1/2	1,250.13	1/2	890.85	1/2	531.57	1/2	172.29
3/4	3/4	3/4	4,730.70	3/4	4,499.71	3/4	4,229.52	3/4	3,959.33	3/4	3,685.89	3/4	3,398.33	3/4	3,039.05	3/4	2,679.77	3/4	2,320.49	3/4	1,961.21	3/4	1,601.93	3/4	1,242.65	3/4	883.37	3/4	524.09	3/4	164.81
1	1	1	4,729.37	1	4,494.08	1	4,223.89	1	3,953.70	1	3,680.16	1	3,390.84	1	3,031.56	1	2,672.28	1	2,313.00	1	1,953.72	1	1,594.44	1	1,235.16	1	875.88	1	516.60	1	157.32
1/4	1/4	1/4	4,728.04	1/4	4,488.45	1/4	4,218.26	1/4	3,948.07	1/4	3,674.42	1/4	3,383.36	1/4	3,024.08	1/4	2,664.80	1/4	2,305.52	1/4	1,946.24	1/4	1,586.96	1/4	1,227.68	1/4	868.40	1/4	509.12	1/4	149.84
1/2	1/2	1/2	4,725.76	1/2	4,482.82	1/2	4,212.63	1/2	3,942.44	1/2	3,668.68	1/2	3,375.87	1/2	3,016.59	1/2	2,657.31	1/2	2,298.03	1/2	1,938.75	1/2	1,579.47	1/2	1,220.19	1/2	860.91	1/2	501.63	1/2	142.35
3/4	3/4	3/4	4,723.48	3/4	4,477.19	3/4	4,207.00	3/4	3,936.81	3/4	3,662.95	3/4	3,368.39	3/4	3,009.11	3/4	2,649.83	3/4	2,290.55	3/4	1,931.27	3/4	1,571.99	3/4	1,212.71	3/4	853.43	3/4	494.15	3/4	134.87
2	2	2	4,721.20	2	4,471.57	2	4,201.37	2	3,931.18	2	3,657.21	2	3,360.90	2	3,001.62	2	2,642.34	2	2,283.06	2	1,923.78	2	1,564.50	2	1,205.22	2	845.94	2	486.66	2	127.38
1/4	1/4	1/4	4,718.92	1/4	4,465.94	1/4	4,195.74	1/4	3,925.55	1/4	3,651.47	1/4	3,353.42	1/4	2,994.14	1/4	2,634.86	1/4	2,275.58	1/4	1,916.30	1/4	1,557.02	1/4	1,197.74	1/4	838.46	1/4	479.18	1/4	119.90
1/2	1/2	1/2	4,715.68	1/2	4,460.31	1/2	4,190.12	1/2	3,919.92	1/2	3,645.74	1/2	3,345.93	1/2	2,986.65	1/2	2,627.37	1/2	2,268.09	1/2	1,908.81	1/2	1,549.53	1/2	1,190.25	1/2	830.97	1/2	471.69	1/2	112.41
3/4	3/4	3/4	4,712.44	3/4	4,454.68	3/4	4,184.49	3/4	3,914.29	3/4	3,640.00	3/4	3,338.45	3/4	2,979.17	3/4	2,619.89	3/4	2,260.61	3/4	1,901.33	3/4	1,542.05	3/4	1,182.77	3/4	823.49	3/4	464.21	3/4	104.93
3	3	3	4,709.20	3	4,449.05	3	4,178.86	3	3,908.67	3	3,634.26	3	3,330.96	3	2,971.68	3	2,612.40	3	2,253.12	3	1,893.84	3	1,534.56	3	1,175.28	3	816.00	3	456.72	3	97.44
1/4	1/4	1/4	4,705.96	1/4	4,443.42	1/4	4,173.23	1/4	3,903.04	1/4	3,628.52	1/4	3,323.48	1/4	2,964.20	1/4	2,604.92	1/4	2,245.64	1/4	1,886.36	1/4	1,527.08	1/4	1,167.80	1/4	808.52	1/4	449.24	1/4	89.96
1/2	1/2	1/2	4,701.77	1/2	4,437.79	1/2	4,167.60	1/2	3,897.41	1/2	3,622.79	1/2	3,315.99	1/2	2,956.71	1/2	2,597.43	1/2	2,238.15	1/2	1,878.77	1/2	1,519.69	1/2	1,160.31	1/2	801.03	1/2	441.75	1/2	82.47
3/4	3/4	3/4	4,697.57	3/4	4,432.16	3/4	4,161.97	3/4	3,891.78	3/4	3,617.05	3/4	3,308.51	3/4	2,949.23	3/4	2,589.95	3/4	2,230.67	3/4	1,871.39	3/4	1,512.11	3/4	1,152.83	3/4	793.55	3/4	434.27	3/4	74.99
4	4	4	4,693.38	4	4,426.53	4	4,156.34	4	3,886.15	4	3,611.31	4	3,301.02	4	2,941.74	4	2,582.46	4	2,223.18	4	1,863.90	4	1,504.62	4	1,145.34	4	786.06	4	426.78	4	67.50
1/4	1/4	1/4	4,689.18	1/4	4,420.90	1/4	4,150.71	1/4	3,880.52	1/4	3,605.58	1/4	3,293.84	1/4	2,934.26	1/4	2,574.98	1/4	2,215.70	1/4	1,856.42	1/4	1,497.14	1/4	1,137.86	1/4	778.58	1/4	419.30	1/4	60.02
1/2	1/2	1/2	4,684.03	1/2	4,415.28	1/2	4,145.08	1/2	3,874.89	1/2	3,599.84	1/2	3,286.05	1/2	2,926.77	1/2	2,567.49	1/2	2,208.21	1/2	1,848.93	1/2	1,489.65	1/2	1,130.37	1/2	771.09	1/2	411.81	1/2	53.48
3/4	3/4	3/4	4,678.88	3/4	4,409.65	3/4	4,139.45	3/4	3,869.26	3/4	3,594.10	3/4	3,278.57	3/4	2,919.29	3/4	2,560.01	3/4	2,200.73	3/4	1,841.45	3/4	1,482.17	3/4	1,122.89	3/4	763.61	3/4	404.33	3/4	46.95
5	5	5	4,673.73	5	4,404.02	5	4,133.83	5	3,863.63	5	3,588.37	5	3,271.08	5	2,911.80	5	2,552.52	5	2,193.24	5	1,833.96	5	1,474.68	5	1,115.40	5	756.12	5	396.84	5	40.41
1/4	1/4	1/4	4,668.58	1/4	4,398.39	1/4	4,128.20	1/4	3,858.00	1/4	3,582.63	1/4	3,263.60	1/4	2,904.32	1/4	2,545.04	1/4	2,185.76	1/4	1,826.48	1/4	1,467.20	1/4	1,107.92	1/4	748.64	1/4	389.36	1/4	33.88
1/2	1/2	1/2	4,662.95	1/2	4,392.76	1/2	4,122.57	1/2	3,852.27	1/2	3,576.89	1/2	3,256.11	1/2	2,896.83	1/2	2,537.55	1/2	2,178.27	1/2	1,818.99	1/2	1,459.71	1/2	1,100.43	1/2	741.15	1/2	381.87	1/2	29.21
3/4	3/4	3/4	4,657.32	3/4	4,387.13	3/4	4,116.94	3/4	3,846.53	3/4	3,571.15	3/4	3,248.63	3/4	2,889.35	3/4	2,530.07	3/4	2,170.79	3/4	1,811.51	3/4	1,452.23	3/4	1,092.95	3/4	733.67	3/4	374.39	3/4	24.55
6	6	6	4,651.69	6	4,381.50	6	4,111.31	6	3,840.79	6	3,565.38	6	3,241.14	6	2,881.86	6	2,522.58	6	2,163.30	6	1,804.02	6	1,444.74	6	1,085.46	6	726.18	6	366.90	6	19.88
1/4	1/4	1/4	4,646.06	1/4	4,375.87	1/4	4,105.68	1/4	3,835.06	1/4	3,559.61	1/4	3,233.66	1/4	2,874.38	1/4	2,515.10	1/4	2,155.82	1/4	1,796.54	1/4	1,437.26	1/4	1,077.98	1/4	718.70	1/4	359.42	1/4	* 15.21
1/2	1/2	1/2	4,640.44	1/2	4,370.24	1/2	4,100.05	1/2	3,829.32	1/2	3,553.84	1/2	3,226.17	1/2	2,868.89	1/2	2,507.61	1/2	2,148.33	1/2	1,789.05	1/2	1,429.77	1/2	1,070.49	1/2	711.21	1/2	351.93	1/2	
3/4	3/4	3/4	4,634.81	3/4	4,364.61	3/4	4,094.42	3/4	3,823.58	3/4	3,548.06	3/4	3,218.69	3/4	2,859.41	3/4	2,500.13	3/4	2,140.85	3/4	1,781.57	3/4	1,422.29	3/4	1,063.01	3/4	703.73	3/4	344.45	3/4	
7	7	7	4,629.18	7	4,358.99	7	4,088.79	7	3,817.85	7	3,542.22	7	3,211.20	7	2,851.92	7	2,492.64	7	2,133.36	7	1,774.08	7	1,414.80	7	1,055.52	7	696.24	7	336.96	7	
1/4	1/4	1/4	4,623.55	1/4	4,353.36	1/4	4,083.16	1/4	3,812.11	1/4	3,536.37	1/4	3,203.72	1/4	2,844.44	1/4	2,485.16	1/4	2,125.88	1/4	1,766.60	1/4	1,407.32	1/4	1,048.04	1/4	688.76	1/4	329.48	1/4	
1/2	1/2	1/2	4,617.92	1/2	4,347.73	1/2	4,077.54	1/2	3,806.37	1/2	3,530.53	1/2	3,196.23	1/2	2,836.95	1/2	2,477.67	1/2	2,118.39	1/2	1,759.11	1/2	1,399.83	1/2	1,040.55	1/2	681.27	1/2	321.99	1/2	
3/4	3/4	3/4	4,612.29	3/4	4,342.10	3/4	4,071.91	3/4	3,800.63	3/4	3,524.68	3/4	3,188.																		



BARGE "MPC-907"

MARATHON PETROLEUM CORP.

HULL NO. 2169-30

CORRECTION TABLE FOR TRIM AFT.			
FOR OUTAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(+) 0' - 0 1/8"	(+) 0' - 0 1/8"	NIL
1'-0"	(+) 0' - 0 1/4"	(+) 0' - 0 1/4"	NIL
1'-6"	(+) 0' - 0 3/8"	(+) 0' - 0 1/2"	NIL
2'-0"	(+) 0' - 0 5/8"	(+) 0' - 0 5/8"	NIL
2'-6"	(+) 0' - 0 3/4"	(+) 0' - 0 3/4"	NIL
3'-0"	(+) 0' - 0 7/8"	(+) 0' - 0 7/8"	NIL
3'-6"	(+) 0' - 1"	(+) 0' - 1"	NIL
4'-0"	(+) 0' - 1 1/8"	(+) 0' - 1 1/4"	NIL
4'-6"	(+) 0' - 1 3/8"	(+) 0' - 1 3/8"	NIL
5'-0"	(+) 0' - 1 1/2"	(+) 0' - 1 1/2"	NIL
NOTE: FOR TRIM FWD., REVERSE SIGNS.			
NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.			
NOTE: FOR "INNAGE" GAUGES, REVERSE SIGNS.			
DATE: 3/10/09	BY: 		
INSPECTORATE AMERICA CORPORATION			