



BARGE "MPC 925"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-7/8	- 01-7/8
1 STBD	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-7/8	- 01-7/8
2 PORT	00-3/8	- 00-3/8	00-5/8	- 00-5/8	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-5/8	- 01-5/8	01-7/8	- 01-7/8
2 STBD	00-3/8	- 00-3/8	00-5/8	- 00-5/8	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-5/8	- 01-5/8	01-7/8	- 01-7/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-5/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 3/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

June 30, 2014

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPC 925"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,523.54	0	3,881.43	0	4,239.32	0	4,596.34	0	4,951.32	0		0		0		0		0	
1/4	3,531.00	1/4	3,888.89	1/4	4,246.77	1/4	4,603.77	1/4	4,957.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,538.45	1/2	3,896.34	1/2	4,254.23	1/2	4,611.21	1/2	4,964.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,545.91	3/4	3,903.80	3/4	4,261.69	3/4	4,618.64	3/4	4,971.07	3/4		3/4		3/4		3/4		3/4	
1	3,553.37	1	3,911.25	1	4,269.14	1	4,626.07	1	4,977.65	1		1		1		1		1	
1/4	3,560.82	1/4	3,918.71	1/4	4,276.60	1/4	4,633.50	1/4	4,983.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,568.28	1/2	3,926.17	1/2	4,284.05	1/2	4,640.94	1/2	4,988.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,575.73	3/4	3,933.62	3/4	4,291.51	3/4	4,648.37	3/4	4,994.20	3/4		3/4		3/4		3/4		3/4	
2	3,583.19	2	3,941.08	2	4,298.97	2	4,655.80	2	4,999.72	2		2		2		2		2	
1/4	3,590.65	1/4	3,948.53	1/4	4,306.42	1/4	4,663.23	1/4	5,004.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,598.10	1/2	3,955.99	1/2	4,313.87	1/2	4,670.67	1/2	5,008.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,605.56	3/4	3,963.45	3/4	4,321.32	3/4	4,678.10	3/4	5,013.08	3/4		3/4		3/4		3/4		3/4	
3	3,613.01	3	3,970.90	3	4,328.77	3	4,685.53	3	5,017.53	3		3		3		3		3	
1/4	3,620.47	1/4	3,978.36	1/4	4,336.20	1/4	4,692.96	1/4	5,020.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,627.93	1/2	3,985.81	1/2	4,343.64	1/2	4,700.40	1/2	5,024.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,635.38	3/4	3,993.27	3/4	4,351.07	3/4	4,707.83	3/4	5,027.70	3/4		3/4		3/4		3/4		3/4	
4	3,642.84	4	4,000.73	4	4,358.50	4	4,715.26	4	5,031.08	4		4		4		4		4	
1/4	3,650.29	1/4	4,008.18	1/4	4,365.93	1/4	4,722.69	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,657.75	1/2	4,015.64	1/2	4,373.37	1/2	4,730.13	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,665.21	3/4	4,023.09	3/4	4,380.80	3/4	4,737.56	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,672.66	5	4,030.55	5	4,388.23	5	4,744.99	5		5		5		5		5		5	
1/4	3,680.12	1/4	4,038.01	1/4	4,395.66	1/4	4,752.42	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,687.57	1/2	4,045.46	1/2	4,403.10	1/2	4,759.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,695.03	3/4	4,052.92	3/4	4,410.53	3/4	4,767.29	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,702.49	6	4,060.37	6	4,417.96	6	4,774.72	6		6		6		6		6		6	
1/4	3,709.94	1/4	4,067.83	1/4	4,425.39	1/4	4,782.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,717.40	1/2	4,075.29	1/2	4,432.83	1/2	4,789.56	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,724.85	3/4	4,082.74	3/4	4,440.26	3/4	4,796.98	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,732.31	7	4,090.20	7	4,447.69	7	4,804.40	7		7		7		7		7		7	
1/4	3,739.77	1/4	4,097.65	1/4	4,455.12	1/4	4,811.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,747.22	1/2	4,105.11	1/2	4,462.56	1/2	4,819.16	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,754.68	3/4	4,112.57	3/4	4,469.99	3/4	4,826.54	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,762.13	8	4,120.02	8	4,477.42	8	4,833.92	8		8		8		8		8		8	
1/4	3,769.59	1/4	4,127.48	1/4	4,484.85	1/4	4,841.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,777.05	1/2	4,134.93	1/2	4,492.29	1/2	4,848.68	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,784.50	3/4	4,142.39	3/4	4,499.72	3/4	4,856.06	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,791.96	9	4,149.85	9	4,507.15	9	4,863.44	9		9		9		9		9		9	
1/4	3,799.41	1/4	4,157.30	1/4	4,514.58	1/4	4,870.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,806.87	1/2	4,164.76	1/2	4,522.02	1/2	4,878.20	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,814.33	3/4	4,172.21	3/4	4,529.45	3/4	4,885.58	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,821.78	10	4,179.67	10	4,536.88	10	4,892.96	10		10		10		10		10		10	
1/4	3,829.24	1/4	4,187.13	1/4	4,544.31	1/4	4,900.33	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,836.69	1/2	4,194.58	1/2	4,551.75	1/2	4,907.69	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,844.15	3/4	4,202.04	3/4	4,559.18	3/4	4,915.06	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,851.61	11	4,209.49	11	4,566.61	11	4,922.43	11		11		11		11		11		11	
1/4	3,859.06	1/4	4,216.95	1/4	4,574.04	1/4	4,929.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,866.52	1/2	4,224.41	1/2	4,581.48	1/2	4,936.87	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,873.97	3/4	4,231.86	3/4	4,588.91	3/4	4,944.10	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,521.40	0	3,879.22	0	4,237.05	0	4,594.01	0	4,948.92	0		0		0		0		0	
1/4	3,528.85	1/4	3,886.68	1/4	4,244.50	1/4	4,601.44	1/4	4,955.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,536.31	1/2	3,894.13	1/2	4,251.96	1/2	4,608.87	1/2	4,962.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,543.76	3/4	3,901.59	3/4	4,259.41	3/4	4,616.30	3/4	4,968.66	3/4		3/4		3/4		3/4		3/4	
1	3,551.22	1	3,909.04	1	4,266.87	1	4,623.73	1	4,975.24	1		1		1		1		1	
1/4	3,558.67	1/4	3,916.50	1/4	4,274.32	1/4	4,631.16	1/4	4,980.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,566.13	1/2	3,923.95	1/2	4,281.78	1/2	4,638.59	1/2	4,986.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,573.58	3/4	3,931.41	3/4	4,289.23	3/4	4,646.02	3/4	4,991.80	3/4		3/4		3/4		3/4		3/4	
2	3,581.04	2	3,938.86	2	4,296.69	2	4,653.45	2	4,997.31	2		2		2		2		2	
1/4	3,588.49	1/4	3,946.32	1/4	4,304.14	1/4	4,660.89	1/4	5,001.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,595.94	1/2	3,953.77	1/2	4,311.58	1/2	4,668.32	1/2	5,006.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,603.40	3/4	3,961.22	3/4	4,319.03	3/4	4,675.75	3/4	5,010.67	3/4		3/4		3/4		3/4		3/4	
3	3,610.85	3	3,968.68	3	4,326.48	3	4,683.18	3	5,015.12	3		3		3		3		3	
1/4	3,618.31	1/4	3,976.13	1/4	4,333.91	1/4	4,690.61	1/4	5,018.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,625.76	1/2	3,983.59	1/2	4,341.34	1/2	4,698.04	1/2	5,021.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,633.22	3/4	3,991.04	3/4	4,348.78	3/4	4,705.47	3/4	5,025.28	3/4		3/4		3/4		3/4		3/4	
4	3,640.67	4	3,998.50	4	4,356.21	4	4,712.90	4	5,028.67	4		4		4		4		4	
1/4	3,648.13	1/4	4,005.95	1/4	4,363.64	1/4	4,720.34	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,655.58	1/2	4,013.41	1/2	4,371.07	1/2	4,727.77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,663.04	3/4	4,020.86	3/4	4,378.50	3/4	4,735.20	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,670.49	5	4,028.32	5	4,385.93	5	4,742.63	5		5		5		5		5		5	
1/4	3,677.95	1/4	4,035.77	1/4	4,393.36	1/4	4,750.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,685.40	1/2	4,043.23	1/2	4,400.79	1/2	4,757.49	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,692.86	3/4	4,050.68	3/4	4,408.23	3/4	4,764.92	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,700.31	6	4,058.14	6	4,415.66	6	4,772.35	6		6		6		6		6		6	
1/4	3,707.76	1/4	4,065.59	1/4	4,423.09	1/4	4,779.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,715.22	1/2	4,073.05	1/2	4,430.52	1/2	4,787.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,722.67	3/4	4,080.50	3/4	4,437.95	3/4	4,794.61	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,730.13	7	4,087.95	7	4,445.38	7	4,802.02	7		7		7		7		7		7	
1/4	3,737.58	1/4	4,095.41	1/4	4,452.81	1/4	4,809.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,745.04	1/2	4,102.86	1/2	4,460.24	1/2	4,816.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,752.49	3/4	4,110.32	3/4	4,467.67	3/4	4,824.16	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,759.95	8	4,117.77	8	4,475.11	8	4,831.54	8		8		8		8		8		8	
1/4	3,767.40	1/4	4,125.23	1/4	4,482.54	1/4	4,838.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,774.86	1/2	4,132.68	1/2	4,489.97	1/2	4,846.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,782.31	3/4	4,140.14	3/4	4,497.40	3/4	4,853.68	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,789.77	9	4,147.59	9	4,504.83	9	4,861.06	9		9		9		9		9		9	
1/4	3,797.22	1/4	4,155.05	1/4	4,512.26	1/4	4,868.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,804.68	1/2	4,162.50	1/2	4,519.69	1/2	4,875.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,812.13	3/4	4,169.96	3/4	4,527.12	3/4	4,883.19	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,819.59	10	4,177.41	10	4,534.56	10	4,890.57	10		10		10		10		10		10	
1/4	3,827.04	1/4	4,184.87	1/4	4,541.99	1/4	4,897.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,834.49	1/2	4,192.32	1/2	4,549.42	1/2	4,905.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,841.95	3/4	4,199.78	3/4	4,556.85	3/4	4,912.67	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,849.40	11	4,207.23	11	4,564.28	11	4,920.03	11		11		11		11		11		11	
1/4	3,856.86	1/4	4,214.68	1/4	4,571.71	1/4	4,927.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,864.31	1/2	4,222.14	1/2	4,579.14	1/2	4,934.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,871.77	3/4	4,229.59	3/4	4,586.57	3/4	4,941.70	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,599.07	0	3,958.18	0	4,317.29	0	4,675.52	0	5,031.71	0		0		0		0		0	
1/4	3,606.55	1/4	3,965.66	1/4	4,324.77	1/4	4,682.98	1/4	5,038.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,614.03	1/2	3,973.14	1/2	4,332.25	1/2	4,690.44	1/2	5,044.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,621.52	3/4	3,980.62	3/4	4,339.73	3/4	4,697.89	3/4	5,051.53	3/4		3/4		3/4		3/4		3/4	
1	3,629.00	1	3,988.10	1	4,347.21	1	4,705.35	1	5,058.13	1		1		1		1		1	
1/4	3,636.48	1/4	3,995.59	1/4	4,354.69	1/4	4,712.81	1/4	5,063.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,643.96	1/2	4,003.07	1/2	4,362.17	1/2	4,720.27	1/2	5,069.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,651.44	3/4	4,010.55	3/4	4,369.66	3/4	4,727.72	3/4	5,074.75	3/4		3/4		3/4		3/4		3/4	
2	3,658.92	2	4,018.03	2	4,377.14	2	4,735.18	2	5,080.28	2		2		2		2		2	
1/4	3,666.40	1/4	4,025.51	1/4	4,384.61	1/4	4,742.64	1/4	5,084.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,673.89	1/2	4,032.99	1/2	4,392.09	1/2	4,750.10	1/2	5,089.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,681.37	3/4	4,040.47	3/4	4,399.56	3/4	4,757.56	3/4	5,093.69	3/4		3/4		3/4		3/4		3/4	
3	3,688.85	3	4,047.96	3	4,407.04	3	4,765.01	3	5,098.16	3		3		3		3		3	
1/4	3,696.33	1/4	4,055.44	1/4	4,414.49	1/4	4,772.47	1/4	5,101.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,703.81	1/2	4,062.92	1/2	4,421.95	1/2	4,779.93	1/2	5,104.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,711.29	3/4	4,070.40	3/4	4,429.41	3/4	4,787.39	3/4	5,108.35	3/4		3/4		3/4		3/4		3/4	
4	3,718.77	4	4,077.88	4	4,436.87	4	4,794.85	4	5,111.75	4		4		4		4		4	
1/4	3,726.26	1/4	4,085.36	1/4	4,444.32	1/4	4,802.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,733.74	1/2	4,092.84	1/2	4,451.78	1/2	4,809.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,741.22	3/4	4,100.33	3/4	4,459.24	3/4	4,817.22	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,748.70	5	4,107.81	5	4,466.70	5	4,824.68	5		5		5		5		5		5	
1/4	3,756.18	1/4	4,115.29	1/4	4,474.16	1/4	4,832.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,763.66	1/2	4,122.77	1/2	4,481.61	1/2	4,839.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,771.14	3/4	4,130.25	3/4	4,489.07	3/4	4,847.05	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,778.62	6	4,137.73	6	4,496.53	6	4,854.51	6		6		6		6		6		6	
1/4	3,786.11	1/4	4,145.21	1/4	4,503.99	1/4	4,861.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,793.59	1/2	4,152.69	1/2	4,511.45	1/2	4,869.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,801.07	3/4	4,160.18	3/4	4,518.90	3/4	4,876.84	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,808.55	7	4,167.66	7	4,526.36	7	4,884.29	7		7		7		7		7		7	
1/4	3,816.03	1/4	4,175.14	1/4	4,533.82	1/4	4,891.69	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,823.51	1/2	4,182.62	1/2	4,541.28	1/2	4,899.10	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,830.99	3/4	4,190.10	3/4	4,548.74	3/4	4,906.50	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,838.48	8	4,197.58	8	4,556.19	8	4,913.91	8		8		8		8		8		8	
1/4	3,845.96	1/4	4,205.06	1/4	4,563.65	1/4	4,921.32	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,853.44	1/2	4,212.55	1/2	4,571.11	1/2	4,928.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,860.92	3/4	4,220.03	3/4	4,578.57	3/4	4,936.13	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,868.40	9	4,227.51	9	4,586.02	9	4,943.54	9		9		9		9		9		9	
1/4	3,875.88	1/4	4,234.99	1/4	4,593.48	1/4	4,950.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,883.36	1/2	4,242.47	1/2	4,600.94	1/2	4,958.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,890.85	3/4	4,249.95	3/4	4,608.40	3/4	4,965.75	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,898.33	10	4,257.43	10	4,615.86	10	4,973.15	10		10		10		10		10		10	
1/4	3,905.81	1/4	4,264.92	1/4	4,623.31	1/4	4,980.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,913.29	1/2	4,272.40	1/2	4,630.77	1/2	4,987.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,920.77	3/4	4,279.88	3/4	4,638.23	3/4	4,995.33	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,928.25	11	4,287.36	11	4,645.69	11	5,002.72	11		11		11		11		11		11	
1/4	3,935.73	1/4	4,294.84	1/4	4,653.15	1/4	5,009.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,943.22	1/2	4,302.32	1/2	4,660.60	1/2	5,017.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,950.70	3/4	4,309.80	3/4	4,668.06	3/4	5,024.47	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,583.70	0	3,942.85	0	4,302.00	0	4,660.29	0	5,016.52	0		0		0		0		0	
1/4	3,591.19	1/4	3,950.34	1/4	4,309.49	1/4	4,667.74	1/4	5,023.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,598.67	1/2	3,957.82	1/2	4,316.97	1/2	4,675.20	1/2	5,029.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,606.15	3/4	3,965.30	3/4	4,324.45	3/4	4,682.66	3/4	5,036.34	3/4		3/4		3/4		3/4		3/4	
1	3,613.63	1	3,972.78	1	4,331.93	1	4,690.12	1	5,042.95	1		1		1		1		1	
1/4	3,621.12	1/4	3,980.27	1/4	4,339.42	1/4	4,697.58	1/4	5,048.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,628.60	1/2	3,987.75	1/2	4,346.90	1/2	4,705.04	1/2	5,054.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.08	3/4	3,995.23	3/4	4,354.38	3/4	4,712.50	3/4	5,059.56	3/4		3/4		3/4		3/4		3/4	
2	3,643.56	2	4,002.71	2	4,361.86	2	4,719.96	2	5,065.10	2		2		2		2		2	
1/4	3,651.04	1/4	4,010.20	1/4	4,369.34	1/4	4,727.42	1/4	5,069.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,658.53	1/2	4,017.68	1/2	4,376.82	1/2	4,734.87	1/2	5,074.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,666.01	3/4	4,025.16	3/4	4,384.29	3/4	4,742.33	3/4	5,078.51	3/4		3/4		3/4		3/4		3/4	
3	3,673.49	3	4,032.64	3	4,391.77	3	4,749.79	3	5,082.98	3		3		3		3		3	
1/4	3,680.97	1/4	4,040.12	1/4	4,399.23	1/4	4,757.25	1/4	5,086.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,688.46	1/2	4,047.61	1/2	4,406.69	1/2	4,764.71	1/2	5,089.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,695.94	3/4	4,055.09	3/4	4,414.15	3/4	4,772.17	3/4	5,093.17	3/4		3/4		3/4		3/4		3/4	
4	3,703.42	4	4,062.57	4	4,421.60	4	4,779.63	4	5,096.57	4		4		4		4		4	
1/4	3,710.90	1/4	4,070.05	1/4	4,429.06	1/4	4,787.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,718.39	1/2	4,077.54	1/2	4,436.52	1/2	4,794.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,725.87	3/4	4,085.02	3/4	4,443.98	3/4	4,802.00	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,733.35	5	4,092.50	5	4,451.44	5	4,809.46	5		5		5		5		5		5	
1/4	3,740.83	1/4	4,099.98	1/4	4,458.90	1/4	4,816.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,748.31	1/2	4,107.47	1/2	4,466.36	1/2	4,824.38	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,755.80	3/4	4,114.95	3/4	4,473.82	3/4	4,831.84	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,763.28	6	4,122.43	6	4,481.27	6	4,839.30	6		6		6		6		6		6	
1/4	3,770.76	1/4	4,129.91	1/4	4,488.73	1/4	4,846.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,778.24	1/2	4,137.39	1/2	4,496.19	1/2	4,854.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,785.73	3/4	4,144.88	3/4	4,503.65	3/4	4,861.63	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,793.21	7	4,152.36	7	4,511.11	7	4,869.08	7		7		7		7		7		7	
1/4	3,800.69	1/4	4,159.84	1/4	4,518.57	1/4	4,876.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,808.17	1/2	4,167.32	1/2	4,526.03	1/2	4,883.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,815.66	3/4	4,174.81	3/4	4,533.49	3/4	4,891.30	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,823.14	8	4,182.29	8	4,540.95	8	4,898.71	8		8		8		8		8		8	
1/4	3,830.62	1/4	4,189.77	1/4	4,548.40	1/4	4,906.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,838.10	1/2	4,197.25	1/2	4,555.86	1/2	4,913.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,845.58	3/4	4,204.74	3/4	4,563.32	3/4	4,920.93	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,853.07	9	4,212.22	9	4,570.78	9	4,928.34	9		9		9		9		9		9	
1/4	3,860.55	1/4	4,219.70	1/4	4,578.24	1/4	4,935.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,868.03	1/2	4,227.18	1/2	4,585.70	1/2	4,943.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,875.51	3/4	4,234.66	3/4	4,593.16	3/4	4,950.55	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,883.00	10	4,242.15	10	4,600.62	10	4,957.96	10		10		10		10		10		10	
1/4	3,890.48	1/4	4,249.63	1/4	4,608.07	1/4	4,965.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,897.96	1/2	4,257.11	1/2	4,615.53	1/2	4,972.74	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,905.44	3/4	4,264.59	3/4	4,622.99	3/4	4,980.14	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,912.93	11	4,272.08	11	4,630.45	11	4,987.53	11		11		11		11		11		11	
1/4	3,920.41	1/4	4,279.56	1/4	4,637.91	1/4	4,994.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,927.89	1/2	4,287.04	1/2	4,645.37	1/2	5,002.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,935.37	3/4	4,294.52	3/4	4,652.83	3/4	5,009.28	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,546.93	0	3,821.18	0	4,090.95	0	4,359.75	0	4,626.83	0		0		0		0		0	
1/4	3,552.64	1/4	3,826.87	1/4	4,096.56	1/4	4,365.35	1/4	4,631.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,558.36	1/2	3,832.55	1/2	4,102.18	1/2	4,370.94	1/2	4,636.34	1/2		1/2		1/2		1/2		1/2	
3/4	3,564.07	3/4	3,838.24	3/4	4,107.79	3/4	4,376.54	3/4	4,641.10	3/4		3/4		3/4		3/4		3/4	
1	3,569.78	1	3,843.93	1	4,113.40	1	4,382.13	1	4,645.86	1		1		1		1		1	
1/4	3,575.50	1/4	3,849.55	1/4	4,119.02	1/4	4,387.73	1/4	4,649.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,581.21	1/2	3,855.16	1/2	4,124.63	1/2	4,393.33	1/2	4,654.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,586.92	3/4	3,860.77	3/4	4,130.25	3/4	4,398.92	3/4	4,658.25	3/4		3/4		3/4		3/4		3/4	
2	3,592.64	2	3,866.39	2	4,135.86	2	4,404.52	2	4,662.38	2		2		2		2		2	
1/4	3,598.35	1/4	3,872.00	1/4	4,141.47	1/4	4,410.11	1/4	4,666.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,604.06	1/2	3,877.62	1/2	4,147.08	1/2	4,415.71	1/2	4,671.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,609.78	3/4	3,883.23	3/4	4,152.69	3/4	4,421.30	3/4	4,675.48	3/4		3/4		3/4		3/4		3/4	
3	3,615.49	3	3,888.84	3	4,158.30	3	4,426.90	3	4,679.85	3		3		3		3		3	
1/4	3,621.20	1/4	3,894.46	1/4	4,163.89	1/4	4,432.50	1/4	4,683.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,626.92	1/2	3,900.07	1/2	4,169.49	1/2	4,438.09	1/2	4,686.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,632.63	3/4	3,905.69	3/4	4,175.08	3/4	4,443.69	3/4	4,689.76	3/4		3/4		3/4		3/4		3/4	
4	3,638.35	4	3,911.30	4	4,180.68	4	4,449.28	4	4,693.06	4		4		4		4		4	
1/4	3,644.06	1/4	3,916.91	1/4	4,186.28	1/4	4,454.88	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,649.77	1/2	3,922.53	1/2	4,191.87	1/2	4,460.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,655.49	3/4	3,928.14	3/4	4,197.47	3/4	4,466.07	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,661.20	5	3,933.76	5	4,203.06	5	4,471.67	5		5		5		5		5		5	
1/4	3,666.91	1/4	3,939.37	1/4	4,208.66	1/4	4,477.26	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,672.63	1/2	3,944.98	1/2	4,214.26	1/2	4,482.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,678.34	3/4	3,950.60	3/4	4,219.85	3/4	4,488.46	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,684.05	6	3,956.21	6	4,225.45	6	4,494.05	6		6		6		6		6		6	
1/4	3,689.77	1/4	3,961.83	1/4	4,231.04	1/4	4,499.64	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,695.48	1/2	3,967.44	1/2	4,236.64	1/2	4,505.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,701.19	3/4	3,973.05	3/4	4,242.24	3/4	4,510.81	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,706.91	7	3,978.67	7	4,247.83	7	4,516.39	7		7		7		7		7		7	
1/4	3,712.62	1/4	3,984.28	1/4	4,253.43	1/4	4,521.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,718.33	1/2	3,989.90	1/2	4,259.02	1/2	4,527.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,724.05	3/4	3,995.51	3/4	4,264.62	3/4	4,533.06	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,729.76	8	4,001.12	8	4,270.22	8	4,538.62	8		8		8		8		8		8	
1/4	3,735.47	1/4	4,006.74	1/4	4,275.81	1/4	4,544.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,741.19	1/2	4,012.35	1/2	4,281.41	1/2	4,549.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,746.90	3/4	4,017.97	3/4	4,287.00	3/4	4,555.29	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,752.62	9	4,023.58	9	4,292.60	9	4,560.85	9		9		9		9		9		9	
1/4	3,758.33	1/4	4,029.19	1/4	4,298.19	1/4	4,566.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,764.04	1/2	4,034.81	1/2	4,303.79	1/2	4,571.96	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,769.76	3/4	4,040.42	3/4	4,309.39	3/4	4,577.51	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,775.47	10	4,046.04	10	4,314.98	10	4,583.07	10		10		10		10		10		10	
1/4	3,781.18	1/4	4,051.65	1/4	4,320.58	1/4	4,588.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,786.90	1/2	4,057.26	1/2	4,326.17	1/2	4,594.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,792.61	3/4	4,062.88	3/4	4,331.77	3/4	4,599.69	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,798.32	11	4,068.49	11	4,337.37	11	4,605.24	11		11		11		11		11		11	
1/4	3,804.04	1/4	4,074.11	1/4	4,342.96	1/4	4,610.63	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,809.75	1/2	4,079.72	1/2	4,348.56	1/2	4,616.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,815.46	3/4	4,085.33	3/4	4,354.15	3/4	4,621.43	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,524.27	0	3,798.52	0	4,068.29	0	4,337.10	0	4,604.17	0		0		0		0		0	
1/4	3,529.99	1/4	3,804.21	1/4	4,073.91	1/4	4,342.69	1/4	4,608.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,535.70	1/2	3,809.90	1/2	4,079.52	1/2	4,348.29	1/2	4,613.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,541.42	3/4	3,815.59	3/4	4,085.14	3/4	4,353.88	3/4	4,618.45	3/4		3/4		3/4		3/4		3/4	
1	3,547.13	1	3,821.28	1	4,090.75	1	4,359.48	1	4,623.21	1		1		1		1		1	
1/4	3,552.84	1/4	3,826.89	1/4	4,096.36	1/4	4,365.08	1/4	4,627.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,558.56	1/2	3,832.51	1/2	4,101.98	1/2	4,370.67	1/2	4,631.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,564.27	3/4	3,838.12	3/4	4,107.59	3/4	4,376.27	3/4	4,635.59	3/4		3/4		3/4		3/4		3/4	
2	3,569.98	2	3,843.73	2	4,113.21	2	4,381.86	2	4,639.72	2		2		2		2		2	
1/4	3,575.70	1/4	3,849.35	1/4	4,118.82	1/4	4,387.46	1/4	4,644.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,581.41	1/2	3,854.96	1/2	4,124.42	1/2	4,393.06	1/2	4,648.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,587.12	3/4	3,860.58	3/4	4,130.03	3/4	4,398.65	3/4	4,652.83	3/4		3/4		3/4		3/4		3/4	
3	3,592.84	3	3,866.19	3	4,135.64	3	4,404.25	3	4,657.20	3		3		3		3		3	
1/4	3,598.55	1/4	3,871.80	1/4	4,141.24	1/4	4,409.84	1/4	4,660.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,604.26	1/2	3,877.42	1/2	4,146.84	1/2	4,415.44	1/2	4,663.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,609.98	3/4	3,883.03	3/4	4,152.43	3/4	4,421.03	3/4	4,667.11	3/4		3/4		3/4		3/4		3/4	
4	3,615.69	4	3,888.65	4	4,158.03	4	4,426.63	4	4,670.41	4		4		4		4		4	
1/4	3,621.40	1/4	3,894.26	1/4	4,163.62	1/4	4,432.23	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,627.12	1/2	3,899.87	1/2	4,169.22	1/2	4,437.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,632.83	3/4	3,905.49	3/4	4,174.82	3/4	4,443.42	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,638.54	5	3,911.10	5	4,180.41	5	4,449.01	5		5		5		5		5		5	
1/4	3,644.26	1/4	3,916.72	1/4	4,186.01	1/4	4,454.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,649.97	1/2	3,922.33	1/2	4,191.60	1/2	4,460.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,655.69	3/4	3,927.94	3/4	4,197.20	3/4	4,465.80	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,661.40	6	3,933.56	6	4,202.79	6	4,471.40	6		6		6		6		6		6	
1/4	3,667.11	1/4	3,939.17	1/4	4,208.39	1/4	4,476.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,672.83	1/2	3,944.79	1/2	4,213.99	1/2	4,482.57	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,678.54	3/4	3,950.40	3/4	4,219.58	3/4	4,488.15	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,684.25	7	3,956.01	7	4,225.18	7	4,493.74	7		7		7		7		7		7	
1/4	3,689.97	1/4	3,961.63	1/4	4,230.77	1/4	4,499.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,695.68	1/2	3,967.24	1/2	4,236.37	1/2	4,504.85	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,701.39	3/4	3,972.86	3/4	4,241.97	3/4	4,510.41	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,707.11	8	3,978.47	8	4,247.56	8	4,515.96	8		8		8		8		8		8	
1/4	3,712.82	1/4	3,984.08	1/4	4,253.16	1/4	4,521.52	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,718.53	1/2	3,989.70	1/2	4,258.75	1/2	4,527.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,724.25	3/4	3,995.31	3/4	4,264.35	3/4	4,532.63	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,729.96	9	4,000.93	9	4,269.95	9	4,538.19	9		9		9		9		9		9	
1/4	3,735.67	1/4	4,006.54	1/4	4,275.54	1/4	4,543.75	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,741.39	1/2	4,012.15	1/2	4,281.14	1/2	4,549.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,747.10	3/4	4,017.77	3/4	4,286.73	3/4	4,554.86	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,752.81	10	4,023.38	10	4,292.33	10	4,560.42	10		10		10		10		10		10	
1/4	3,758.53	1/4	4,029.00	1/4	4,297.92	1/4	4,565.96	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,764.24	1/2	4,034.61	1/2	4,303.52	1/2	4,571.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,769.96	3/4	4,040.22	3/4	4,309.12	3/4	4,577.04	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,775.67	11	4,045.84	11	4,314.71	11	4,582.58	11		11		11		11		11		11	
1/4	3,781.38	1/4	4,051.45	1/4	4,320.31	1/4	4,587.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,787.10	1/2	4,057.07	1/2	4,325.90	1/2	4,593.38	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,792.81	3/4	4,062.68	3/4	4,331.50	3/4	4,598.78	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GUAGE HEIGHT 3'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	389	0	778	0	1,168	0		0		0		0		0		0	
1/4	8	1/4	397	1/4	787	1/4	1,176	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	405	1/2	795	1/2	1,184	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24	3/4	414	3/4	803	3/4	1,192	3/4		3/4		3/4		3/4		3/4		3/4	
1	32	1	422	1	811	1	1,200	1		1		1		1		1		1	
1/4	41	1/4	430	1/4	819	1/4	1,208	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	49	1/2	438	1/2	827	1/2	1,216	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	57	3/4	446	3/4	835	3/4	1,224	3/4		3/4		3/4		3/4		3/4		3/4	
2	65	2	454	2	843	2	1,232	2		2		2		2		2		2	
1/4	73	1/4	462	1/4	851	1/4	1,241	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	81	1/2	470	1/2	859	1/2	1,249	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	89	3/4	478	3/4	868	3/4	1,257	3/4		3/4		3/4		3/4		3/4		3/4	
3	97	3	487	3	876	3	1,265	3		3		3		3		3		3	
1/4	105	1/4	495	1/4	884	1/4	1,273	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	114	1/2	503	1/2	892	1/2	1,281	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	122	3/4	511	3/4	900	3/4	1,289	3/4		3/4		3/4		3/4		3/4		3/4	
4	130	4	519	4	908	4	1,297	4		4		4		4		4		4	
1/4	138	1/4	527	1/4	916	1/4	1,305	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	146	1/2	535	1/2	924	1/2	1,314	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154	3/4	543	3/4	932	3/4	1,322	3/4		3/4		3/4		3/4		3/4		3/4	
5	162	5	551	5	941	5	1,330	5		5		5		5		5		5	
1/4	170	1/4	559	1/4	949	1/4	1,333	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	178	1/2	568	1/2	957	1/2	1,336	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	186	3/4	576	3/4	965	3/4	1,340	3/4		3/4		3/4		3/4		3/4		3/4	
6	195	6	584	6	973	6	1,343	6		6		6		6		6		6	
1/4	203	1/4	592	1/4	981	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	211	1/2	600	1/2	989	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	219	3/4	608	3/4	997	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	227	7	616	7	1,005	7		7		7		7		7		7		7	
1/4	235	1/4	624	1/4	1,014	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	632	1/2	1,022	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	251	3/4	641	3/4	1,030	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	259	8	649	8	1,038	8		8		8		8		8		8		8	
1/4	268	1/4	657	1/4	1,046	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	276	1/2	665	1/2	1,054	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	284	3/4	673	3/4	1,062	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	292	9	681	9	1,070	9		9		9		9		9		9		9	
1/4	300	1/4	689	1/4	1,078	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	308	1/2	697	1/2	1,087	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	316	3/4	705	3/4	1,095	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	324	10	714	10	1,103	10		10		10		10		10		10		10	
1/4	332	1/4	722	1/4	1,111	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	341	1/2	730	1/2	1,119	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	349	3/4	738	3/4	1,127	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	357	11	746	11	1,135	11		11		11		11		11		11		11	
1/4	365	1/4	754	1/4	1,143	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	373	1/2	762	1/2	1,151	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	381	3/4	770	3/4	1,160	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF MANWAY

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 925"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-11 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	84	0	210	0	321	0		0		0		0		0		0	
1/4	1	1/4	86	1/4	212	1/4	323	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	89	1/2	215	1/2	325	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	91	3/4	217	3/4	327	3/4		3/4		3/4		3/4		3/4		3/4	
1	2	1	94	1	220	1	328	1		1		1		1		1		1	
1/4	3	1/4	96	1/4	223	1/4	330	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4	1/2	99	1/2	225	1/2	331	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5	3/4	101	3/4	228	3/4	333	3/4		3/4		3/4		3/4		3/4		3/4	
2	6	2	104	2	230	2	334	2		2		2		2		2		2	
1/4	7	1/4	106	1/4	233	1/4	336	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	9	1/2	109	1/2	236	1/2	337	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	10	3/4	111	3/4	238	3/4	338	3/4		3/4		3/4		3/4		3/4		3/4	
3	11	3	114	3	241	3	340	3		3		3		3		3		3	
1/4	13	1/4	117	1/4	243	1/4	341	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	14	1/2	119	1/2	246	1/2	342	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	16	3/4	122	3/4	248	3/4	343	3/4		3/4		3/4		3/4		3/4		3/4	
4	17	4	124	4	251	4	344	4		4		4		4		4		4	
1/4	19	1/4	127	1/4	253	1/4	345	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21	1/2	130	1/2	256	1/2	345	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22	3/4	132	3/4	258	3/4	346	3/4		3/4		3/4		3/4		3/4		3/4	
5	24	5	135	5	261	5	347	5		5		5		5		5		5	
1/4	26	1/4	138	1/4	263	1/4	347	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	28	1/2	140	1/2	266	1/2	347	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	29	3/4	143	3/4	268	3/4	347	3/4		3/4		3/4		3/4		3/4		3/4	
6	31	6	146	6	270	6		6		6		6		6		6		6	
1/4	33	1/4	148	1/4	273	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	35	1/2	151	1/2	275	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	37	3/4	154	3/4	277	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	39	7	156	7	280	7		7		7		7		7		7		7	
1/4	41	1/4	159	1/4	282	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	43	1/2	162	1/2	284	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45	3/4	164	3/4	287	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	47	8	167	8	289	8		8		8		8		8		8		8	
1/4	49	1/4	170	1/4	291	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	52	1/2	172	1/2	293	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	175	3/4	296	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	56	9	178	9	298	9		9		9		9		9		9		9	
1/4	58	1/4	180	1/4	300	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	60	1/2	183	1/2	302	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	186	3/4	304	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	65	10	188	10	306	10		10		10		10		10		10		10	
1/4	67	1/4	191	1/4	308	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	70	1/2	194	1/2	310	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	196	3/4	312	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	74	11	199	11	314	11		11		11		11		11		11		11	
1/4	77	1/4	202	1/4	316	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	79	1/2	204	1/2	318	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	82	3/4	207	3/4	320	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO 2" DIAMETER PIPE

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>