



BARGE "MPC 926"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-7/8	- 01-7/8
1 STBD	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-7/8	- 01-7/8
2 PORT	00-3/8	- 00-3/8	00-5/8	- 00-5/8	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-5/8	- 01-5/8	01-7/8	- 01-7/8
2 STBD	00-3/8	- 00-3/8	00-5/8	- 00-5/8	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-5/8	- 01-5/8	01-7/8	- 01-7/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-5/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 3/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

June 30, 2014

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPC 926"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	18.37	0	310.46	0	660.54	0	1,018.25	0	1,376.28	0	1,734.40	0	2,092.53	0	2,450.65	0	2,808.74	0	3,166.80
1/4	21.90	1/4	317.37	1/4	668.00	1/4	1,025.70	1/4	1,383.74	1/4	1,741.86	1/4	2,099.99	1/4	2,458.11	1/4	2,816.20	1/4	3,174.26
1/2	25.43	1/2	324.28	1/2	675.47	1/2	1,033.15	1/2	1,391.20	1/2	1,749.32	1/2	2,107.45	1/2	2,465.57	1/2	2,823.66	1/2	3,181.72
3/4	28.96	3/4	331.20	3/4	682.93	3/4	1,040.60	3/4	1,398.66	3/4	1,756.79	3/4	2,114.91	3/4	2,473.03	3/4	2,831.12	3/4	3,189.18
1	32.48	1	338.11	1	690.39	1	1,048.05	1	1,406.12	1	1,764.25	1	2,122.37	1	2,480.49	1	2,838.57	1	3,196.64
1/4	37.72	1/4	345.11	1/4	697.85	1/4	1,055.50	1/4	1,413.58	1/4	1,771.71	1/4	2,129.83	1/4	2,487.95	1/4	2,846.03	1/4	3,204.09
1/2	42.96	1/2	352.11	1/2	705.31	1/2	1,062.96	1/2	1,421.04	1/2	1,779.17	1/2	2,137.29	1/2	2,495.41	1/2	2,853.49	1/2	3,211.55
3/4	48.19	3/4	359.11	3/4	712.77	3/4	1,070.41	3/4	1,428.51	3/4	1,786.63	3/4	2,144.75	3/4	2,502.88	3/4	2,860.95	3/4	3,219.01
2	53.43	2	366.11	2	720.23	2	1,077.86	2	1,435.97	2	1,794.09	2	2,152.21	2	2,510.34	2	2,868.41	2	3,226.47
1/4	59.44	1/4	373.20	1/4	727.69	1/4	1,085.32	1/4	1,443.43	1/4	1,801.55	1/4	2,159.67	1/4	2,517.80	1/4	2,875.87	1/4	3,233.93
1/2	65.44	1/2	380.28	1/2	735.15	1/2	1,092.78	1/2	1,450.89	1/2	1,809.01	1/2	2,167.13	1/2	2,525.26	1/2	2,883.33	1/2	3,241.39
3/4	71.45	3/4	387.37	3/4	742.61	3/4	1,100.23	3/4	1,458.35	3/4	1,816.47	3/4	2,174.60	3/4	2,532.72	3/4	2,890.79	3/4	3,248.85
3	77.45	3	394.46	3	750.07	3	1,107.69	3	1,465.81	3	1,823.93	3	2,182.06	3	2,540.18	3	2,898.25	3	3,256.31
1/4	83.57	1/4	401.64	1/4	757.53	1/4	1,115.15	1/4	1,473.27	1/4	1,831.39	1/4	2,189.52	1/4	2,547.64	1/4	2,905.71	1/4	3,263.76
1/2	89.68	1/2	408.81	1/2	764.99	1/2	1,122.61	1/2	1,480.73	1/2	1,838.86	1/2	2,196.98	1/2	2,555.10	1/2	2,913.17	1/2	3,271.22
3/4	95.79	3/4	415.99	3/4	772.45	3/4	1,130.07	3/4	1,488.19	3/4	1,846.32	3/4	2,204.44	3/4	2,562.56	3/4	2,920.63	3/4	3,278.68
4	101.91	4	423.16	4	779.91	4	1,137.53	4	1,495.65	4	1,853.78	4	2,211.90	4	2,570.02	4	2,928.09	4	3,286.14
1/4	108.12	1/4	430.42	1/4	787.37	1/4	1,144.99	1/4	1,503.11	1/4	1,861.24	1/4	2,219.36	1/4	2,577.48	1/4	2,935.55	1/4	3,293.60
1/2	114.33	1/2	437.69	1/2	794.83	1/2	1,152.45	1/2	1,510.58	1/2	1,868.70	1/2	2,226.82	1/2	2,584.94	1/2	2,943.01	1/2	3,301.06
3/4	120.54	3/4	444.95	3/4	802.29	3/4	1,159.91	3/4	1,518.04	3/4	1,876.16	3/4	2,234.28	3/4	2,592.40	3/4	2,950.47	3/4	3,308.52
5	126.75	5	452.21	5	809.74	5	1,167.37	5	1,525.50	5	1,883.62	5	2,241.74	5	2,599.86	5	2,957.93	5	3,315.97
1/4	133.04	1/4	459.57	1/4	817.19	1/4	1,174.83	1/4	1,532.96	1/4	1,891.08	1/4	2,249.20	1/4	2,607.32	1/4	2,965.39	1/4	3,323.43
1/2	139.34	1/2	466.92	1/2	824.64	1/2	1,182.30	1/2	1,540.42	1/2	1,898.54	1/2	2,256.67	1/2	2,614.78	1/2	2,972.85	1/2	3,330.89
3/4	145.64	3/4	474.27	3/4	832.08	3/4	1,189.76	3/4	1,547.88	3/4	1,906.00	3/4	2,264.13	3/4	2,622.24	3/4	2,980.31	3/4	3,338.35
6	151.94	6	481.62	6	839.53	6	1,197.22	6	1,555.34	6	1,913.46	6	2,271.59	6	2,629.70	6	2,987.77	6	3,345.81
1/4	158.32	1/4	489.05	1/4	846.98	1/4	1,204.68	1/4	1,562.80	1/4	1,920.92	1/4	2,279.05	1/4	2,637.16	1/4	2,995.23	1/4	3,353.27
1/2	164.71	1/2	496.47	1/2	854.42	1/2	1,212.14	1/2	1,570.26	1/2	1,928.39	1/2	2,286.51	1/2	2,644.62	1/2	3,002.69	1/2	3,360.73
3/4	171.09	3/4	503.90	3/4	861.87	3/4	1,219.60	3/4	1,577.72	3/4	1,935.85	3/4	2,293.97	3/4	2,652.08	3/4	3,010.15	3/4	3,368.19
7	177.48	7	511.33	7	869.32	7	1,227.06	7	1,585.18	7	1,943.31	7	2,301.43	7	2,659.54	7	3,017.61	7	3,375.64
1/4	183.95	1/4	518.79	1/4	876.76	1/4	1,234.52	1/4	1,592.65	1/4	1,950.77	1/4	2,308.89	1/4	2,667.00	1/4	3,025.07	1/4	3,383.10
1/2	190.43	1/2	526.25	1/2	884.21	1/2	1,241.98	1/2	1,600.11	1/2	1,958.23	1/2	2,316.35	1/2	2,674.46	1/2	3,032.53	1/2	3,390.56
3/4	196.90	3/4	533.71	3/4	891.66	3/4	1,249.44	3/4	1,607.57	3/4	1,965.69	3/4	2,323.81	3/4	2,681.92	3/4	3,039.99	3/4	3,398.02
8	203.37	8	541.17	8	899.10	8	1,256.90	8	1,615.03	8	1,973.15	8	2,331.27	8	2,689.38	8	3,047.45	8	3,405.48
1/4	209.94	1/4	548.63	1/4	906.55	1/4	1,264.37	1/4	1,622.49	1/4	1,980.61	1/4	2,338.74	1/4	2,696.84	1/4	3,054.91	1/4	3,412.94
1/2	216.50	1/2	556.09	1/2	914.00	1/2	1,271.83	1/2	1,629.95	1/2	1,988.07	1/2	2,346.20	1/2	2,704.30	1/2	3,062.37	1/2	3,420.40
3/4	223.06	3/4	563.55	3/4	921.44	3/4	1,279.29	3/4	1,637.41	3/4	1,995.53	3/4	2,353.66	3/4	2,711.76	3/4	3,069.83	3/4	3,427.86
9	229.62	9	571.02	9	928.89	9	1,286.75	9	1,644.87	9	2,002.99	9	2,361.12	9	2,719.22	9	3,077.29	9	3,435.31
1/4	236.27	1/4	578.48	1/4	936.34	1/4	1,294.21	1/4	1,652.33	1/4	2,010.46	1/4	2,368.58	1/4	2,726.68	1/4	3,084.75	1/4	3,442.77
1/2	242.92	1/2	585.94	1/2	943.79	1/2	1,301.67	1/2	1,659.79	1/2	2,017.92	1/2	2,376.04	1/2	2,734.14	1/2	3,092.21	1/2	3,450.23
3/4	249.57	3/4	593.40	3/4	951.23	3/4	1,309.13	3/4	1,667.25	3/4	2,025.38	3/4	2,383.50	3/4	2,741.60	3/4	3,099.67	3/4	3,457.69
10	256.22	10	600.86	10	958.68	10	1,316.59	10	1,674.72	10	2,032.84	10	2,390.96	10	2,749.06	10	3,107.13	10	3,465.15
1/4	262.95	1/4	608.32	1/4	966.13	1/4	1,324.05	1/4	1,682.18	1/4	2,040.30	1/4	2,398.42	1/4	2,756.52	1/4	3,114.59	1/4	3,472.61
1/2	269.69	1/2	615.78	1/2	973.57	1/2	1,331.51	1/2	1,689.64	1/2	2,047.76	1/2	2,405.88	1/2	2,763.98	1/2	3,122.05	1/2	3,480.07
3/4	276.43	3/4	623.24	3/4	981.02	3/4	1,338.97	3/4	1,697.10	3/4	2,055.22	3/4	2,413.34	3/4	2,771.44	3/4	3,129.51	3/4	3,487.52
11	283.16	11	630.70	11	988.47	11	1,346.44	11	1,704.56	11	2,062.68	11	2,420.81	11	2,778.90	11	3,136.97	11	3,494.98
1/4	289.99	1/4	638.16	1/4	995.91	1/4	1,353.90	1/4	1,712.02	1/4	2,070.14	1/4	2,428.27	1/4	2,786.36	1/4	3,144.42	1/4	3,502.44
1/2	296.81	1/2	645.62	1/2	1,003.36	1/2	1,361.36	1/2	1,719.48	1/2	2,077.60	1/2	2,435.73	1/2	2,793.82	1/2	3,151.88	1/2	3,509.90
3/4	303.64	3/4	653.08	3/4	1,010.81	3/4	1,368.82	3/4	1,726.94	3/4	2,085.06	3/4	2,443.19	3/4	2,801.28	3/4	3,159.34	3/4	3,517.36

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" MMC CLOSED GAUGING VALVE
 GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 36'-09" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,524.82	0	3,882.84	0	4,240.85	0	4,598.01	0	4,953.11	0		0		0		0		0	
1/4	3,532.28	1/4	3,890.29	1/4	4,248.31	1/4	4,605.44	1/4	4,959.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,539.74	1/2	3,897.75	1/2	4,255.77	1/2	4,612.88	1/2	4,966.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,547.19	3/4	3,905.21	3/4	4,263.23	3/4	4,620.31	3/4	4,972.87	3/4		3/4		3/4		3/4		3/4	
1	3,554.65	1	3,912.67	1	4,270.69	1	4,627.75	1	4,979.45	1		1		1		1		1	
1/4	3,562.11	1/4	3,920.13	1/4	4,278.15	1/4	4,635.18	1/4	4,984.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,569.57	1/2	3,927.59	1/2	4,285.61	1/2	4,642.62	1/2	4,990.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,577.03	3/4	3,935.05	3/4	4,293.06	3/4	4,650.05	3/4	4,996.01	3/4		3/4		3/4		3/4		3/4	
2	3,584.49	2	3,942.51	2	4,300.52	2	4,657.49	2	5,001.53	2		2		2		2		2	
1/4	3,591.95	1/4	3,949.96	1/4	4,307.98	1/4	4,664.92	1/4	5,005.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,599.41	1/2	3,957.42	1/2	4,315.43	1/2	4,672.36	1/2	5,010.44	1/2		1/2		1/2		1/2		1/2	
3/4	3,606.86	3/4	3,964.88	3/4	4,322.88	3/4	4,679.79	3/4	5,014.90	3/4		3/4		3/4		3/4		3/4	
3	3,614.32	3	3,972.34	3	4,330.34	3	4,687.23	3	5,019.35	3		3		3		3		3	
1/4	3,621.78	1/4	3,979.80	1/4	4,337.77	1/4	4,694.66	1/4	5,022.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,629.24	1/2	3,987.26	1/2	4,345.21	1/2	4,702.10	1/2	5,026.13	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.70	3/4	3,994.72	3/4	4,352.64	3/4	4,709.53	3/4	5,029.52	3/4		3/4		3/4		3/4		3/4	
4	3,644.16	4	4,002.18	4	4,360.08	4	4,716.97	4	5,032.91	4		4		4		4		4	
1/4	3,651.62	1/4	4,009.63	1/4	4,367.51	1/4	4,724.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,659.08	1/2	4,017.09	1/2	4,374.95	1/2	4,731.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,666.53	3/4	4,024.55	3/4	4,382.38	3/4	4,739.27	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,673.99	5	4,032.01	5	4,389.82	5	4,746.71	5		5		5		5		5		5	
1/4	3,681.45	1/4	4,039.47	1/4	4,397.26	1/4	4,754.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,688.91	1/2	4,046.93	1/2	4,404.69	1/2	4,761.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,696.37	3/4	4,054.39	3/4	4,412.13	3/4	4,769.02	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,703.83	6	4,061.84	6	4,419.56	6	4,776.45	6		6		6		6		6		6	
1/4	3,711.29	1/4	4,069.30	1/4	4,427.00	1/4	4,783.87	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,718.74	1/2	4,076.76	1/2	4,434.43	1/2	4,791.29	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,726.20	3/4	4,084.22	3/4	4,441.87	3/4	4,798.72	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,733.66	7	4,091.68	7	4,449.30	7	4,806.14	7		7		7		7		7		7	
1/4	3,741.12	1/4	4,099.14	1/4	4,456.74	1/4	4,813.52	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,748.58	1/2	4,106.60	1/2	4,464.17	1/2	4,820.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,756.04	3/4	4,114.06	3/4	4,471.61	3/4	4,828.29	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,763.50	8	4,121.51	8	4,479.04	8	4,835.67	8		8		8		8		8		8	
1/4	3,770.96	1/4	4,128.97	1/4	4,486.48	1/4	4,843.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,778.41	1/2	4,136.43	1/2	4,493.91	1/2	4,850.44	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,785.87	3/4	4,143.89	3/4	4,501.35	3/4	4,857.82	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,793.33	9	4,151.35	9	4,508.78	9	4,865.21	9		9		9		9		9		9	
1/4	3,800.79	1/4	4,158.81	1/4	4,516.22	1/4	4,872.59	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,808.25	1/2	4,166.27	1/2	4,523.65	1/2	4,879.97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,815.71	3/4	4,173.73	3/4	4,531.09	3/4	4,887.35	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,823.17	10	4,181.18	10	4,538.52	10	4,894.73	10		10		10		10		10		10	
1/4	3,830.63	1/4	4,188.64	1/4	4,545.96	1/4	4,902.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,838.08	1/2	4,196.10	1/2	4,553.39	1/2	4,909.47	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,845.54	3/4	4,203.56	3/4	4,560.83	3/4	4,916.84	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,853.00	11	4,211.02	11	4,568.26	11	4,924.21	11		11		11		11		11		11	
1/4	3,860.46	1/4	4,218.48	1/4	4,575.70	1/4	4,931.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,867.92	1/2	4,225.94	1/2	4,583.14	1/2	4,938.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,875.38	3/4	4,233.39	3/4	4,590.57	3/4	4,945.89	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	18.36	0	310.31	0	660.22	0	1,016.52	0	1,374.02	0	1,731.95	0	2,089.88	0	2,447.81	0	2,805.70	0	3,163.57
1/4	21.89	1/4	317.22	1/4	667.68	1/4	1,023.93	1/4	1,381.47	1/4	1,739.41	1/4	2,097.34	1/4	2,455.27	1/4	2,813.16	1/4	3,171.03
1/2	25.42	1/2	324.13	1/2	675.14	1/2	1,031.35	1/2	1,388.93	1/2	1,746.86	1/2	2,104.79	1/2	2,462.72	1/2	2,820.61	1/2	3,178.48
3/4	28.94	3/4	331.04	3/4	682.59	3/4	1,038.76	3/4	1,396.39	3/4	1,754.32	3/4	2,112.25	3/4	2,470.18	3/4	2,828.07	3/4	3,185.94
1	32.47	1	337.94	1	690.05	1	1,046.18	1	1,403.85	1	1,761.78	1	2,119.71	1	2,477.64	1	2,835.52	1	3,193.39
1/4	37.70	1/4	344.94	1/4	697.51	1/4	1,053.60	1/4	1,411.30	1/4	1,769.23	1/4	2,127.16	1/4	2,485.10	1/4	2,842.98	1/4	3,200.85
1/2	42.94	1/2	351.94	1/2	704.97	1/2	1,061.02	1/2	1,418.76	1/2	1,776.69	1/2	2,134.62	1/2	2,492.55	1/2	2,850.44	1/2	3,208.30
3/4	48.17	3/4	358.93	3/4	712.42	3/4	1,068.43	3/4	1,426.22	3/4	1,784.15	3/4	2,142.08	3/4	2,500.01	3/4	2,857.89	3/4	3,215.75
2	53.41	2	365.93	2	719.88	2	1,075.85	2	1,433.67	2	1,791.60	2	2,149.54	2	2,507.47	2	2,865.35	2	3,223.21
1/4	59.41	1/4	373.02	1/4	727.33	1/4	1,083.28	1/4	1,441.13	1/4	1,799.06	1/4	2,156.99	1/4	2,514.92	1/4	2,872.80	1/4	3,230.66
1/2	65.41	1/2	380.10	1/2	734.77	1/2	1,090.71	1/2	1,448.59	1/2	1,806.52	1/2	2,164.45	1/2	2,522.38	1/2	2,880.26	1/2	3,238.12
3/4	71.41	3/4	387.18	3/4	742.22	3/4	1,098.14	3/4	1,456.04	3/4	1,813.97	3/4	2,171.91	3/4	2,529.84	3/4	2,887.71	3/4	3,245.57
3	77.41	3	394.27	3	749.67	3	1,105.57	3	1,463.50	3	1,821.43	3	2,179.36	3	2,537.29	3	2,895.17	3	3,253.03
1/4	83.53	1/4	401.44	1/4	757.08	1/4	1,113.03	1/4	1,470.96	1/4	1,828.89	1/4	2,186.82	1/4	2,544.75	1/4	2,902.63	1/4	3,260.48
1/2	89.64	1/2	408.61	1/2	764.50	1/2	1,120.48	1/2	1,478.41	1/2	1,836.35	1/2	2,194.28	1/2	2,552.20	1/2	2,910.08	1/2	3,267.94
3/4	95.75	3/4	415.78	3/4	771.92	3/4	1,127.94	3/4	1,485.87	3/4	1,843.80	3/4	2,201.73	3/4	2,559.66	3/4	2,917.54	3/4	3,275.39
4	101.86	4	422.96	4	779.33	4	1,135.40	4	1,493.33	4	1,851.26	4	2,209.19	4	2,567.12	4	2,924.99	4	3,282.85
1/4	108.07	1/4	430.22	1/4	786.75	1/4	1,142.85	1/4	1,500.78	1/4	1,858.72	1/4	2,216.65	1/4	2,574.57	1/4	2,932.45	1/4	3,290.30
1/2	114.27	1/2	437.48	1/2	794.16	1/2	1,150.31	1/2	1,508.24	1/2	1,866.17	1/2	2,224.10	1/2	2,582.03	1/2	2,939.91	1/2	3,297.76
3/4	120.48	3/4	444.74	3/4	801.58	3/4	1,157.77	3/4	1,515.70	3/4	1,873.63	3/4	2,231.56	3/4	2,589.48	3/4	2,947.36	3/4	3,305.21
5	126.68	5	452.00	5	808.99	5	1,165.22	5	1,523.16	5	1,881.09	5	2,239.02	5	2,596.94	5	2,954.82	5	3,312.67
1/4	132.98	1/4	459.34	1/4	816.40	1/4	1,172.68	1/4	1,530.61	1/4	1,888.54	1/4	2,246.47	1/4	2,604.39	1/4	2,962.27	1/4	3,320.12
1/2	139.27	1/2	466.69	1/2	823.81	1/2	1,180.14	1/2	1,538.07	1/2	1,896.00	1/2	2,253.93	1/2	2,611.85	1/2	2,969.73	1/2	3,327.58
3/4	145.57	3/4	474.04	3/4	831.22	3/4	1,187.60	3/4	1,545.53	3/4	1,903.46	3/4	2,261.39	3/4	2,619.31	3/4	2,977.18	3/4	3,335.03
6	151.86	6	481.38	6	838.63	6	1,195.05	6	1,552.98	6	1,910.91	6	2,268.85	6	2,626.76	6	2,984.64	6	3,342.48
1/4	158.25	1/4	488.81	1/4	846.04	1/4	1,202.51	1/4	1,560.44	1/4	1,918.37	1/4	2,276.30	1/4	2,634.22	1/4	2,992.10	1/4	3,349.94
1/2	164.63	1/2	496.23	1/2	853.45	1/2	1,209.97	1/2	1,567.90	1/2	1,925.83	1/2	2,283.76	1/2	2,641.67	1/2	2,999.55	1/2	3,357.39
3/4	171.01	3/4	503.66	3/4	860.86	3/4	1,217.42	3/4	1,575.35	3/4	1,933.28	3/4	2,291.22	3/4	2,649.13	3/4	3,007.01	3/4	3,364.85
7	177.39	7	511.08	7	868.27	7	1,224.88	7	1,582.81	7	1,940.74	7	2,298.67	7	2,656.59	7	3,014.46	7	3,372.30
1/4	183.86	1/4	518.54	1/4	875.69	1/4	1,232.34	1/4	1,590.27	1/4	1,948.20	1/4	2,306.13	1/4	2,664.04	1/4	3,021.92	1/4	3,379.76
1/2	190.33	1/2	526.00	1/2	883.10	1/2	1,239.79	1/2	1,597.72	1/2	1,955.66	1/2	2,313.59	1/2	2,671.50	1/2	3,029.38	1/2	3,387.21
3/4	196.81	3/4	533.45	3/4	890.51	3/4	1,247.25	3/4	1,605.18	3/4	1,963.11	3/4	2,321.04	3/4	2,678.95	3/4	3,036.83	3/4	3,394.67
8	203.28	8	540.91	8	897.92	8	1,254.71	8	1,612.64	8	1,970.57	8	2,328.50	8	2,686.41	8	3,044.29	8	3,402.12
1/4	209.83	1/4	548.37	1/4	905.34	1/4	1,262.16	1/4	1,620.10	1/4	1,978.03	1/4	2,335.96	1/4	2,693.86	1/4	3,051.74	1/4	3,409.58
1/2	216.39	1/2	555.82	1/2	912.75	1/2	1,269.62	1/2	1,627.55	1/2	1,985.48	1/2	2,343.41	1/2	2,701.32	1/2	3,059.20	1/2	3,417.03
3/4	222.95	3/4	563.28	3/4	920.16	3/4	1,277.08	3/4	1,635.01	3/4	1,992.94	3/4	2,350.87	3/4	2,708.78	3/4	3,066.65	3/4	3,424.49
9	229.51	9	570.74	9	927.57	9	1,284.53	9	1,642.47	9	2,000.40	9	2,358.33	9	2,716.23	9	3,074.11	9	3,431.94
1/4	236.15	1/4	578.20	1/4	934.98	1/4	1,291.99	1/4	1,649.92	1/4	2,007.85	1/4	2,365.79	1/4	2,723.69	1/4	3,081.57	1/4	3,439.40
1/2	242.80	1/2	585.65	1/2	942.40	1/2	1,299.45	1/2	1,657.38	1/2	2,015.31	1/2	2,373.24	1/2	2,731.14	1/2	3,089.02	1/2	3,446.85
3/4	249.44	3/4	593.11	3/4	949.81	3/4	1,306.91	3/4	1,664.84	3/4	2,022.77	3/4	2,380.70	3/4	2,738.60	3/4	3,096.48	3/4	3,454.31
10	256.09	10	600.57	10	957.22	10	1,314.36	10	1,672.29	10	2,030.22	10	2,388.16	10	2,746.05	10	3,103.93	10	3,461.76
1/4	262.82	1/4	608.02	1/4	964.63	1/4	1,321.82	1/4	1,679.75	1/4	2,037.68	1/4	2,395.61	1/4	2,753.51	1/4	3,111.39	1/4	3,469.21
1/2	269.56	1/2	615.48	1/2	972.05	1/2	1,329.28	1/2	1,687.21	1/2	2,045.14	1/2	2,403.07	1/2	2,760.97	1/2	3,118.84	1/2	3,476.67
3/4	276.29	3/4	622.94	3/4	979.46	3/4	1,336.73	3/4	1,694.66	3/4	2,052.60	3/4	2,410.53	3/4	2,768.42	3/4	3,126.30	3/4	3,484.12
11	283.02	11	630.40	11	986.87	11	1,344.19	11	1,702.12	11	2,060.05	11	2,417.98	11	2,775.88	11	3,133.75	11	3,491.58
1/4	289.85	1/4	637.85	1/4	994.28	1/4	1,351.65	1/4	1,709.58	1/4	2,067.51	1/4	2,425.44	1/4	2,783.33	1/4	3,141.21	1/4	3,499.03
1/2	296.67	1/2	645.31	1/2	1,001.70	1/2	1,359.10	1/2	1,717.03	1/2	2,074.97	1/2	2,432.90	1/2	2,790.79	1/2	3,148.66	1/2	3,506.49
3/4	303.49	3/4	652.77	3/4	1,009.11	3/4	1,366.56	3/4	1,724.49	3/4	2,082.42	3/4	2,440.35	3/4	2,798.25	3/4	3,156.12	3/4	3,513.94

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" MMC CLOSED GAUGING VALVE
 GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 36'-09" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,521.40	0	3,879.22	0	4,237.05	0	4,594.01	0	4,948.92	0		0		0		0		0	
1/4	3,528.85	1/4	3,886.68	1/4	4,244.50	1/4	4,601.44	1/4	4,955.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,536.31	1/2	3,894.13	1/2	4,251.96	1/2	4,608.87	1/2	4,962.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,543.76	3/4	3,901.59	3/4	4,259.41	3/4	4,616.30	3/4	4,968.66	3/4		3/4		3/4		3/4		3/4	
1	3,551.22	1	3,909.04	1	4,266.87	1	4,623.73	1	4,975.24	1		1		1		1		1	
1/4	3,558.67	1/4	3,916.50	1/4	4,274.32	1/4	4,631.16	1/4	4,980.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,566.13	1/2	3,923.95	1/2	4,281.78	1/2	4,638.59	1/2	4,986.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,573.58	3/4	3,931.41	3/4	4,289.23	3/4	4,646.02	3/4	4,991.80	3/4		3/4		3/4		3/4		3/4	
2	3,581.04	2	3,938.86	2	4,296.69	2	4,653.45	2	4,997.31	2		2		2		2		2	
1/4	3,588.49	1/4	3,946.32	1/4	4,304.14	1/4	4,660.89	1/4	5,001.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,595.94	1/2	3,953.77	1/2	4,311.58	1/2	4,668.32	1/2	5,006.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,603.40	3/4	3,961.22	3/4	4,319.03	3/4	4,675.75	3/4	5,010.67	3/4		3/4		3/4		3/4		3/4	
3	3,610.85	3	3,968.68	3	4,326.48	3	4,683.18	3	5,015.12	3		3		3		3		3	
1/4	3,618.31	1/4	3,976.13	1/4	4,333.91	1/4	4,690.61	1/4	5,018.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,625.76	1/2	3,983.59	1/2	4,341.34	1/2	4,698.04	1/2	5,021.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,633.22	3/4	3,991.04	3/4	4,348.78	3/4	4,705.47	3/4	5,025.28	3/4		3/4		3/4		3/4		3/4	
4	3,640.67	4	3,998.50	4	4,356.21	4	4,712.90	4	5,028.67	4		4		4		4		4	
1/4	3,648.13	1/4	4,005.95	1/4	4,363.64	1/4	4,720.34	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,655.58	1/2	4,013.41	1/2	4,371.07	1/2	4,727.77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,663.04	3/4	4,020.86	3/4	4,378.50	3/4	4,735.20	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,670.49	5	4,028.32	5	4,385.93	5	4,742.63	5		5		5		5		5		5	
1/4	3,677.95	1/4	4,035.77	1/4	4,393.36	1/4	4,750.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,685.40	1/2	4,043.23	1/2	4,400.79	1/2	4,757.49	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,692.86	3/4	4,050.68	3/4	4,408.23	3/4	4,764.92	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,700.31	6	4,058.14	6	4,415.66	6	4,772.35	6		6		6		6		6		6	
1/4	3,707.76	1/4	4,065.59	1/4	4,423.09	1/4	4,779.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,715.22	1/2	4,073.05	1/2	4,430.52	1/2	4,787.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,722.67	3/4	4,080.50	3/4	4,437.95	3/4	4,794.61	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,730.13	7	4,087.95	7	4,445.38	7	4,802.02	7		7		7		7		7		7	
1/4	3,737.58	1/4	4,095.41	1/4	4,452.81	1/4	4,809.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,745.04	1/2	4,102.86	1/2	4,460.24	1/2	4,816.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,752.49	3/4	4,110.32	3/4	4,467.67	3/4	4,824.16	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,759.95	8	4,117.77	8	4,475.11	8	4,831.54	8		8		8		8		8		8	
1/4	3,767.40	1/4	4,125.23	1/4	4,482.54	1/4	4,838.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,774.86	1/2	4,132.68	1/2	4,489.97	1/2	4,846.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,782.31	3/4	4,140.14	3/4	4,497.40	3/4	4,853.68	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,789.77	9	4,147.59	9	4,504.83	9	4,861.06	9		9		9		9		9		9	
1/4	3,797.22	1/4	4,155.05	1/4	4,512.26	1/4	4,868.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,804.68	1/2	4,162.50	1/2	4,519.69	1/2	4,875.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,812.13	3/4	4,169.96	3/4	4,527.12	3/4	4,883.19	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,819.59	10	4,177.41	10	4,534.56	10	4,890.57	10		10		10		10		10		10	
1/4	3,827.04	1/4	4,184.87	1/4	4,541.99	1/4	4,897.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,834.49	1/2	4,192.32	1/2	4,549.42	1/2	4,905.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,841.95	3/4	4,199.78	3/4	4,556.85	3/4	4,912.67	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,849.40	11	4,207.23	11	4,564.28	11	4,920.03	11		11		11		11		11		11	
1/4	3,856.86	1/4	4,214.68	1/4	4,571.71	1/4	4,927.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,864.31	1/2	4,222.14	1/2	4,579.14	1/2	4,934.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,871.77	3/4	4,229.59	3/4	4,586.57	3/4	4,941.70	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	20.05	0	366.85	0	726.01	0	1,084.76	0	1,443.83	0	1,803.00	0	2,162.16	0	2,521.33	0	2,880.47	0	3,239.57
1/4	25.20	1/4	374.34	1/4	733.50	1/4	1,092.23	1/4	1,451.31	1/4	1,810.48	1/4	2,169.64	1/4	2,528.81	1/4	2,887.95	1/4	3,247.05
1/2	30.34	1/2	381.82	1/2	740.98	1/2	1,099.70	1/2	1,458.80	1/2	1,817.96	1/2	2,177.13	1/2	2,536.29	1/2	2,895.43	1/2	3,254.54
3/4	35.48	3/4	389.30	3/4	748.46	3/4	1,107.17	3/4	1,466.28	3/4	1,825.44	3/4	2,184.61	3/4	2,543.77	3/4	2,902.91	3/4	3,262.02
1	40.63	1	396.78	1	755.94	1	1,114.65	1	1,473.76	1	1,832.93	1	2,192.09	1	2,551.26	1	2,910.39	1	3,269.50
1/4	47.40	1/4	404.27	1/4	763.43	1/4	1,122.12	1/4	1,481.24	1/4	1,840.41	1/4	2,199.57	1/4	2,558.74	1/4	2,917.87	1/4	3,276.98
1/2	54.17	1/2	411.75	1/2	770.91	1/2	1,129.60	1/2	1,488.73	1/2	1,847.89	1/2	2,207.06	1/2	2,566.22	1/2	2,925.36	1/2	3,284.46
3/4	60.94	3/4	419.23	3/4	778.39	3/4	1,137.07	3/4	1,496.21	3/4	1,855.37	3/4	2,214.54	3/4	2,573.70	3/4	2,932.84	3/4	3,291.94
2	67.71	2	426.71	2	785.87	2	1,144.55	2	1,503.69	2	1,862.86	2	2,222.02	2	2,581.19	2	2,940.32	2	3,299.42
1/4	75.16	1/4	434.20	1/4	793.36	1/4	1,152.03	1/4	1,511.17	1/4	1,870.34	1/4	2,229.50	1/4	2,588.67	1/4	2,947.80	1/4	3,306.90
1/2	82.62	1/2	441.68	1/2	800.84	1/2	1,159.50	1/2	1,518.66	1/2	1,877.82	1/2	2,236.99	1/2	2,596.15	1/2	2,955.28	1/2	3,314.38
3/4	90.07	3/4	449.16	3/4	808.32	3/4	1,166.98	3/4	1,526.14	3/4	1,885.30	3/4	2,244.47	3/4	2,603.63	3/4	2,962.76	3/4	3,321.86
3	97.52	3	456.64	3	815.80	3	1,174.46	3	1,533.62	3	1,892.79	3	2,251.95	3	2,611.12	3	2,970.25	3	3,329.34
1/4	105.00	1/4	464.13	1/4	823.29	1/4	1,181.94	1/4	1,541.10	1/4	1,900.27	1/4	2,259.43	1/4	2,618.60	1/4	2,977.73	1/4	3,336.82
1/2	112.47	1/2	471.61	1/2	830.77	1/2	1,189.42	1/2	1,548.59	1/2	1,907.75	1/2	2,266.92	1/2	2,626.09	1/2	2,985.21	1/2	3,344.30
3/4	119.94	3/4	479.09	3/4	838.25	3/4	1,196.91	3/4	1,556.07	3/4	1,915.23	3/4	2,274.40	3/4	2,633.57	3/4	2,992.69	3/4	3,351.78
4	127.42	4	486.57	4	845.73	4	1,204.39	4	1,563.55	4	1,922.72	4	2,281.88	4	2,641.06	4	3,000.17	4	3,359.26
1/4	134.90	1/4	494.06	1/4	853.21	1/4	1,211.87	1/4	1,571.04	1/4	1,930.20	1/4	2,289.36	1/4	2,648.54	1/4	3,007.65	1/4	3,366.74
1/2	142.38	1/2	501.54	1/2	860.69	1/2	1,219.35	1/2	1,578.52	1/2	1,937.68	1/2	2,296.85	1/2	2,656.02	1/2	3,015.14	1/2	3,374.22
3/4	149.86	3/4	509.02	3/4	868.17	3/4	1,226.84	3/4	1,586.00	3/4	1,945.17	3/4	2,304.33	3/4	2,663.50	3/4	3,022.62	3/4	3,381.70
5	157.34	5	516.50	5	875.64	5	1,234.32	5	1,593.48	5	1,952.65	5	2,311.81	5	2,670.98	5	3,030.10	5	3,389.18
1/4	164.83	1/4	523.99	1/4	883.11	1/4	1,241.80	1/4	1,600.97	1/4	1,960.13	1/4	2,319.30	1/4	2,678.46	1/4	3,037.58	1/4	3,396.66
1/2	172.31	1/2	531.47	1/2	890.58	1/2	1,249.28	1/2	1,608.45	1/2	1,967.61	1/2	2,326.78	1/2	2,685.95	1/2	3,045.06	1/2	3,404.15
3/4	179.79	3/4	538.95	3/4	898.05	3/4	1,256.77	3/4	1,615.93	3/4	1,975.10	3/4	2,334.26	3/4	2,693.43	3/4	3,052.54	3/4	3,411.63
6	187.27	6	546.43	6	905.52	6	1,264.25	6	1,623.41	6	1,982.58	6	2,341.74	6	2,700.91	6	3,060.03	6	3,419.11
1/4	194.76	1/4	553.92	1/4	912.99	1/4	1,271.73	1/4	1,630.90	1/4	1,990.06	1/4	2,349.23	1/4	2,708.39	1/4	3,067.51	1/4	3,426.59
1/2	202.24	1/2	561.40	1/2	920.45	1/2	1,279.21	1/2	1,638.38	1/2	1,997.54	1/2	2,356.71	1/2	2,715.87	1/2	3,074.99	1/2	3,434.07
3/4	209.72	3/4	568.88	3/4	927.92	3/4	1,286.70	3/4	1,645.86	3/4	2,005.03	3/4	2,364.19	3/4	2,723.35	3/4	3,082.47	3/4	3,441.55
7	217.20	7	576.36	7	935.39	7	1,294.18	7	1,653.34	7	2,012.51	7	2,371.67	7	2,730.83	7	3,089.95	7	3,449.03
1/4	224.69	1/4	583.85	1/4	942.86	1/4	1,301.66	1/4	1,660.83	1/4	2,019.99	1/4	2,379.16	1/4	2,738.32	1/4	3,097.43	1/4	3,456.51
1/2	232.17	1/2	591.33	1/2	950.33	1/2	1,309.14	1/2	1,668.31	1/2	2,027.47	1/2	2,386.64	1/2	2,745.80	1/2	3,104.91	1/2	3,463.99
3/4	239.65	3/4	598.81	3/4	957.80	3/4	1,316.63	3/4	1,675.79	3/4	2,034.96	3/4	2,394.12	3/4	2,753.28	3/4	3,112.40	3/4	3,471.47
8	247.13	8	606.29	8	965.27	8	1,324.11	8	1,683.27	8	2,042.44	8	2,401.60	8	2,760.76	8	3,119.88	8	3,478.95
1/4	254.62	1/4	613.78	1/4	972.73	1/4	1,331.59	1/4	1,690.76	1/4	2,049.92	1/4	2,409.09	1/4	2,768.24	1/4	3,127.36	1/4	3,486.43
1/2	262.10	1/2	621.26	1/2	980.20	1/2	1,339.07	1/2	1,698.24	1/2	2,057.40	1/2	2,416.57	1/2	2,775.72	1/2	3,134.84	1/2	3,493.91
3/4	269.58	3/4	628.74	3/4	987.67	3/4	1,346.56	3/4	1,705.72	3/4	2,064.89	3/4	2,424.05	3/4	2,783.21	3/4	3,142.32	3/4	3,501.39
9	277.06	9	636.22	9	995.14	9	1,354.04	9	1,713.20	9	2,072.37	9	2,431.53	9	2,790.69	9	3,149.80	9	3,508.87
1/4	284.55	1/4	643.71	1/4	1,002.61	1/4	1,361.52	1/4	1,720.69	1/4	2,079.85	1/4	2,439.02	1/4	2,798.17	1/4	3,157.29	1/4	3,516.35
1/2	292.03	1/2	651.19	1/2	1,010.08	1/2	1,369.00	1/2	1,728.17	1/2	2,087.33	1/2	2,446.50	1/2	2,805.65	1/2	3,164.77	1/2	3,523.83
3/4	299.51	3/4	658.67	3/4	1,017.55	3/4	1,376.49	3/4	1,735.65	3/4	2,094.82	3/4	2,453.98	3/4	2,813.13	3/4	3,172.25	3/4	3,531.31
10	306.99	10	666.15	10	1,025.01	10	1,383.97	10	1,743.13	10	2,102.30	10	2,461.46	10	2,820.61	10	3,179.73	10	3,538.79
1/4	314.48	1/4	673.64	1/4	1,032.48	1/4	1,391.45	1/4	1,750.62	1/4	2,109.78	1/4	2,468.95	1/4	2,828.10	1/4	3,187.21	1/4	3,546.27
1/2	321.96	1/2	681.12	1/2	1,039.95	1/2	1,398.94	1/2	1,758.10	1/2	2,117.26	1/2	2,476.43	1/2	2,835.58	1/2	3,194.69	1/2	3,553.76
3/4	329.44	3/4	688.60	3/4	1,047.42	3/4	1,406.42	3/4	1,765.58	3/4	2,124.75	3/4	2,483.91	3/4	2,843.06	3/4	3,202.17	3/4	3,561.24
11	336.92	11	696.08	11	1,054.89	11	1,413.90	11	1,773.07	11	2,132.23	11	2,491.39	11	2,850.54	11	3,209.65	11	3,568.72
1/4	344.41	1/4	703.57	1/4	1,062.36	1/4	1,421.38	1/4	1,780.55	1/4	2,139.71	1/4	2,498.88	1/4	2,858.02	1/4	3,217.13	1/4	3,576.20
1/2	351.89	1/2	711.05	1/2	1,069.83	1/2	1,428.87	1/2	1,788.03	1/2	2,147.20	1/2	2,506.36	1/2	2,865.50	1/2	3,224.61	1/2	3,583.68
3/4	359.37	3/4	718.53	3/4	1,077.29	3/4	1,436.35	3/4	1,795.51	3/4	2,154.68	3/4	2,513.84	3/4	2,872.99	3/4	3,232.09	3/4	3,591.16

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" MMC CLOSED GAUGING VALVE
 GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 36'-09" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,598.64	0	3,957.70	0	4,316.77	0	4,674.96	0	5,031.11	0		0		0		0		0	
1/4	3,606.12	1/4	3,965.18	1/4	4,324.25	1/4	4,682.41	1/4	5,037.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,613.60	1/2	3,972.66	1/2	4,331.73	1/2	4,689.87	1/2	5,044.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,621.08	3/4	3,980.14	3/4	4,339.21	3/4	4,697.33	3/4	5,050.92	3/4		3/4		3/4		3/4		3/4	
1	3,628.56	1	3,987.62	1	4,346.69	1	4,704.79	1	5,057.52	1		1		1		1		1	
1/4	3,636.04	1/4	3,995.10	1/4	4,354.17	1/4	4,712.24	1/4	5,063.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,643.52	1/2	4,002.59	1/2	4,361.65	1/2	4,719.70	1/2	5,068.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,651.00	3/4	4,010.07	3/4	4,369.13	3/4	4,727.16	3/4	5,074.14	3/4		3/4		3/4		3/4		3/4	
2	3,658.48	2	4,017.55	2	4,376.61	2	4,734.61	2	5,079.67	2		2		2		2		2	
1/4	3,665.96	1/4	4,025.03	1/4	4,384.08	1/4	4,742.07	1/4	5,084.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,673.44	1/2	4,032.51	1/2	4,391.56	1/2	4,749.53	1/2	5,088.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,680.92	3/4	4,039.99	3/4	4,399.03	3/4	4,756.98	3/4	5,093.08	3/4		3/4		3/4		3/4		3/4	
3	3,688.40	3	4,047.47	3	4,406.51	3	4,764.44	3	5,097.54	3		3		3		3		3	
1/4	3,695.88	1/4	4,054.95	1/4	4,413.96	1/4	4,771.90	1/4	5,100.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,703.37	1/2	4,062.43	1/2	4,421.42	1/2	4,779.36	1/2	5,104.34	1/2		1/2		1/2		1/2		1/2	
3/4	3,710.85	3/4	4,069.91	3/4	4,428.88	3/4	4,786.81	3/4	5,107.74	3/4		3/4		3/4		3/4		3/4	
4	3,718.33	4	4,077.39	4	4,436.33	4	4,794.27	4	5,111.14	4		4		4		4		4	
1/4	3,725.81	1/4	4,084.87	1/4	4,443.79	1/4	4,801.73	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,733.29	1/2	4,092.35	1/2	4,451.25	1/2	4,809.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,740.77	3/4	4,099.83	3/4	4,458.70	3/4	4,816.64	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,748.25	5	4,107.31	5	4,466.16	5	4,824.10	5		5		5		5		5		5	
1/4	3,755.73	1/4	4,114.79	1/4	4,473.62	1/4	4,831.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,763.21	1/2	4,122.27	1/2	4,481.08	1/2	4,839.01	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,770.69	3/4	4,129.75	3/4	4,488.53	3/4	4,846.47	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,778.17	6	4,137.23	6	4,495.99	6	4,853.93	6		6		6		6		6		6	
1/4	3,785.65	1/4	4,144.71	1/4	4,503.45	1/4	4,861.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,793.13	1/2	4,152.20	1/2	4,510.90	1/2	4,868.81	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,800.61	3/4	4,159.68	3/4	4,518.36	3/4	4,876.26	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,808.09	7	4,167.16	7	4,525.82	7	4,883.70	7		7		7		7		7		7	
1/4	3,815.57	1/4	4,174.64	1/4	4,533.27	1/4	4,891.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,823.05	1/2	4,182.12	1/2	4,540.73	1/2	4,898.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,830.53	3/4	4,189.60	3/4	4,548.19	3/4	4,905.91	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,838.01	8	4,197.08	8	4,555.65	8	4,913.32	8		8		8		8		8		8	
1/4	3,845.49	1/4	4,204.56	1/4	4,563.10	1/4	4,920.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,852.98	1/2	4,212.04	1/2	4,570.56	1/2	4,928.13	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,860.46	3/4	4,219.52	3/4	4,578.02	3/4	4,935.54	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,867.94	9	4,227.00	9	4,585.47	9	4,942.94	9		9		9		9		9		9	
1/4	3,875.42	1/4	4,234.48	1/4	4,592.93	1/4	4,950.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,882.90	1/2	4,241.96	1/2	4,600.39	1/2	4,957.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,890.38	3/4	4,249.44	3/4	4,607.84	3/4	4,965.15	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,897.86	10	4,256.92	10	4,615.30	10	4,972.56	10		10		10		10		10		10	
1/4	3,905.34	1/4	4,264.40	1/4	4,622.76	1/4	4,979.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,912.82	1/2	4,271.88	1/2	4,630.22	1/2	4,987.34	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,920.30	3/4	4,279.36	3/4	4,637.67	3/4	4,994.73	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,927.78	11	4,286.84	11	4,645.13	11	5,002.12	11		11		11		11		11		11	
1/4	3,935.26	1/4	4,294.32	1/4	4,652.59	1/4	5,009.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,942.74	1/2	4,301.81	1/2	4,660.04	1/2	5,016.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,950.22	3/4	4,309.29	3/4	4,667.50	3/4	5,023.86	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	20.05	0	366.85	0	726.01	0	1,072.62	0	1,428.03	0	1,787.20	0	2,146.37	0	2,505.54	0	2,864.66	0	3,223.77
1/4	25.20	1/4	374.34	1/4	733.50	1/4	1,079.76	1/4	1,435.51	1/4	1,794.68	1/4	2,153.85	1/4	2,513.02	1/4	2,872.14	1/4	3,231.25
1/2	30.34	1/2	381.82	1/2	740.98	1/2	1,086.90	1/2	1,442.99	1/2	1,802.16	1/2	2,161.33	1/2	2,520.50	1/2	2,879.62	1/2	3,238.73
3/4	35.48	3/4	389.30	3/4	748.46	3/4	1,094.03	3/4	1,450.48	3/4	1,809.65	3/4	2,168.81	3/4	2,527.98	3/4	2,887.10	3/4	3,246.21
1	40.63	1	396.78	1	755.94	1	1,101.17	1	1,457.96	1	1,817.13	1	2,176.30	1	2,535.47	1	2,894.58	1	3,253.69
1/4	47.40	1/4	404.27	1/4	763.43	1/4	1,108.31	1/4	1,465.44	1/4	1,824.61	1/4	2,183.78	1/4	2,542.95	1/4	2,902.06	1/4	3,261.17
1/2	54.17	1/2	411.75	1/2	770.91	1/2	1,115.46	1/2	1,472.92	1/2	1,832.09	1/2	2,191.26	1/2	2,550.43	1/2	2,909.55	1/2	3,268.65
3/4	60.94	3/4	419.23	3/4	778.39	3/4	1,122.60	3/4	1,480.41	3/4	1,839.58	3/4	2,198.75	3/4	2,557.72	3/4	2,917.03	3/4	3,276.13
2	67.71	2	426.71	2	785.87	2	1,129.74	2	1,487.89	2	1,847.06	2	2,206.23	2	2,565.40	2	2,924.51	2	3,283.61
1/4	75.16	1/4	434.20	1/4	793.28	1/4	1,136.97	1/4	1,495.37	1/4	1,854.54	1/4	2,213.71	1/4	2,572.88	1/4	2,931.99	1/4	3,291.09
1/2	82.62	1/2	441.68	1/2	800.68	1/2	1,144.20	1/2	1,502.85	1/2	1,862.02	1/2	2,221.19	1/2	2,580.36	1/2	2,939.47	1/2	3,298.57
3/4	90.07	3/4	449.16	3/4	808.08	3/4	1,151.42	3/4	1,510.34	3/4	1,869.51	3/4	2,228.68	3/4	2,587.85	3/4	2,946.95	3/4	3,306.05
3	97.52	3	456.64	3	815.49	3	1,158.65	3	1,517.82	3	1,876.99	3	2,236.16	3	2,595.33	3	2,954.44	3	3,313.53
1/4	105.00	1/4	464.13	1/4	822.66	1/4	1,166.13	1/4	1,525.30	1/4	1,884.47	1/4	2,243.64	1/4	2,602.81	1/4	2,961.92	1/4	3,321.01
1/2	112.47	1/2	471.61	1/2	829.83	1/2	1,173.62	1/2	1,532.79	1/2	1,891.96	1/2	2,251.12	1/2	2,610.29	1/2	2,969.40	1/2	3,328.49
3/4	119.94	3/4	479.09	3/4	837.00	3/4	1,181.10	3/4	1,540.27	3/4	1,899.44	3/4	2,258.61	3/4	2,617.77	3/4	2,976.88	3/4	3,335.98
4	127.42	4	486.57	4	844.18	4	1,188.58	4	1,547.75	4	1,906.92	4	2,266.09	4	2,625.25	4	2,984.36	4	3,343.46
1/4	134.90	1/4	494.06	1/4	851.34	1/4	1,196.06	1/4	1,555.23	1/4	1,914.40	1/4	2,273.57	1/4	2,632.73	1/4	2,991.84	1/4	3,350.94
1/2	142.38	1/2	501.54	1/2	858.50	1/2	1,203.55	1/2	1,562.72	1/2	1,921.89	1/2	2,281.06	1/2	2,640.21	1/2	2,999.32	1/2	3,358.42
3/4	149.86	3/4	509.02	3/4	865.66	3/4	1,211.03	3/4	1,570.20	3/4	1,929.37	3/4	2,288.54	3/4	2,647.69	3/4	3,006.81	3/4	3,365.90
5	157.34	5	516.50	5	872.83	5	1,218.51	5	1,577.68	5	1,936.85	5	2,296.02	5	2,655.18	5	3,014.29	5	3,373.38
1/4	164.83	1/4	523.99	1/4	879.96	1/4	1,225.99	1/4	1,585.16	1/4	1,944.33	1/4	2,303.50	1/4	2,662.66	1/4	3,021.77	1/4	3,380.86
1/2	172.31	1/2	531.47	1/2	887.10	1/2	1,233.48	1/2	1,592.65	1/2	1,951.82	1/2	2,310.99	1/2	2,670.14	1/2	3,029.25	1/2	3,388.34
3/4	179.79	3/4	538.95	3/4	894.23	3/4	1,240.96	3/4	1,600.13	3/4	1,959.30	3/4	2,318.47	3/4	2,677.62	3/4	3,036.73	3/4	3,395.82
6	187.27	6	546.43	6	901.37	6	1,248.44	6	1,607.61	6	1,966.78	6	2,325.95	6	2,685.10	6	3,044.21	6	3,403.30
1/4	194.76	1/4	553.92	1/4	908.50	1/4	1,255.93	1/4	1,615.10	1/4	1,974.26	1/4	2,333.43	1/4	2,692.58	1/4	3,051.69	1/4	3,410.78
1/2	202.24	1/2	561.40	1/2	915.64	1/2	1,263.41	1/2	1,622.58	1/2	1,981.75	1/2	2,340.92	1/2	2,700.06	1/2	3,059.18	1/2	3,418.26
3/4	209.72	3/4	568.88	3/4	922.78	3/4	1,270.89	3/4	1,630.06	3/4	1,989.23	3/4	2,348.40	3/4	2,707.55	3/4	3,066.66	3/4	3,425.74
7	217.20	7	576.36	7	929.91	7	1,278.37	7	1,637.54	7	1,996.71	7	2,355.88	7	2,715.03	7	3,074.14	7	3,433.22
1/4	224.69	1/4	583.85	1/4	937.05	1/4	1,285.86	1/4	1,645.03	1/4	2,004.20	1/4	2,363.37	1/4	2,722.51	1/4	3,081.62	1/4	3,440.70
1/2	232.17	1/2	591.33	1/2	944.18	1/2	1,293.34	1/2	1,652.51	1/2	2,011.68	1/2	2,370.85	1/2	2,729.99	1/2	3,089.10	1/2	3,448.18
3/4	239.65	3/4	598.81	3/4	951.32	3/4	1,300.82	3/4	1,659.99	3/4	2,019.16	3/4	2,378.33	3/4	2,737.47	3/4	3,096.58	3/4	3,455.66
8	247.13	8	606.29	8	958.45	8	1,308.30	8	1,667.47	8	2,026.64	8	2,385.81	8	2,744.95	8	3,104.07	8	3,463.14
1/4	254.62	1/4	613.78	1/4	965.59	1/4	1,315.79	1/4	1,674.96	1/4	2,034.13	1/4	2,393.30	1/4	2,752.43	1/4	3,111.55	1/4	3,470.62
1/2	262.10	1/2	621.26	1/2	972.72	1/2	1,323.27	1/2	1,682.44	1/2	2,041.61	1/2	2,400.78	1/2	2,759.92	1/2	3,119.03	1/2	3,478.10
3/4	269.58	3/4	628.74	3/4	979.86	3/4	1,330.75	3/4	1,689.92	3/4	2,049.09	3/4	2,408.26	3/4	2,767.40	3/4	3,126.51	3/4	3,485.59
9	277.06	9	636.22	9	986.99	9	1,338.24	9	1,697.40	9	2,056.57	9	2,415.74	9	2,774.88	9	3,133.99	9	3,493.07
1/4	284.55	1/4	643.71	1/4	994.13	1/4	1,345.72	1/4	1,704.89	1/4	2,064.06	1/4	2,423.23	1/4	2,782.36	1/4	3,141.47	1/4	3,500.55
1/2	292.03	1/2	651.19	1/2	1,001.27	1/2	1,353.20	1/2	1,712.37	1/2	2,071.54	1/2	2,430.71	1/2	2,789.84	1/2	3,148.95	1/2	3,508.03
3/4	299.51	3/4	658.67	3/4	1,008.40	3/4	1,360.68	3/4	1,719.85	3/4	2,079.02	3/4	2,438.19	3/4	2,797.32	3/4	3,156.44	3/4	3,515.51
10	306.99	10	666.15	10	1,015.54	10	1,368.17	10	1,727.34	10	2,086.51	10	2,445.67	10	2,804.81	10	3,163.92	10	3,522.99
1/4	314.48	1/4	673.64	1/4	1,022.67	1/4	1,375.65	1/4	1,734.82	1/4	2,093.99	1/4	2,453.16	1/4	2,812.29	1/4	3,171.40	1/4	3,530.47
1/2	321.96	1/2	681.12	1/2	1,029.81	1/2	1,383.13	1/2	1,742.30	1/2	2,101.47	1/2	2,460.64	1/2	2,819.77	1/2	3,178.88	1/2	3,537.95
3/4	329.44	3/4	688.60	3/4	1,036.94	3/4	1,390.61	3/4	1,749.78	3/4	2,108.95	3/4	2,468.12	3/4	2,827.25	3/4	3,186.36	3/4	3,545.43
11	336.92	11	696.08	11	1,044.08	11	1,398.10	11	1,757.27	11	2,116.44	11	2,475.61	11	2,834.73	11	3,193.85	11	3,552.91
1/4	344.41	1/4	703.57	1/4	1,051.21	1/4	1,405.58	1/4	1,764.75	1/4	2,123.92	1/4	2,483.09	1/4	2,842.21	1/4	3,201.33	1/4	3,560.39
1/2	351.89	1/2	711.05	1/2	1,058.35	1/2	1,413.06	1/2	1,772.23	1/2	2,131.40	1/2	2,490.57	1/2	2,849.69	1/2	3,208.81	1/2	3,567.87
3/4	359.37	3/4	718.53	3/4	1,065.49	3/4	1,420.54	3/4	1,779.71	3/4	2,138.88	3/4	2,498.05	3/4	2,857.18	3/4	3,216.29	3/4	3,575.35

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" MMC CLOSED GAUGING VALVE
GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 36'-09" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,582.83	0	3,941.90	0	4,300.96	0	4,659.15	0	5,015.30	0		0		0		0		0	
1/4	3,590.31	1/4	3,949.38	1/4	4,308.44	1/4	4,666.61	1/4	5,021.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,597.79	1/2	3,956.86	1/2	4,315.92	1/2	4,674.06	1/2	5,028.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,605.27	3/4	3,964.34	3/4	4,323.40	3/4	4,681.52	3/4	5,035.11	3/4		3/4		3/4		3/4		3/4	
1	3,612.75	1	3,971.82	1	4,330.88	1	4,688.98	1	5,041.72	1		1		1		1		1	
1/4	3,620.23	1/4	3,979.30	1/4	4,338.36	1/4	4,696.44	1/4	5,047.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,627.71	1/2	3,986.78	1/2	4,345.84	1/2	4,703.89	1/2	5,052.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,635.20	3/4	3,994.26	3/4	4,353.32	3/4	4,711.35	3/4	5,058.33	3/4		3/4		3/4		3/4		3/4	
2	3,642.68	2	4,001.74	2	4,360.80	2	4,718.81	2	5,063.87	2		2		2		2		2	
1/4	3,650.16	1/4	4,009.22	1/4	4,368.28	1/4	4,726.26	1/4	5,068.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,657.64	1/2	4,016.70	1/2	4,375.75	1/2	4,733.72	1/2	5,072.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,665.12	3/4	4,024.18	3/4	4,383.22	3/4	4,741.18	3/4	5,077.27	3/4		3/4		3/4		3/4		3/4	
3	3,672.60	3	4,031.66	3	4,390.70	3	4,748.63	3	5,081.74	3		3		3		3		3	
1/4	3,680.08	1/4	4,039.14	1/4	4,398.16	1/4	4,756.09	1/4	5,085.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,687.56	1/2	4,046.62	1/2	4,405.61	1/2	4,763.55	1/2	5,088.53	1/2		1/2		1/2		1/2		1/2	
3/4	3,695.04	3/4	4,054.10	3/4	4,413.07	3/4	4,771.01	3/4	5,091.93	3/4		3/4		3/4		3/4		3/4	
4	3,702.52	4	4,061.58	4	4,420.53	4	4,778.46	4	5,095.33	4		4		4		4		4	
1/4	3,710.00	1/4	4,069.06	1/4	4,427.98	1/4	4,785.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,717.48	1/2	4,076.54	1/2	4,435.44	1/2	4,793.38	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,724.96	3/4	4,084.03	3/4	4,442.90	3/4	4,800.83	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,732.44	5	4,091.51	5	4,450.35	5	4,808.29	5		5		5		5		5		5	
1/4	3,739.92	1/4	4,098.99	1/4	4,457.81	1/4	4,815.75	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,747.40	1/2	4,106.47	1/2	4,465.27	1/2	4,823.20	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,754.88	3/4	4,113.95	3/4	4,472.73	3/4	4,830.66	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,762.36	6	4,121.43	6	4,480.18	6	4,838.12	6		6		6		6		6		6	
1/4	3,769.84	1/4	4,128.91	1/4	4,487.64	1/4	4,845.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,777.32	1/2	4,136.39	1/2	4,495.10	1/2	4,853.01	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,784.81	3/4	4,143.87	3/4	4,502.55	3/4	4,860.45	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,792.29	7	4,151.35	7	4,510.01	7	4,867.89	7		7		7		7		7		7	
1/4	3,799.77	1/4	4,158.83	1/4	4,517.47	1/4	4,875.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,807.25	1/2	4,166.31	1/2	4,524.92	1/2	4,882.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,814.73	3/4	4,173.79	3/4	4,532.38	3/4	4,890.11	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,822.21	8	4,181.27	8	4,539.84	8	4,897.51	8		8		8		8		8		8	
1/4	3,829.69	1/4	4,188.75	1/4	4,547.30	1/4	4,904.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,837.17	1/2	4,196.23	1/2	4,554.75	1/2	4,912.32	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,844.65	3/4	4,203.71	3/4	4,562.21	3/4	4,919.73	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,852.13	9	4,211.19	9	4,569.67	9	4,927.13	9		9		9		9		9		9	
1/4	3,859.61	1/4	4,218.67	1/4	4,577.12	1/4	4,934.54	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,867.09	1/2	4,226.15	1/2	4,584.58	1/2	4,941.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,874.57	3/4	4,233.64	3/4	4,592.04	3/4	4,949.35	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,882.05	10	4,241.12	10	4,599.49	10	4,956.75	10		10		10		10		10		10	
1/4	3,889.53	1/4	4,248.60	1/4	4,606.95	1/4	4,964.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,897.01	1/2	4,256.08	1/2	4,614.41	1/2	4,971.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,904.49	3/4	4,263.56	3/4	4,621.87	3/4	4,978.92	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,911.97	11	4,271.04	11	4,629.32	11	4,986.31	11		11		11		11		11		11	
1/4	3,919.45	1/4	4,278.52	1/4	4,636.78	1/4	4,993.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,926.93	1/2	4,286.00	1/2	4,644.24	1/2	5,000.81	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,934.42	3/4	4,293.48	3/4	4,651.69	3/4	5,008.05	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19.97	0	365.35	0	723.03	0	1,080.30	0	1,437.89	0	1,795.58	0	2,153.26	0	2,510.93	0	2,868.39	0	3,225.74
1/4	25.10	1/4	372.80	1/4	730.48	1/4	1,087.74	1/4	1,445.34	1/4	1,803.03	1/4	2,160.72	1/4	2,518.38	1/4	2,875.83	1/4	3,233.17
1/2	30.22	1/2	380.25	1/2	737.93	1/2	1,095.18	1/2	1,452.79	1/2	1,810.49	1/2	2,168.17	1/2	2,525.83	1/2	2,883.28	1/2	3,240.60
3/4	35.34	3/4	387.70	3/4	745.38	3/4	1,102.62	3/4	1,460.25	3/4	1,817.94	3/4	2,175.62	3/4	2,533.29	3/4	2,890.72	3/4	3,248.03
1	40.46	1	395.15	1	752.83	1	1,110.06	1	1,467.70	1	1,825.39	1	2,183.07	1	2,540.74	1	2,898.17	1	3,255.47
1/4	47.21	1/4	402.60	1/4	760.29	1/4	1,117.50	1/4	1,475.15	1/4	1,832.84	1/4	2,190.52	1/4	2,548.19	1/4	2,905.61	1/4	3,262.90
1/2	53.95	1/2	410.06	1/2	767.74	1/2	1,124.95	1/2	1,482.60	1/2	1,840.29	1/2	2,197.97	1/2	2,555.64	1/2	2,913.06	1/2	3,270.33
3/4	60.69	3/4	417.51	3/4	775.19	3/4	1,132.39	3/4	1,490.05	3/4	1,847.75	3/4	2,205.42	3/4	2,563.09	3/4	2,920.50	3/4	3,277.77
2	67.43	2	424.96	2	782.64	2	1,139.84	2	1,497.51	2	1,855.20	2	2,212.88	2	2,570.54	2	2,927.95	2	3,285.20
1/4	74.86	1/4	432.41	1/4	790.09	1/4	1,147.28	1/4	1,504.96	1/4	1,862.65	1/4	2,220.33	1/4	2,577.99	1/4	2,935.39	1/4	3,292.63
1/2	82.28	1/2	439.86	1/2	797.54	1/2	1,154.73	1/2	1,512.41	1/2	1,870.10	1/2	2,227.78	1/2	2,585.45	1/2	2,942.84	1/2	3,300.07
3/4	89.70	3/4	447.31	3/4	805.00	3/4	1,162.18	3/4	1,519.86	3/4	1,877.55	3/4	2,235.23	3/4	2,592.90	3/4	2,950.28	3/4	3,307.50
3	97.12	3	454.77	3	812.45	3	1,169.62	3	1,527.31	3	1,885.00	3	2,242.68	3	2,600.35	3	2,957.73	3	3,314.93
1/4	104.57	1/4	462.22	1/4	819.90	1/4	1,177.07	1/4	1,534.77	1/4	1,892.46	1/4	2,250.13	1/4	2,607.80	1/4	2,965.17	1/4	3,322.37
1/2	112.01	1/2	469.67	1/2	827.35	1/2	1,184.53	1/2	1,542.22	1/2	1,899.91	1/2	2,257.58	1/2	2,615.25	1/2	2,972.62	1/2	3,329.80
3/4	119.45	3/4	477.12	3/4	834.80	3/4	1,191.98	3/4	1,549.67	3/4	1,907.36	3/4	2,265.04	3/4	2,622.70	3/4	2,980.06	3/4	3,337.23
4	126.90	4	484.57	4	842.25	4	1,199.43	4	1,557.12	4	1,914.81	4	2,272.49	4	2,630.14	4	2,987.51	4	3,344.67
1/4	134.35	1/4	492.02	1/4	849.70	1/4	1,206.88	1/4	1,564.57	1/4	1,922.26	1/4	2,279.94	1/4	2,637.59	1/4	2,994.95	1/4	3,352.10
1/2	141.80	1/2	499.48	1/2	857.15	1/2	1,214.33	1/2	1,572.03	1/2	1,929.72	1/2	2,287.39	1/2	2,645.03	1/2	3,002.40	1/2	3,359.54
3/4	149.25	3/4	506.93	3/4	864.59	3/4	1,221.79	3/4	1,579.48	3/4	1,937.17	3/4	2,294.84	3/4	2,652.48	3/4	3,009.84	3/4	3,366.97
5	156.70	5	514.38	5	872.04	5	1,229.24	5	1,586.93	5	1,944.62	5	2,302.29	5	2,659.92	5	3,017.29	5	3,374.40
1/4	164.15	1/4	521.83	1/4	879.48	1/4	1,236.69	1/4	1,594.38	1/4	1,952.07	1/4	2,309.74	1/4	2,667.37	1/4	3,024.73	1/4	3,381.84
1/2	171.60	1/2	529.28	1/2	886.92	1/2	1,244.14	1/2	1,601.83	1/2	1,959.52	1/2	2,317.20	1/2	2,674.82	1/2	3,032.18	1/2	3,389.27
3/4	179.05	3/4	536.73	3/4	894.35	3/4	1,251.59	3/4	1,609.28	3/4	1,966.98	3/4	2,324.65	3/4	2,682.26	3/4	3,039.62	3/4	3,396.70
6	186.50	6	544.19	6	901.79	6	1,259.05	6	1,616.74	6	1,974.43	6	2,332.10	6	2,689.71	6	3,047.07	6	3,404.14
1/4	193.96	1/4	551.64	1/4	909.23	1/4	1,266.50	1/4	1,624.19	1/4	1,981.88	1/4	2,339.55	1/4	2,697.15	1/4	3,054.52	1/4	3,411.14
1/2	201.41	1/2	559.09	1/2	916.67	1/2	1,273.95	1/2	1,631.64	1/2	1,989.33	1/2	2,347.00	1/2	2,704.60	1/2	3,061.96	1/2	3,418.13
3/4	208.86	3/4	566.54	3/4	924.10	3/4	1,281.40	3/4	1,639.09	3/4	1,996.78	3/4	2,354.45	3/4	2,712.04	3/4	3,069.41	3/4	3,425.13
7	216.31	7	573.99	7	931.54	7	1,288.85	7	1,646.54	7	2,004.24	7	2,361.90	7	2,719.49	7	3,076.85	7	3,432.13
1/4	223.76	1/4	581.44	1/4	938.98	1/4	1,296.30	1/4	1,654.00	1/4	2,011.69	1/4	2,369.36	1/4	2,726.93	1/4	3,084.30	1/4	3,437.83
1/2	231.21	1/2	588.90	1/2	946.42	1/2	1,303.76	1/2	1,661.45	1/2	2,019.14	1/2	2,376.81	1/2	2,734.38	1/2	3,091.74	1/2	3,443.52
3/4	238.67	3/4	596.35	3/4	953.86	3/4	1,311.21	3/4	1,668.90	3/4	2,026.59	3/4	2,384.26	3/4	2,741.82	3/4	3,099.19	3/4	3,449.22
8	246.12	8	603.80	8	961.29	8	1,318.66	8	1,676.35	8	2,034.04	8	2,391.71	8	2,749.27	8	3,106.63	8	3,454.92
1/4	253.57	1/4	611.25	1/4	968.73	1/4	1,326.11	1/4	1,683.80	1/4	2,041.49	1/4	2,399.16	1/4	2,756.71	1/4	3,114.08	1/4	3,460.61
1/2	261.02	1/2	618.70	1/2	976.17	1/2	1,333.56	1/2	1,691.26	1/2	2,048.95	1/2	2,406.61	1/2	2,764.16	1/2	3,121.52	1/2	3,466.31
3/4	268.47	3/4	626.15	3/4	983.61	3/4	1,341.02	3/4	1,698.71	3/4	2,056.40	3/4	2,414.06	3/4	2,771.60	3/4	3,128.97	3/4	3,472.00
9	275.92	9	633.61	9	991.04	9	1,348.47	9	1,706.16	9	2,063.85	9	2,421.51	9	2,779.05	9	3,136.41	9	3,477.70
1/4	283.38	1/4	641.06	1/4	998.48	1/4	1,355.92	1/4	1,713.61	1/4	2,071.30	1/4	2,428.97	1/4	2,786.49	1/4	3,143.86	1/4	3,483.39
1/2	290.83	1/2	648.51	1/2	1,005.92	1/2	1,363.37	1/2	1,721.06	1/2	2,078.75	1/2	2,436.42	1/2	2,793.94	1/2	3,151.30	1/2	3,489.09
3/4	298.28	3/4	655.96	3/4	1,013.36	3/4	1,370.82	3/4	1,728.52	3/4	2,086.21	3/4	2,443.87	3/4	2,801.38	3/4	3,158.75	3/4	3,494.78
10	305.73	10	663.41	10	1,020.80	10	1,378.28	10	1,735.97	10	2,093.66	10	2,451.32	10	2,808.83	10	3,166.19	10	3,500.48
1/4	313.18	1/4	670.87	1/4	1,028.23	1/4	1,385.73	1/4	1,743.42	1/4	2,101.11	1/4	2,458.77	1/4	2,816.27	1/4	3,173.64	1/4	3,506.18
1/2	320.64	1/2	678.32	1/2	1,035.67	1/2	1,393.18	1/2	1,750.87	1/2	2,108.56	1/2	2,466.22	1/2	2,823.72	1/2	3,181.08	1/2	3,511.87
3/4	328.09	3/4	685.77	3/4	1,043.11	3/4	1,400.63	3/4	1,758.32	3/4	2,116.01	3/4	2,473.67	3/4	2,831.16	3/4	3,188.53	3/4	3,517.57
11	335.54	11	693.22	11	1,050.55	11	1,408.08	11	1,765.77	11	2,123.46	11	2,481.13	11	2,838.61	11	3,195.97	11	3,523.26
1/4	342.99	1/4	700.67	1/4	1,057.99	1/4	1,415.54	1/4	1,773.23	1/4	2,130.91	1/4	2,488.58	1/4	2,846.05	1/4	3,203.41	1/4	3,528.96
1/2	350.44	1/2	708.12	1/2	1,065.42	1/2	1,422.99	1/2	1,780.68	1/2	2,138.36	1/2	2,496.03	1/2	2,853.50	1/2	3,210.85	1/2	3,534.66
3/4	357.89	3/4	715.58	3/4	1,072.86	3/4	1,430.44	3/4	1,788.13	3/4	2,145.81	3/4	2,503.48	3/4	2,860.94	3/4	3,218.29	3/4	3,540.36

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" MMC CLOSED GAUGING VALVE
 GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "MPC 926"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,546.06	0	3,820.24	0	4,089.95	0	4,358.68	0	4,625.70	0		0		0		0		0	
1/4	3,551.77	1/4	3,825.93	1/4	4,095.56	1/4	4,364.28	1/4	4,630.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,557.49	1/2	3,831.62	1/2	4,101.17	1/2	4,369.87	1/2	4,635.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,563.20	3/4	3,837.30	3/4	4,106.78	3/4	4,375.47	3/4	4,639.97	3/4		3/4		3/4		3/4		3/4	
1	3,568.91	1	3,842.99	1	4,112.40	1	4,381.06	1	4,644.72	1		1		1		1		1	
1/4	3,574.62	1/4	3,848.60	1/4	4,118.01	1/4	4,386.65	1/4	4,648.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,580.33	1/2	3,854.22	1/2	4,123.62	1/2	4,392.25	1/2	4,652.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,586.05	3/4	3,859.83	3/4	4,129.23	3/4	4,397.84	3/4	4,657.11	3/4		3/4		3/4		3/4		3/4	
2	3,591.76	2	3,865.44	2	4,134.85	2	4,403.44	2	4,661.23	2		2		2		2		2	
1/4	3,597.47	1/4	3,871.05	1/4	4,140.45	1/4	4,409.03	1/4	4,665.60	1/4		1/4		1/4		1/4		1/4	
1/2	3,603.18	1/2	3,876.67	1/2	4,146.06	1/2	4,414.63	1/2	4,669.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,608.89	3/4	3,882.28	3/4	4,151.67	3/4	4,420.22	3/4	4,674.34	3/4		3/4		3/4		3/4		3/4	
3	3,614.61	3	3,887.89	3	4,157.28	3	4,425.82	3	4,678.70	3		3		3		3		3	
1/4	3,620.32	1/4	3,893.50	1/4	4,162.87	1/4	4,431.41	1/4	4,682.01	1/4		1/4		1/4		1/4		1/4	
1/2	3,626.03	1/2	3,899.12	1/2	4,168.47	1/2	4,437.00	1/2	4,685.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,631.74	3/4	3,904.73	3/4	4,174.06	3/4	4,442.60	3/4	4,688.61	3/4		3/4		3/4		3/4		3/4	
4	3,637.45	4	3,910.34	4	4,179.66	4	4,448.19	4	4,691.91	4		4		4		4		4	
1/4	3,643.17	1/4	3,915.96	1/4	4,185.25	1/4	4,453.79	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,648.88	1/2	3,921.57	1/2	4,190.85	1/2	4,459.38	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,654.59	3/4	3,927.18	3/4	4,196.44	3/4	4,464.98	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,660.30	5	3,932.79	5	4,202.04	5	4,470.57	5		5		5		5		5		5	
1/4	3,666.01	1/4	3,938.41	1/4	4,207.63	1/4	4,476.17	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,671.73	1/2	3,944.02	1/2	4,213.22	1/2	4,481.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,677.44	3/4	3,949.63	3/4	4,218.82	3/4	4,487.36	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,683.15	6	3,955.24	6	4,224.41	6	4,492.95	6		6		6		6		6		6	
1/4	3,688.86	1/4	3,960.86	1/4	4,230.01	1/4	4,498.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,694.58	1/2	3,966.47	1/2	4,235.60	1/2	4,504.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,700.29	3/4	3,972.08	3/4	4,241.20	3/4	4,509.70	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,706.00	7	3,977.69	7	4,246.79	7	4,515.29	7		7		7		7		7		7	
1/4	3,711.71	1/4	3,983.31	1/4	4,252.39	1/4	4,520.84	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,717.42	1/2	3,988.92	1/2	4,257.98	1/2	4,526.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,723.14	3/4	3,994.53	3/4	4,263.58	3/4	4,531.95	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,728.85	8	4,000.14	8	4,269.17	8	4,537.51	8		8		8		8		8		8	
1/4	3,734.56	1/4	4,005.76	1/4	4,274.76	1/4	4,543.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,740.27	1/2	4,011.37	1/2	4,280.36	1/2	4,548.62	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,745.98	3/4	4,016.98	3/4	4,285.95	3/4	4,554.17	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,751.70	9	4,022.59	9	4,291.55	9	4,559.73	9		9		9		9		9		9	
1/4	3,757.41	1/4	4,028.21	1/4	4,297.14	1/4	4,565.28	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,763.12	1/2	4,033.82	1/2	4,302.74	1/2	4,570.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,768.83	3/4	4,039.43	3/4	4,308.33	3/4	4,576.39	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,774.54	10	4,045.04	10	4,313.93	10	4,581.95	10		10		10		10		10		10	
1/4	3,780.26	1/4	4,050.66	1/4	4,319.52	1/4	4,587.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,785.97	1/2	4,056.27	1/2	4,325.11	1/2	4,593.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,791.68	3/4	4,061.88	3/4	4,330.71	3/4	4,598.57	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,797.39	11	4,067.50	11	4,336.30	11	4,604.11	11		11		11		11		11		11	
1/4	3,803.11	1/4	4,073.11	1/4	4,341.90	1/4	4,609.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,808.82	1/2	4,078.72	1/2	4,347.49	1/2	4,614.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,814.53	3/4	4,084.33	3/4	4,353.09	3/4	4,620.30	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19.98	0	365.08	0	722.37	0	1,067.47	0	1,420.81	0	1,777.44	0	2,134.42	0	2,491.51	0	2,848.40	0	3,205.17
1/4	25.11	1/4	372.53	1/4	729.82	1/4	1,074.58	1/4	1,428.24	1/4	1,784.87	1/4	2,141.86	1/4	2,498.95	1/4	2,855.83	1/4	3,212.59
1/2	30.23	1/2	379.97	1/2	737.26	1/2	1,081.68	1/2	1,435.68	1/2	1,792.31	1/2	2,149.30	1/2	2,506.39	1/2	2,863.26	1/2	3,220.01
3/4	35.36	3/4	387.42	3/4	744.70	3/4	1,088.79	3/4	1,443.11	3/4	1,799.74	3/4	2,156.74	3/4	2,513.83	3/4	2,870.69	3/4	3,227.43
1	40.48	1	394.86	1	752.15	1	1,095.90	1	1,450.55	1	1,807.17	1	2,164.18	1	2,521.27	1	2,878.13	1	3,234.85
1/4	47.23	1/4	402.30	1/4	759.59	1/4	1,103.01	1/4	1,457.98	1/4	1,814.61	1/4	2,171.62	1/4	2,528.71	1/4	2,885.56	1/4	3,242.27
1/2	53.97	1/2	409.75	1/2	767.03	1/2	1,110.13	1/2	1,465.42	1/2	1,822.04	1/2	2,179.06	1/2	2,536.15	1/2	2,892.99	1/2	3,249.69
3/4	60.72	3/4	417.19	3/4	774.48	3/4	1,117.24	3/4	1,472.86	3/4	1,829.48	3/4	2,186.50	3/4	2,543.58	3/4	2,900.43	3/4	3,257.11
2	67.47	2	424.63	2	781.92	2	1,124.36	2	1,480.29	2	1,836.91	2	2,193.94	2	2,551.02	2	2,907.86	2	3,264.54
1/4	74.89	1/4	432.08	1/4	789.29	1/4	1,131.55	1/4	1,487.73	1/4	1,844.34	1/4	2,201.38	1/4	2,558.46	1/4	2,915.29	1/4	3,271.96
1/2	82.31	1/2	439.52	1/2	796.65	1/2	1,138.74	1/2	1,495.16	1/2	1,851.78	1/2	2,208.82	1/2	2,565.90	1/2	2,922.73	1/2	3,279.38
3/4	89.73	3/4	446.96	3/4	804.02	3/4	1,145.94	3/4	1,502.60	3/4	1,859.21	3/4	2,216.26	3/4	2,573.34	3/4	2,930.16	3/4	3,286.80
3	97.16	3	454.41	3	811.39	3	1,153.13	3	1,510.03	3	1,866.65	3	2,223.70	3	2,580.78	3	2,937.59	3	3,294.22
1/4	104.59	1/4	461.85	1/4	818.53	1/4	1,160.57	1/4	1,517.47	1/4	1,874.08	1/4	2,231.13	1/4	2,588.22	1/4	2,945.03	1/4	3,301.64
1/2	112.03	1/2	469.29	1/2	825.67	1/2	1,168.00	1/2	1,524.90	1/2	1,881.51	1/2	2,238.57	1/2	2,595.66	1/2	2,952.46	1/2	3,309.06
3/4	119.46	3/4	476.74	3/4	832.81	3/4	1,175.44	3/4	1,532.33	3/4	1,888.95	3/4	2,246.01	3/4	2,603.10	3/4	2,959.89	3/4	3,316.49
4	126.90	4	484.18	4	839.95	4	1,182.87	4	1,539.76	4	1,896.38	4	2,253.45	4	2,610.54	4	2,967.32	4	3,323.91
1/4	134.34	1/4	491.62	1/4	847.08	1/4	1,190.31	1/4	1,547.19	1/4	1,903.82	1/4	2,260.89	1/4	2,617.97	1/4	2,974.76	1/4	3,331.33
1/2	141.78	1/2	499.07	1/2	854.21	1/2	1,197.75	1/2	1,554.62	1/2	1,911.25	1/2	2,268.33	1/2	2,625.40	1/2	2,982.19	1/2	3,338.75
3/4	149.22	3/4	506.51	3/4	861.34	3/4	1,205.18	3/4	1,562.05	3/4	1,918.68	3/4	2,275.77	3/4	2,632.84	3/4	2,989.62	3/4	3,346.17
5	156.67	5	513.95	5	868.47	5	1,212.62	5	1,569.47	5	1,926.12	5	2,283.21	5	2,640.27	5	2,997.06	5	3,353.59
1/4	164.11	1/4	521.40	1/4	875.58	1/4	1,220.05	1/4	1,576.90	1/4	1,933.56	1/4	2,290.65	1/4	2,647.70	1/4	3,004.49	1/4	3,361.02
1/2	171.55	1/2	528.84	1/2	882.69	1/2	1,227.49	1/2	1,584.33	1/2	1,940.99	1/2	2,298.09	1/2	2,655.13	1/2	3,011.92	1/2	3,368.44
3/4	179.00	3/4	536.29	3/4	889.80	3/4	1,234.92	3/4	1,591.75	3/4	1,948.43	3/4	2,305.53	3/4	2,662.57	3/4	3,019.36	3/4	3,375.86
6	186.44	6	543.73	6	896.90	6	1,242.36	6	1,599.18	6	1,955.87	6	2,312.97	6	2,670.00	6	3,026.79	6	3,383.28
1/4	193.88	1/4	551.17	1/4	904.01	1/4	1,249.79	1/4	1,606.61	1/4	1,963.31	1/4	2,320.41	1/4	2,677.43	1/4	3,034.22	1/4	3,390.27
1/2	201.33	1/2	558.62	1/2	911.12	1/2	1,257.23	1/2	1,614.04	1/2	1,970.75	1/2	2,327.85	1/2	2,684.87	1/2	3,041.66	1/2	3,397.25
3/4	208.77	3/4	566.06	3/4	918.22	3/4	1,264.66	3/4	1,621.46	3/4	1,978.19	3/4	2,335.28	3/4	2,692.30	3/4	3,049.09	3/4	3,404.24
7	216.21	7	573.50	7	925.33	7	1,272.10	7	1,628.89	7	1,985.63	7	2,342.72	7	2,699.73	7	3,056.52	7	3,411.23
1/4	223.66	1/4	580.95	1/4	932.44	1/4	1,279.53	1/4	1,636.32	1/4	1,993.07	1/4	2,350.16	1/4	2,707.17	1/4	3,063.95	1/4	3,418.91
1/2	231.10	1/2	588.39	1/2	939.54	1/2	1,286.97	1/2	1,643.74	1/2	2,000.51	1/2	2,357.60	1/2	2,714.60	1/2	3,071.39	1/2	3,426.60
3/4	238.55	3/4	595.83	3/4	946.65	3/4	1,294.41	3/4	1,651.17	3/4	2,007.95	3/4	2,365.04	3/4	2,722.03	3/4	3,078.82	3/4	3,434.29
8	245.99	8	603.28	8	953.76	8	1,301.84	8	1,658.60	8	2,015.39	8	2,372.48	8	2,729.47	8	3,086.25	8	3,443.97
1/4	253.43	1/4	610.72	1/4	960.86	1/4	1,309.28	1/4	1,666.02	1/4	2,022.83	1/4	2,379.92	1/4	2,736.90	1/4	3,093.69	1/4	3,449.67
1/2	260.88	1/2	618.16	1/2	967.97	1/2	1,316.71	1/2	1,673.45	1/2	2,030.27	1/2	2,387.36	1/2	2,744.33	1/2	3,101.12	1/2	3,455.36
3/4	268.32	3/4	625.61	3/4	975.08	3/4	1,324.15	3/4	1,680.88	3/4	2,037.71	3/4	2,394.80	3/4	2,751.76	3/4	3,108.55	3/4	3,451.06
9	275.76	9	633.05	9	982.19	9	1,331.58	9	1,688.31	9	2,045.15	9	2,402.24	9	2,759.20	9	3,115.99	9	3,456.76
1/4	283.21	1/4	640.49	1/4	989.29	1/4	1,339.02	1/4	1,695.73	1/4	2,052.59	1/4	2,409.68	1/4	2,766.63	1/4	3,123.42	1/4	3,462.45
1/2	290.65	1/2	647.94	1/2	996.40	1/2	1,346.45	1/2	1,703.16	1/2	2,060.03	1/2	2,417.12	1/2	2,774.06	1/2	3,130.85	1/2	3,468.15
3/4	298.09	3/4	655.38	3/4	1,003.51	3/4	1,353.89	3/4	1,710.59	3/4	2,067.47	3/4	2,424.56	3/4	2,781.50	3/4	3,138.29	3/4	3,473.84
10	305.54	10	662.82	10	1,010.61	10	1,361.32	10	1,718.01	10	2,074.91	10	2,432.00	10	2,788.93	10	3,145.72	10	3,479.54
1/4	312.98	1/4	670.27	1/4	1,017.72	1/4	1,368.76	1/4	1,725.44	1/4	2,082.35	1/4	2,439.43	1/4	2,796.36	1/4	3,153.15	1/4	3,485.24
1/2	320.42	1/2	677.71	1/2	1,024.83	1/2	1,376.20	1/2	1,732.87	1/2	2,089.79	1/2	2,446.87	1/2	2,803.80	1/2	3,160.58	1/2	3,490.93
3/4	327.87	3/4	685.16	3/4	1,031.93	3/4	1,383.63	3/4	1,740.30	3/4	2,097.23	3/4	2,454.31	3/4	2,811.23	3/4	3,168.02	3/4	3,496.63
11	335.31	11	692.60	11	1,039.04	11	1,391.07	11	1,747.72	11	2,104.67	11	2,461.75	11	2,818.66	11	3,175.45	11	3,502.32
1/4	342.75	1/4	700.04	1/4	1,046.15	1/4	1,398.50	1/4	1,755.15	1/4	2,112.11	1/4	2,469.19	1/4	2,826.10	1/4	3,182.88	1/4	3,508.02
1/2	350.20	1/2	707.49	1/2	1,053.25	1/2	1,405.94	1/2	1,762.58	1/2	2,119.54	1/2	2,476.63	1/2	2,833.53	1/2	3,190.31	1/2	3,513.73
3/4	357.64	3/4	714.93	3/4	1,060.36	3/4	1,413.37	3/4	1,770.01	3/4	2,126.98	3/4	2,484.07	3/4	2,840.96	3/4	3,197.74	3/4	3,519.43

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" MMC CLOSED GAUGING VALVE
GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,525.13	0	3,799.44	0	4,069.27	0	4,338.14	0	4,605.29	0		0		0		0		0	
1/4	3,530.84	1/4	3,805.13	1/4	4,074.89	1/4	4,343.74	1/4	4,610.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,536.56	1/2	3,810.82	1/2	4,080.51	1/2	4,349.34	1/2	4,614.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,542.27	3/4	3,816.51	3/4	4,086.12	3/4	4,354.93	3/4	4,619.56	3/4		3/4		3/4		3/4		3/4	
1	3,547.99	1	3,822.20	1	4,091.74	1	4,360.53	1	4,624.32	1		1		1		1		1	
1/4	3,553.70	1/4	3,827.82	1/4	4,097.35	1/4	4,366.13	1/4	4,628.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,559.42	1/2	3,833.43	1/2	4,102.97	1/2	4,371.73	1/2	4,632.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,565.13	3/4	3,839.05	3/4	4,108.58	3/4	4,377.32	3/4	4,636.71	3/4		3/4		3/4		3/4		3/4	
2	3,570.85	2	3,844.66	2	4,114.20	2	4,382.92	2	4,640.84	2		2		2		2		2	
1/4	3,576.56	1/4	3,850.28	1/4	4,119.81	1/4	4,388.52	1/4	4,645.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,582.28	1/2	3,855.89	1/2	4,125.42	1/2	4,394.11	1/2	4,649.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,587.99	3/4	3,861.51	3/4	4,131.03	3/4	4,399.71	3/4	4,653.95	3/4		3/4		3/4		3/4		3/4	
3	3,593.71	3	3,867.12	3	4,136.64	3	4,405.31	3	4,658.32	3		3		3		3		3	
1/4	3,599.42	1/4	3,872.74	1/4	4,142.24	1/4	4,410.91	1/4	4,661.62	1/4		1/4		1/4		1/4		1/4	
1/2	3,605.13	1/2	3,878.35	1/2	4,147.84	1/2	4,416.50	1/2	4,664.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,610.85	3/4	3,883.97	3/4	4,153.43	3/4	4,422.10	3/4	4,668.23	3/4		3/4		3/4		3/4		3/4	
4	3,616.56	4	3,889.59	4	4,159.03	4	4,427.70	4	4,671.54	4		4		4		4		4	
1/4	3,622.28	1/4	3,895.20	1/4	4,164.63	1/4	4,433.29	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,627.99	1/2	3,900.82	1/2	4,170.23	1/2	4,438.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,633.71	3/4	3,906.43	3/4	4,175.82	3/4	4,444.49	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,639.42	5	3,912.05	5	4,181.42	5	4,450.09	5		5		5		5		5		5	
1/4	3,645.14	1/4	3,917.66	1/4	4,187.02	1/4	4,455.68	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,650.85	1/2	3,923.28	1/2	4,192.61	1/2	4,461.28	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,656.57	3/4	3,928.89	3/4	4,198.21	3/4	4,466.88	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,662.28	6	3,934.51	6	4,203.81	6	4,472.47	6		6		6		6		6		6	
1/4	3,668.00	1/4	3,940.12	1/4	4,209.41	1/4	4,478.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,673.71	1/2	3,945.74	1/2	4,215.00	1/2	4,483.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,679.43	3/4	3,951.35	3/4	4,220.60	3/4	4,489.24	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,685.14	7	3,956.97	7	4,226.20	7	4,494.83	7		7		7		7		7		7	
1/4	3,690.86	1/4	3,962.58	1/4	4,231.80	1/4	4,500.38	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,696.57	1/2	3,968.20	1/2	4,237.39	1/2	4,505.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,702.29	3/4	3,973.81	3/4	4,242.99	3/4	4,511.50	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,708.00	8	3,979.43	8	4,248.59	8	4,517.06	8		8		8		8		8		8	
1/4	3,713.72	1/4	3,985.05	1/4	4,254.18	1/4	4,522.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,719.43	1/2	3,990.66	1/2	4,259.78	1/2	4,528.17	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,725.15	3/4	3,996.28	3/4	4,265.38	3/4	4,533.73	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,730.86	9	4,001.89	9	4,270.98	9	4,539.29	9		9		9		9		9		9	
1/4	3,736.58	1/4	4,007.51	1/4	4,276.57	1/4	4,544.85	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,742.29	1/2	4,013.12	1/2	4,282.17	1/2	4,550.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,748.01	3/4	4,018.74	3/4	4,287.77	3/4	4,555.96	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,753.72	10	4,024.35	10	4,293.36	10	4,561.52	10		10		10		10		10		10	
1/4	3,759.44	1/4	4,029.97	1/4	4,298.96	1/4	4,567.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,765.15	1/2	4,035.58	1/2	4,304.56	1/2	4,572.60	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,770.87	3/4	4,041.20	3/4	4,310.16	3/4	4,578.15	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,776.58	11	4,046.81	11	4,315.75	11	4,583.69	11		11		11		11		11		11	
1/4	3,782.30	1/4	4,052.43	1/4	4,321.35	1/4	4,589.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,788.01	1/2	4,058.04	1/2	4,326.95	1/2	4,594.49	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,793.73	3/4	4,063.66	3/4	4,332.54	3/4	4,599.89	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GUAGE HEIGHT 3'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	389	0	778	0	1,168	0		0		0		0		0		0	
1/4	8	1/4	397	1/4	787	1/4	1,176	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	405	1/2	795	1/2	1,184	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24	3/4	414	3/4	803	3/4	1,192	3/4		3/4		3/4		3/4		3/4		3/4	
1	32	1	422	1	811	1	1,200	1		1		1		1		1		1	
1/4	41	1/4	430	1/4	819	1/4	1,208	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	49	1/2	438	1/2	827	1/2	1,216	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	57	3/4	446	3/4	835	3/4	1,224	3/4		3/4		3/4		3/4		3/4		3/4	
2	65	2	454	2	843	2	1,232	2		2		2		2		2		2	
1/4	73	1/4	462	1/4	851	1/4	1,241	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	81	1/2	470	1/2	859	1/2	1,249	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	89	3/4	478	3/4	868	3/4	1,257	3/4		3/4		3/4		3/4		3/4		3/4	
3	97	3	487	3	876	3	1,265	3		3		3		3		3		3	
1/4	105	1/4	495	1/4	884	1/4	1,273	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	114	1/2	503	1/2	892	1/2	1,281	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	122	3/4	511	3/4	900	3/4	1,289	3/4		3/4		3/4		3/4		3/4		3/4	
4	130	4	519	4	908	4	1,297	4		4		4		4		4		4	
1/4	138	1/4	527	1/4	916	1/4	1,305	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	146	1/2	535	1/2	924	1/2	1,314	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154	3/4	543	3/4	932	3/4	1,322	3/4		3/4		3/4		3/4		3/4		3/4	
5	162	5	551	5	941	5	1,330	5		5		5		5		5		5	
1/4	170	1/4	559	1/4	949	1/4	1,333	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	178	1/2	568	1/2	957	1/2	1,336	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	186	3/4	576	3/4	965	3/4	1,340	3/4		3/4		3/4		3/4		3/4		3/4	
6	195	6	584	6	973	6	1,343	6		6		6		6		6		6	
1/4	203	1/4	592	1/4	981	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	211	1/2	600	1/2	989	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	219	3/4	608	3/4	997	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	227	7	616	7	1,005	7		7		7		7		7		7		7	
1/4	235	1/4	624	1/4	1,014	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	632	1/2	1,022	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	251	3/4	641	3/4	1,030	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	259	8	649	8	1,038	8		8		8		8		8		8		8	
1/4	268	1/4	657	1/4	1,046	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	276	1/2	665	1/2	1,054	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	284	3/4	673	3/4	1,062	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	292	9	681	9	1,070	9		9		9		9		9		9		9	
1/4	300	1/4	689	1/4	1,078	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	308	1/2	697	1/2	1,087	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	316	3/4	705	3/4	1,095	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	324	10	714	10	1,103	10		10		10		10		10		10		10	
1/4	332	1/4	722	1/4	1,111	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	341	1/2	730	1/2	1,119	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	349	3/4	738	3/4	1,127	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	357	11	746	11	1,135	11		11		11		11		11		11		11	
1/4	365	1/4	754	1/4	1,143	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	373	1/2	762	1/2	1,151	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	381	3/4	770	3/4	1,160	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF MANWAY

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPC 926"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-11 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	84	0	210	0	321	0		0		0		0		0		0	
1/4	1	1/4	86	1/4	212	1/4	323	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	89	1/2	215	1/2	325	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	91	3/4	217	3/4	327	3/4		3/4		3/4		3/4		3/4		3/4	
1	2	1	94	1	220	1	328	1		1		1		1		1		1	
1/4	3	1/4	96	1/4	223	1/4	330	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4	1/2	99	1/2	225	1/2	331	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5	3/4	101	3/4	228	3/4	333	3/4		3/4		3/4		3/4		3/4		3/4	
2	6	2	104	2	230	2	334	2		2		2		2		2		2	
1/4	7	1/4	106	1/4	233	1/4	336	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	9	1/2	109	1/2	236	1/2	337	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	10	3/4	111	3/4	238	3/4	338	3/4		3/4		3/4		3/4		3/4		3/4	
3	11	3	114	3	241	3	340	3		3		3		3		3		3	
1/4	13	1/4	117	1/4	243	1/4	341	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	14	1/2	119	1/2	246	1/2	342	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	16	3/4	122	3/4	248	3/4	343	3/4		3/4		3/4		3/4		3/4		3/4	
4	17	4	124	4	251	4	344	4		4		4		4		4		4	
1/4	19	1/4	127	1/4	253	1/4	345	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21	1/2	130	1/2	256	1/2	345	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22	3/4	132	3/4	258	3/4	346	3/4		3/4		3/4		3/4		3/4		3/4	
5	24	5	135	5	261	5	347	5		5		5		5		5		5	
1/4	26	1/4	138	1/4	263	1/4	347	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	28	1/2	140	1/2	266	1/2	347	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	29	3/4	143	3/4	268	3/4	347	3/4		3/4		3/4		3/4		3/4		3/4	
6	31	6	146	6	270	6		6		6		6		6		6		6	
1/4	33	1/4	148	1/4	273	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	35	1/2	151	1/2	275	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	37	3/4	154	3/4	277	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	39	7	156	7	280	7		7		7		7		7		7		7	
1/4	41	1/4	159	1/4	282	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	43	1/2	162	1/2	284	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45	3/4	164	3/4	287	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	47	8	167	8	289	8		8		8		8		8		8		8	
1/4	49	1/4	170	1/4	291	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	52	1/2	172	1/2	293	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	175	3/4	296	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	56	9	178	9	298	9		9		9		9		9		9		9	
1/4	58	1/4	180	1/4	300	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	60	1/2	183	1/2	302	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	186	3/4	304	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	65	10	188	10	306	10		10		10		10		10		10		10	
1/4	67	1/4	191	1/4	308	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	70	1/2	194	1/2	310	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	196	3/4	312	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	74	11	199	11	314	11		11		11		11		11		11		11	
1/4	77	1/4	202	1/4	316	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	79	1/2	204	1/2	318	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	82	3/4	207	3/4	320	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO 2" DIAMETER PIPE

STRAPPED: 06/30/2014 SW
CALCULATED: 06/30/2014 CL
PRINTED: 06/30/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>