

BARGE "RBT 300"
HULL NO. 4405

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5 3/8"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,191.01	0	4,827.54	0	4,463.80	0	4,097.47	0	3,730.19	0	3,362.90	0	2,995.61	0	2,628.33	0	2,261.04
1/4	1/4	1/4	5,183.49	1/4	4,819.97	1/4	4,456.22	1/4	4,089.82	1/4	3,722.54	1/4	3,355.25	1/4	2,987.96	1/4	2,620.88	1/4	2,253.39
1/2	1/2	1/2	5,175.97	1/2	4,812.39	1/2	4,448.64	1/2	4,082.17	1/2	3,714.88	1/2	3,347.60	1/2	2,980.31	1/2	2,613.02	1/2	2,245.74
3/4	3/4	3/4	5,168.44	3/4	4,804.81	3/4	4,441.07	3/4	4,074.52	3/4	3,707.23	3/4	3,339.95	3/4	2,972.66	3/4	2,605.37	3/4	2,238.09
1	1	1	5,160.92	1	4,797.23	1	4,433.49	1	4,066.87	1	3,699.58	1	3,332.29	1	2,965.01	1	2,597.72	1	2,230.43
1/4	1/4	1/4	5,153.40	1/4	4,789.65	1/4	4,425.91	1/4	4,059.21	1/4	3,691.93	1/4	3,324.64	1/4	2,957.36	1/4	2,590.07	1/4	2,222.78
1/2	1/2	1/2	5,145.82	1/2	4,782.08	1/2	4,418.33	1/2	4,051.56	1/2	3,684.28	1/2	3,316.99	1/2	2,949.70	1/2	2,582.42	1/2	2,215.13
3/4	3/4	3/4	5,138.24	3/4	4,774.50	3/4	4,410.75	3/4	4,043.91	3/4	3,676.62	3/4	3,309.34	3/4	2,942.05	3/4	2,574.77	3/4	2,207.48
2	2	2	5,130.66	2	4,766.92	2	4,403.18	2	4,036.26	2	3,668.97	2	3,301.69	2	2,934.40	2	2,567.11	2	2,199.83
1/4	1/4	1/4	5,123.09	1/4	4,759.34	1/4	4,395.60	1/4	4,028.61	1/4	3,661.32	1/4	3,294.03	1/4	2,926.75	1/4	2,559.46	1/4	2,192.18
1/2	1/2	1/2	5,115.51	1/2	4,751.76	1/2	4,388.02	1/2	4,020.96	1/2	3,653.67	1/2	3,286.38	1/2	2,919.10	1/2	2,551.81	1/2	2,184.52
3/4	3/4	3/4	5,107.93	3/4	4,744.19	3/4	4,380.44	3/4	4,013.30	3/4	3,646.02	3/4	3,278.73	3/4	2,911.44	3/4	2,544.16	3/4	2,176.87
3	3	3	5,100.35	3	4,736.61	3	4,372.86	3	4,005.65	3	3,638.37	3	3,271.08	3	2,903.79	3	2,536.51	3	2,169.22
1/4	1/4	1/4	5,092.77	1/4	4,729.03	1/4	4,365.29	1/4	3,998.00	1/4	3,630.71	1/4	3,263.43	1/4	2,896.14	1/4	2,528.85	1/4	2,161.57
1/2	1/2	1/2	5,085.20	1/2	4,721.45	1/2	4,357.63	1/2	3,990.35	1/2	3,623.06	1/2	3,255.78	1/2	2,888.49	1/2	2,521.20	1/2	2,153.92
3/4	3/4	3/4	5,077.62	3/4	4,713.87	3/4	4,349.98	3/4	3,982.70	3/4	3,615.41	3/4	3,248.12	3/4	2,880.84	3/4	2,513.55	3/4	2,146.26
4	4	4	5,070.04	4	4,706.30	4	4,342.33	4	3,975.04	4	3,607.76	4	3,240.47	4	2,873.19	4	2,505.95	4	2,138.61
1/4	1/4	1/4	5,062.46	1/4	4,698.72	1/4	4,334.68	1/4	3,967.39	1/4	3,600.11	1/4	3,232.82	1/4	2,865.53	1/4	2,498.20	1/4	2,130.96
1/2	1/2	1/2	5,054.88	1/2	4,691.14	1/2	4,327.03	1/2	3,959.74	1/2	3,592.45	1/2	3,225.17	1/2	2,857.88	1/2	2,490.60	1/2	2,123.31
3/4	3/4	3/4	5,047.31	3/4	4,683.56	3/4	4,319.38	3/4	3,952.09	3/4	3,584.80	3/4	3,217.52	3/4	2,850.23	3/4	2,482.94	3/4	2,115.66
5	5	5	5,039.73	5	4,675.98	5	4,311.72	5	3,944.44	5	3,577.15	5	3,209.86	5	2,842.58	5	2,475.29	5	2,108.01
1/4	1/4	1/4	5,032.15	1/4	4,668.41	1/4	4,304.07	1/4	3,936.79	1/4	3,569.50	1/4	3,202.21	1/4	2,834.93	1/4	2,467.64	1/4	2,100.35
1/2	1/2	1/2	5,024.57	1/2	4,660.83	1/2	4,296.42	1/2	3,929.13	1/2	3,561.85	1/2	3,194.56	1/2	2,827.27	1/2	2,459.99	1/2	2,092.70
3/4	3/4	3/4	5,016.99	3/4	4,653.25	3/4	4,288.77	3/4	3,921.48	3/4	3,554.20	3/4	3,186.91	3/4	2,819.62	3/4	2,452.34	3/4	2,085.05
6	6	6	5,009.42	6	4,645.67	6	4,281.12	6	3,913.83	6	3,546.54	6	3,179.26	6	2,811.97	6	2,444.68	6	2,077.40
1/4	1/4	1/4	5,001.84	1/4	4,638.09	1/4	4,273.46	1/4	3,906.18	1/4	3,538.89	1/4	3,171.61	1/4	2,804.32	1/4	2,437.03	1/4	2,069.75
1/2	1/2	1/2	4,994.26	1/2	4,630.52	1/2	4,265.81	1/2	3,898.53	1/2	3,531.24	1/2	3,163.95	1/2	2,796.67	1/2	2,429.38	1/2	2,062.09
3/4	3/4	3/4	4,986.68	3/4	4,622.94	3/4	4,258.16	3/4	3,890.87	3/4	3,523.59	3/4	3,156.30	3/4	2,789.02	3/4	2,421.73	3/4	2,054.44
7	7	7	4,979.10	7	4,615.36	7	4,250.51	7	3,883.22	7	3,515.94	7	3,148.65	7	2,781.36	7	2,414.08	7	2,046.79
1/4	1/4	1/4	4,971.53	1/4	4,607.78	1/4	4,242.86	1/4	3,875.57	1/4	3,508.28	1/4	3,141.00	1/4	2,773.71	1/4	2,406.43	1/4	2,039.14
1/2	1/2	1/2	4,963.95	1/2	4,600.20	1/2	4,235.21	1/2	3,867.92	1/2	3,500.63	1/2	3,133.35	1/2	2,766.06	1/2	2,398.77	1/2	2,031.49
3/4	3/4	3/4	4,956.37	3/4	4,592.63	3/4	4,227.55	3/4	3,860.27	3/4	3,492.98	3/4	3,125.69	3/4	2,758.41	3/4	2,391.12	3/4	2,023.84
8	8	8	4,948.79	8	4,585.05	8	4,219.90	8	3,852.62	8	3,485.33	8	3,118.04	8	2,750.76	8	2,383.47	8	2,016.18
1/4	1/4	1/4	4,941.21	1/4	4,577.47	1/4	4,212.25	1/4	3,844.96	1/4	3,477.68	1/4	3,110.39	1/4	2,743.10	1/4	2,375.82	1/4	2,008.53
1/2	1/2	1/2	4,933.64	1/2	4,569.89	1/2	4,204.60	1/2	3,837.31	1/2	3,470.03	1/2	3,102.74	1/2	2,735.45	1/2	2,368.17	1/2	2,000.88
3/4	3/4	3/4	4,926.06	3/4	4,562.31	3/4	4,196.95	3/4	3,829.66	3/4	3,462.37	3/4	3,095.09	3/4	2,727.80	3/4	2,360.51	3/4	1,993.23
9	9	9	4,918.48	9	4,554.74	9	4,189.29	9	3,822.01	9	3,454.72	9	3,087.44	9	2,720.15	9	2,352.86	9	1,985.58
1/4	1/4	1/4	4,910.90	1/4	4,547.16	1/4	4,181.64	1/4	3,814.36	1/4	3,447.07	1/4	3,079.78	1/4	2,712.50	1/4	2,345.21	1/4	1,977.92
1/2	1/2	1/2	4,903.32	1/2	4,539.58	1/2	4,173.99	1/2	3,806.70	1/2	3,439.42	1/2	3,072.13	1/2	2,704.85	1/2	2,337.56	1/2	1,970.27
3/4	3/4	3/4	4,895.75	3/4	4,532.00	3/4	4,166.34	3/4	3,799.05	3/4	3,431.77	3/4	3,064.48	3/4	2,697.19	3/4	2,329.91	3/4	1,962.62
10	10	10	4,888.17	10	4,524.42	10	4,158.69	10	3,791.40	10	3,424.11	10	3,056.83	10	2,689.54	10	2,322.26	10	1,954.97
1/4	1/4	1/4	4,880.59	1/4	4,516.85	1/4	4,151.04	1/4	3,783.75	1/4	3,416.46	1/4	3,049.18	1/4	2,681.89	1/4	2,314.60	1/4	1,947.32
1/2	1/2	1/2	4,873.01	1/2	4,509.27	1/2	4,143.38	1/2	3,776.10	1/2	3,408.81	1/2	3,041.52	1/2	2,674.24	1/2	2,306.95	1/2	1,939.67
3/4	3/4	3/4	4,865.43	3/4	4,501.69	3/4	4,135.73	3/4	3,768.45	3/4	3,401.16	3/4	3,033.87	3/4	2,666.59	3/4	2,299.30	3/4	1,932.01
11	11	11	4,857.86	11	4,494.11	11	4,128.08	11	3,760.79	11	3,393.51	11	3,026.22	11	2,658.93	11	2,291.65	11	1,924.36
1/4	1/4	1/4	4,850.28	1/4	4,486.53	1/4	4,120.43	1/4	3,753.14	1/4	3,385.86	1/4	3,018.57	1/4	2,651.28	1/4	2,284.00	1/4	1,916.71
1/2	1/2	1/2	4,842.70	1/2	4,478.96	1/2	4,112.78	1/2	3,745.49	1/2	3,378.20	1/2	3,010.92	1/2	2,643.63	1/2	2,276.34	1/2	1,909.06
3/4	3/4	3/4	4,835.12	3/4	4,471.38	3/4	4,105.13	3/4	3,737.84	3/4	3,370.55	3/4	3,003.27	3/4	2,635.98	3/4	2,268.69	3/4	1,901.41

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NFPA CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP UP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.

NOTE: GAUGE POINT LOCATED 11'-0" OFF CENTERLINE AND 46'-0" FORWARD OF AFT BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300"
HULL NO. 4405

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/8"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,893.75	0	1,526.47	0	1,159.24	0	792.09	0	438.33	0	134.17	0		0		0		0	
1/4	1,886.10	1/4	1,518.82	1/4	1,151.59	1/4	784.44	1/4	431.28	1/4	117.83	1/4		1/4		1/4		1/4	
1/2	1,878.45	1/2	1,511.16	1/2	1,143.94	1/2	776.79	1/2	424.30	1/2	111.54	1/2		1/2		1/2		1/2	
3/4	1,870.80	3/4	1,503.51	3/4	1,136.29	3/4	769.15	3/4	417.32	3/4	105.25	3/4		3/4		3/4		3/4	
1	1,863.15	1	1,495.86	1	1,128.64	1	761.50	1	410.33	1	98.96	1		1		1		1	
1/4	1,855.50	1/4	1,488.21	1/4	1,120.99	1/4	753.85	1/4	403.35	1/4	92.68	1/4		1/4		1/4		1/4	
1/2	1,847.84	1/2	1,480.56	1/2	1,113.34	1/2	746.23	1/2	396.43	1/2	86.45	1/2		1/2		1/2		1/2	
3/4	1,840.19	3/4	1,472.91	3/4	1,105.69	3/4	738.61	3/4	389.50	3/4	80.22	3/4		3/4		3/4		3/4	
2	1,832.54	2	1,465.26	2	1,098.04	2	730.99	2	382.57	2	73.99	2		2		2		2	
1/4	1,824.89	1/4	1,457.61	1/4	1,090.39	1/4	723.38	1/4	375.65	1/4	67.76	1/4		1/4		1/4		1/4	
1/2	1,817.24	1/2	1,449.96	1/2	1,082.74	1/2	715.81	1/2	369.54	1/2	61.62	1/2		1/2		1/2		1/2	
3/4	1,809.59	3/4	1,442.31	3/4	1,075.09	3/4	708.25	3/4	363.43	3/4	55.48	3/4		3/4		3/4		3/4	
3	1,801.93	3	1,434.66	3	1,067.44	3	700.69	3	357.31	3	49.34	3		3		3		3	
1/4	1,794.28	1/4	1,427.01	1/4	1,059.79	1/4	693.12	1/4	351.20	1/4	43.20	1/4		1/4		1/4		1/4	
1/2	1,786.63	1/2	1,419.36	1/2	1,052.14	1/2	685.62	1/2	345.15	1/2	38.62	1/2		1/2		1/2		1/2	
3/4	1,778.98	3/4	1,411.71	3/4	1,044.49	3/4	678.11	3/4	339.09	3/4	34.03	3/4		3/4		3/4		3/4	
4	1,771.33	4	1,404.06	4	1,036.84	4	670.61	4	333.04	4	29.44	4		4		4		4	
1/4	1,763.67	1/4	1,396.40	1/4	1,029.19	1/4	663.11	1/4	326.99	1/4	24.86	1/4		1/4		1/4		1/4	
1/2	1,756.02	1/2	1,388.75	1/2	1,021.54	1/2	655.66	1/2	320.27	1/2	21.81	1/2		1/2		1/2		1/2	
3/4	1,748.37	3/4	1,381.10	3/4	1,013.89	3/4	648.21	3/4	313.55	3/4	18.76	3/4		3/4		3/4		3/4	
5	1,740.72	5	1,373.45	5	1,006.24	5	640.76	5	306.83	5	15.71	5		5		5		5	
1/4	1,733.07	1/4	1,365.80	1/4	998.58	1/4	633.32	1/4	300.11	1/4	12.65	1/4		1/4		1/4		1/4	
1/2	1,725.42	1/2	1,358.15	1/2	990.93	1/2	625.93	1/2	293.45	1/2	11.50	1/2		1/2		1/2		1/2	
3/4	1,717.76	3/4	1,350.50	3/4	983.28	3/4	618.54	3/4	286.79	3/4		3/4		3/4		3/4		3/4	
6	1,710.11	6	1,342.85	6	975.63	6	611.15	6	280.13	6		6		6		6		6	
1/4	1,702.46	1/4	1,335.20	1/4	967.98	1/4	603.76	1/4	273.47	1/4		1/4		1/4		1/4		1/4	
1/2	1,694.81	1/2	1,327.55	1/2	960.33	1/2	596.43	1/2	266.86	1/2		1/2		1/2		1/2		1/2	
3/4	1,687.16	3/4	1,319.90	3/4	952.68	3/4	589.10	3/4	260.26	3/4		3/4		3/4		3/4		3/4	
7	1,679.50	7	1,312.25	7	945.03	7	581.76	7	253.66	7		7		7		7		7	
1/4	1,671.85	1/4	1,304.60	1/4	937.38	1/4	574.43	1/4	247.05	1/4		1/4		1/4		1/4		1/4	
1/2	1,664.20	1/2	1,296.95	1/2	929.73	1/2	567.16	1/2	240.48	1/2		1/2		1/2		1/2		1/2	
3/4	1,656.55	3/4	1,289.30	3/4	922.08	3/4	559.89	3/4	233.90	3/4		3/4		3/4		3/4		3/4	
8	1,648.90	8	1,281.65	8	914.44	8	552.61	8	227.32	8		8		8		8		8	
1/4	1,641.25	1/4	1,274.00	1/4	906.79	1/4	545.34	1/4	220.74	1/4		1/4		1/4		1/4		1/4	
1/2	1,633.59	1/2	1,266.35	1/2	899.14	1/2	538.12	1/2	214.22	1/2		1/2		1/2		1/2		1/2	
3/4	1,625.94	3/4	1,258.70	3/4	891.50	3/4	530.91	3/4	207.71	3/4		3/4		3/4		3/4		3/4	
9	1,618.29	9	1,251.05	9	883.85	9	523.69	9	201.19	9		9		9		9		9	
1/4	1,610.64	1/4	1,243.40	1/4	876.20	1/4	516.48	1/4	194.67	1/4		1/4		1/4		1/4		1/4	
1/2	1,602.99	1/2	1,235.75	1/2	868.55	1/2	509.32	1/2	188.20	1/2		1/2		1/2		1/2		1/2	
3/4	1,595.33	3/4	1,228.10	3/4	860.91	3/4	502.16	3/4	181.74	3/4		3/4		3/4		3/4		3/4	
10	1,587.68	10	1,220.45	10	853.26	10	495.01	10	175.28	10		10		10		10		10	
1/4	1,580.03	1/4	1,212.80	1/4	845.61	1/4	487.85	1/4	168.82	1/4		1/4		1/4		1/4		1/4	
1/2	1,572.38	1/2	1,205.14	1/2	837.97	1/2	480.75	1/2	162.42	1/2		1/2		1/2		1/2		1/2	
3/4	1,564.73	3/4	1,197.49	3/4	830.32	3/4	473.65	3/4	156.01	3/4		3/4		3/4		3/4		3/4	
11	1,557.08	11	1,189.84	11	822.67	11	466.55	11	149.61	11		11		11		11		11	
1/4	1,549.42	1/4	1,182.19	1/4	815.03	1/4	459.45	1/4	143.21	1/4		1/4		1/4		1/4		1/4	
1/2	1,541.77	1/2	1,174.54	1/2	807.38	1/2	452.41	1/2	136.86	1/2		1/2		1/2		1/2		1/2	
3/4	1,534.12	3/4	1,166.89	3/4	799.73	3/4	445.37	3/4	130.52	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 300"
HULL NO. 4405

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/8"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,200.82	0	4,839.66	0	4,472.22	0	4,105.21	0	3,737.23	0	3,369.25	0	3,001.27	0	2,633.30	0	2,265.32
1/4		1/4	5,193.28	1/4	4,829.07	1/4	4,464.63	1/4	4,097.54	1/4	3,729.56	1/4	3,361.59	1/4	2,993.61	1/4	2,625.63	1/4	2,257.65
1/2		1/2	5,185.75	1/2	4,821.48	1/2	4,457.04	1/2	4,089.87	1/2	3,721.90	1/2	3,353.92	1/2	2,985.94	1/2	2,617.96	1/2	2,249.99
3/4		3/4	5,178.21	3/4	4,813.88	3/4	4,449.45	3/4	4,082.21	3/4	3,714.23	3/4	3,346.25	3/4	2,978.28	3/4	2,610.30	3/4	2,242.32
1	1	1	5,170.67	1	4,806.29	1	4,441.86	1	4,074.54	1	3,706.56	1	3,338.59	1	2,970.61	1	2,602.63	1	2,234.65
1/4	1/4	1/4	5,163.13	1/4	4,798.70	1/4	4,434.26	1/4	4,066.88	1/4	3,698.90	1/4	3,330.92	1/4	2,962.94	1/4	2,594.97	1/4	2,226.99
1/2	1/2	1/2	5,155.54	1/2	4,791.11	1/2	4,426.67	1/2	4,059.21	1/2	3,691.21	1/2	3,323.25	1/2	2,955.28	1/2	2,587.30	1/2	2,219.32
3/4	3/4	3/4	5,147.95	3/4	4,783.51	3/4	4,419.08	3/4	4,051.54	3/4	3,683.57	3/4	3,315.59	3/4	2,947.61	3/4	2,579.63	3/4	2,211.66
2	2	2	5,140.36	2	4,775.92	2	4,411.49	2	4,043.88	2	3,675.90	2	3,307.92	2	2,939.94	2	2,571.97	2	2,203.99
1/4	1/4	1/4	5,132.76	1/4	4,768.33	1/4	4,403.89	1/4	4,036.21	1/4	3,668.23	1/4	3,300.26	1/4	2,932.28	1/4	2,564.30	1/4	2,196.32
1/2	1/2	1/2	5,125.17	1/2	4,760.74	1/2	4,396.30	1/2	4,028.54	1/2	3,660.57	1/2	3,292.59	1/2	2,924.61	1/2	2,556.63	1/2	2,188.66
3/4	3/4	3/4	5,117.58	3/4	4,753.14	3/4	4,388.71	3/4	4,020.88	3/4	3,652.90	3/4	3,284.92	3/4	2,916.95	3/4	2,548.97	3/4	2,180.99
3	3	3	5,109.99	3	4,745.55	3	4,381.12	3	4,013.21	3	3,645.23	3	3,277.26	3	2,909.28	3	2,541.30	3	2,173.32
1/4	1/4	1/4	5,102.39	1/4	4,737.96	1/4	4,373.52	1/4	4,005.55	1/4	3,637.57	1/4	3,269.59	1/4	2,901.61	1/4	2,533.64	1/4	2,165.66
1/2	1/2	1/2	5,094.80	1/2	4,730.37	1/2	4,365.86	1/2	3,997.88	1/2	3,629.90	1/2	3,261.92	1/2	2,893.95	1/2	2,525.97	1/2	2,157.99
3/4	3/4	3/4	5,087.21	3/4	4,722.77	3/4	4,358.19	3/4	3,990.21	3/4	3,621.24	3/4	3,254.26	3/4	2,886.28	3/4	2,518.30	3/4	2,150.33
4	4	4	5,079.62	4	4,715.18	4	4,350.52	4	3,982.55	4	3,614.57	4	3,246.59	4	2,878.61	4	2,510.64	4	2,142.66
1/4	1/4	1/4	5,072.02	1/4	4,707.59	1/4	4,342.86	1/4	3,974.88	1/4	3,606.90	1/4	3,238.93	1/4	2,870.95	1/4	2,502.97	1/4	2,134.99
1/2	1/2	1/2	5,064.43	1/2	4,700.00	1/2	4,335.19	1/2	3,967.21	1/2	3,599.24	1/2	3,231.26	1/2	2,863.28	1/2	2,495.30	1/2	2,127.33
3/4	3/4	3/4	5,056.84	3/4	4,692.40	3/4	4,327.53	3/4	3,959.55	3/4	3,591.57	3/4	3,223.59	3/4	2,855.62	3/4	2,487.64	3/4	2,119.66
5	5	5	5,049.25	5	4,684.81	5	4,319.86	5	3,951.88	5	3,583.90	5	3,215.93	5	2,847.95	5	2,479.97	5	2,111.99
1/4	1/4	1/4	5,041.65	1/4	4,677.22	1/4	4,312.19	1/4	3,944.22	1/4	3,576.24	1/4	3,208.26	1/4	2,840.28	1/4	2,472.31	1/4	2,104.33
1/2	1/2	1/2	5,034.06	1/2	4,669.63	1/2	4,304.53	1/2	3,936.55	1/2	3,568.57	1/2	3,200.59	1/2	2,832.62	1/2	2,464.64	1/2	2,096.66
3/4	3/4	3/4	5,026.47	3/4	4,662.03	3/4	4,296.86	3/4	3,928.88	3/4	3,560.91	3/4	3,192.93	3/4	2,824.95	3/4	2,456.97	3/4	2,089.00
6	6	6	5,018.88	6	4,654.44	6	4,289.20	6	3,921.22	6	3,553.24	6	3,185.26	6	2,817.28	6	2,449.31	6	2,081.33
1/4	1/4	1/4	5,011.29	1/4	4,646.85	1/4	4,281.53	1/4	3,913.55	1/4	3,545.57	1/4	3,177.60	1/4	2,809.62	1/4	2,441.64	1/4	2,073.66
1/2	1/2	1/2	5,003.69	1/2	4,639.26	1/2	4,273.86	1/2	3,905.89	1/2	3,537.91	1/2	3,169.93	1/2	2,801.95	1/2	2,433.97	1/2	2,066.00
3/4	3/4	3/4	4,996.10	3/4	4,631.67	3/4	4,266.20	3/4	3,898.22	3/4	3,530.24	3/4	3,162.26	3/4	2,794.29	3/4	2,426.31	3/4	2,058.33
7	7	7	4,988.51	7	4,624.07	7	4,258.53	7	3,890.55	7	3,522.58	7	3,154.60	7	2,786.62	7	2,418.64	7	2,050.66
1/4	1/4	1/4	4,980.92	1/4	4,616.48	1/4	4,250.86	1/4	3,882.89	1/4	3,514.91	1/4	3,146.93	1/4	2,778.95	1/4	2,410.98	1/4	2,043.00
1/2	1/2	1/2	4,973.32	1/2	4,608.89	1/2	4,243.20	1/2	3,874.83	1/2	3,507.24	1/2	3,139.27	1/2	2,771.29	1/2	2,403.31	1/2	2,035.33
3/4	3/4	3/4	4,965.73	3/4	4,601.30	3/4	4,235.53	3/4	3,867.55	3/4	3,499.58	3/4	3,131.60	3/4	2,763.62	3/4	2,395.64	3/4	2,027.67
8	8	8	4,958.14	8	4,593.70	8	4,227.87	8	3,859.89	8	3,491.91	8	3,123.93	8	2,755.96	8	2,387.98	8	2,020.00
1/4	1/4	1/4	4,950.55	1/4	4,586.11	1/4	4,220.20	1/4	3,852.22	1/4	3,484.24	1/4	3,116.27	1/4	2,748.29	1/4	2,380.31	1/4	2,012.33
1/2	1/2	1/2	4,942.95	1/2	4,578.52	1/2	4,212.53	1/2	3,844.56	1/2	3,476.58	1/2	3,108.60	1/2	2,740.62	1/2	2,372.65	1/2	2,004.67
3/4	3/4	3/4	4,935.36	3/4	4,570.93	3/4	4,204.87	3/4	3,836.89	3/4	3,468.91	3/4	3,100.93	3/4	2,732.96	3/4	2,364.98	3/4	1,997.00
9	9	9	4,927.77	9	4,563.33	9	4,197.20	9	3,829.22	9	3,461.25	9	3,093.27	9	2,725.29	9	2,357.31	9	1,989.34
1/4	1/4	1/4	4,920.18	1/4	4,555.74	1/4	4,189.53	1/4	3,821.56	1/4	3,453.58	1/4	3,085.60	1/4	2,717.62	1/4	2,349.65	1/4	1,981.67
1/2	1/2	1/2	4,912.58	1/2	4,548.15	1/2	4,181.87	1/2	3,813.89	1/2	3,445.91	1/2	3,077.94	1/2	2,709.96	1/2	2,341.98	1/2	1,974.00
3/4	3/4	3/4	4,904.99	3/4	4,540.56	3/4	4,174.20	3/4	3,806.22	3/4	3,438.25	3/4	3,070.27	3/4	2,702.29	3/4	2,334.31	3/4	1,966.34
10	10	10	4,897.40	10	4,532.96	10	4,166.54	10	3,798.56	10	3,430.58	10	3,062.60	10	2,694.63	10	2,326.65	10	1,958.67
1/4	1/4	1/4	4,889.81	1/4	4,525.37	1/4	4,158.87	1/4	3,790.89	1/4	3,422.91	1/4	3,054.94	1/4	2,686.96	1/4	2,318.98	1/4	1,951.00
1/2	1/2	1/2	4,882.21	1/2	4,517.78	1/2	4,151.20	1/2	3,783.23	1/2	3,415.25	1/2	3,047.27	1/2	2,679.29	1/2	2,311.32	1/2	1,943.34
3/4	3/4	3/4	4,874.62	3/4	4,510.19	3/4	4,143.54	3/4	3,775.56	3/4	3,407.58	3/4	3,039.60	3/4	2,671.63	3/4	2,303.65	3/4	1,935.67
11	11	11	4,867.03	11	4,502.59	11	4,135.87	11	3,767.89	11	3,399.92	11	3,031.94	11	2,663.96	11	2,295.98	11	1,928.01
1/4	1/4	1/4	4,859.44	1/4	4,495.00	1/4	4,128.21	1/4	3,760.23	1/4	3,392.25	1/4	3,024.27	1/4	2,656.29	1/4	2,288.32	1/4	1,920.34
1/2	1/2	1/2	4,851.84	1/2	4,487.41	1/2	4,120.54	1/2	3,752.56	1/2	3,384.58	1/2	3,016.61	1/2	2,648.63	1/2	2,280.65	1/2	1,912.67
3/4	3/4	3/4	4,844.25	3/4	4,479.82	3/4	4,112.87	3/4	3,744.90	3/4	3,376.92	3/4	3,008.94	3/4	2,640.96	3/4	2,272.98	3/4	1,905.01

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP UP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.

NOTE: GAUGE POINT LOCATED 11'-0" OFF CENTERLINE AND 46'-0" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

ITS - CALEB BRETT

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

Caleb Brett

BARGE "RBT 300"
HULL NO. 4405

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5.38"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,897.34	0	1,529.36	0	1,161.45	0	793.60	0	439.17	0	124.42	0		0		0		0	
1/4	1,889.67	1/4	1,521.70	1/4	1,153.78	1/4	785.94	1/4	432.12	1/4	118.06	1/4		1/4		1/4		1/4	
1/2	1,882.01	1/2	1,514.03	1/2	1,146.12	1/2	778.28	1/2	425.12	1/2	111.76	1/2		1/2		1/2		1/2	
3/4	1,874.34	3/4	1,506.36	3/4	1,138.45	3/4	770.62	3/4	418.13	3/4	105.46	3/4		3/4		3/4		3/4	
1	1,866.68	1	1,498.70	1	1,130.79	1	762.96	1	411.13	1	99.16	1		1		1		1	
1/4	1,859.01	1/4	1,491.03	1/4	1,123.12	1/4	755.29	1/4	404.13	1/4	92.86	1/4		1/4		1/4		1/4	
1/2	1,851.34	1/2	1,483.37	1/2	1,115.46	1/2	747.66	1/2	397.19	1/2	86.62	1/2		1/2		1/2		1/2	
3/4	1,843.68	3/4	1,475.70	3/4	1,107.79	3/4	740.03	3/4	390.26	3/4	80.38	3/4		3/4		3/4		3/4	
2	1,836.01	2	1,468.04	2	1,100.13	2	732.39	2	383.32	2	74.14	2		2		2		2	
1/4	1,828.35	1/4	1,460.37	1/4	1,092.46	1/4	724.76	1/4	376.38	1/4	67.90	1/4		1/4		1/4		1/4	
1/2	1,820.68	1/2	1,452.71	1/2	1,084.80	1/2	717.18	1/2	370.25	1/2	61.75	1/2		1/2		1/2		1/2	
3/4	1,813.01	3/4	1,445.04	3/4	1,077.14	3/4	709.60	3/4	364.13	3/4	55.60	3/4		3/4		3/4		3/4	
3	1,805.35	3	1,437.38	3	1,069.47	3	702.03	3	358.00	3	49.45	3		3		3		3	
1/4	1,797.68	1/4	1,429.71	1/4	1,061.81	1/4	694.45	1/4	351.88	1/4	43.30	1/4		1/4		1/4		1/4	
1/2	1,790.01	1/2	1,422.05	1/2	1,054.14	1/2	686.93	1/2	345.81	1/2	38.70	1/2		1/2		1/2		1/2	
3/4	1,782.35	3/4	1,414.38	3/4	1,046.48	3/4	679.41	3/4	339.75	3/4	34.10	3/4		3/4		3/4		3/4	
4	1,774.68	4	1,406.72	4	1,038.81	4	671.89	4	333.68	4	29.51	4		4		4		4	
1/4	1,767.02	1/4	1,399.05	1/4	1,031.15	1/4	664.38	1/4	327.61	1/4	24.91	1/4		1/4		1/4		1/4	
1/2	1,759.35	1/2	1,391.39	1/2	1,023.48	1/2	656.91	1/2	320.88	1/2	21.85	1/2		1/2		1/2		1/2	
3/4	1,751.68	3/4	1,383.73	3/4	1,015.82	3/4	649.45	3/4	314.15	3/4	18.79	3/4		3/4		3/4		3/4	
5	1,743.02	5	1,376.06	5	1,008.15	5	641.99	5	307.42	5	15.74	5		5		5		5	
1/4	1,736.35	1/4	1,368.40	1/4	1,000.49	1/4	634.53	1/4	300.69	1/4	12.68	1/4		1/4		1/4		1/4	
1/2	1,728.68	1/2	1,360.73	1/2	992.82	1/2	627.13	1/2	294.01	1/2	11.52	1/2		1/2		1/2		1/2	
3/4	1,721.02	3/4	1,353.07	3/4	985.16	3/4	619.72	3/4	287.34	3/4		3/4		3/4		3/4		3/4	
6	1,713.35	6	1,345.40	6	977.49	6	612.32	6	280.66	6		6		6		6		6	
1/4	1,705.69	1/4	1,337.74	1/4	969.83	1/4	604.92	1/4	273.99	1/4		1/4		1/4		1/4		1/4	
1/2	1,698.02	1/2	1,330.07	1/2	962.16	1/2	597.57	1/2	267.38	1/2		1/2		1/2		1/2		1/2	
3/4	1,690.35	3/4	1,322.41	3/4	954.49	3/4	590.23	3/4	260.76	3/4		3/4		3/4		3/4		3/4	
7	1,682.69	7	1,314.74	7	946.83	7	582.88	7	254.14	7		7		7		7		7	
1/4	1,675.02	1/4	1,307.08	1/4	939.16	1/4	575.54	1/4	247.53	1/4		1/4		1/4		1/4		1/4	
1/2	1,667.35	1/2	1,299.41	1/2	931.50	1/2	568.25	1/2	240.94	1/2		1/2		1/2		1/2		1/2	
3/4	1,659.69	3/4	1,291.75	3/4	923.84	3/4	560.96	3/4	234.35	3/4		3/4		3/4		3/4		3/4	
8	1,652.02	8	1,284.08	8	916.18	8	553.67	8	227.76	8		8		8		8		8	
1/4	1,644.36	1/4	1,276.42	1/4	908.52	1/4	546.39	1/4	221.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,636.69	1/2	1,268.75	1/2	900.86	1/2	539.16	1/2	214.64	1/2		1/2		1/2		1/2		1/2	
3/4	1,629.02	3/4	1,261.09	3/4	893.19	3/4	531.93	3/4	208.11	3/4		3/4		3/4		3/4		3/4	
9	1,621.36	9	1,253.42	9	885.53	9	524.70	9	201.57	9		9		9		9		9	
1/4	1,613.69	1/4	1,245.76	1/4	877.87	1/4	517.47	1/4	195.04	1/4		1/4		1/4		1/4		1/4	
1/2	1,606.03	1/2	1,238.09	1/2	870.21	1/2	510.30	1/2	188.57	1/2		1/2		1/2		1/2		1/2	
3/4	1,598.36	3/4	1,230.43	3/4	862.55	3/4	503.13	3/4	182.10	3/4		3/4		3/4		3/4		3/4	
10	1,590.69	10	1,222.76	10	854.89	10	495.96	10	175.62	10		10		10		10		10	
1/4	1,583.03	1/4	1,215.10	1/4	847.23	1/4	488.79	1/4	169.15	1/4		1/4		1/4		1/4		1/4	
1/2	1,575.36	1/2	1,207.43	1/2	839.56	1/2	481.68	1/2	162.73	1/2		1/2		1/2		1/2		1/2	
3/4	1,567.69	3/4	1,199.77	3/4	831.90	3/4	474.56	3/4	156.32	3/4		3/4		3/4		3/4		3/4	
11	1,560.03	11	1,192.11	11	824.24	11	467.45	11	149.90	11		11		11		11		11	
1/4	1,552.36	1/4	1,184.44	1/4	816.58	1/4	460.34	1/4	143.49	1/4		1/4		1/4		1/4		1/4	
1/2	1,544.70	1/2	1,176.78	1/2	808.92	1/2	453.28	1/2	137.13	1/2		1/2		1/2		1/2		1/2	
3/4	1,537.03	3/4	1,169.11	3/4	801.26	3/4	446.23	3/4	130.77	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300"
HULL NO. 4405

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	4,972.90	0	4,630.45	0	4,287.76	0	3,942.45	0	3,596.22	0	3,249.98	0	2,903.75	0	2,557.52	0	2,211.28
1/4		1/4	4,966.81	1/4	4,623.32	1/4	4,280.62	1/4	3,935.24	1/4	3,589.01	1/4	3,242.77	1/4	2,896.54	1/4	2,550.30	1/4	2,204.07
1/2		1/2	4,956.73	1/2	4,616.18	1/2	4,273.03	1/2	3,928.18	1/2	3,581.79	1/2	3,235.66	1/2	2,889.32	1/2	2,543.09	1/2	2,196.86
3/4		3/4	4,951.65	3/4	4,609.04	3/4	4,266.35	3/4	3,920.81	3/4	3,574.58	3/4	3,228.35	3/4	2,882.11	3/4	2,535.88	3/4	2,189.64
1		1	4,944.56	1	4,601.90	1	4,259.21	1	3,913.60	1	3,567.37	1	3,221.13	1	2,874.90	1	2,528.66	1	2,182.43
1/4		1/4	4,937.45	1/4	4,594.76	1/4	4,252.07	1/4	3,906.39	1/4	3,560.15	1/4	3,213.92	1/4	2,867.69	1/4	2,521.45	1/4	2,175.22
1/2		1/2	4,930.31	1/2	4,587.62	1/2	4,244.93	1/2	3,899.17	1/2	3,552.94	1/2	3,206.71	1/2	2,860.47	1/2	2,514.44	1/2	2,168.00
3/4		3/4	4,923.17	3/4	4,580.48	3/4	4,237.79	3/4	3,891.96	3/4	3,545.73	3/4	3,199.49	3/4	2,853.26	3/4	2,507.03	3/4	2,160.79
2		2	4,916.03	2	4,573.34	2	4,230.65	2	3,884.75	2	3,538.51	2	3,192.28	2	2,846.05	2	2,499.81	2	2,153.58
1/4		1/4	4,908.89	1/4	4,566.20	1/4	4,223.51	1/4	3,877.53	1/4	3,531.30	1/4	3,185.07	1/4	2,838.83	1/4	2,492.60	1/4	2,146.37
1/2		1/2	4,901.75	1/2	4,559.06	1/2	4,216.37	1/2	3,870.32	1/2	3,524.09	1/2	3,177.85	1/2	2,831.62	1/2	2,485.39	1/2	2,139.15
3/4		3/4	4,894.61	3/4	4,551.92	3/4	4,209.23	3/4	3,863.11	3/4	3,516.87	3/4	3,170.64	3/4	2,824.41	3/4	2,478.17	3/4	2,131.94
3 1/8		3	4,887.47	3	4,544.78	3	4,202.09	3	3,855.89	3	3,509.66	3	3,163.43	3	2,817.19	3	2,470.96	3	2,124.73
1/4		1/4	4,880.33	1/4	4,537.64	1/4	4,194.91	1/4	3,848.68	1/4	3,502.45	1/4	3,156.21	1/4	2,809.98	1/4	2,463.75	1/4	2,117.51
1/2		1/2	4,873.19	1/2	4,530.50	1/2	4,187.70	1/2	3,841.47	1/2	3,495.23	1/2	3,149.00	1/2	2,802.77	1/2	2,456.53	1/2	2,110.30
3/4		3/4	4,866.05	3/4	4,523.36	3/4	4,180.49	3/4	3,834.25	3/4	3,488.02	3/4	3,141.79	3/4	2,795.55	3/4	2,449.32	3/4	2,103.09
4		4	4,856.92	4	4,516.22	4	4,173.27	4	3,827.04	4	3,480.81	4	3,134.57	4	2,788.34	4	2,442.11	4	2,095.87
1/4		1/4	4,851.78	1/4	4,509.08	1/4	4,166.06	1/4	3,819.83	1/4	3,473.59	1/4	3,127.36	1/4	2,781.13	1/4	2,434.89	1/4	2,088.66
1/2		1/2	4,844.64	1/2	4,501.95	1/2	4,158.85	1/2	3,812.61	1/2	3,466.38	1/2	3,120.15	1/2	2,773.91	1/2	2,427.68	1/2	2,081.45
3/4		3/4	4,837.51	3/4	4,494.81	3/4	4,151.64	3/4	3,805.40	3/4	3,459.17	3/4	3,112.93	3/4	2,766.70	3/4	2,420.47	3/4	2,074.23
5		5	4,830.36	5	4,487.67	5	4,144.42	5	3,798.19	5	3,451.95	5	3,105.72	5	2,759.49	5	2,413.25	5	2,067.02
1/4		1/4	4,823.22	1/4	4,480.53	1/4	4,137.21	1/4	3,790.97	1/4	3,444.74	1/4	3,098.51	1/4	2,752.27	1/4	2,406.04	1/4	2,059.81
1/2		1/2	4,816.08	1/2	4,473.39	1/2	4,130.00	1/2	3,783.76	1/2	3,437.53	1/2	3,091.29	1/2	2,745.06	1/2	2,398.83	1/2	2,052.59
3/4		3/4	4,808.94	3/4	4,466.25	3/4	4,122.78	3/4	3,776.55	3/4	3,430.31	3/4	3,084.08	3/4	2,737.85	3/4	2,391.61	3/4	2,045.38
6		6	4,801.80	6	4,459.11	6	4,115.57	6	3,769.34	6	3,423.10	6	3,076.87	6	2,730.63	6	2,384.40	6	2,038.17
1/4		1/4	4,794.66	1/4	4,451.97	1/4	4,108.36	1/4	3,762.12	1/4	3,415.89	1/4	3,069.65	1/4	2,723.42	1/4	2,377.19	1/4	2,030.95
1/2		1/2	4,787.52	1/2	4,444.83	1/2	4,101.14	1/2	3,754.91	1/2	3,408.68	1/2	3,062.44	1/2	2,716.21	1/2	2,369.97	1/2	2,023.74
3/4		3/4	4,780.38	3/4	4,437.69	3/4	4,093.92	3/4	3,747.70	3/4	3,401.46	3/4	3,055.23	3/4	2,708.99	3/4	2,362.76	3/4	2,016.53
7		7	4,773.24	7	4,430.55	7	4,086.72	7	3,740.48	7	3,394.25	7	3,048.02	7	2,701.78	7	2,355.55	7	2,009.31
1/4		1/4	4,766.10	1/4	4,423.41	1/4	4,079.50	1/4	3,733.27	1/4	3,387.04	1/4	3,040.80	1/4	2,694.57	1/4	2,348.33	1/4	2,002.10
1/2		1/2	4,759.96	1/2	4,416.27	1/2	4,072.29	1/2	3,726.06	1/2	3,379.82	1/2	3,032.56	1/2	2,687.36	1/2	2,341.12	1/2	1,994.89
3/4		3/4	4,751.82	3/4	4,409.13	3/4	4,065.08	3/4	3,718.84	3/4	3,372.61	3/4	3,026.38	3/4	2,680.14	3/4	2,333.91	3/4	1,987.67
8		8	4,744.68	8	4,401.99	8	4,057.86	8	3,711.63	8	3,365.40	8	3,019.16	8	2,672.93	8	2,326.70	8	1,980.46
1/4		1/4	4,737.55	1/4	4,394.85	1/4	4,050.65	1/4	3,704.42	1/4	3,358.18	1/4	3,011.95	1/4	2,665.72	1/4	2,319.48	1/4	1,973.25
1/2		1/2	4,730.41	1/2	4,387.71	1/2	4,043.44	1/2	3,697.20	1/2	3,350.97	1/2	3,004.74	1/2	2,658.50	1/2	2,312.27	1/2	1,966.04
3/4		3/4	4,723.27	3/4	4,380.58	3/4	4,036.22	3/4	3,689.99	3/4	3,343.76	3/4	2,997.52	3/4	2,651.29	3/4	2,305.06	3/4	1,958.82
9		9	4,716.13	9	4,373.44	9	4,029.01	9	3,682.78	9	3,336.54	9	2,990.31	9	2,644.08	9	2,297.84	9	1,951.61
1/4		1/4	4,708.99	1/4	4,366.30	1/4	4,021.80	1/4	3,675.56	1/4	3,329.33	1/4	2,983.10	1/4	2,636.86	1/4	2,290.63	1/4	1,944.40
1/2		1/2	4,701.85	1/2	4,359.16	1/2	4,014.58	1/2	3,668.35	1/2	3,322.12	1/2	2,975.88	1/2	2,629.65	1/2	2,283.42	1/2	1,937.18
3/4		3/4	4,694.71	3/4	4,352.02	3/4	4,007.37	3/4	3,661.14	3/4	3,314.90	3/4	2,968.67	3/4	2,622.44	3/4	2,276.20	3/4	1,929.97
10		10	4,687.57	10	4,344.88	10	4,000.16	10	3,653.92	10	3,307.69	10	2,961.46	10	2,615.22	10	2,268.99	10	1,922.76
1/4		1/4	4,680.43	1/4	4,337.74	1/4	3,992.94	1/4	3,646.71	1/4	3,300.48	1/4	2,954.24	1/4	2,608.01	1/4	2,261.78	1/4	1,915.54
1/2		1/2	4,673.29	1/2	4,330.60	1/2	3,985.73	1/2	3,639.50	1/2	3,293.26	1/2	2,947.03	1/2	2,600.80	1/2	2,254.56	1/2	1,908.33
3/4		3/4	4,666.15	3/4	4,323.46	3/4	3,978.52	3/4	3,632.28	3/4	3,286.05	3/4	2,939.82	3/4	2,593.58	3/4	2,247.35	3/4	1,901.12
11		11	4,659.01	11	4,316.32	11	3,971.31	11	3,625.07	11	3,278.84	11	2,932.60	11	2,586.37	11	2,240.14	11	1,893.90
1/4		1/4	4,651.87	1/4	4,309.18	1/4	3,964.09	1/4	3,617.86	1/4	3,271.62	1/4	2,925.38	1/4	2,579.16	1/4	2,232.92	1/4	1,886.69
1/2		1/2	4,644.73	1/2	4,302.04	1/2	3,956.88	1/2	3,610.64	1/2	3,264.41	1/2	2,918.18	1/2	2,571.94	1/2	2,225.71	1/2	1,879.48
3/4		3/4	4,637.59	3/4	4,294.90	3/4	3,949.67	3/4	3,603.43	3/4	3,257.20	3/4	2,910.96	3/4	2,564.73	3/4	2,218.50	3/4	1,872.26

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP UP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.

NOTE: GAUGE POINT LOCATED 11'-0" OFF CENTERLINE AND 42'-0" FORWARD OF AFT, BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300"
HULL NO. 4405

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,865.05	0	1,518.82	0	1,173.64	0	827.82	0	481.62	0	141.82	0				0			0
1/4	1,857.84	1/4	1,511.60	1/4	1,166.45	1/4	820.61	1/4	474.41	1/4	134.61	1/4				1/4			1/4
1/2	1,850.62	1/2	1,504.39	1/2	1,159.26	1/2	813.40	1/2	467.20	1/2	127.39	1/2				1/2			1/2
3/4	1,843.41	3/4	1,497.18	3/4	1,152.07	3/4	806.20	3/4	459.98	3/4	120.18	3/4				3/4			3/4
1	1,836.20	1	1,489.96	1	1,144.88	1	798.99	1	452.77	1	112.97	1				1			1
1/4	1,828.98	1/4	1,482.76	1/4	1,137.69	1/4	791.78	1/4	445.56	1/4	105.76	1/4				1/4			1/4
1/2	1,821.77	1/2	1,475.57	1/2	1,130.50	1/2	784.57	1/2	438.34	1/2	98.54	1/2				1/2			1/2
3/4	1,814.56	3/4	1,468.39	3/4	1,123.31	3/4	777.36	3/4	431.13	3/4	91.33	3/4				3/4			3/4
2	1,807.34	2	1,461.20	2	1,116.12	2	770.14	2	423.92	2	84.12	2				2			2
1/4	1,800.13	1/4	1,454.01	1/4	1,108.94	1/4	762.93	1/4	417.08	1/4	76.92	1/4				1/4			1/4
1/2	1,792.92	1/2	1,446.82	1/2	1,101.75	1/2	755.72	1/2	410.62	1/2	69.74	1/2				1/2			1/2
3/4	1,785.71	3/4	1,439.63	3/4	1,094.56	3/4	748.51	3/4	404.17	3/4	62.56	3/4				3/4			3/4
3	1,778.49	3	1,432.44	3	1,087.37	3	741.29	3	397.71	3	55.38	3				3			3
1/4	1,771.28	1/4	1,425.25	1/4	1,080.17	1/4	734.08	1/4	391.25	1/4	49.02	1/4				1/4			1/4
1/2	1,764.07	1/2	1,418.06	1/2	1,072.96	1/2	726.87	1/2	384.79	1/2	43.50	1/2				1/2			1/2
3/4	1,756.85	3/4	1,410.87	3/4	1,065.75	3/4	719.66	3/4	378.33	3/4	37.97	3/4				3/4			3/4
4	1,749.64	4	1,403.68	4	1,058.53	4	712.44	4	371.88	4	32.45	4				4			4
1/4	1,742.43	1/4	1,396.50	1/4	1,051.32	1/4	705.23	1/4	365.06	1/4	27.82	1/4				1/4			1/4
1/2	1,735.21	1/2	1,389.31	1/2	1,044.11	1/2	698.02	1/2	357.88	1/2	24.10	1/2				1/2			1/2
3/4	1,728.00	3/4	1,382.12	3/4	1,036.90	3/4	690.81	3/4	350.70	3/4	20.38	3/4				3/4			3/4
5	1,720.79	5	1,374.93	5	1,029.69	5	683.59	5	343.52	5	16.66	5				5			5
1/4	1,713.57	1/4	1,367.74	1/4	1,022.47	1/4	676.38	1/4	336.33	1/4	13.45	1/4				1/4			1/4
1/2	1,706.36	1/2	1,360.55	1/2	1,015.26	1/2	669.17	1/2	329.15	1/2		13.45				1/2			1/2
3/4	1,699.15	3/4	1,353.36	3/4	1,008.05	3/4	661.95	3/4	321.97	3/4						3/4			3/4
6	1,691.93	6	1,346.17	6	1,000.84	6	654.74	6	314.79	6						6			6
1/4	1,684.72	1/4	1,338.98	1/4	993.63	1/4	647.53	1/4	307.61	1/4						1/4			1/4
1/2	1,677.51	1/2	1,331.79	1/2	986.41	1/2	640.31	1/2	300.43	1/2						1/2			1/2
3/4	1,670.29	3/4	1,324.61	3/4	979.20	3/4	633.10	3/4	293.25	3/4						3/4			3/4
7	1,663.08	7	1,317.42	7	971.99	7	625.89	7	286.07	7						7			7
1/4	1,655.87	1/4	1,310.23	1/4	964.78	1/4	618.78	1/4	278.87	1/4						1/4			1/4
1/2	1,648.65	1/2	1,303.04	1/2	957.57	1/2	611.46	1/2	271.66	1/2						1/2			1/2
3/4	1,641.44	3/4	1,295.85	3/4	950.36	3/4	604.25	3/4	264.45	3/4						3/4			3/4
8	1,634.23	8	1,288.66	8	943.15	8	597.03	8	257.23	8						8			8
1/4	1,627.01	1/4	1,281.47	1/4	935.94	1/4	589.82	1/4	250.02	1/4						1/4			1/4
1/2	1,619.80	1/2	1,274.28	1/2	928.74	1/2	582.61	1/2	242.81	1/2						1/2			1/2
3/4	1,612.59	3/4	1,267.09	3/4	921.53	3/4	575.39	3/4	235.59	3/4						3/4			3/4
9	1,605.38	9	1,259.90	9	914.32	9	568.18	9	228.38	9						9			9
1/4	1,598.16	1/4	1,252.72	1/4	907.11	1/4	560.97	1/4	221.17	1/4						1/4			1/4
1/2	1,590.95	1/2	1,245.53	1/2	899.90	1/2	553.75	1/2	213.95	1/2						1/2			1/2
3/4	1,583.74	3/4	1,238.34	3/4	892.69	3/4	546.54	3/4	206.74	3/4						3/4			3/4
10	1,576.52	10	1,231.15	10	885.48	10	539.33	10	199.53	10						10			10
1/4	1,569.31	1/4	1,223.96	1/4	878.28	1/4	532.12	1/4	192.31	1/4						1/4			1/4
1/2	1,562.10	1/2	1,216.77	1/2	871.07	1/2	524.90	1/2	185.10	1/2						1/2			1/2
3/4	1,554.88	3/4	1,209.58	3/4	863.86	3/4	517.69	3/4	177.89	3/4						3/4			3/4
11	1,547.67	11	1,202.39	11	856.65	11	510.48	11	170.67	11						11			11
1/4	1,540.46	1/4	1,195.20	1/4	849.44	1/4	503.26	1/4	163.46	1/4						1/4			1/4
1/2	1,533.24	1/2	1,188.01	1/2	842.24	1/2	496.05	1/2	156.25	1/2						1/2			1/2
3/4	1,526.03	3/4	1,180.83	3/4	835.03	3/4	488.84	3/4	149.03	3/4						3/4			3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300" HULL NO. 4405

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	4,957.23	0	4,617.05	0	4,276.51	0	3,933.49	0	3,589.41	0	3,245.33	0	2,901.24	0	2,557.16	0	2,213.08
1/4	1/4	1/4	4,950.19	1/4	4,609.95	1/4	4,269.41	1/4	3,926.32	1/4	3,582.24	1/4	3,238.16	1/4	2,894.07	1/4	2,549.98	1/4	2,205.91
1/2	1/2	1/2	4,936.15	1/2	4,602.86	1/2	4,262.32	1/2	3,919.16	1/2	3,575.07	1/2	3,230.99	1/2	2,886.91	1/2	2,542.82	1/2	2,198.74
3/4	3/4	3/4	4,936.11	3/4	4,595.76	3/4	4,255.22	3/4	3,911.99	3/4	3,567.90	3/4	3,223.82	3/4	2,879.74	3/4	2,533.65	3/4	2,191.57
1	1	1	4,929.07	1	4,588.67	1	4,248.13	1	3,904.82	1	3,560.74	1	3,216.65	1	2,872.57	1	2,528.49	1	2,184.40
1/4	1/4	1/4	4,922.03	1/4	4,581.57	1/4	4,241.03	1/4	3,897.65	1/4	3,553.57	1/4	3,209.48	1/4	2,865.40	1/4	2,521.32	1/4	2,177.23
1/2	1/2	1/2	4,914.99	1/2	4,574.48	1/2	4,233.94	1/2	3,890.48	1/2	3,546.40	1/2	3,202.32	1/2	2,858.23	1/2	2,514.15	1/2	2,170.07
3/4	3/4	3/4	4,907.93	3/4	4,567.38	3/4	4,226.84	3/4	3,883.31	3/4	3,539.23	3/4	3,195.15	3/4	2,851.06	3/4	2,506.98	3/4	2,162.90
2	2	2	4,900.83	2	4,560.29	2	4,219.75	2	3,876.15	2	3,532.06	2	3,187.98	2	2,843.90	2	2,499.81	2	2,155.73
1/4	1/4	1/4	4,893.74	1/4	4,553.20	1/4	4,212.65	1/4	3,868.98	1/4	3,524.89	1/4	3,180.81	1/4	2,836.73	1/4	2,492.64	1/4	2,148.56
1/2	1/2	1/2	4,886.64	1/2	4,546.10	1/2	4,205.56	1/2	3,861.81	1/2	3,517.73	1/2	3,173.64	1/2	2,829.56	1/2	2,485.48	1/2	2,141.39
3/4	3/4	3/4	4,879.55	3/4	4,539.01	3/4	4,198.47	3/4	3,854.64	3/4	3,510.56	3/4	3,166.47	3/4	2,822.39	3/4	2,478.31	3/4	2,134.22
3	3	3	4,872.45	3	4,531.91	3	4,191.37	3	3,847.47	3	3,503.39	3	3,159.31	3	2,815.22	3	2,471.14	3	2,127.06
1/4	1/4	1/4	4,865.36	1/4	4,524.82	1/4	4,184.28	1/4	3,840.30	1/4	3,496.22	1/4	3,152.14	1/4	2,808.05	1/4	2,463.97	1/4	2,119.89
1/2	1/2	1/2	4,858.26	1/2	4,517.72	1/2	4,177.18	1/2	3,833.14	1/2	3,489.05	1/2	3,144.97	1/2	2,800.89	1/2	2,456.80	1/2	2,112.72
3/4	3/4	3/4	4,851.17	3/4	4,510.63	3/4	4,170.05	3/4	3,825.97	3/4	3,481.88	3/4	3,137.80	3/4	2,793.72	3/4	2,449.63	3/4	2,105.55
4	4	4	4,844.07	4	4,503.53	4	4,162.88	4	3,818.80	4	3,474.72	4	3,130.63	4	2,786.55	4	2,442.47	4	2,098.38
1/4	1/4	1/4	4,836.98	1/4	4,496.44	1/4	4,155.71	1/4	3,811.63	1/4	3,467.55	1/4	3,123.46	1/4	2,779.38	1/4	2,435.30	1/4	2,091.21
1/2	1/2	1/2	4,829.88	1/2	4,489.34	1/2	4,148.54	1/2	3,804.46	1/2	3,460.38	1/2	3,116.30	1/2	2,772.21	1/2	2,428.13	1/2	2,084.05
3/4	3/4	3/4	4,822.79	3/4	4,482.25	3/4	4,141.38	3/4	3,797.29	3/4	3,453.21	3/4	3,109.13	3/4	2,765.04	3/4	2,420.96	3/4	2,076.88
5	5	5	4,815.70	5	4,475.15	5	4,132.21	5	3,790.12	5	3,446.04	5	3,101.96	5	2,757.88	5	2,413.79	5	2,069.71
1/4	1/4	1/4	4,808.60	1/4	4,468.06	1/4	4,127.04	1/4	3,782.96	1/4	3,438.87	1/4	3,094.79	1/4	2,750.71	1/4	2,406.62	1/4	2,062.54
1/2	1/2	1/2	4,801.51	1/2	4,460.97	1/2	4,119.87	1/2	3,775.79	1/2	3,431.70	1/2	3,087.62	1/2	2,743.54	1/2	2,399.46	1/2	2,055.37
3/4	3/4	3/4	4,794.41	3/4	4,453.87	3/4	4,112.70	3/4	3,768.62	3/4	3,424.54	3/4	3,080.45	3/4	2,736.37	3/4	2,392.29	3/4	2,048.20
6	6	6	4,787.32	6	4,446.78	6	4,105.53	6	3,761.45	6	3,417.37	6	3,073.28	6	2,729.20	6	2,385.12	6	2,044.04
1/4	1/4	1/4	4,780.22	1/4	4,439.68	1/4	4,098.37	1/4	3,754.28	1/4	3,410.20	1/4	3,066.12	1/4	2,722.03	1/4	2,377.95	1/4	2,033.87
1/2	1/2	1/2	4,773.13	1/2	4,432.59	1/2	4,091.20	1/2	3,747.11	1/2	3,403.03	1/2	3,058.95	1/2	2,714.86	1/2	2,370.78	1/2	2,026.70
3/4	3/4	3/4	4,766.03	3/4	4,425.49	3/4	4,084.03	3/4	3,739.95	3/4	3,395.86	3/4	3,051.78	3/4	2,707.70	3/4	2,363.71	3/4	2,019.53
7	7	7	4,758.94	7	4,418.40	7	4,076.86	7	3,732.78	7	3,388.69	7	3,044.61	7	2,700.53	7	2,356.44	7	2,012.36
1/4	1/4	1/4	4,751.84	1/4	4,411.30	1/4	4,069.69	1/4	3,725.61	1/4	3,381.53	1/4	3,037.44	1/4	2,693.36	1/4	2,349.28	1/4	2,005.19
1/2	1/2	1/2	4,744.75	1/2	4,404.21	1/2	4,062.52	1/2	3,718.44	1/2	3,374.36	1/2	3,030.27	1/2	2,686.19	1/2	2,342.11	1/2	1,998.02
3/4	3/4	3/4	4,737.65	3/4	4,397.11	3/4	4,055.36	3/4	3,711.27	3/4	3,367.19	3/4	3,023.11	3/4	2,679.02	3/4	2,334.94	3/4	1,993.86
8	8	8	4,730.56	8	4,390.02	8	4,048.19	8	3,704.10	8	3,360.02	8	3,015.94	8	2,671.85	8	2,327.77	8	1,983.69
1/4	1/4	1/4	4,723.47	1/4	4,382.92	1/4	4,041.02	1/4	3,696.94	1/4	3,352.85	1/4	3,008.77	1/4	2,664.69	1/4	2,320.60	1/4	1,976.52
1/2	1/2	1/2	4,716.37	1/2	4,375.83	1/2	4,033.85	1/2	3,689.77	1/2	3,345.68	1/2	3,001.60	1/2	2,657.52	1/2	2,313.43	1/2	1,969.35
3/4	3/4	3/4	4,709.28	3/4	4,368.74	3/4	4,026.68	3/4	3,682.60	3/4	3,338.52	3/4	2,994.43	3/4	2,650.35	3/4	2,306.27	3/4	1,962.18
9	9	9	4,702.18	9	4,361.64	9	4,019.51	9	3,675.43	9	3,331.35	9	2,987.26	9	2,643.18	9	2,299.10	9	1,955.01
1/4	1/4	1/4	4,695.09	1/4	4,354.55	1/4	4,012.35	1/4	3,668.26	1/4	3,324.18	1/4	2,980.10	1/4	2,636.01	1/4	2,291.93	1/4	1,947.85
1/2	1/2	1/2	4,687.99	1/2	4,347.45	1/2	4,005.18	1/2	3,661.09	1/2	3,317.01	1/2	2,972.93	1/2	2,628.84	1/2	2,284.76	1/2	1,940.68
3/4	3/4	3/4	4,680.90	3/4	4,340.36	3/4	3,998.01	3/4	3,653.93	3/4	3,309.84	3/4	2,965.76	3/4	2,621.68	3/4	2,277.59	3/4	1,933.51
10	10	10	4,673.80	10	4,333.26	10	3,990.84	10	3,646.76	10	3,302.67	10	2,958.59	10	2,614.51	10	2,270.42	10	1,926.34
1/4	1/4	1/4	4,666.71	1/4	4,326.17	1/4	3,983.67	1/4	3,639.59	1/4	3,295.51	1/4	2,951.42	1/4	2,607.34	1/4	2,263.26	1/4	1,919.17
1/2	1/2	1/2	4,659.61	1/2	4,319.07	1/2	3,976.50	1/2	3,632.42	1/2	3,288.34	1/2	2,944.25	1/2	2,600.17	1/2	2,256.09	1/2	1,913.04
3/4	3/4	3/4	4,652.52	3/4	4,311.98	3/4	3,969.33	3/4	3,625.25	3/4	3,281.17	3/4	2,937.09	3/4	2,593.00	3/4	2,248.92	3/4	1,904.84
11	11	11	4,645.43	11	4,304.88	11	3,962.17	11	3,618.08	11	3,274.00	11	2,929.92	11	2,585.83	11	2,241.75	11	1,897.67
1/4	1/4	1/4	4,638.33	1/4	4,297.79	1/4	3,955.00	1/4	3,610.91	1/4	3,266.83	1/4	2,922.75	1/4	2,578.67	1/4	2,234.58	1/4	1,890.50
1/2	1/2	1/2	4,631.24	1/2	4,290.70	1/2	3,947.83	1/2	3,603.75	1/2	3,259.66	1/2	2,915.58	1/2	2,571.50	1/2	2,227.41	1/2	1,883.33
3/4	3/4	3/4	4,624.14	3/4	4,283.60	3/4	3,940.66	3/4	3,596.58	3/4	3,252.49	3/4	2,908.41	3/4	2,564.33	3/4	2,220.25	3/4	1,876.16

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.

NOTE: GAUGE POINT LOCATED 11'-0" OFF CENTERLINE AND 42'-0" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300"
HULL NO. 4405

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,868.99	0	1,524.91	0	1,180.89	0	836.93	0	492.89	0	155.24	0		0					
1/4	1,861.83	1/4	1,517.74	1/4	1,173.72	1/4	829.76	1/4	485.72	1/4	148.07	1/4		1/4					
1/2	1,854.66	1/2	1,510.57	1/2	1,166.55	1/2	822.60	1/2	478.55	1/2	140.90	1/2		1/2					
3/4	1,847.49	3/4	1,503.41	3/4	1,159.38	3/4	815.44	3/4	471.39	3/4	133.73	3/4		3/4					
1	1,840.32	1	1,496.24	1	1,152.22	1	808.27	1	464.22	1	126.57	1		1					
1/4	1,833.15	1/4	1,489.07	1/4	1,145.05	1/4	801.11	1/4	457.05	1/4	119.40	1/4		1/4					
1/2	1,825.98	1/2	1,481.90	1/2	1,137.88	1/2	793.95	1/2	449.88	1/2	112.23	1/2		1/2					
3/4	1,818.81	3/4	1,474.73	3/4	1,130.72	3/4	786.78	3/4	442.71	3/4	105.06	3/4		3/4					
2	1,811.65	2	1,467.57	2	1,123.55	2	779.62	2	435.54	2	97.89	2		2					
1/4	1,804.48	1/4	1,460.40	1/4	1,116.38	1/4	772.45	1/4	428.37	1/4	90.72	1/4		1/4					
1/2	1,797.31	1/2	1,453.23	1/2	1,109.22	1/2	765.28	1/2	421.21	1/2	83.56	1/2		1/2					
3/4	1,790.14	3/4	1,446.06	3/4	1,102.05	3/4	758.12	3/4	414.42	3/4	76.40	3/4		3/4					
3	1,782.97	3	1,438.90	3	1,094.88	3	750.95	3	408.00	3	69.27	3		3					
1/4	1,775.80	1/4	1,431.73	1/4	1,087.72	1/4	743.78	1/4	401.59	1/4	62.13	1/4		1/4					
1/2	1,768.64	1/2	1,424.56	1/2	1,080.55	1/2	736.61	1/2	395.18	1/2	55.00	1/2		1/2					
3/4	1,761.47	3/4	1,417.40	3/4	1,073.38	3/4	729.45	3/4	388.76	3/4	48.68	3/4		3/4					
4	1,754.30	4	1,410.23	4	1,066.22	4	722.28	4	382.35	4	43.20	4		4					
1/4	1,747.13	1/4	1,403.06	1/4	1,059.05	1/4	715.11	1/4	375.94	1/4	37.71	1/4		1/4					
1/2	1,739.96	1/2	1,395.96	1/2	1,051.88	1/2	707.94	1/2	369.52	1/2	32.23	1/2		1/2					
3/4	1,732.79	3/4	1,388.73	3/4	1,044.71	3/4	700.77	3/4	362.75	3/4	27.64	3/4		3/4					
5	1,725.63	5	1,381.56	5	1,037.55	5	693.61	5	355.61	5	23.95	5		5					
1/4	1,718.46	1/4	1,374.39	1/4	1,030.38	1/4	686.44	1/4	348.48	1/4	20.25	1/4		1/4					
1/2	1,711.29	1/2	1,367.23	1/2	1,023.21	1/2	679.27	1/2	341.34	1/2	16.56	1/2		1/2					
3/4	1,704.12	3/4	1,360.06	3/4	1,016.04	3/4	672.10	3/4	334.21	3/4	13.36	3/4		3/4					
6	1,696.95	6	1,352.89	6	1,008.88	6	664.93	6	327.07	6		6		6					
1/4	1,689.78	1/4	1,345.73	1/4	1,001.71	1/4	657.76	1/4	319.93	1/4		1/4		1/4					
1/2	1,682.62	1/2	1,338.56	1/2	994.54	1/2	650.60	1/2	312.80	1/2		1/2		1/2					
3/4	1,675.45	3/4	1,331.39	3/4	987.38	3/4	643.43	3/4	305.66	3/4		3/4		3/4					
7	1,668.28	7	1,324.23	7	980.21	7	636.26	7	298.53	7		7		7					
1/4	1,661.11	1/4	1,317.06	1/4	973.04	1/4	629.09	1/4	291.39	1/4		1/4		1/4					
1/2	1,653.94	1/2	1,309.89	1/2	965.87	1/2	621.92	1/2	284.25	1/2		1/2		1/2					
3/4	1,646.77	3/4	1,302.72	3/4	958.71	3/4	614.75	3/4	277.10	3/4		3/4		3/4					
8	1,639.60	8	1,295.56	8	951.54	8	607.58	8	269.93	8		8		8					
1/4	1,632.44	1/4	1,288.39	1/4	944.38	1/4	600.42	1/4	262.77	1/4		1/4		1/4					
1/2	1,625.27	1/2	1,281.22	1/2	937.22	1/2	593.25	1/2	255.60	1/2		1/2		1/2					
3/4	1,618.10	3/4	1,274.06	3/4	930.05	3/4	586.08	3/4	248.43	3/4		3/4		3/4					
9	1,610.93	9	1,266.89	9	922.89	9	578.91	9	241.26	9		9		9					
1/4	1,603.76	1/4	1,259.72	1/4	915.72	1/4	571.74	1/4	234.09	1/4		1/4		1/4					
1/2	1,596.59	1/2	1,252.56	1/2	908.56	1/2	564.57	1/2	226.92	1/2		1/2		1/2					
3/4	1,589.43	3/4	1,245.39	3/4	901.40	3/4	557.41	3/4	219.75	3/4		3/4		3/4					
10	1,582.26	10	1,238.22	10	894.23	10	550.24	10	212.59	10		10		10					
1/4	1,575.09	1/4	1,231.05	1/4	887.07	1/4	543.07	1/4	205.42	1/4		1/4		1/4					
1/2	1,567.92	1/2	1,223.89	1/2	879.91	1/2	535.90	1/2	198.25	1/2		1/2		1/2					
3/4	1,560.75	3/4	1,216.72	3/4	872.74	3/4	528.73	3/4	191.08	3/4		3/4		3/4					
11	1,553.58	11	1,209.55	11	865.58	11	521.56	11	183.91	11		11		11					
1/4	1,546.42	1/4	1,202.39	1/4	858.42	1/4	514.40	1/4	176.74	1/4		1/4		1/4					
1/2	1,539.25	1/2	1,195.22	1/2	851.25	1/2	507.23	1/2	169.58	1/2		1/2		1/2					
3/4	1,532.08	3/4	1,188.05	3/4	844.09	3/4	500.06	3/4	162.41	3/4		3/4		3/4					

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300" HULL NO. 4405

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16" - 5/8"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	4,430.04	0	4,291.44	0	4,152.71	0	4,012.93	0	3,810.12	0	3,446.49	0	3,082.47	0	2,717.32	0	2,351.23
1/4	4,427.17	1/4	4,288.55	1/4	4,149.82	1/4	4,010.01	1/4	3,802.56	1/4	3,604.01	1/4	3,438.91	1/4	3,074.89	1/4	2,709.70	1/4	2,343.60
1/2	4,424.30	1/2	4,285.66	1/2	4,146.93	1/2	4,007.09	1/2	3,800.09	1/2	3,597.01	1/2	3,431.32	1/2	3,067.30	1/2	2,702.07	1/2	2,339.97
3/4	4,421.43	3/4	4,282.77	3/4	4,144.04	3/4	4,004.17	3/4	3,797.45	3/4	3,594.41	3/4	3,429.74	3/4	3,064.44	3/4	2,699.44	3/4	2,336.35
1	4,418.56	1	4,279.88	1	4,141.15	1	4,001.25	1	3,799.90	1	3,597.90	1	3,416.16	1	3,052.13	1	2,686.82	1	2,320.72
1/4	4,415.69	1/4	4,276.99	1/4	4,138.26	1/4	3,998.33	1/4	3,792.34	1/4	3,592.34	1/4	3,408.57	1/4	3,044.55	1/4	2,679.19	1/4	2,313.09
1/2	4,412.82	1/2	4,274.10	1/2	4,135.37	1/2	3,995.40	1/2	3,784.79	1/2	3,584.79	1/2	3,400.99	1/2	3,036.97	1/2	2,671.56	1/2	2,305.47
3/4	4,409.93	3/4	4,271.21	3/4	4,132.48	3/4	3,992.54	3/4	3,781.07	3/4	3,579.23	3/4	3,393.41	3/4	3,029.38	3/4	2,663.94	3/4	2,297.84
2	4,407.04	2	4,268.31	2	4,129.59	2	3,989.67	2	3,779.68	2	3,574.68	2	3,385.82	2	3,021.80	2	2,656.31	2	2,290.21
1/4	4,404.15	1/4	4,265.42	1/4	4,126.70	1/4	3,986.80	1/4	3,774.12	1/4	3,569.12	1/4	3,378.24	1/4	3,014.22	1/4	2,648.68	1/4	2,282.59
1/2	4,401.26	1/2	4,262.53	1/2	4,123.80	1/2	3,983.93	1/2	3,771.46	1/2	3,566.46	1/2	3,374.34	1/2	3,011.34	1/2	2,645.68	1/2	2,279.59
3/4	4,398.37	3/4	4,259.64	3/4	4,120.91	3/4	3,981.07	3/4	3,768.07	3/4	3,563.57	3/4	3,370.74	3/4	3,008.63	3/4	2,642.63	3/4	2,276.59
3	4,395.48	3	4,256.75	3	4,118.02	3	3,978.20	3	3,765.17	3	3,559.45	3	3,365.49	3	2,999.05	3	2,639.43	3	2,267.33
1/4	4,392.54	1/4	4,253.86	1/4	4,115.13	1/4	3,975.33	1/4	3,762.46	1/4	3,556.50	1/4	3,362.74	1/4	2,996.05	1/4	2,636.43	1/4	2,264.33
1/2	4,389.70	1/2	4,250.97	1/2	4,112.24	1/2	3,972.46	1/2	3,759.59	1/2	3,553.62	1/2	3,359.86	1/2	2,993.10	1/2	2,633.43	1/2	2,261.33
3/4	4,386.81	3/4	4,248.08	3/4	4,109.32	3/4	3,969.59	3/4	3,756.72	3/4	3,550.76	3/4	3,357.00	3/4	2,990.15	3/4	2,630.43	3/4	2,258.33
4	4,383.92	4	4,245.19	4	4,106.40	4	3,966.73	4	3,753.86	4	3,547.89	4	3,354.15	4	2,987.20	4	2,627.48	4	2,255.33
1/4	4,381.03	1/4	4,242.30	1/4	4,103.48	1/4	3,963.86	1/4	3,750.99	1/4	3,545.01	1/4	3,351.25	1/4	2,984.25	1/4	2,624.48	1/4	2,252.33
1/2	4,378.14	1/2	4,239.41	1/2	4,100.56	1/2	3,960.99	1/2	3,748.12	1/2	3,542.12	1/2	3,348.32	1/2	2,981.30	1/2	2,621.48	1/2	2,249.33
3/4	4,375.25	3/4	4,236.52	3/4	4,097.64	3/4	3,958.12	3/4	3,745.23	3/4	3,539.23	3/4	3,345.43	3/4	2,978.35	3/4	2,618.48	3/4	2,246.33
5	4,372.36	5	4,233.63	5	4,094.72	5	3,955.25	5	3,742.34	5	3,536.34	5	3,342.54	5	2,975.40	5	2,615.48	5	2,243.33
1/4	4,369.47	1/4	4,230.74	1/4	4,091.80	1/4	3,952.39	1/4	3,739.45	1/4	3,533.45	1/4	3,339.65	1/4	2,972.45	1/4	2,612.48	1/4	2,240.33
1/2	4,366.58	1/2	4,227.85	1/2	4,088.88	1/2	3,949.52	1/2	3,736.56	1/2	3,530.56	1/2	3,336.76	1/2	2,969.50	1/2	2,609.48	1/2	2,237.33
3/4	4,363.69	3/4	4,224.96	3/4	4,085.96	3/4	3,946.64	3/4	3,733.69	3/4	3,527.69	3/4	3,333.89	3/4	2,966.55	3/4	2,606.48	3/4	2,234.33
6	4,360.80	6	4,222.07	6	4,083.03	6	3,943.71	6	3,730.76	6	3,524.76	6	3,330.96	6	2,963.60	6	2,603.48	6	2,231.33
1/4	4,357.91	1/4	4,219.18	1/4	4,080.11	1/4	3,939.99	1/4	3,727.81	1/4	3,521.81	1/4	3,327.01	1/4	2,960.65	1/4	2,600.48	1/4	2,228.33
1/2	4,355.02	1/2	4,216.29	1/2	4,077.19	1/2	3,936.81	1/2	3,724.92	1/2	3,518.92	1/2	3,324.11	1/2	2,957.70	1/2	2,597.48	1/2	2,225.33
3/4	4,352.13	3/4	4,213.40	3/4	4,074.27	3/4	3,933.85	3/4	3,722.03	3/4	3,516.03	3/4	3,321.21	3/4	2,954.75	3/4	2,594.48	3/4	2,222.33
7	4,349.24	7	4,210.51	7	4,071.35	7	3,930.88	7	3,719.17	7	3,513.17	7	3,318.30	7	2,951.80	7	2,591.51	7	2,219.33
1/4	4,346.35	1/4	4,207.62	1/4	4,068.43	1/4	3,927.92	1/4	3,716.26	1/4	3,510.26	1/4	3,315.40	1/4	2,948.85	1/4	2,588.51	1/4	2,216.33
1/2	4,343.46	1/2	4,204.73	1/2	4,065.51	1/2	3,925.06	1/2	3,713.34	1/2	3,507.34	1/2	3,312.49	1/2	2,945.90	1/2	2,585.56	1/2	2,213.33
3/4	4,340.57	3/4	4,201.84	3/4	4,062.59	3/4	3,922.15	3/4	3,710.45	3/4	3,504.45	3/4	3,309.59	3/4	2,943.00	3/4	2,582.61	3/4	2,210.33
8	4,337.68	8	4,198.95	8	4,059.67	8	3,919.35	8	3,707.54	8	3,501.73	8	3,306.73	8	2,940.05	8	2,579.66	8	2,207.33
1/4	4,334.79	1/4	4,196.06	1/4	4,056.75	1/4	3,916.44	1/4	3,704.63	1/4	3,500.82	1/4	3,303.82	1/4	2,937.10	1/4	2,576.71	1/4	2,204.33
1/2	4,331.90	1/2	4,193.17	1/2	4,053.82	1/2	3,913.53	1/2	3,701.72	1/2	3,500.91	1/2	3,300.91	1/2	2,934.15	1/2	2,573.76	1/2	2,201.33
3/4	4,329.01	3/4	4,190.28	3/4	4,050.90	3/4	3,898.61	3/4	3,699.01	3/4	3,500.01	3/4	3,300.01	3/4	2,931.20	3/4	2,570.81	3/4	2,200.33
9	4,326.12	9	4,187.39	9	4,047.98	9	3,895.70	9	3,696.10	9	3,500.10	9	3,300.10	9	2,928.25	9	2,567.86	9	2,200.33
1/4	4,323.23	1/4	4,184.50	1/4	4,045.06	1/4	3,892.79	1/4	3,693.19	1/4	3,500.19	1/4	3,300.19	1/4	2,925.30	1/4	2,564.91	1/4	2,200.33
1/2	4,320.34	1/2	4,181.61	1/2	4,042.14	1/2	3,889.88	1/2	3,690.28	1/2	3,500.28	1/2	3,300.28	1/2	2,922.35	1/2	2,562.01	1/2	2,200.33
3/4	4,317.45	3/4	4,178.72	3/4	4,039.22	3/4	3,886.97	3/4	3,687.37	3/4	3,500.37	3/4	3,300.37	3/4	2,919.40	3/4	2,559.06	3/4	2,200.33
10	4,314.56	10	4,175.83	10	4,036.30	10	3,884.06	10	3,684.46	10	3,500.46	10	3,300.46	10	2,916.45	10	2,556.11	10	2,200.33
1/4	4,311.67	1/4	4,172.94	1/4	4,033.38	1/4	3,881.15	1/4	3,681.55	1/4	3,500.55	1/4	3,300.55	1/4	2,913.50	1/4	2,553.16	1/4	2,200.33
1/2	4,308.78	1/2	4,170.05	1/2	4,030.46	1/2	3,878.24	1/2	3,678.64	1/2	3,500.64	1/2	3,300.64	1/2	2,910.55	1/2	2,550.21	1/2	2,200.33
3/4	4,305.89	3/4	4,167.16	3/4	4,027.54	3/4	3,875.33	3/4	3,675.73	3/4	3,500.73	3/4	3,300.73	3/4	2,907.60	3/4	2,547.26	3/4	2,200.33
11	4,303.00	11	4,164.27	11	4,024.61	11	3,872.42	11	3,672.82	11	3,500.82	11	3,300.82	11	2,904.65	11	2,544.31	11	2,200.33
1/4	4,300.11	1/4	4,161.38	1/4	4,021.69	1/4	3,869.51	1/4	3,669.91	1/4	3,500.91	1/4	3,300.91	1/4	2,901.70	1/4	2,541.36	1/4	2,200.33
1/2	4,297.22	1/2	4,158.49	1/2	4,018.77	1/2	3,866.60	1/2	3,667.00	1/2	3,500.00	1/2	3,300.00	1/2	2,898.75	1/2	2,538.41	1/2	2,200.33
3/4	4,294.33	3/4	4,155.60	3/4	4,015.85	3/4	3,863.69	3/4	3,664.09	3/4	3,500.09	3/4	3,300.09	3/4	2,895.80	3/4	2,535.46	3/4	2,200.33

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: GAUGE POINT LOCATED 11'-0" OFF CENTERLINE AND 58'-5" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

BARGE "RBT 300"
HULL NO. 4405

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5 5/8"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,985.13	0	1,619.04	0	1,253.90	0	888.19	0	522.13	0	161.98	0		0		0		0	
1/4	1,977.51	1/4	1,611.41	1/4	1,246.29	1/4	880.56	1/4	514.51	1/4	154.34	1/4		1/4		1/4		1/4	
1/2	1,969.88	1/2	1,603.78	1/2	1,236.69	1/2	872.94	1/2	506.88	1/2	146.70	1/2		1/2		1/2		1/2	
3/4	1,962.25	3/4	1,596.16	3/4	1,231.09	3/4	865.32	3/4	499.25	3/4	139.07	3/4		3/4		3/4		3/4	
1	1,954.62	1	1,588.53	1	1,223.48	1	857.70	1	491.63	1	131.43	1		1		1		1	
1/4	1,947.00	1/4	1,580.90	1/4	1,215.88	1/4	850.08	1/4	484.00	1/4	123.79	1/4		1/4		1/4		1/4	
1/2	1,939.37	1/2	1,573.27	1/2	1,208.27	1/2	842.45	1/2	476.37	1/2	116.15	1/2		1/2		1/2		1/2	
3/4	1,931.74	3/4	1,565.67	3/4	1,200.67	3/4	834.83	3/4	468.73	3/4	108.51	3/4		3/4		3/4		3/4	
2	1,924.12	2	1,558.07	2	1,193.06	2	827.20	2	461.09	2	100.87	2		2		2		2	
1/4	1,916.49	1/4	1,550.46	1/4	1,185.46	1/4	819.58	1/4	453.46	1/4	93.23	1/4		1/4		1/4		1/4	
1/2	1,908.86	1/2	1,542.86	1/2	1,177.86	1/2	811.95	1/2	445.82	1/2	85.60	1/2		1/2		1/2		1/2	
3/4	1,901.24	3/4	1,535.25	3/4	1,170.25	3/4	804.33	3/4	438.93	3/4	77.99	3/4		3/4		3/4		3/4	
3	1,893.61	3	1,527.65	3	1,162.65	3	796.70	3	432.05	3	70.38	3		3		3		3	
1/4	1,885.98	1/4	1,520.05	1/4	1,155.05	1/4	789.07	1/4	425.17	1/4	62.78	1/4		1/4		1/4		1/4	
1/2	1,878.35	1/2	1,512.44	1/2	1,147.44	1/2	781.45	1/2	418.28	1/2	55.17	1/2		1/2		1/2		1/2	
3/4	1,870.73	3/4	1,504.84	3/4	1,139.82	3/4	773.82	3/4	411.40	3/4	49.28	3/4		3/4		3/4		3/4	
4	1,863.10	4	1,497.23	4	1,132.19	4	766.20	4	404.52	4	43.38	4		4		4		4	
1/4	1,855.47	1/4	1,489.63	1/4	1,124.57	1/4	758.57	1/4	397.63	1/4	37.49	1/4		1/4		1/4		1/4	
1/2	1,847.85	1/2	1,482.02	1/2	1,116.94	1/2	750.94	1/2	390.75	1/2	31.59	1/2		1/2		1/2		1/2	
3/4	1,840.22	3/4	1,474.42	3/4	1,109.31	3/4	743.32	3/4	383.15	3/4	27.60	3/4		3/4		3/4		3/4	
5	1,832.59	5	1,466.82	5	1,101.69	5	735.69	5	375.54	5	23.62	5		5		5		5	
1/4	1,824.97	1/4	1,459.21	1/4	1,094.06	1/4	728.06	1/4	367.93	1/4	19.63	1/4		1/4		1/4		1/4	
1/2	1,817.34	1/2	1,451.61	1/2	1,086.44	1/2	720.44	1/2	360.33	1/2	15.65	1/2		1/2		1/2		1/2	
3/4	1,809.71	3/4	1,444.00	3/4	1,078.81	3/4	712.81	3/4	352.72	3/4	14.21	3/4		3/4		3/4		3/4	
6	1,802.08	6	1,436.40	6	1,071.18	6	705.18	6	345.11	6		6		6		6		6	
1/4	1,794.46	1/4	1,428.79	1/4	1,063.56	1/4	697.55	1/4	337.51	1/4		1/4		1/4		1/4		1/4	
1/2	1,786.83	1/2	1,421.19	1/2	1,055.93	1/2	689.93	1/2	329.90	1/2		1/2		1/2		1/2		1/2	
3/4	1,779.20	3/4	1,413.59	3/4	1,048.31	3/4	682.30	3/4	322.30	3/4		3/4		3/4		3/4		3/4	
7	1,771.58	7	1,405.98	7	1,040.68	7	674.67	7	314.69	7		7		7		7		7	
1/4	1,763.95	1/4	1,398.38	1/4	1,033.05	1/4	667.05	1/4	307.08	1/4		1/4		1/4		1/4		1/4	
1/2	1,756.32	1/2	1,390.77	1/2	1,025.43	1/2	659.42	1/2	299.48	1/2		1/2		1/2		1/2		1/2	
3/4	1,748.70	3/4	1,383.17	3/4	1,017.80	3/4	651.79	3/4	291.84	3/4		3/4		3/4		3/4		3/4	
8	1,741.07	8	1,375.57	8	1,010.18	8	644.17	8	284.20	8		8		8		8		8	
1/4	1,733.44	1/4	1,367.96	1/4	1,002.55	1/4	636.54	1/4	276.56	1/4		1/4		1/4		1/4		1/4	
1/2	1,725.81	1/2	1,360.36	1/2	994.92	1/2	628.91	1/2	268.92	1/2		1/2		1/2		1/2		1/2	
3/4	1,718.19	3/4	1,352.75	3/4	987.30	3/4	621.28	3/4	261.28	3/4		3/4		3/4		3/4		3/4	
9	1,710.56	9	1,345.15	9	979.67	9	613.66	9	253.65	9		9		9		9		9	
1/4	1,702.93	1/4	1,337.54	1/4	972.05	1/4	606.03	1/4	246.01	1/4		1/4		1/4		1/4		1/4	
1/2	1,695.31	1/2	1,329.94	1/2	964.42	1/2	598.40	1/2	238.37	1/2		1/2		1/2		1/2		1/2	
3/4	1,687.68	3/4	1,322.34	3/4	956.79	3/4	590.78	3/4	230.73	3/4		3/4		3/4		3/4		3/4	
10	1,680.05	10	1,314.73	10	949.17	10	583.15	10	223.09	10		10		10		10		10	
1/4	1,672.43	1/4	1,307.13	1/4	941.54	1/4	575.52	1/4	215.45	1/4		1/4		1/4		1/4		1/4	
1/2	1,664.80	1/2	1,299.52	1/2	933.92	1/2	567.90	1/2	207.81	1/2		1/2		1/2		1/2		1/2	
3/4	1,657.17	3/4	1,291.92	3/4	926.29	3/4	560.27	3/4	200.18	3/4		3/4		3/4		3/4		3/4	
11	1,649.54	11	1,284.31	11	918.67	11	552.64	11	192.54	11		11		11		11		11	
1/4	1,641.92	1/4	1,276.71	1/4	911.05	1/4	545.01	1/4	184.90	1/4		1/4		1/4		1/4		1/4	
1/2	1,634.29	1/2	1,269.11	1/2	903.43	1/2	537.39	1/2	177.26	1/2		1/2		1/2		1/2		1/2	
3/4	1,626.66	3/4	1,261.50	3/4	895.81	3/4	529.76	3/4	169.62	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300" HULL NO. 4405

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 7/8"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	4,426.57	1/4	4,426.57	1/4	4,286.32	1/4	4,149.95	1/4	4,010.53	1/4	3,806.66	1/4	3,443.41	1/4	3,087.34	1/4	2,722.61	1/4	2,356.89
1/2	4,426.71	1/2	4,423.71	1/2	4,286.44	1/2	4,149.06	1/2	4,007.61	1/2	3,799.11	1/2	3,443.41	1/2	3,087.34	1/2	2,722.61	1/2	2,356.89
3/4	4,420.85	3/4	4,420.85	3/4	4,282.56	3/4	4,144.18	3/4	4,004.70	3/4	3,791.56	3/4	3,428.26	3/4	3,064.61	3/4	2,699.75	3/4	2,334.03
1	4,417.99	1	4,417.99	1	4,279.67	1	4,141.30	1	4,001.78	1	3,784.02	1	3,420.68	1	3,057.03	1	2,692.13	1	2,326.41
1/4	4,415.12	1/4	4,415.12	1/4	4,276.79	1/4	4,138.42	1/4	4,000.87	1/4	3,784.02	1/4	3,413.10	1/4	3,049.46	1/4	2,684.51	1/4	2,318.79
1/2	4,412.26	1/2	4,412.26	1/2	4,273.91	1/2	4,135.53	1/2	3,995.96	1/2	3,768.92	1/2	3,413.10	1/2	3,041.88	1/2	2,676.89	1/2	2,311.17
3/4	4,409.40	3/4	4,409.40	3/4	4,271.02	3/4	4,132.65	3/4	3,993.04	3/4	3,761.37	3/4	3,397.95	3/4	3,034.30	3/4	2,669.27	3/4	2,303.55
2	4,406.52	2	4,406.52	2	4,268.14	2	4,129.77	2	3,990.13	2	3,753.83	2	3,380.38	2	3,026.73	2	2,661.65	2	2,296.93
1/4	4,403.63	1/4	4,403.63	1/4	4,265.26	1/4	4,126.88	1/4	3,987.22	1/4	3,746.28	1/4	3,382.80	1/4	3,019.15	1/4	2,654.03	1/4	2,288.31
1/2	4,400.75	1/2	4,400.75	1/2	4,262.38	1/2	4,124.00	1/2	3,984.30	1/2	3,743.18	1/2	3,375.22	1/2	3,011.58	1/2	2,646.42	1/2	2,280.69
3/4	4,397.87	3/4	4,397.87	3/4	4,259.49	3/4	4,121.12	3/4	3,981.39	3/4	3,731.18	3/4	3,367.65	3/4	3,004.00	3/4	2,638.80	3/4	2,273.07
3	4,394.99	3	4,394.99	3	4,256.61	3	4,118.24	3	3,978.48	3	3,723.63	3	3,360.07	3	2,996.42	3	2,631.18	3	2,265.46
1/4	4,392.10	1/4	4,392.10	1/4	4,253.73	1/4	4,115.35	1/4	3,975.56	1/4	3,716.09	1/4	3,352.50	1/4	2,996.42	1/4	2,623.56	1/4	2,257.84
1/2	4,389.22	1/2	4,389.22	1/2	4,250.85	1/2	4,112.47	1/2	3,972.65	1/2	3,708.54	1/2	3,344.92	1/2	2,991.27	1/2	2,615.94	1/2	2,250.22
3/4	4,386.34	3/4	4,386.34	3/4	4,247.96	3/4	4,109.59	3/4	3,969.74	3/4	3,700.99	3/4	3,337.34	3/4	2,973.70	3/4	2,608.32	3/4	2,242.60
4	4,383.45	4	4,383.45	4	4,245.08	4	4,106.67	4	3,966.82	4	3,693.42	4	3,329.77	4	2,966.12	4	2,600.70	4	2,234.98
1/4	4,380.57	1/4	4,380.57	1/4	4,242.20	1/4	4,103.76	1/4	3,963.91	1/4	3,685.84	1/4	3,322.19	1/4	2,958.54	1/4	2,593.08	1/4	2,227.36
1/2	4,377.69	1/2	4,377.69	1/2	4,239.31	1/2	4,100.85	1/2	3,960.99	1/2	3,678.26	1/2	3,314.62	1/2	2,950.97	1/2	2,585.46	1/2	2,219.74
3/4	4,374.81	3/4	4,374.81	3/4	4,236.43	3/4	4,097.93	3/4	3,958.08	3/4	3,670.69	3/4	3,307.04	3/4	2,943.39	3/4	2,577.84	3/4	2,212.12
5	4,371.92	5	4,371.92	5	4,233.55	5	4,095.02	5	3,955.17	5	3,663.11	5	3,299.46	5	2,935.82	5	2,570.22	5	2,204.50
1/4	4,369.04	1/4	4,369.04	1/4	4,230.67	1/4	4,092.11	1/4	3,952.25	1/4	3,655.54	1/4	3,291.89	1/4	2,928.82	1/4	2,562.60	1/4	2,196.88
1/2	4,366.16	1/2	4,366.16	1/2	4,227.78	1/2	4,089.19	1/2	3,949.34	1/2	3,647.96	1/2	3,284.31	1/2	2,920.66	1/2	2,554.98	1/2	2,188.26
3/4	4,363.27	3/4	4,363.27	3/4	4,224.90	3/4	4,086.28	3/4	3,946.43	3/4	3,640.38	3/4	3,276.74	3/4	2,913.09	3/4	2,547.37	3/4	2,181.64
6	4,360.39	6	4,360.39	6	4,222.02	6	4,083.37	6	3,943.19	6	3,632.81	6	3,269.16	6	2,905.47	6	2,539.75	6	2,174.02
1/4	4,357.51	1/4	4,357.51	1/4	4,219.13	1/4	4,080.45	1/4	3,939.96	1/4	3,625.23	1/4	3,261.58	1/4	2,897.85	1/4	2,532.13	1/4	2,166.41
1/2	4,354.63	1/2	4,354.63	1/2	4,216.25	1/2	4,077.54	1/2	3,936.73	1/2	3,617.66	1/2	3,254.01	1/2	2,890.23	1/2	2,524.51	1/2	2,158.79
3/4	4,351.74	3/4	4,351.74	3/4	4,213.37	3/4	4,074.62	3/4	3,933.49	3/4	3,610.08	3/4	3,246.43	3/4	2,882.61	3/4	2,516.89	3/4	2,151.17
7	4,348.86	7	4,348.86	7	4,210.49	7	4,071.71	7	3,929.47	7	3,602.50	7	3,238.86	7	2,874.99	7	2,509.27	7	2,143.55
1/4	4,345.98	1/4	4,345.98	1/4	4,207.60	1/4	4,068.80	1/4	3,925.46	1/4	3,594.93	1/4	3,231.28	1/4	2,867.37	1/4	2,501.65	1/4	2,135.93
1/2	4,343.09	1/2	4,343.09	1/2	4,204.72	1/2	4,065.88	1/2	3,921.44	1/2	3,587.35	1/2	3,223.70	1/2	2,859.75	1/2	2,494.03	1/2	2,128.31
3/4	4,340.21	3/4	4,340.21	3/4	4,201.84	3/4	4,062.97	3/4	3,917.42	3/4	3,579.78	3/4	3,216.53	3/4	2,852.13	3/4	2,486.41	3/4	2,120.69
8	4,337.33	8	4,337.33	8	4,198.95	8	4,060.06	8	3,912.62	8	3,572.20	8	3,208.55	8	2,844.51	8	2,478.79	8	2,113.07
1/4	4,334.45	1/4	4,334.45	1/4	4,196.07	1/4	4,057.14	1/4	3,907.82	1/4	3,564.62	1/4	3,200.98	1/4	2,836.90	1/4	2,471.17	1/4	2,105.45
1/2	4,331.56	1/2	4,331.56	1/2	4,193.19	1/2	4,054.23	1/2	3,903.01	1/2	3,557.05	1/2	3,193.40	1/2	2,829.28	1/2	2,463.55	1/2	2,097.83
3/4	4,328.68	3/4	4,328.68	3/4	4,190.31	3/4	4,051.32	3/4	3,898.21	3/4	3,549.47	3/4	3,185.82	3/4	2,821.66	3/4	2,455.94	3/4	2,090.21
9	4,325.80	9	4,325.80	9	4,187.42	9	4,048.40	9	3,892.62	9	3,541.90	9	3,178.25	9	2,814.04	9	2,448.32	9	2,082.59
1/4	4,322.92	1/4	4,322.92	1/4	4,184.54	1/4	4,045.49	1/4	3,887.04	1/4	3,534.32	1/4	3,170.67	1/4	2,806.42	1/4	2,440.70	1/4	2,074.98
1/2	4,320.03	1/2	4,320.03	1/2	4,181.66	1/2	4,042.58	1/2	3,884.15	1/2	3,526.74	1/2	3,163.10	1/2	2,798.80	1/2	2,433.08	1/2	2,067.36
3/4	4,317.15	3/4	4,317.15	3/4	4,178.78	3/4	4,039.66	3/4	3,881.26	3/4	3,519.17	3/4	3,155.52	3/4	2,791.18	3/4	2,425.46	3/4	2,059.74
10	4,314.27	10	4,314.27	10	4,175.89	10	4,036.75	10	3,876.49	10	3,511.59	10	3,147.94	10	2,783.56	10	2,417.84	10	2,052.12
1/4	4,311.38	1/4	4,311.38	1/4	4,173.01	1/4	4,033.83	1/4	3,863.12	1/4	3,504.02	1/4	3,140.37	1/4	2,775.94	1/4	2,410.22	1/4	2,044.50
1/2	4,308.50	1/2	4,308.50	1/2	4,170.13	1/2	4,030.92	1/2	3,856.75	1/2	3,496.44	1/2	3,132.79	1/2	2,768.32	1/2	2,402.60	1/2	2,036.88
3/4	4,305.62	3/4	4,305.62	3/4	4,167.24	3/4	4,028.01	3/4	3,850.38	3/4	3,488.86	3/4	3,125.22	3/4	2,760.07	3/4	2,394.98	3/4	2,029.26
11	4,302.74	11	4,302.74	11	4,164.36	11	4,025.09	11	3,843.22	11	3,481.29	11	3,117.64	11	2,753.08	11	2,387.36	11	2,021.64
1/4	4,299.85	1/4	4,299.85	1/4	4,161.48	1/4	4,022.18	1/4	3,836.07	1/4	3,473.71	1/4	3,110.06	1/4	2,745.46	1/4	2,379.74	1/4	2,014.02
1/2	4,296.97	1/2	4,296.97	1/2	4,158.60	1/2	4,019.27	1/2	3,828.91	1/2	3,466.14	1/2	3,102.49	1/2	2,737.85	1/2	2,372.12	1/2	2,006.40
3/4	4,294.09	3/4	4,294.09	3/4	4,155.71	3/4	4,016.35	3/4	3,821.76	3/4	3,458.56	3/4	3,094.91	3/4	2,730.23	3/4	2,364.50	3/4	1,998.78

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH IMPS CHAPTER 2.7.
NOTE: GAUGE POINT: TO TOP UP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: GAUGE POINT LOCATED 11'-0" OFF CENTERLINE AND 58'-5" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett

BARGE "RBT 300"
HULL NO. 4405

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 7/8"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,991.16	0	1,625.44	0	1,259.78	0	894.14	0	528.46	0	169.17	0		0		0		0	
1/4	1,983.54	1/4	1,617.82	1/4	1,252.16	1/4	886.52	1/4	520.84	1/4	161.56	1/4		1/4		1/4		1/4	
1/2	1,975.93	1/2	1,610.20	1/2	1,244.54	1/2	878.91	1/2	513.23	1/2	153.94	1/2		1/2		1/2		1/2	
3/4	1,968.31	3/4	1,602.58	3/4	1,236.92	3/4	871.29	3/4	505.61	3/4	146.32	3/4		3/4		3/4		3/4	
1	1,960.69	1	1,594.97	1	1,229.31	1	863.68	1	497.99	1	138.70	1		1		1		1	
1/4	1,953.07	1/4	1,587.35	1/4	1,221.69	1/4	856.07	1/4	490.37	1/4	131.08	1/4		1/4		1/4		1/4	
1/2	1,945.45	1/2	1,579.73	1/2	1,214.07	1/2	848.45	1/2	482.75	1/2	123.46	1/2		1/2		1/2		1/2	
3/4	1,937.83	3/4	1,572.11	3/4	1,206.45	3/4	840.84	3/4	475.13	3/4	115.84	3/4		3/4		3/4		3/4	
2	1,930.21	2	1,564.49	2	1,198.84	2	833.22	2	467.51	2	108.22	2		2		2		2	
1/4	1,922.59	1/4	1,556.87	1/4	1,191.22	1/4	825.60	1/4	459.89	1/4	100.60	1/4		1/4		1/4		1/4	
1/2	1,914.97	1/2	1,549.25	1/2	1,183.60	1/2	817.99	1/2	452.27	1/2	92.98	1/2		1/2		1/2		1/2	
3/4	1,907.35	3/4	1,541.64	3/4	1,175.98	3/4	810.37	3/4	444.65	3/4	85.36	3/4		3/4		3/4		3/4	
3	1,899.73	3	1,534.02	3	1,168.37	3	802.75	3	437.79	3	77.78	3		3		3		3	
1/4	1,892.11	1/4	1,526.40	1/4	1,160.75	1/4	795.13	1/4	430.93	1/4	70.19	1/4		1/4		1/4		1/4	
1/2	1,884.50	1/2	1,518.78	1/2	1,153.13	1/2	787.51	1/2	424.06	1/2	62.60	1/2		1/2		1/2		1/2	
3/4	1,876.88	3/4	1,511.17	3/4	1,145.52	3/4	779.89	3/4	417.20	3/4	55.02	3/4		3/4		3/4		3/4	
4	1,869.26	4	1,503.55	4	1,137.90	4	772.28	4	410.33	4	49.14	4		4		4		4	
1/4	1,861.64	1/4	1,495.93	1/4	1,130.28	1/4	764.66	1/4	403.47	1/4	43.26	1/4		1/4		1/4		1/4	
1/2	1,854.02	1/2	1,488.31	1/2	1,122.66	1/2	757.04	1/2	396.61	1/2	37.38	1/2		1/2		1/2		1/2	
3/4	1,846.40	3/4	1,480.69	3/4	1,115.04	3/4	749.42	3/4	389.74	3/4	31.50	3/4		3/4		3/4		3/4	
5	1,838.78	5	1,473.08	5	1,107.42	5	741.80	5	382.16	5	27.53	5		5		5		5	
1/4	1,831.16	1/4	1,465.46	1/4	1,099.81	1/4	734.18	1/4	374.57	1/4	23.55	1/4		1/4		1/4		1/4	
1/2	1,823.54	1/2	1,457.84	1/2	1,092.19	1/2	726.56	1/2	366.98	1/2	19.58	1/2		1/2		1/2		1/2	
3/4	1,815.92	3/4	1,450.22	3/4	1,084.57	3/4	718.94	3/4	359.40	3/4	15.61	3/4		3/4		3/4		3/4	
6	1,808.30	6	1,442.61	6	1,076.95	6	711.32	6	351.81	6	14.18	6		6		6		6	
1/4	1,800.68	1/4	1,434.99	1/4	1,069.35	1/4	703.71	1/4	344.22	1/4		1/4		1/4		1/4		1/4	
1/2	1,793.06	1/2	1,427.37	1/2	1,061.71	1/2	696.09	1/2	336.63	1/2		1/2		1/2		1/2		1/2	
3/4	1,785.45	3/4	1,419.75	3/4	1,054.10	3/4	688.47	3/4	329.05	3/4		3/4		3/4		3/4		3/4	
7	1,777.83	7	1,412.13	7	1,046.48	7	680.85	7	321.46	7		7		7		7		7	
1/4	1,770.21	1/4	1,404.52	1/4	1,038.86	1/4	673.23	1/4	313.87	1/4		1/4		1/4		1/4		1/4	
1/2	1,762.59	1/2	1,396.90	1/2	1,031.24	1/2	665.61	1/2	306.29	1/2		1/2		1/2		1/2		1/2	
3/4	1,754.97	3/4	1,389.28	3/4	1,023.62	3/4	657.99	3/4	298.70	3/4		3/4		3/4		3/4		3/4	
8	1,747.35	8	1,381.66	8	1,016.01	8	650.37	8	291.08	8		8		8		8		8	
1/4	1,739.73	1/4	1,374.05	1/4	1,008.39	1/4	642.75	1/4	283.46	1/4		1/4		1/4		1/4		1/4	
1/2	1,732.11	1/2	1,366.43	1/2	1,000.77	1/2	635.13	1/2	275.84	1/2		1/2		1/2		1/2		1/2	
3/4	1,724.49	3/4	1,358.81	3/4	993.15	3/4	627.51	3/4	268.22	3/4		3/4		3/4		3/4		3/4	
9	1,716.87	9	1,351.19	9	985.53	9	619.89	9	260.60	9		9		9		9		9	
1/4	1,709.25	1/4	1,343.57	1/4	977.91	1/4	612.28	1/4	252.99	1/4		1/4		1/4		1/4		1/4	
1/2	1,701.63	1/2	1,335.96	1/2	970.30	1/2	604.66	1/2	245.37	1/2		1/2		1/2		1/2		1/2	
3/4	1,694.02	3/4	1,328.34	3/4	962.68	3/4	597.04	3/4	237.75	3/4		3/4		3/4		3/4		3/4	
10	1,686.40	10	1,320.72	10	955.06	10	589.42	10	230.13	10		10		10		10		10	
1/4	1,678.78	1/4	1,313.10	1/4	947.44	1/4	581.80	1/4	222.51	1/4		1/4		1/4		1/4		1/4	
1/2	1,671.16	1/2	1,305.48	1/2	939.82	1/2	574.18	1/2	214.89	1/2		1/2		1/2		1/2		1/2	
3/4	1,663.54	3/4	1,297.87	3/4	932.21	3/4	566.56	3/4	207.27	3/4		3/4		3/4		3/4		3/4	
11	1,655.92	11	1,290.25	11	924.59	11	558.94	11	199.65	11		11		11		11		11	
1/4	1,648.30	1/4	1,282.63	1/4	916.98	1/4	551.32	1/4	192.03	1/4		1/4		1/4		1/4		1/4	
1/2	1,640.68	1/2	1,275.01	1/2	909.36	1/2	543.70	1/2	184.41	1/2		1/2		1/2		1/2		1/2	
3/4	1,633.06	3/4	1,267.40	3/4	901.75	3/4	536.08	3/4	176.79	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/22/02 BY: DAR
DATE COMPUTED: 5/28/02 BY: DAR
DATE ISSUED: 5/29/02

ITS - CALEB BRETT

Caleb Brett