

BARGE "RBT 302"
HULL NO. 4407

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 3/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,307.89	0	4,941.33	0	4,574.21	0	4,206.39	0	3,838.06	0	3,469.72	0	3,101.39	0	2,733.06	0	2,364.72
1/4	1/4	1/4	5,300.29	1/4	4,933.68	1/4	4,566.57	1/4	4,198.71	1/4	3,830.38	1/4	3,462.05	1/4	3,093.72	1/4	2,725.38	1/4	2,357.05
1/2	1/2	1/2	5,292.70	1/2	4,926.03	1/2	4,558.92	1/2	4,191.04	1/2	3,822.71	1/2	3,454.38	1/2	3,086.04	1/2	2,717.71	1/2	2,349.38
3/4	3/4	3/4	5,285.10	3/4	4,918.38	3/4	4,551.27	3/4	4,183.37	3/4	3,815.03	3/4	3,446.70	3/4	3,078.37	3/4	2,710.04	3/4	2,341.70
1	1	1	5,277.51	1	4,910.73	1	4,543.62	1	4,175.69	1	3,807.36	1	3,439.03	1	3,070.70	1	2,702.36	1	2,334.03
1/4	1/4	1/4	5,269.91	1/4	4,903.09	1/4	4,535.97	1/4	4,168.02	1/4	3,799.69	1/4	3,431.35	1/4	3,063.02	1/4	2,694.69	1/4	2,326.36
1/2	1/2	1/2	5,262.31	1/2	4,895.44	1/2	4,528.32	1/2	4,160.35	1/2	3,792.01	1/2	3,423.68	1/2	3,055.35	1/2	2,687.02	1/2	2,318.68
3/4	3/4	3/4	5,254.72	3/4	4,887.79	3/4	4,520.68	3/4	4,152.67	3/4	3,784.34	3/4	3,416.01	3/4	3,047.67	3/4	2,679.34	3/4	2,311.01
2	2	2	5,247.12	2	4,880.14	2	4,513.03	2	4,145.00	2	3,776.67	2	3,408.33	2	3,040.00	2	2,671.67	2	2,303.34
1/4	1/4	1/4	5,239.53	1/4	4,872.49	1/4	4,505.38	1/4	4,137.33	1/4	3,768.99	1/4	3,400.66	1/4	3,032.33	1/4	2,663.99	1/4	2,295.66
1/2	1/2	1/2	5,231.93	1/2	4,864.85	1/2	4,497.73	1/2	4,129.65	1/2	3,761.32	1/2	3,392.99	1/2	3,024.65	1/2	2,656.32	1/2	2,287.99
3/4	3/4	3/4	5,224.31	3/4	4,857.20	3/4	4,490.08	3/4	4,121.98	3/4	3,753.65	3/4	3,385.31	3/4	3,016.98	3/4	2,648.65	3/4	2,280.31
3	3	3	5,216.66	3	4,849.55	3	4,482.44	3	4,114.31	3	3,745.97	3	3,377.64	3	3,009.31	3	2,640.97	3	2,272.64
1/4	1/4	1/4	5,209.01	1/4	4,841.90	1/4	4,474.79	1/4	4,106.63	1/4	3,738.30	1/4	3,369.97	1/4	3,001.63	1/4	2,633.30	1/4	2,264.97
5/8	1/2	1/2	5,201.37	1/2	4,834.25	1/2	4,467.14	1/2	4,098.96	1/2	3,730.63	1/2	3,362.29	1/2	2,993.96	1/2	2,625.63	1/2	2,257.29
3/4	3/4	3/4	5,193.72	3/4	4,826.60	3/4	4,459.48	3/4	4,091.28	3/4	3,722.95	3/4	3,354.62	3/4	2,986.29	3/4	2,617.95	3/4	2,249.62
4	4	4	5,186.07	4	4,818.96	4	4,451.81	4	4,083.61	4	3,715.28	4	3,346.95	4	2,978.61	4	2,610.28	4	2,241.95
1/4	1/4	1/4	5,178.42	1/4	4,811.31	1/4	4,444.15	1/4	4,075.94	1/4	3,707.60	1/4	3,339.27	1/4	2,970.94	1/4	2,602.61	1/4	2,234.27
1/2	1/2	1/2	5,170.77	1/2	4,803.66	1/2	4,436.48	1/2	4,068.26	1/2	3,699.93	1/2	3,331.60	1/2	2,963.27	1/2	2,594.93	1/2	2,226.60
3/4	3/4	3/4	5,163.13	3/4	4,796.01	3/4	4,428.81	3/4	4,060.59	3/4	3,692.26	3/4	3,323.92	3/4	2,955.59	3/4	2,587.26	3/4	2,218.93
5	5	5	5,155.48	5	4,788.36	5	4,421.14	5	4,052.92	5	3,684.58	5	3,316.25	5	2,947.92	5	2,579.59	5	2,211.25
1/4	1/4	1/4	5,147.83	1/4	4,780.72	1/4	4,413.47	1/4	4,045.24	1/4	3,676.91	1/4	3,308.58	1/4	2,940.24	1/4	2,571.91	1/4	2,203.58
1/2	1/2	1/2	5,140.18	1/2	4,773.07	1/2	4,405.81	1/2	4,037.57	1/2	3,669.24	1/2	3,300.90	1/2	2,932.57	1/2	2,564.24	1/2	2,195.91
3/4	3/4	3/4	5,132.53	3/4	4,765.42	3/4	4,398.14	3/4	4,029.90	3/4	3,661.56	3/4	3,293.23	3/4	2,924.90	3/4	2,556.56	3/4	2,188.23
6	6	6	5,124.88	6	4,757.77	6	4,390.47	6	4,022.22	6	3,653.89	6	3,285.56	6	2,917.22	6	2,548.89	6	2,180.56
1/4	1/4	1/4	5,117.24	1/4	4,750.12	1/4	4,382.80	1/4	4,014.55	1/4	3,646.22	1/4	3,277.88	1/4	2,909.55	1/4	2,541.22	1/4	2,172.88
1/2	1/2	1/2	5,109.59	1/2	4,742.47	1/2	4,375.14	1/2	4,006.87	1/2	3,638.54	1/2	3,270.21	1/2	2,901.88	1/2	2,533.54	1/2	2,165.21
3/4	3/4	3/4	5,101.94	3/4	4,734.83	3/4	4,367.47	3/4	3,999.20	3/4	3,630.87	3/4	3,262.54	3/4	2,894.23	3/4	2,525.87	3/4	2,157.54
7	7	7	5,094.29	7	4,727.18	7	4,359.80	7	3,991.53	7	3,623.19	7	3,254.86	7	2,886.53	7	2,518.20	7	2,149.86
1/4	1/4	1/4	5,086.64	1/4	4,719.53	1/4	4,352.13	1/4	3,983.85	1/4	3,615.52	1/4	3,247.19	1/4	2,878.86	1/4	2,510.52	1/4	2,142.19
1/2	1/2	1/2	5,079.00	1/2	4,711.88	1/2	4,344.46	1/2	3,976.18	1/2	3,607.85	1/2	3,239.51	1/2	2,871.18	1/2	2,502.85	1/2	2,134.52
3/4	3/4	3/4	5,071.35	3/4	4,704.23	3/4	4,336.80	3/4	3,968.51	3/4	3,600.17	3/4	3,231.84	3/4	2,863.51	3/4	2,495.18	3/4	2,126.84
8	8	8	5,063.70	8	4,696.59	8	4,329.13	8	3,960.83	8	3,592.50	8	3,224.17	8	2,855.83	8	2,487.50	8	2,119.17
1/4	1/4	1/4	5,056.05	1/4	4,688.94	1/4	4,321.46	1/4	3,953.16	1/4	3,584.83	1/4	3,216.49	1/4	2,848.16	1/4	2,479.83	1/4	2,111.50
1/2	1/2	1/2	5,048.40	1/2	4,681.29	1/2	4,313.79	1/2	3,945.49	1/2	3,577.15	1/2	3,208.82	1/2	2,840.49	1/2	2,472.15	1/2	2,103.82
3/4	3/4	3/4	5,040.75	3/4	4,673.64	3/4	4,306.13	3/4	3,937.81	3/4	3,569.48	3/4	3,201.15	3/4	2,832.81	3/4	2,464.48	3/4	2,096.15
9	9	9	5,033.11	9	4,665.99	9	4,298.46	9	3,930.14	9	3,561.81	9	3,193.47	9	2,825.14	9	2,456.81	9	2,088.47
1/4	1/4	1/4	5,025.46	1/4	4,658.34	1/4	4,290.79	1/4	3,922.47	1/4	3,554.13	1/4	3,185.80	1/4	2,817.47	1/4	2,449.13	1/4	2,080.80
1/2	1/2	1/2	5,017.81	1/2	4,650.70	1/2	4,283.12	1/2	3,914.79	1/2	3,546.46	1/2	3,178.13	1/2	2,809.79	1/2	2,441.46	1/2	2,073.13
3/4	3/4	3/4	5,010.16	3/4	4,643.05	3/4	4,275.45	3/4	3,907.12	3/4	3,538.79	3/4	3,170.45	3/4	2,802.12	3/4	2,433.79	3/4	2,065.45
10	10	10	5,002.51	10	4,635.40	10	4,267.78	10	3,899.44	10	3,531.11	10	3,162.78	10	2,794.45	10	2,426.11	10	2,057.78
1/4	1/4	1/4	4,994.86	1/4	4,627.75	1/4	4,260.10	1/4	3,891.77	1/4	3,523.44	1/4	3,155.11	1/4	2,786.77	1/4	2,418.44	1/4	2,050.11
1/2	1/2	1/2	4,987.22	1/2	4,620.10	1/2	4,252.43	1/2	3,884.10	1/2	3,515.76	1/2	3,147.43	1/2	2,779.10	1/2	2,410.77	1/2	2,042.43
3/4	3/4	3/4	4,979.57	3/4	4,612.45	3/4	4,244.76	3/4	3,876.42	3/4	3,508.09	3/4	3,139.76	3/4	2,771.43	3/4	2,403.09	3/4	2,034.76
11	11	11	4,971.92	11	4,604.81	11	4,237.08	11	3,868.75	11	3,500.42	11	3,132.08	11	2,763.75	11	2,395.42	11	2,027.09
1/4	1/4	1/4	4,964.27	1/4	4,597.16	1/4	4,229.41	1/4	3,861.08	1/4	3,492.74	1/4	3,124.41	1/4	2,756.08	1/4	2,387.75	1/4	2,019.41
1/2	1/2	1/2	4,956.62	1/2	4,589.51	1/2	4,221.74	1/2	3,853.40	1/2	3,485.07	1/2	3,116.74	1/2	2,748.40	1/2	2,380.07	1/2	2,011.74
3/4	3/4	3/4	4,948.98	3/4	4,581.86	3/4	4,214.06	3/4	3,845.73	3/4	3,477.40	3/4	3,109.06	3/4	2,740.73	3/4	2,372.40	3/4	2,004.07

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,996.39	0	1,628.06	0	1,259.73	0	891.82	0	529.19	0	170.23	0		0		0		0	
1/4	1,988.72	1/4	1,620.39	1/4	1,252.05	1/4	884.16	1/4	521.77	1/4	162.81	1/4		1/4		1/4		1/4	
1/2	1,981.04	1/2	1,612.71	1/2	1,244.38	1/2	876.50	1/2	514.36	1/2	155.40	1/2		1/2		1/2		1/2	
3/4	1,973.37	3/4	1,605.04	3/4	1,236.71	3/4	868.84	3/4	506.95	3/4	147.99	3/4		3/4		3/4		3/4	
1	1,965.70	1	1,597.36	1	1,229.04	1	861.17	1	499.53	1	140.57	1		1		1		1	
1/4	1,958.02	1/4	1,589.69	1/4	1,221.37	1/4	853.51	1/4	492.12	1/4	133.16	1/4		1/4		1/4		1/4	
1/2	1,950.35	1/2	1,582.02	1/2	1,213.70	1/2	845.85	1/2	484.70	1/2	125.75	1/2		1/2		1/2		1/2	
3/4	1,942.68	3/4	1,574.34	3/4	1,206.03	3/4	838.19	3/4	477.29	3/4	118.33	3/4		3/4		3/4		3/4	
2	1,935.00	2	1,566.67	2	1,198.36	2	830.53	2	469.88	2	110.92	2		2		2		2	
1/4	1,927.33	1/4	1,559.00	1/4	1,190.69	1/4	822.87	1/4	462.46	1/4	103.50	1/4		1/4		1/4		1/4	
1/2	1,919.66	1/2	1,551.32	1/2	1,183.03	1/2	815.20	1/2	455.05	1/2	96.09	1/2		1/2		1/2		1/2	
3/4	1,911.98	3/4	1,543.65	3/4	1,175.36	3/4	807.54	3/4	447.63	3/4	88.55	3/4		3/4		3/4		3/4	
3	1,904.31	3	1,535.98	3	1,167.69	3	799.88	3	440.22	3	80.89	3		3		3		3	
1/4	1,896.63	1/4	1,528.30	1/4	1,160.03	1/4	792.22	1/4	432.68	1/4	73.22	1/4		1/4		1/4		1/4	
1/2	1,888.96	1/2	1,520.63	1/2	1,152.36	1/2	784.56	1/2	425.02	1/2	65.56	1/2		1/2		1/2		1/2	
3/4	1,881.29	3/4	1,512.95	3/4	1,144.69	3/4	776.89	3/4	417.36	3/4	58.38	3/4		3/4		3/4		3/4	
4	1,873.61	4	1,505.28	4	1,137.03	4	769.23	4	409.69	4	51.67	4		4		4		4	
1/4	1,865.94	1/4	1,497.61	1/4	1,129.36	1/4	761.57	1/4	402.03	1/4	44.97	1/4		1/4		1/4		1/4	
1/2	1,858.27	1/2	1,489.93	1/2	1,121.69	1/2	753.91	1/2	394.37	1/2	38.26	1/2		1/2		1/2		1/2	
3/4	1,850.59	3/4	1,482.26	3/4	1,114.03	3/4	746.24	3/4	386.70	3/4	32.52	3/4		3/4		3/4		3/4	
5	1,842.92	5	1,474.59	5	1,106.37	5	738.57	5	379.04	5	27.73	5		5		5		5	
1/4	1,835.25	1/4	1,466.91	1/4	1,098.70	1/4	730.89	1/4	371.38	1/4	22.95	1/4		1/4		1/4		1/4	
1/2	1,827.57	1/2	1,459.24	1/2	1,091.04	1/2	723.22	1/2	363.72	1/2	18.16	1/2		1/2		1/2		1/2	
3/4	1,819.90	3/4	1,451.57	3/4	1,083.38	3/4	715.55	3/4	356.05	3/4	14.33	3/4		3/4		3/4		3/4	
6	1,812.23	6	1,443.89	6	1,075.72	6	707.87	6	348.39	6		6		6		6		6	
1/4	1,804.55	1/4	1,436.22	1/4	1,068.05	1/4	700.20	1/4	340.85	1/4		1/4		1/4		1/4		1/4	
1/2	1,796.88	1/2	1,428.55	1/2	1,060.39	1/2	692.53	1/2	333.42	1/2		1/2		1/2		1/2		1/2	
3/4	1,789.20	3/4	1,420.87	3/4	1,052.73	3/4	684.98	3/4	326.00	3/4		3/4		3/4		3/4		3/4	
7	1,781.53	7	1,413.20	7	1,045.07	7	677.55	7	318.57	7		7		7		7		7	
1/4	1,773.86	1/4	1,405.52	1/4	1,037.40	1/4	670.13	1/4	311.15	1/4		1/4		1/4		1/4		1/4	
1/2	1,766.18	1/2	1,397.85	1/2	1,029.74	1/2	662.70	1/2	303.72	1/2		1/2		1/2		1/2		1/2	
3/4	1,758.51	3/4	1,390.18	3/4	1,022.08	3/4	655.28	3/4	296.30	3/4		3/4		3/4		3/4		3/4	
8	1,750.84	8	1,382.50	8	1,014.42	8	647.86	8	288.88	8		8		8		8		8	
1/4	1,743.16	1/4	1,374.83	1/4	1,006.75	1/4	640.43	1/4	281.45	1/4		1/4		1/4		1/4		1/4	
1/2	1,735.49	1/2	1,367.16	1/2	999.09	1/2	633.01	1/2	274.03	1/2		1/2		1/2		1/2		1/2	
3/4	1,727.82	3/4	1,359.48	3/4	991.43	3/4	625.58	3/4	266.61	3/4		3/4		3/4		3/4		3/4	
9	1,720.14	9	1,351.81	9	983.77	9	618.16	9	259.19	9		9		9		9		9	
1/4	1,712.47	1/4	1,344.14	1/4	976.10	1/4	610.74	1/4	251.78	1/4		1/4		1/4		1/4		1/4	
1/2	1,704.79	1/2	1,336.46	1/2	968.44	1/2	603.32	1/2	244.37	1/2		1/2		1/2		1/2		1/2	
3/4	1,697.12	3/4	1,328.79	3/4	960.78	3/4	595.91	3/4	236.95	3/4		3/4		3/4		3/4		3/4	
10	1,689.45	10	1,321.11	10	953.12	10	588.50	10	229.54	10		10		10		10		10	
1/4	1,681.77	1/4	1,313.44	1/4	945.45	1/4	581.08	1/4	222.12	1/4		1/4		1/4		1/4		1/4	
1/2	1,674.10	1/2	1,305.77	1/2	937.79	1/2	573.67	1/2	214.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,666.43	3/4	1,298.09	3/4	930.13	3/4	566.26	3/4	207.30	3/4		3/4		3/4		3/4		3/4	
11	1,658.75	11	1,290.42	11	922.47	11	558.84	11	199.88	11		11		11		11		11	
1/4	1,651.08	1/4	1,282.75	1/4	914.81	1/4	551.43	1/4	192.47	1/4		1/4		1/4		1/4		1/4	
1/2	1,643.41	1/2	1,275.07	1/2	907.14	1/2	544.01	1/2	185.06	1/2		1/2		1/2		1/2		1/2	
3/4	1,635.73	3/4	1,267.40	3/4	899.48	3/4	536.60	3/4	177.64	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 5/8"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,297.04	0	4,930.96	0	4,564.36	0	4,197.03	0	3,829.20	0	3,461.38	0	3,093.56	0	2,725.73	0	2,357.91
1/4	1/4	1/4	5,289.45	1/4	4,923.33	1/4	4,556.72	1/4	4,189.37	1/4	3,821.54	1/4	3,453.72	1/4	3,085.89	1/4	2,718.07	1/4	2,350.25
1/2	1/2	1/2	5,281.87	1/2	4,915.69	1/2	4,549.08	1/2	4,181.70	1/2	3,813.88	1/2	3,446.05	1/2	3,078.23	1/2	2,710.41	1/2	2,342.58
3/4	3/4	3/4	5,274.29	3/4	4,908.05	3/4	4,541.45	3/4	4,174.04	3/4	3,806.22	3/4	3,438.39	3/4	3,070.57	3/4	2,702.74	3/4	2,334.92
1	1	1	5,266.70	1	4,900.41	1	4,533.81	1	4,166.38	1	3,798.55	1	3,430.73	1	3,062.90	1	2,695.08	1	2,327.26
1/4	1/4	1/4	5,259.12	1/4	4,892.77	1/4	4,526.17	1/4	4,158.71	1/4	3,790.89	1/4	3,422.07	1/4	3,055.24	1/4	2,687.42	1/4	2,319.59
1/2	1/2	1/2	5,251.53	1/2	4,885.14	1/2	4,518.53	1/2	4,151.05	1/2	3,783.23	1/2	3,415.40	1/2	3,047.58	1/2	2,679.75	1/2	2,311.93
3/4	3/4	3/4	5,243.95	3/4	4,877.50	3/4	4,510.89	3/4	4,143.39	3/4	3,775.56	3/4	3,407.74	3/4	3,039.92	3/4	2,672.09	3/4	2,304.27
2	2	2	5,236.36	2	4,869.86	2	4,503.26	2	4,135.72	2	3,767.90	2	3,400.08	2	3,032.25	2	2,664.43	2	2,296.60
1/4	1/4	1/4	5,228.78	1/4	4,862.22	1/4	4,495.62	1/4	4,128.06	1/4	3,760.24	1/4	3,392.41	1/4	3,024.59	1/4	2,656.77	1/4	2,288.94
1/2	1/2	1/2	5,221.19	1/2	4,854.59	1/2	4,487.98	1/2	4,120.40	1/2	3,752.57	1/2	3,384.75	1/2	3,016.93	1/2	2,649.10	1/2	2,281.28
3/4	3/4	3/4	5,213.55	3/4	4,846.95	3/4	4,480.34	3/4	4,112.74	3/4	3,744.91	3/4	3,377.09	3/4	3,009.26	3/4	2,641.44	3/4	2,273.62
3	3	3	5,205.92	3	4,839.31	3	4,472.71	3	4,105.07	3	3,737.25	3	3,369.42	3	3,001.60	3	2,633.78	3	2,265.95
1/4	1/4	1/4	5,198.28	1/4	4,831.67	1/4	4,465.07	1/4	4,097.41	1/4	3,729.59	1/4	3,361.76	1/4	2,993.94	1/4	2,626.11	1/4	2,258.29
1/2	1/2	1/2	5,190.64	1/2	4,824.04	1/2	4,457.43	1/2	4,089.75	1/2	3,721.92	1/2	3,354.10	1/2	2,986.27	1/2	2,618.45	1/2	2,250.63
3/4	3/4	3/4	5,183.00	3/4	4,816.40	3/4	4,449.77	3/4	4,082.08	3/4	3,714.26	3/4	3,346.44	3/4	2,978.61	3/4	2,610.79	3/4	2,242.96
4	4	4	5,175.37	4	4,808.76	4	4,442.12	4	4,074.42	4	3,706.60	4	3,338.77	4	2,970.95	4	2,603.12	4	2,235.30
1/4	1/4	1/4	5,167.73	1/4	4,801.12	1/4	4,434.46	1/4	4,066.76	1/4	3,698.93	1/4	3,331.11	1/4	2,963.29	1/4	2,595.46	1/4	2,227.64
1/2	1/2	1/2	5,160.09	1/2	4,793.49	1/2	4,426.80	1/2	4,059.09	1/2	3,691.27	1/2	3,323.45	1/2	2,955.62	1/2	2,587.80	1/2	2,219.97
3/4	3/4	3/4	5,152.45	3/4	4,785.85	3/4	4,419.15	3/4	4,051.43	3/4	3,683.93	3/4	3,315.78	3/4	2,947.96	3/4	2,580.14	3/4	2,212.31
5	5	5	5,144.82	5	4,778.21	5	4,411.49	5	4,043.77	5	3,675.94	5	3,308.12	5	2,940.30	5	2,572.47	5	2,204.65
1/4	1/4	1/4	5,137.18	1/4	4,770.57	1/4	4,403.83	1/4	4,036.11	1/4	3,668.28	1/4	3,300.46	1/4	2,932.62	1/4	2,564.81	1/4	2,196.99
1/2	1/2	1/2	5,129.54	1/2	4,762.94	1/2	4,396.17	1/2	4,028.44	1/2	3,660.62	1/2	3,292.79	1/2	2,924.97	1/2	2,557.15	1/2	2,189.32
3/4	3/4	3/4	5,121.90	3/4	4,755.30	3/4	4,388.52	3/4	4,020.78	3/4	3,652.96	3/4	3,285.13	3/4	2,917.31	3/4	2,549.48	3/4	2,181.66
6	6	6	5,114.27	6	4,747.66	6	4,380.86	6	4,013.12	6	3,645.29	6	3,277.47	6	2,909.64	6	2,541.82	6	2,174.00
1/4	1/4	1/4	5,106.63	1/4	4,740.02	1/4	4,373.20	1/4	4,005.45	1/4	3,637.63	1/4	3,269.81	1/4	2,901.98	1/4	2,534.16	1/4	2,166.33
1/2	1/2	1/2	5,098.99	1/2	4,732.39	1/2	4,365.55	1/2	3,997.79	1/2	3,629.97	1/2	3,262.14	1/2	2,894.32	1/2	2,526.49	1/2	2,158.67
3/4	3/4	3/4	5,091.35	3/4	4,724.75	3/4	4,357.89	3/4	3,990.13	3/4	3,622.30	3/4	3,254.48	3/4	2,886.66	3/4	2,518.83	3/4	2,151.01
7	7	7	5,083.71	7	4,717.11	7	4,350.23	7	3,982.46	7	3,614.64	7	3,246.82	7	2,878.99	7	2,511.17	7	2,143.34
1/4	1/4	1/4	5,076.08	1/4	4,709.47	1/4	4,342.57	1/4	3,974.80	1/4	3,606.98	1/4	3,239.15	1/4	2,871.33	1/4	2,503.51	1/4	2,135.68
1/2	1/2	1/2	5,068.44	1/2	4,701.83	1/2	4,334.92	1/2	3,967.14	1/2	3,599.31	1/2	3,231.49	1/2	2,863.67	1/2	2,495.84	1/2	2,128.02
3/4	3/4	3/4	5,060.80	3/4	4,694.20	3/4	4,327.26	3/4	3,959.48	3/4	3,591.65	3/4	3,223.83	3/4	2,856.00	3/4	2,488.18	3/4	2,120.36
8	8	8	5,053.16	8	4,686.56	8	4,319.60	8	3,951.81	8	3,583.99	8	3,216.16	8	2,848.34	8	2,480.52	8	2,112.69
1/4	1/4	1/4	5,045.53	1/4	4,678.92	1/4	4,311.94	1/4	3,944.15	1/4	3,576.33	1/4	3,208.50	1/4	2,840.68	1/4	2,472.85	1/4	2,105.03
1/2	1/2	1/2	5,037.89	1/2	4,671.28	1/2	4,304.29	1/2	3,936.49	1/2	3,568.66	1/2	3,200.84	1/2	2,833.01	1/2	2,465.19	1/2	2,097.37
3/4	3/4	3/4	5,030.25	3/4	4,663.65	3/4	4,296.63	3/4	3,928.82	3/4	3,561.00	3/4	3,193.18	3/4	2,825.35	3/4	2,457.53	3/4	2,089.70
9	9	9	5,022.61	9	4,656.01	9	4,288.97	9	3,921.16	9	3,553.34	9	3,185.51	9	2,817.69	9	2,449.86	9	2,082.04
1/4	1/4	1/4	5,014.98	1/4	4,648.37	1/4	4,281.32	1/4	3,913.50	1/4	3,545.67	1/4	3,177.85	1/4	2,810.03	1/4	2,442.20	1/4	2,074.38
1/2	1/2	1/2	5,007.34	1/2	4,640.73	1/2	4,273.66	1/2	3,905.83	1/2	3,538.01	1/2	3,170.19	1/2	2,802.36	1/2	2,434.54	1/2	2,066.71
3/4	3/4	3/4	4,999.70	3/4	4,633.10	3/4	4,266.00	3/4	3,898.17	3/4	3,530.35	3/4	3,162.52	3/4	2,794.70	3/4	2,426.88	3/4	2,059.05
10	10	10	4,992.06	10	4,625.46	10	4,258.63	10	3,890.51	10	3,522.68	10	3,154.86	10	2,787.04	10	2,419.21	10	2,051.39
1/4	1/4	1/4	4,984.43	1/4	4,617.82	1/4	4,250.67	1/4	3,882.85	1/4	3,515.02	1/4	3,147.20	1/4	2,779.37	1/4	2,411.55	1/4	2,043.73
1/2	1/2	1/2	4,976.79	1/2	4,610.18	1/2	4,243.01	1/2	3,875.18	1/2	3,507.36	1/2	3,139.53	1/2	2,771.71	1/2	2,403.89	1/2	2,036.06
3/4	3/4	3/4	4,969.15	3/4	4,602.55	3/4	4,235.34	3/4	3,867.52	3/4	3,499.70	3/4	3,131.87	3/4	2,764.05	3/4	2,396.22	3/4	2,028.40
11	11	11	4,961.51	11	4,594.91	11	4,227.68	11	3,859.86	11	3,492.03	11	3,124.21	11	2,756.38	11	2,388.56	11	2,020.74
1/4	1/4	1/4	4,953.88	1/4	4,587.27	1/4	4,220.02	1/4	3,852.19	1/4	3,484.37	1/4	3,116.55	1/4	2,748.72	1/4	2,380.90	1/4	2,013.07
1/2	1/2	1/2	4,946.24	1/2	4,579.63	1/2	4,212.35	1/2	3,844.53	1/2	3,476.71	1/2	3,108.88	1/2	2,741.06	1/2	2,373.23	1/2	2,005.41
3/4	3/4	3/4	4,938.60	3/4	4,572.00	3/4	4,204.69	3/4	3,836.87	3/4	3,469.04	3/4	3,101.22	3/4	2,733.40	3/4	2,365.57	3/4	1,997.75

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 5/8"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,990.08	0	1,622.26	0	1,254.44	0	886.83	0	524.74	0	166.29	0		0		0		0	
1/4	1,982.42	1/4	1,614.60	1/4	1,246.77	1/4	879.17	1/4	517.33	1/4	158.88	1/4		1/4		1/4		1/4	
1/2	1,974.76	1/2	1,606.93	1/2	1,239.11	1/2	871.51	1/2	509.93	1/2	151.48	1/2		1/2		1/2		1/2	
3/4	1,967.10	3/4	1,599.27	3/4	1,231.45	3/4	863.86	3/4	502.53	3/4	144.08	3/4		3/4		3/4		3/4	
1	1,959.43	1	1,591.61	1	1,223.78	1	856.20	1	495.12	1	136.67	1		1		1		1	
1/4	1,951.77	1/4	1,583.95	1/4	1,216.12	1/4	848.55	1/4	487.72	1/4	129.27	1/4		1/4		1/4		1/4	
1/2	1,944.11	1/2	1,576.28	1/2	1,208.46	1/2	840.89	1/2	480.32	1/2	121.87	1/2		1/2		1/2		1/2	
3/4	1,936.44	3/4	1,568.62	3/4	1,200.80	3/4	833.23	3/4	472.92	3/4	114.47	3/4		3/4		3/4		3/4	
2	1,928.78	2	1,560.96	2	1,193.13	2	825.58	2	465.51	2	107.06	2		2		2		2	
1/4	1,921.12	1/4	1,553.29	1/4	1,185.47	1/4	817.92	1/4	458.11	1/4	99.66	1/4		1/4		1/4		1/4	
1/2	1,913.45	1/2	1,545.63	1/2	1,177.81	1/2	810.27	1/2	450.71	1/2	92.26	1/2		1/2		1/2		1/2	
3/4	1,905.79	3/4	1,537.97	3/4	1,170.15	3/4	802.61	3/4	443.30	3/4	84.60	3/4		3/4		3/4		3/4	
3	1,898.13	3	1,530.30	3	1,162.49	3	794.95	3	435.90	3	76.95	3		3		3		3	
1/4	1,890.47	1/4	1,522.64	1/4	1,154.82	1/4	787.30	1/4	428.25	1/4	69.30	1/4		1/4		1/4		1/4	
1/2	1,882.80	1/2	1,514.98	1/2	1,147.16	1/2	779.64	1/2	420.59	1/2	61.64	1/2		1/2		1/2		1/2	
3/4	1,875.14	3/4	1,507.32	3/4	1,139.50	3/4	771.99	3/4	412.94	3/4	54.95	3/4		3/4		3/4		3/4	
4	1,867.48	4	1,499.65	4	1,131.84	4	764.33	4	405.29	4	48.25	4		4		4		4	
1/4	1,859.81	1/4	1,491.99	1/4	1,124.18	1/4	756.67	1/4	397.64	1/4	41.56	1/4		1/4		1/4		1/4	
1/2	1,852.15	1/2	1,484.33	1/2	1,116.52	1/2	749.02	1/2	389.98	1/2	34.86	1/2		1/2		1/2		1/2	
3/4	1,844.49	3/4	1,476.66	3/4	1,108.86	3/4	741.36	3/4	382.33	3/4	30.08	3/4		3/4		3/4		3/4	
5	1,836.82	5	1,469.00	5	1,101.21	5	733.69	5	374.68	5	25.30	5		5		5		5	
1/4	1,829.16	1/4	1,461.34	1/4	1,093.55	1/4	726.03	1/4	367.03	1/4	20.53	1/4		1/4		1/4		1/4	
1/2	1,821.50	1/2	1,453.67	1/2	1,085.89	1/2	718.37	1/2	359.38	1/2	15.75	1/2		1/2		1/2		1/2	
3/4	1,813.84	3/4	1,446.01	3/4	1,078.24	3/4	710.70	3/4	351.72	3/4	14.31	3/4		3/4		3/4		3/4	
6	1,806.17	6	1,438.35	6	1,070.58	6	703.04	6	344.07	6		6		6		6		6	
1/4	1,798.51	1/4	1,430.69	1/4	1,062.92	1/4	695.38	1/4	336.66	1/4		1/4		1/4		1/4		1/4	
1/2	1,790.85	1/2	1,423.02	1/2	1,055.27	1/2	687.71	1/2	329.24	1/2		1/2		1/2		1/2		1/2	
3/4	1,783.18	3/4	1,415.36	3/4	1,047.61	3/4	680.30	3/4	321.83	3/4		3/4		3/4		3/4		3/4	
7	1,775.52	7	1,407.70	7	1,039.95	7	672.89	7	314.42	7		7		7		7		7	
1/4	1,767.86	1/4	1,400.03	1/4	1,032.30	1/4	665.47	1/4	307.00	1/4		1/4		1/4		1/4		1/4	
1/2	1,760.19	1/2	1,392.37	1/2	1,024.64	1/2	658.06	1/2	299.59	1/2		1/2		1/2		1/2		1/2	
3/4	1,752.53	3/4	1,384.71	3/4	1,016.98	3/4	650.65	3/4	292.17	3/4		3/4		3/4		3/4		3/4	
8	1,744.87	8	1,377.04	8	1,009.33	8	643.23	8	284.76	8		8		8		8		8	
1/4	1,737.21	1/4	1,369.38	1/4	1,001.67	1/4	635.82	1/4	277.35	1/4		1/4		1/4		1/4		1/4	
1/2	1,729.54	1/2	1,361.72	1/2	994.01	1/2	628.40	1/2	269.93	1/2		1/2		1/2		1/2		1/2	
3/4	1,721.88	3/4	1,354.06	3/4	986.36	3/4	620.99	3/4	262.53	3/4		3/4		3/4		3/4		3/4	
9	1,714.22	9	1,346.39	9	978.70	9	613.58	9	255.13	9		9		9		9		9	
1/4	1,706.55	1/4	1,338.73	1/4	971.05	1/4	606.17	1/4	247.72	1/4		1/4		1/4		1/4		1/4	
1/2	1,698.89	1/2	1,331.07	1/2	963.39	1/2	598.77	1/2	240.32	1/2		1/2		1/2		1/2		1/2	
3/4	1,691.23	3/4	1,323.40	3/4	955.73	3/4	591.37	3/4	232.92	3/4		3/4		3/4		3/4		3/4	
10	1,683.56	10	1,315.74	10	948.08	10	583.96	10	225.51	10		10		10		10		10	
1/4	1,675.90	1/4	1,308.08	1/4	940.42	1/4	576.56	1/4	218.11	1/4		1/4		1/4		1/4		1/4	
1/2	1,668.24	1/2	1,300.41	1/2	932.76	1/2	569.16	1/2	210.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,660.58	3/4	1,292.75	3/4	925.11	3/4	561.75	3/4	203.30	3/4		3/4		3/4		3/4		3/4	
11	1,652.91	11	1,285.09	11	917.45	11	554.35	11	195.90	11		11		11		11		11	
1/4	1,645.25	1/4	1,277.43	1/4	909.79	1/4	546.95	1/4	188.50	1/4		1/4		1/4		1/4		1/4	
1/2	1,637.59	1/2	1,269.76	1/2	902.14	1/2	539.54	1/2	181.09	1/2		1/2		1/2		1/2		1/2	
3/4	1,629.92	3/4	1,262.10	3/4	894.48	3/4	532.14	3/4	173.69	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

2 PORT
BARGE "RBT 302"
HULL NO. 4407

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 7/8"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,560.79	0	5,176.99	0	4,792.57	0	4,408.00	0	4,022.37	0	3,636.74	0	3,251.11	0	2,865.48	0	2,479.84
1/4	1/4	1/4	5,552.84	1/4	5,168.98	1/4	4,784.56	1/4	4,399.97	1/4	4,014.34	1/4	3,628.71	1/4	3,243.07	1/4	2,857.44	1/4	2,471.81
1/2	1/2	1/2	5,544.88	1/2	5,160.97	1/2	4,776.56	1/2	4,391.94	1/2	4,006.30	1/2	3,620.67	1/2	3,235.04	1/2	2,849.41	1/2	2,463.78
3/4	3/4	3/4	5,536.93	3/4	5,152.96	3/4	4,768.55	3/4	4,383.90	3/4	3,998.27	3/4	3,612.64	3/4	3,227.01	3/4	2,841.37	3/4	2,455.74
1	1	1	5,528.98	1	5,144.95	1	4,760.54	1	4,375.87	1	3,990.24	1	3,604.60	1	3,218.97	1	2,833.34	1	2,447.71
1/4	1/4	1/4	5,521.02	1/4	5,136.94	1/4	4,752.53	1/4	4,367.83	1/4	3,982.20	1/4	3,596.57	1/4	3,210.94	1/4	2,825.31	1/4	2,439.67
1/2	1/2	1/2	5,513.07	1/2	5,128.93	1/2	4,744.52	1/2	4,359.80	1/2	3,974.17	1/2	3,588.54	1/2	3,202.90	1/2	2,817.27	1/2	2,431.64
3/4	3/4	3/4	5,505.12	3/4	5,120.93	3/4	4,736.51	3/4	4,351.77	3/4	3,966.13	3/4	3,580.50	3/4	3,194.87	3/4	2,809.24	3/4	2,423.61
2	2	2	5,497.16	2	5,112.92	2	4,728.50	2	4,343.73	2	3,958.10	2	3,572.47	2	3,186.84	2	2,801.20	2	2,415.57
1/4	1/4	1/4	5,489.21	1/4	5,104.91	1/4	4,720.50	1/4	4,335.70	1/4	3,950.07	1/4	3,564.43	1/4	3,178.80	1/4	2,793.17	1/4	2,407.54
1/2	1/2	1/2	5,481.26	1/2	5,096.90	1/2	4,712.49	1/2	4,327.66	1/2	3,942.03	1/2	3,556.40	1/2	3,170.77	1/2	2,785.14	1/2	2,399.50
3/4	3/4	3/4	5,473.30	3/4	5,088.89	3/4	4,704.48	3/4	4,319.63	3/4	3,934.00	3/4	3,548.37	3/4	3,162.73	3/4	2,777.10	3/4	2,391.47
3	3	3	5,465.30	3	5,080.88	3	4,696.47	3	4,311.60	3	3,925.96	3	3,540.33	3	3,154.70	3	2,769.07	3	2,383.44
1/4	1/4	1/4	5,457.29	1/4	5,072.87	1/4	4,688.46	1/4	4,303.56	1/4	3,917.93	1/4	3,532.30	1/4	3,146.67	1/4	2,761.03	1/4	2,375.40
1/2	1/2	1/2	5,449.28	1/2	5,064.87	1/2	4,680.45	1/2	4,295.53	1/2	3,909.90	1/2	3,524.26	1/2	3,138.63	1/2	2,753.00	1/2	2,367.37
3/4	3/4	3/4	5,441.27	3/4	5,056.86	3/4	4,672.44	3/4	4,287.49	3/4	3,901.86	3/4	3,516.23	3/4	3,130.60	3/4	2,744.97	3/4	2,359.33
4	4	4	5,433.26	4	5,048.85	4	4,664.44	4	4,279.46	4	3,893.83	4	3,508.20	4	3,122.56	4	2,736.93	4	2,351.30
1/4	1/4	1/4	5,425.25	1/4	5,040.84	1/4	4,656.43	1/4	4,271.43	1/4	3,885.79	1/4	3,500.16	1/4	3,114.53	1/4	2,728.90	1/4	2,343.27
1/2	1/2	1/2	5,417.24	1/2	5,032.83	1/2	4,648.43	1/2	4,263.39	1/2	3,877.76	1/2	3,492.13	1/2	3,106.50	1/2	2,720.86	1/2	2,335.23
3/4	3/4	3/4	5,409.24	3/4	5,024.82	3/4	4,640.42	3/4	4,255.36	3/4	3,869.73	3/4	3,484.09	3/4	3,098.46	3/4	2,712.83	3/4	2,327.20
5	5	5	5,401.23	5	5,016.81	5	4,632.42	5	4,247.32	5	3,861.69	5	3,476.06	5	3,090.43	5	2,704.80	5	2,319.16
1/4	1/4	1/4	5,393.22	1/4	5,008.81	1/4	4,624.41	1/4	4,239.29	1/4	3,853.66	1/4	3,468.03	1/4	3,082.39	1/4	2,696.76	1/4	2,311.13
1/2	1/2	1/2	5,385.21	1/2	5,000.80	1/2	4,616.40	1/2	4,231.26	1/2	3,845.62	1/2	3,459.99	1/2	3,074.36	1/2	2,688.73	1/2	2,303.10
3/4	3/4	3/4	5,377.20	3/4	4,992.79	3/4	4,608.40	3/4	4,223.22	3/4	3,837.59	3/4	3,451.96	3/4	3,066.33	3/4	2,680.69	3/4	2,295.06
6	6	6	5,369.19	6	4,984.78	6	4,600.39	6	4,215.19	6	3,829.56	6	3,443.92	6	3,058.29	6	2,672.66	6	2,287.03
1/4	1/4	1/4	5,361.18	1/4	4,976.77	1/4	4,592.39	1/4	4,207.15	1/4	3,821.52	1/4	3,435.89	1/4	3,050.26	1/4	2,664.63	1/4	2,278.99
1/2	1/2	1/2	5,353.18	1/2	4,968.76	1/2	4,584.38	1/2	4,199.12	1/2	3,813.49	1/2	3,427.86	1/2	3,042.22	1/2	2,656.59	1/2	2,270.96
3/4	3/4	3/4	5,345.17	3/4	4,960.75	3/4	4,576.38	3/4	4,191.09	3/4	3,805.45	3/4	3,419.82	3/4	3,034.19	3/4	2,648.56	3/4	2,262.93
7	7	7	5,337.16	7	4,952.75	7	4,568.37	7	4,183.05	7	3,797.42	7	3,411.79	7	3,026.16	7	2,640.52	7	2,254.89
1/4	1/4	1/4	5,329.15	1/4	4,944.74	1/4	4,560.37	1/4	4,175.02	1/4	3,789.39	1/4	3,403.75	1/4	3,018.12	1/4	2,632.49	1/4	2,246.86
1/2	1/2	1/2	5,321.14	1/2	4,936.73	1/2	4,552.36	1/2	4,166.98	1/2	3,781.35	1/2	3,395.72	1/2	3,010.09	1/2	2,624.46	1/2	2,238.82
3/4	3/4	3/4	5,313.13	3/4	4,928.72	3/4	4,544.35	3/4	4,158.95	3/4	3,773.32	3/4	3,387.69	3/4	3,002.05	3/4	2,616.42	3/4	2,230.79
8	8	8	5,305.12	8	4,920.71	8	4,536.35	8	4,150.92	8	3,765.28	8	3,379.65	8	2,994.02	8	2,608.39	8	2,222.76
1/4	1/4	1/4	5,297.11	1/4	4,912.70	1/4	4,528.34	1/4	4,142.88	1/4	3,757.25	1/4	3,371.62	1/4	2,985.99	1/4	2,600.35	1/4	2,214.72
1/2	1/2	1/2	5,289.11	1/2	4,904.69	1/2	4,520.34	1/2	4,134.85	1/2	3,749.22	1/2	3,363.58	1/2	2,977.95	1/2	2,592.32	1/2	2,206.69
3/4	3/4	3/4	5,281.10	3/4	4,896.68	3/4	4,512.33	3/4	4,126.81	3/4	3,741.18	3/4	3,355.55	3/4	2,969.92	3/4	2,584.29	3/4	2,198.65
9	9	9	5,273.09	9	4,888.68	9	4,504.33	9	4,118.78	9	3,733.15	9	3,347.52	9	2,961.88	9	2,576.25	9	2,190.62
1/4	1/4	1/4	5,265.08	1/4	4,880.67	1/4	4,496.32	1/4	4,110.75	1/4	3,725.11	1/4	3,339.48	1/4	2,953.85	1/4	2,568.22	1/4	2,182.59
1/2	1/2	1/2	5,257.07	1/2	4,872.66	1/2	4,488.32	1/2	4,102.71	1/2	3,717.08	1/2	3,331.45	1/2	2,945.82	1/2	2,560.18	1/2	2,174.55
3/4	3/4	3/4	5,249.06	3/4	4,864.65	3/4	4,480.31	3/4	4,096.68	3/4	3,709.05	3/4	3,323.41	3/4	2,937.75	3/4	2,552.15	3/4	2,166.52
10	10	10	5,241.05	10	4,856.64	10	4,472.28	10	4,086.64	10	3,701.01	10	3,315.38	10	2,929.78	10	2,544.12	10	2,158.48
1/4	1/4	1/4	5,233.05	1/4	4,848.63	1/4	4,464.24	1/4	4,078.61	1/4	3,692.98	1/4	3,307.35	1/4	2,921.71	1/4	2,536.08	1/4	2,150.45
1/2	1/2	1/2	5,225.04	1/2	4,840.62	1/2	4,456.21	1/2	4,070.58	1/2	3,684.94	1/2	3,299.31	1/2	2,913.68	1/2	2,528.05	1/2	2,142.42
3/4	3/4	3/4	5,217.03	3/4	4,832.62	3/4	4,448.17	3/4	4,062.54	3/4	3,676.91	3/4	3,291.28	3/4	2,905.65	3/4	2,520.01	3/4	2,134.38
11	11	11	5,209.02	11	4,824.61	11	4,440.14	11	4,054.51	11	3,668.88	11	3,283.24	11	2,897.61	11	2,511.98	11	2,126.35
1/4	1/4	1/4	5,201.01	1/4	4,816.60	1/4	4,432.11	1/4	4,046.47	1/4	3,660.84	1/4	3,275.21	1/4	2,889.58	1/4	2,503.95	1/4	2,118.31
1/2	1/2	1/2	5,193.00	1/2	4,808.59	1/2	4,424.07	1/2	4,038.44	1/2	3,652.81	1/2	3,267.18	1/2	2,881.54	1/2	2,495.91	1/2	2,110.28
3/4	3/4	3/4	5,184.99	3/4	4,800.58	3/4	4,416.04	3/4	4,030.41	3/4	3,644.77	3/4	3,259.14	3/4	2,873.51	3/4	2,487.88	3/4	2,102.25

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 7/8"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,094.21	0	1,708.58	0	1,322.95	0	937.74	0	557.93	0	182.09	0		0		0		0	
1/4	2,086.18	1/4	1,700.55	1/4	1,314.91	1/4	929.72	1/4	550.17	1/4	174.33	1/4		1/4		1/4		1/4	
1/2	2,078.14	1/2	1,692.51	1/2	1,306.88	1/2	921.69	1/2	542.40	1/2	166.57	1/2		1/2		1/2		1/2	
3/4	2,070.11	3/4	1,684.48	3/4	1,298.85	3/4	913.67	3/4	534.64	3/4	158.81	3/4		3/4		3/4		3/4	
1	2,062.08	1	1,676.44	1	1,290.82	1	905.65	1	526.88	1	151.04	1		1		1		1	
1/4	2,054.04	1/4	1,668.41	1/4	1,282.79	1/4	897.63	1/4	519.12	1/4	143.28	1/4		1/4		1/4		1/4	
1/2	2,046.01	1/2	1,660.38	1/2	1,274.76	1/2	889.60	1/2	511.35	1/2	135.52	1/2		1/2		1/2		1/2	
3/4	2,037.97	3/4	1,652.34	3/4	1,266.73	3/4	881.58	3/4	503.59	3/4	127.76	3/4		3/4		3/4		3/4	
2	2,029.94	2	1,644.31	2	1,258.70	2	873.56	2	495.83	2	120.00	2		2		2		2	
1/4	2,021.91	1/4	1,636.27	1/4	1,250.67	1/4	865.54	1/4	488.07	1/4	112.23	1/4		1/4		1/4		1/4	
1/2	2,013.87	1/2	1,628.24	1/2	1,242.64	1/2	857.52	1/2	480.30	1/2	104.47	1/2		1/2		1/2		1/2	
3/4	2,005.84	3/4	1,620.21	3/4	1,234.61	3/4	849.49	3/4	472.54	3/4	96.71	3/4		3/4		3/4		3/4	
3	1,997.80	3	1,612.17	3	1,226.59	3	841.47	3	464.78	3	88.68	3		3		3		3	
1/4	1,989.77	1/4	1,604.14	1/4	1,218.56	1/4	833.45	1/4	457.02	1/4	80.66	1/4		1/4		1/4		1/4	
1/2	1,981.74	1/2	1,596.10	1/2	1,210.53	1/2	825.43	1/2	448.99	1/2	72.64	1/2		1/2		1/2		1/2	
3/4	1,973.70	3/4	1,588.07	3/4	1,202.50	3/4	817.40	3/4	440.97	3/4	64.61	3/4		3/4		3/4		3/4	
4	1,965.67	4	1,580.04	4	1,194.48	4	809.38	4	432.95	4	57.59	4		4		4		4	
1/4	1,957.63	1/4	1,572.00	1/4	1,186.45	1/4	801.36	1/4	424.92	1/4	50.57	1/4		1/4		1/4		1/4	
1/2	1,949.60	1/2	1,563.97	1/2	1,178.42	1/2	793.34	1/2	416.90	1/2	43.55	1/2		1/2		1/2		1/2	
3/4	1,941.57	3/4	1,555.93	3/4	1,170.40	3/4	785.32	3/4	408.88	3/4	36.53	3/4		3/4		3/4		3/4	
5	1,933.53	5	1,547.90	5	1,162.37	5	777.28	5	400.85	5	31.52	5		5		5		5	
1/4	1,925.50	1/4	1,539.87	1/4	1,154.35	1/4	769.25	1/4	392.83	1/4	26.51	1/4		1/4		1/4		1/4	
1/2	1,917.46	1/2	1,531.83	1/2	1,146.33	1/2	761.21	1/2	384.81	1/2	21.50	1/2		1/2		1/2		1/2	
3/4	1,909.43	3/4	1,523.80	3/4	1,138.30	3/4	753.18	3/4	376.78	3/4	16.49	3/4		3/4		3/4		3/4	
6	1,901.40	6	1,515.76	6	1,130.28	6	745.15	6	368.76	6	14.98	6		6		6		6	
1/4	1,893.36	1/4	1,507.73	1/4	1,122.26	1/4	737.11	1/4	360.74	1/4		1/4		1/4		1/4		1/4	
1/2	1,885.33	1/2	1,499.70	1/2	1,114.24	1/2	729.08	1/2	352.96	1/2		1/2		1/2		1/2		1/2	
3/4	1,877.29	3/4	1,491.66	3/4	1,106.21	3/4	721.04	3/4	345.19	3/4		3/4		3/4		3/4		3/4	
7	1,869.26	7	1,483.63	7	1,098.19	7	713.27	7	337.42	7		7		7		7		7	
1/4	1,861.23	1/4	1,475.59	1/4	1,090.17	1/4	705.50	1/4	329.64	1/4		1/4		1/4		1/4		1/4	
1/2	1,853.19	1/2	1,467.56	1/2	1,082.15	1/2	697.73	1/2	321.87	1/2		1/2		1/2		1/2		1/2	
3/4	1,845.16	3/4	1,459.53	3/4	1,074.12	3/4	689.95	3/4	314.10	3/4		3/4		3/4		3/4		3/4	
8	1,837.12	8	1,451.49	8	1,066.10	8	682.18	8	306.32	8		8		8		8		8	
1/4	1,829.09	1/4	1,443.46	1/4	1,058.08	1/4	674.41	1/4	298.55	1/4		1/4		1/4		1/4		1/4	
1/2	1,821.06	1/2	1,435.42	1/2	1,050.05	1/2	666.63	1/2	290.78	1/2		1/2		1/2		1/2		1/2	
3/4	1,813.02	3/4	1,427.39	3/4	1,042.03	3/4	658.86	3/4	283.01	3/4		3/4		3/4		3/4		3/4	
9	1,804.99	9	1,419.36	9	1,034.01	9	651.09	9	275.24	9		9		9		9		9	
1/4	1,796.95	1/4	1,411.32	1/4	1,025.99	1/4	643.31	1/4	267.48	1/4		1/4		1/4		1/4		1/4	
1/2	1,788.92	1/2	1,403.29	1/2	1,017.96	1/2	635.55	1/2	259.72	1/2		1/2		1/2		1/2		1/2	
3/4	1,780.89	3/4	1,395.25	3/4	1,009.94	3/4	627.79	3/4	251.96	3/4		3/4		3/4		3/4		3/4	
10	1,772.85	10	1,387.22	10	1,001.92	10	620.03	10	244.19	10		10		10		10		10	
1/4	1,764.82	1/4	1,379.19	1/4	993.89	1/4	612.26	1/4	236.43	1/4		1/4		1/4		1/4		1/4	
1/2	1,756.78	1/2	1,371.15	1/2	985.87	1/2	604.50	1/2	228.67	1/2		1/2		1/2		1/2		1/2	
3/4	1,748.75	3/4	1,363.12	3/4	977.85	3/4	596.74	3/4	220.91	3/4		3/4		3/4		3/4		3/4	
11	1,740.72	11	1,355.08	11	969.83	11	588.98	11	213.14	11		11		11		11		11	
1/4	1,732.68	1/4	1,347.05	1/4	961.80	1/4	581.21	1/4	205.38	1/4		1/4		1/4		1/4		1/4	
1/2	1,724.65	1/2	1,339.02	1/2	953.78	1/2	573.45	1/2	197.62	1/2		1/2		1/2		1/2		1/2	
3/4	1,716.61	3/4	1,330.98	3/4	945.76	3/4	565.69	3/4	189.86	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5.78"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,557.62	0	5,174.06	0	4,789.88	0	4,405.56	0	4,020.16	0	3,634.77	0	3,249.38	0	2,863.99	0	2,478.60
1/4	1/4	1/4	5,549.67	1/4	5,166.05	1/4	4,781.88	1/4	4,397.53	1/4	4,012.13	1/4	3,626.74	1/4	3,241.35	1/4	2,855.96	1/4	2,470.57
1/2	1/2	1/2	5,541.73	1/2	5,158.05	1/2	4,773.88	1/2	4,389.50	1/2	4,004.11	1/2	3,618.71	1/2	3,233.32	1/2	2,847.93	1/2	2,462.54
3/4	3/4	3/4	5,533.78	3/4	5,150.05	3/4	4,765.87	3/4	4,381.47	3/4	3,996.08	3/4	3,610.68	3/4	3,225.29	3/4	2,839.90	3/4	2,454.51
1	1	1	5,525.83	1	5,142.04	1	4,757.87	1	4,373.44	1	3,988.05	1	3,602.66	1	3,217.26	1	2,831.87	1	2,446.48
1/4	1/4	1/4	5,517.88	1/4	5,134.04	1/4	4,749.87	1/4	4,365.41	1/4	3,980.02	1/4	3,594.63	1/4	3,209.23	1/4	2,823.84	1/4	2,438.45
1/2	1/2	1/2	5,509.93	1/2	5,126.04	1/2	4,741.86	1/2	4,357.38	1/2	3,971.99	1/2	3,586.60	1/2	3,201.21	1/2	2,815.81	1/2	2,430.39
3/4	3/4	3/4	5,501.98	3/4	5,118.03	3/4	4,733.86	3/4	4,349.35	3/4	3,963.96	3/4	3,578.57	3/4	3,193.18	3/4	2,807.78	3/4	2,422.32
2	2	2	5,494.04	2	5,110.03	2	4,725.86	2	4,341.32	2	3,955.93	2	3,570.54	2	3,185.15	2	2,799.76	2	2,414.36
1/4	1/4	1/4	5,486.09	1/4	5,102.03	1/4	4,717.85	1/4	4,333.29	1/4	3,947.90	1/4	3,562.51	1/4	3,177.12	1/4	2,791.73	1/4	2,406.33
1/2	1/2	1/2	5,478.14	1/2	5,094.02	1/2	4,709.85	1/2	4,325.27	1/2	3,939.87	1/2	3,554.48	1/2	3,169.09	1/2	2,783.70	1/2	2,398.31
3/4	3/4	3/4	5,470.19	3/4	5,086.02	3/4	4,701.85	3/4	4,317.24	3/4	3,931.84	3/4	3,546.45	3/4	3,161.06	3/4	2,775.67	3/4	2,390.28
3	3	3	5,462.19	3	5,078.01	3	4,693.84	3	4,309.21	3	3,923.82	3	3,538.42	3	3,153.03	3	2,767.64	3	2,382.25
1/4	1/4	1/4	5,454.18	1/4	5,070.01	1/4	4,685.84	1/4	4,301.18	1/4	3,915.79	1/4	3,530.39	1/4	3,145.00	1/4	2,759.61	1/4	2,374.22
1/2	1/2	1/2	5,446.18	1/2	5,062.01	1/2	4,677.83	1/2	4,293.15	1/2	3,907.76	1/2	3,522.37	1/2	3,136.97	1/2	2,751.58	1/2	2,366.19
3/4	3/4	3/4	5,438.18	3/4	5,054.00	3/4	4,669.83	3/4	4,285.12	3/4	3,899.73	3/4	3,514.34	3/4	3,128.94	3/4	2,743.55	3/4	2,358.16
4	4	4	5,430.17	4	5,046.00	4	4,661.83	4	4,277.09	4	3,891.70	4	3,506.31	4	3,120.92	4	2,735.52	4	2,350.13
1/4	1/4	1/4	5,422.17	1/4	5,038.00	1/4	4,653.83	1/4	4,269.06	1/4	3,883.67	1/4	3,498.28	1/4	3,112.89	1/4	2,727.49	1/4	2,342.10
1/2	1/2	1/2	5,414.17	1/2	5,029.99	1/2	4,645.83	1/2	4,261.03	1/2	3,875.64	1/2	3,490.25	1/2	3,104.86	1/2	2,719.47	1/2	2,334.07
3/4	3/4	3/4	5,406.16	3/4	5,021.99	3/4	4,637.83	3/4	4,253.00	3/4	3,867.61	3/4	3,482.22	3/4	3,096.83	3/4	2,711.44	3/4	2,326.04
5	5	5	5,398.16	5	5,013.99	5	4,629.83	5	4,244.98	5	3,859.58	5	3,474.19	5	3,088.80	5	2,703.41	5	2,318.02
1/4	1/4	1/4	5,390.15	1/4	5,005.98	1/4	4,621.83	1/4	4,236.95	1/4	3,851.55	1/4	3,466.16	1/4	3,080.77	1/4	2,695.38	1/4	2,309.99
1/2	1/2	1/2	5,382.15	1/2	4,997.98	1/2	4,613.83	1/2	4,228.92	1/2	3,843.53	1/2	3,458.13	1/2	3,072.74	1/2	2,687.35	1/2	2,301.96
3/4	3/4	3/4	5,374.15	3/4	4,989.97	3/4	4,605.83	3/4	4,220.89	3/4	3,835.50	3/4	3,450.10	3/4	3,064.71	3/4	2,679.32	3/4	2,293.93
6	6	6	5,366.14	6	4,981.97	6	4,597.83	6	4,212.86	6	3,827.47	6	3,442.08	6	3,056.68	6	2,671.29	6	2,285.90
1/4	1/4	1/4	5,358.14	1/4	4,973.97	1/4	4,589.82	1/4	4,204.83	1/4	3,819.44	1/4	3,434.05	1/4	3,048.65	1/4	2,663.26	1/4	2,277.87
1/2	1/2	1/2	5,350.14	1/2	4,965.96	1/2	4,581.82	1/2	4,196.80	1/2	3,811.41	1/2	3,426.02	1/2	3,040.63	1/2	2,655.23	1/2	2,269.84
3/4	3/4	3/4	5,342.13	3/4	4,957.96	3/4	4,573.82	3/4	4,188.77	3/4	3,803.38	3/4	3,417.99	3/4	3,032.60	3/4	2,647.20	3/4	2,261.81
7	7	7	5,334.13	7	4,949.96	7	4,565.82	7	4,180.74	7	3,795.35	7	3,409.96	7	3,024.57	7	2,639.18	7	2,253.78
1/4	1/4	1/4	5,326.13	1/4	4,941.95	1/4	4,557.82	1/4	4,172.71	1/4	3,787.32	1/4	3,401.93	1/4	3,016.54	1/4	2,631.15	1/4	2,245.75
1/2	1/2	1/2	5,318.12	1/2	4,933.95	1/2	4,549.82	1/2	4,164.69	1/2	3,779.29	1/2	3,393.90	1/2	3,008.51	1/2	2,623.12	1/2	2,237.73
3/4	3/4	3/4	5,310.12	3/4	4,925.95	3/4	4,541.82	3/4	4,156.66	3/4	3,771.26	3/4	3,385.87	3/4	3,000.48	3/4	2,615.09	3/4	2,229.70
8	8	8	5,302.12	8	4,917.94	8	4,533.82	8	4,148.63	8	3,763.24	8	3,377.84	8	2,992.45	8	2,607.06	8	2,221.67
1/4	1/4	1/4	5,294.11	1/4	4,909.94	1/4	4,525.82	1/4	4,140.60	1/4	3,755.21	1/4	3,369.81	1/4	2,984.42	1/4	2,599.03	1/4	2,213.64
1/2	1/2	1/2	5,286.11	1/2	4,901.94	1/2	4,517.82	1/2	4,132.57	1/2	3,747.18	1/2	3,361.79	1/2	2,976.39	1/2	2,591.00	1/2	2,205.61
3/4	3/4	3/4	5,278.10	3/4	4,893.93	3/4	4,509.82	3/4	4,124.54	3/4	3,739.15	3/4	3,353.76	3/4	2,968.36	3/4	2,582.97	3/4	2,197.58
9	9	9	5,270.10	9	4,885.93	9	4,501.82	9	4,116.51	9	3,731.12	9	3,345.73	9	2,960.34	9	2,574.94	9	2,189.55
1/4	1/4	1/4	5,262.10	1/4	4,877.92	1/4	4,493.82	1/4	4,108.48	1/4	3,723.09	1/4	3,337.70	1/4	2,952.31	1/4	2,566.91	1/4	2,181.52
1/2	1/2	1/2	5,254.09	1/2	4,869.92	1/2	4,485.82	1/2	4,100.45	1/2	3,715.06	1/2	3,329.67	1/2	2,944.28	1/2	2,558.89	1/2	2,173.49
3/4	3/4	3/4	5,246.09	3/4	4,861.92	3/4	4,477.82	3/4	4,092.42	3/4	3,707.03	3/4	3,321.64	3/4	2,936.25	3/4	2,550.86	3/4	2,165.46
10	10	10	5,238.09	10	4,853.91	10	4,469.79	10	4,084.40	10	3,699.00	10	3,313.61	10	2,928.22	10	2,542.83	10	2,157.44
1/4	1/4	1/4	5,230.08	1/4	4,845.91	1/4	4,461.76	1/4	4,076.37	1/4	3,690.97	1/4	3,305.58	1/4	2,920.19	1/4	2,534.80	1/4	2,149.41
1/2	1/2	1/2	5,222.08	1/2	4,837.91	1/2	4,453.73	1/2	4,068.34	1/2	3,682.95	1/2	3,297.55	1/2	2,912.16	1/2	2,526.77	1/2	2,141.38
3/4	3/4	3/4	5,214.08	3/4	4,829.90	3/4	4,445.70	3/4	4,060.31	3/4	3,674.92	3/4	3,289.52	3/4	2,904.13	3/4	2,518.71	3/4	2,133.35
11	11	11	5,206.07	11	4,821.90	11	4,437.67	11	4,052.28	11	3,666.89	11	3,281.50	11	2,896.10	11	2,510.71	11	2,125.32
1/4	1/4	1/4	5,198.07	1/4	4,813.90	1/4	4,429.64	1/4	4,044.25	1/4	3,658.86	1/4	3,273.47	1/4	2,888.07	1/4	2,502.68	1/4	2,117.29
1/2	1/2	1/2	5,190.06	1/2	4,805.89	1/2	4,421.61	1/2	4,036.22	1/2	3,650.83	1/2	3,265.44	1/2	2,880.05	1/2	2,494.65	1/2	2,109.26
3/4	3/4	3/4	5,182.06	3/4	4,797.89	3/4	4,413.58	3/4	4,028.19	3/4	3,642.80	3/4	3,257.41	3/4	2,872.02	3/4	2,486.62	3/4	2,101.23

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 7/8"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,093.20	0	1,707.81	0	1,322.42	0	937.23	0	557.57	0	181.98	0		0		0		0	
1/4	2,085.17	1/4	1,699.78	1/4	1,314.39	1/4	929.21	1/4	549.81	1/4	174.22	1/4		1/4		1/4		1/4	
1/2	2,077.15	1/2	1,691.75	1/2	1,306.36	1/2	921.19	1/2	542.06	1/2	166.46	1/2		1/2		1/2		1/2	
3/4	2,069.12	3/4	1,683.72	3/4	1,298.33	3/4	913.17	3/4	534.30	3/4	158.71	3/4		3/4		3/4		3/4	
1	2,061.09	1	1,675.70	1	1,290.30	1	905.15	1	526.54	1	150.95	1		1		1		1	
1/4	2,053.06	1/4	1,667.67	1/4	1,282.27	1/4	897.12	1/4	518.79	1/4	143.19	1/4		1/4		1/4		1/4	
1/2	2,045.03	1/2	1,659.64	1/2	1,274.25	1/2	889.10	1/2	511.03	1/2	135.43	1/2		1/2		1/2		1/2	
3/4	2,037.00	3/4	1,651.61	3/4	1,266.22	3/4	881.08	3/4	503.27	3/4	127.68	3/4		3/4		3/4		3/4	
2	2,028.97	2	1,643.58	2	1,258.19	2	873.06	2	495.51	2	119.92	2		2		2		2	
1/4	2,020.94	1/4	1,635.55	1/4	1,250.16	1/4	865.04	1/4	487.76	1/4	112.16	1/4		1/4		1/4		1/4	
1/2	2,012.91	1/2	1,627.52	1/2	1,242.13	1/2	857.01	1/2	480.00	1/2	104.41	1/2		1/2		1/2		1/2	
3/4	2,004.88	3/4	1,619.49	3/4	1,234.10	3/4	848.99	3/4	472.24	3/4	96.65	3/4		3/4		3/4		3/4	
3	1,996.86	3	1,611.46	3	1,226.07	3	840.97	3	464.48	3	88.63	3		3		3		3	
1/4	1,988.83	1/4	1,603.43	1/4	1,218.05	1/4	832.95	1/4	456.73	1/4	80.61	1/4		1/4		1/4		1/4	
1/2	1,980.80	1/2	1,595.41	1/2	1,210.02	1/2	824.93	1/2	448.71	1/2	72.59	1/2		1/2		1/2		1/2	
3/4	1,972.77	3/4	1,587.38	3/4	1,201.99	3/4	816.90	3/4	440.69	3/4	64.57	3/4		3/4		3/4		3/4	
4	1,964.74	4	1,579.35	4	1,193.97	4	808.88	4	432.67	4	57.56	4		4		4		4	
1/4	1,956.71	1/4	1,571.32	1/4	1,185.94	1/4	800.86	1/4	424.65	1/4	50.54	1/4		1/4		1/4		1/4	
1/2	1,948.68	1/2	1,563.29	1/2	1,177.91	1/2	792.84	1/2	416.63	1/2	43.53	1/2		1/2		1/2		1/2	
3/4	1,940.65	3/4	1,555.26	3/4	1,169.89	3/4	784.82	3/4	408.62	3/4	36.51	3/4		3/4		3/4		3/4	
5	1,932.62	5	1,547.23	5	1,161.86	5	776.79	5	400.60	5	31.50	5		5		5		5	
1/4	1,924.59	1/4	1,539.20	1/4	1,153.84	1/4	768.76	1/4	392.58	1/4	26.49	1/4		1/4		1/4		1/4	
1/2	1,916.57	1/2	1,531.17	1/2	1,145.82	1/2	760.73	1/2	384.56	1/2	21.49	1/2		1/2		1/2		1/2	
3/4	1,908.54	3/4	1,523.14	3/4	1,137.80	3/4	752.70	3/4	376.54	3/4	16.48	3/4		3/4		3/4		3/4	
6	1,900.51	6	1,515.12	6	1,129.77	6	744.67	6	368.52	6	14.97	6		6		6		6	
1/4	1,892.48	1/4	1,507.09	1/4	1,121.75	1/4	736.64	1/4	360.51	1/4		1/4		1/4		1/4		1/4	
1/2	1,884.45	1/2	1,499.06	1/2	1,113.73	1/2	728.61	1/2	352.74	1/2		1/2		1/2		1/2		1/2	
3/4	1,876.42	3/4	1,491.03	3/4	1,105.71	3/4	720.58	3/4	344.97	3/4		3/4		3/4		3/4		3/4	
7	1,868.39	7	1,483.00	7	1,097.68	7	712.82	7	337.20	7		7		7		7		7	
1/4	1,860.36	1/4	1,474.97	1/4	1,089.66	1/4	705.05	1/4	329.43	1/4		1/4		1/4		1/4		1/4	
1/2	1,852.33	1/2	1,466.94	1/2	1,081.64	1/2	697.28	1/2	321.67	1/2		1/2		1/2		1/2		1/2	
3/4	1,844.30	3/4	1,458.91	3/4	1,073.61	3/4	689.51	3/4	313.90	3/4		3/4		3/4		3/4		3/4	
8	1,836.28	8	1,450.88	8	1,065.59	8	681.74	8	306.13	8		8		8		8		8	
1/4	1,828.25	1/4	1,442.85	1/4	1,057.57	1/4	673.98	1/4	298.36	1/4		1/4		1/4		1/4		1/4	
1/2	1,820.22	1/2	1,434.83	1/2	1,049.55	1/2	666.21	1/2	290.59	1/2		1/2		1/2		1/2		1/2	
3/4	1,812.19	3/4	1,426.80	3/4	1,041.52	3/4	658.44	3/4	282.83	3/4		3/4		3/4		3/4		3/4	
9	1,804.16	9	1,418.77	9	1,033.50	9	650.67	9	275.07	9		9		9		9		9	
1/4	1,796.13	1/4	1,410.74	1/4	1,025.48	1/4	642.90	1/4	267.31	1/4		1/4		1/4		1/4		1/4	
1/2	1,788.10	1/2	1,402.71	1/2	1,017.46	1/2	635.15	1/2	259.55	1/2		1/2		1/2		1/2		1/2	
3/4	1,780.07	3/4	1,394.68	3/4	1,009.43	3/4	627.39	3/4	251.80	3/4		3/4		3/4		3/4		3/4	
10	1,772.04	10	1,386.65	10	1,001.41	10	619.63	10	244.04	10		10		10		10		10	
1/4	1,764.01	1/4	1,378.62	1/4	993.39	1/4	611.87	1/4	236.28	1/4		1/4		1/4		1/4		1/4	
1/2	1,755.99	1/2	1,370.59	1/2	985.37	1/2	604.12	1/2	228.52	1/2		1/2		1/2		1/2		1/2	
3/4	1,747.96	3/4	1,362.56	3/4	977.34	3/4	596.36	3/4	220.77	3/4		3/4		3/4		3/4		3/4	
11	1,739.93	11	1,354.54	11	969.32	11	588.60	11	213.01	11		11		11		11		11	
1/4	1,731.90	1/4	1,346.51	1/4	961.30	1/4	580.84	1/4	205.25	1/4		1/4		1/4		1/4		1/4	
1/2	1,723.87	1/2	1,338.48	1/2	953.28	1/2	573.09	1/2	197.49	1/2		1/2		1/2		1/2		1/2	
3/4	1,715.84	3/4	1,330.45	3/4	945.26	3/4	565.33	3/4	189.74	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-6"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	4,427.22	0	4,287.79	0	4,148.13	0	4,008.43	0	3,869.57	0	3,746.40	0	3,631.82	0	3,517.23	0	3,403.85
1/4		1/4	4,424.33	1/4	4,284.88	1/4	4,145.22	1/4	4,005.51	1/4	3,866.02	1/4	3,743.81	1/4	3,629.23	1/4	3,514.64	1/4	3,401.26
1/2		1/2	4,421.44	1/2	4,281.97	1/2	4,142.31	1/2	4,002.59	1/2	3,863.14	1/2	3,740.92	1/2	3,616.34	1/2	3,491.75	1/2	3,367.16
3/4		3/4	4,418.55	3/4	4,278.06	3/4	4,139.40	3/4	3,999.67	3/4	3,779.32	3/4	3,423.61	3/4	3,059.03	3/4	2,694.40	3/4	2,329.03
1		1	4,415.66	1	4,275.16	1	4,136.49	1	3,996.76	1	3,776.37	1	3,416.02	1	3,051.44	1	2,686.78	1	2,321.42
1/4		1/4	4,412.77	1/4	4,272.25	1/4	4,133.58	1/4	3,993.84	1/4	3,773.45	1/4	3,408.42	1/4	3,043.84	1/4	2,679.17	1/4	2,313.81
1/2		1/2	4,409.88	1/2	4,270.34	1/2	4,130.68	1/2	3,990.92	1/2	3,764.19	1/2	3,400.83	1/2	3,036.25	1/2	2,671.56	1/2	2,306.20
3/4		3/4	4,407.00	3/4	4,267.43	3/4	4,127.77	3/4	3,988.00	3/4	3,756.63	3/4	3,393.23	3/4	3,028.65	3/4	2,663.95	3/4	2,298.59
2		2	4,404.11	2	4,264.51	2	4,124.86	2	3,985.08	2	3,749.07	2	3,385.64	2	3,021.06	2	2,656.33	2	2,290.98
1/4		1/4	4,401.22	1/4	4,261.61	1/4	4,121.95	1/4	3,982.17	1/4	3,741.50	1/4	3,378.04	1/4	3,013.46	1/4	2,648.72	1/4	2,283.37
1/2		1/2	4,398.33	1/2	4,258.70	1/2	4,119.04	1/2	3,979.25	1/2	3,733.94	1/2	3,370.45	1/2	3,005.87	1/2	2,641.11	1/2	2,275.76
3/4		3/4	4,395.44	3/4	4,255.79	3/4	4,116.13	3/4	3,976.33	3/4	3,726.38	3/4	3,362.85	3/4	2,998.27	3/4	2,633.50	3/4	2,268.15
3		3	4,392.54	3	4,252.88	3	4,113.22	3	3,973.41	3	3,718.81	3	3,355.26	3	2,990.68	3	2,628.88	3	2,260.54
1/4		1/4	4,389.63	1/4	4,249.97	1/4	4,110.31	1/4	3,970.50	1/4	3,711.25	1/4	3,347.66	1/4	2,983.08	1/4	2,618.27	1/4	2,252.93
1/2		1/2	4,386.72	1/2	4,247.06	1/2	4,107.40	1/2	3,967.58	1/2	3,703.69	1/2	3,340.06	1/2	2,975.49	1/2	2,610.66	1/2	2,245.32
7/8		3/4	4,383.81	3/4	4,244.15	3/4	4,104.49	3/4	3,964.66	3/4	3,696.13	3/4	3,332.47	3/4	2,967.89	3/4	2,603.05	3/4	2,237.71
4		4	4,380.90	4	4,241.24	4	4,101.58	4	3,961.74	4	3,688.56	4	3,324.87	4	2,960.29	4	2,595.44	4	2,230.11
1/4		1/4	4,377.99	1/4	4,238.33	1/4	4,098.67	1/4	3,958.82	1/4	3,681.00	1/4	3,317.28	1/4	2,952.70	1/4	2,587.82	1/4	2,222.50
1/2		1/2	4,375.08	1/2	4,235.42	1/2	4,095.76	1/2	3,955.91	1/2	3,673.44	1/2	3,309.68	1/2	2,945.10	1/2	2,580.21	1/2	2,214.89
3/4		3/4	4,372.17	3/4	4,232.51	3/4	4,092.85	3/4	3,952.99	3/4	3,665.87	3/4	3,302.09	3/4	2,937.51	3/4	2,572.60	3/4	2,207.28
5		5	4,369.26	5	4,229.60	5	4,089.95	5	3,950.07	5	3,658.31	5	3,294.49	5	2,929.91	5	2,564.99	5	2,199.67
1/4		1/4	4,366.35	1/4	4,226.69	1/4	4,087.04	1/4	3,947.15	1/4	3,650.75	1/4	3,286.90	1/4	2,922.32	1/4	2,557.37	1/4	2,192.06
1/2		1/2	4,363.44	1/2	4,223.78	1/2	4,084.13	1/2	3,944.23	1/2	3,643.18	1/2	3,279.30	1/2	2,914.72	1/2	2,548.76	1/2	2,184.45
3/4		3/4	4,360.53	3/4	4,220.87	3/4	4,081.22	3/4	3,941.32	3/4	3,635.62	3/4	3,271.71	3/4	2,907.13	3/4	2,542.15	3/4	2,176.84
6		6	4,357.62	6	4,217.96	6	4,078.31	6	3,938.20	6	3,628.06	6	3,264.11	6	2,893.53	6	2,534.54	6	2,169.23
1/4		1/4	4,354.71	1/4	4,215.05	1/4	4,075.40	1/4	3,934.89	1/4	3,620.50	1/4	3,256.52	1/4	2,891.94	1/4	2,528.92	1/4	2,161.62
1/2		1/2	4,351.80	1/2	4,212.14	1/2	4,072.49	1/2	3,931.58	1/2	3,617.93	1/2	3,248.92	1/2	2,884.34	1/2	2,519.31	1/2	2,154.01
3/4		3/4	4,348.90	3/4	4,209.23	3/4	4,069.59	3/4	3,928.27	3/4	3,605.37	3/4	3,241.73	3/4	2,876.75	3/4	2,511.70	3/4	2,146.40
7		7	4,345.99	7	4,206.32	7	4,066.68	7	3,924.57	7	3,597.81	7	3,233.33	7	2,869.15	7	2,504.09	7	2,138.80
1/4		1/4	4,343.08	1/4	4,203.42	1/4	4,063.77	1/4	3,920.48	1/4	3,590.24	1/4	3,226.13	1/4	2,861.55	1/4	2,496.47	1/4	2,131.19
1/2		1/2	4,340.17	1/2	4,200.51	1/2	4,060.86	1/2	3,916.38	1/2	3,582.68	1/2	3,218.54	1/2	2,853.96	1/2	2,488.86	1/2	2,123.58
3/4		3/4	4,337.26	3/4	4,197.60	3/4	4,057.95	3/4	3,912.29	3/4	3,575.12	3/4	3,210.94	3/4	2,846.36	3/4	2,481.25	3/4	2,115.97
8		8	4,334.35	8	4,194.69	8	4,055.04	8	3,907.80	8	3,567.55	8	3,203.35	8	2,838.77	8	2,473.64	8	2,108.36
1/4		1/4	4,331.44	1/4	4,191.78	1/4	4,052.13	1/4	3,902.92	1/4	3,559.99	1/4	3,195.75	1/4	2,831.17	1/4	2,466.02	1/4	2,100.75
1/2		1/2	4,328.53	1/2	4,188.87	1/2	4,048.23	1/2	3,898.04	1/2	3,552.43	1/2	3,188.16	1/2	2,823.58	1/2	2,458.41	1/2	2,093.14
3/4		3/4	4,325.62	3/4	4,185.96	3/4	4,045.32	3/4	3,893.16	3/4	3,544.87	3/4	3,180.56	3/4	2,815.98	3/4	2,450.80	3/4	2,085.53
9		9	4,322.71	9	4,183.05	9	4,043.41	9	3,887.89	9	3,537.30	9	3,172.97	9	2,808.39	9	2,443.19	9	2,077.92
1/4		1/4	4,319.80	1/4	4,180.14	1/4	4,040.50	1/4	3,882.23	1/4	3,529.74	1/4	3,165.37	1/4	2,800.79	1/4	2,435.57	1/4	2,070.31
1/2		1/2	4,316.89	1/2	4,177.23	1/2	4,037.59	1/2	3,876.57	1/2	3,522.18	1/2	3,157.78	1/2	2,793.20	1/2	2,427.96	1/2	2,062.70
3/4		3/4	4,313.98	3/4	4,174.32	3/4	4,034.68	3/4	3,870.90	3/4	3,514.61	3/4	3,150.18	3/4	2,785.60	3/4	2,420.35	3/4	2,055.09
10		10	4,311.07	10	4,171.41	10	4,031.77	10	3,864.85	10	3,507.05	10	3,142.58	10	2,778.01	10	2,412.74	10	2,047.48
1/4		1/4	4,308.16	1/4	4,168.50	1/4	4,028.85	1/4	3,858.40	1/4	3,499.49	1/4	3,134.99	1/4	2,770.41	1/4	2,405.13	1/4	2,039.88
1/2		1/2	4,305.25	1/2	4,165.59	1/2	4,025.93	1/2	3,851.95	1/2	3,491.92	1/2	3,127.39	1/2	2,762.81	1/2	2,397.51	1/2	2,032.27
3/4		3/4	4,302.34	3/4	4,162.68	3/4	4,023.02	3/4	3,845.50	3/4	3,484.36	3/4	3,119.80	3/4	2,755.22	3/4	2,389.90	3/4	2,024.66
11		11	4,299.43	11	4,159.77	11	4,020.10	11	3,838.66	11	3,476.78	11	3,112.20	11	2,747.62	11	2,382.29	11	2,017.05
1/4		1/4	4,296.52	1/4	4,156.86	1/4	4,017.18	1/4	3,831.43	1/4	3,469.19	1/4	3,104.61	1/4	2,740.03	1/4	2,374.68	1/4	2,009.44
1/2		1/2	4,293.61	1/2	4,153.95	1/2	4,014.26	1/2	3,824.20	1/2	3,461.59	1/2	3,097.01	1/2	2,732.43	1/2	2,367.07	1/2	2,001.83
3/4		3/4	4,290.70	3/4	4,151.04	3/4	4,011.34	3/4	3,816.97	3/4	3,454.00	3/4	3,089.42	3/4	2,724.84	3/4	2,359.46	3/4	1,994.22

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-6"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,986.61	0	1,621.63	0	1,256.22	0	892.33	0	532.98	0	176.51	0						0	
1/4	1,979.00	1/4	1,614.02	1/4	1,248.61	1/4	884.76	1/4	525.63	1/4	169.14	1/4						1/4	
1/2	1,971.39	1/2	1,606.40	1/2	1,241.00	1/2	877.19	1/2	518.27	1/2	161.77	1/2						1/2	
3/4	1,963.78	3/4	1,598.79	3/4	1,233.39	3/4	869.62	3/4	510.92	3/4	154.41	3/4						3/4	
1	1,956.17	1	1,591.18	1	1,225.77	1	862.05	1	503.57	1	147.04	1						1	
1/4	1,948.57	1/4	1,583.57	1/4	1,218.16	1/4	854.48	1/4	496.21	1/4	139.68	1/4						1/4	
1/2	1,940.96	1/2	1,575.95	1/2	1,210.55	1/2	846.92	1/2	488.86	1/2	132.31	1/2						1/2	
3/4	1,933.35	3/4	1,568.34	3/4	1,202.94	3/4	839.35	3/4	481.50	3/4	124.94	3/4						3/4	
2	1,925.74	2	1,560.73	2	1,195.32	2	831.78	2	474.15	2	117.58	2						2	
1/4	1,918.13	1/4	1,553.12	1/4	1,187.71	1/4	824.22	1/4	466.79	1/4	110.21	1/4						1/4	
1/2	1,910.52	1/2	1,545.50	1/2	1,180.10	1/2	816.65	1/2	459.44	1/2	102.84	1/2						1/2	
3/4	1,902.91	3/4	1,537.89	3/4	1,172.49	3/4	809.08	3/4	452.08	3/4	95.48	3/4						3/4	
3	1,895.31	3	1,530.28	3	1,164.89	3	801.52	3	444.73	3	87.99	3						3	
1/4	1,887.71	1/4	1,522.67	1/4	1,157.32	1/4	793.95	1/4	437.37	1/4	80.37	1/4						1/4	
1/2	1,880.11	1/2	1,515.05	1/2	1,149.74	1/2	786.38	1/2	429.90	1/2	72.76	1/2						1/2	
3/4	1,872.52	3/4	1,507.44	3/4	1,142.17	3/4	778.81	3/4	422.29	3/4	65.14	3/4						3/4	
4	1,864.92	4	1,499.83	4	1,134.59	4	771.25	4	414.68	4	58.01	4						4	
1/4	1,857.32	1/4	1,492.22	1/4	1,127.02	1/4	763.68	1/4	407.07	1/4	51.34	1/4						1/4	
1/2	1,849.73	1/2	1,484.60	1/2	1,119.44	1/2	756.11	1/2	399.46	1/2	44.68	1/2						1/2	
3/4	1,842.13	3/4	1,476.99	3/4	1,111.87	3/4	748.55	3/4	391.84	3/4	38.02	3/4						3/4	
5	1,834.53	5	1,469.38	5	1,104.30	5	740.96	5	384.23	5	32.31	5						5	
1/4	1,826.94	1/4	1,461.76	1/4	1,096.73	1/4	733.34	1/4	376.61	1/4	27.56	1/4						1/4	
1/2	1,819.34	1/2	1,454.15	1/2	1,089.16	1/2	725.73	1/2	369.00	1/2	22.80	1/2						1/2	
3/4	1,811.74	3/4	1,446.54	3/4	1,081.59	3/4	718.12	3/4	361.39	3/4	18.05	3/4						3/4	
6	1,804.15	6	1,438.93	6	1,074.02	6	710.50	6	353.77	6	14.24	6						6	
1/4	1,796.55	1/4	1,431.31	1/4	1,066.45	1/4	702.89	1/4	346.16	1/4		1/4						1/4	
1/2	1,788.95	1/2	1,423.70	1/2	1,058.88	1/2	695.28	1/2	338.66	1/2		1/2						1/2	
3/4	1,781.36	3/4	1,416.09	3/4	1,051.30	3/4	687.67	3/4	331.29	3/4		3/4						3/4	
7	1,773.76	7	1,408.48	7	1,043.73	7	680.18	7	323.91	7		7						7	
1/4	1,766.16	1/4	1,400.86	1/4	1,036.16	1/4	672.81	1/4	316.53	1/4		1/4						1/4	
1/2	1,758.57	1/2	1,393.25	1/2	1,028.59	1/2	665.45	1/2	309.16	1/2		1/2						1/2	
3/4	1,750.97	3/4	1,385.64	3/4	1,021.02	3/4	658.08	3/4	301.78	3/4		3/4						3/4	
8	1,743.37	8	1,378.03	8	1,013.45	8	650.72	8	294.40	8		8						8	
1/4	1,735.78	1/4	1,370.41	1/4	1,005.88	1/4	643.35	1/4	287.03	1/4		1/4						1/4	
1/2	1,728.18	1/2	1,362.80	1/2	998.31	1/2	635.99	1/2	279.65	1/2		1/2						1/2	
3/4	1,720.59	3/4	1,355.19	3/4	990.74	3/4	628.62	3/4	272.27	3/4		3/4						3/4	
9	1,712.98	9	1,347.58	9	983.17	9	621.25	9	264.90	9		9						9	
1/4	1,705.37	1/4	1,339.96	1/4	975.60	1/4	613.89	1/4	257.53	1/4		1/4						1/4	
1/2	1,697.76	1/2	1,332.35	1/2	968.03	1/2	606.53	1/2	250.17	1/2		1/2						1/2	
3/4	1,690.14	3/4	1,324.74	3/4	960.46	3/4	599.17	3/4	242.80	3/4		3/4						3/4	
10	1,682.53	10	1,317.13	10	952.89	10	591.82	10	235.44	10		10						10	
1/4	1,674.92	1/4	1,309.51	1/4	945.32	1/4	584.47	1/4	228.07	1/4		1/4						1/4	
1/2	1,667.30	1/2	1,301.90	1/2	937.75	1/2	577.11	1/2	220.70	1/2		1/2						1/2	
3/4	1,659.69	3/4	1,294.29	3/4	930.18	3/4	569.76	3/4	213.34	3/4		3/4						3/4	
11	1,652.08	11	1,286.67	11	922.61	11	562.40	11	205.97	11		11						11	
1/4	1,644.47	1/4	1,279.06	1/4	915.04	1/4	555.05	1/4	198.60	1/4		1/4						1/4	
1/2	1,636.85	1/2	1,271.45	1/2	907.47	1/2	547.69	1/2	191.24	1/2		1/2						1/2	
3/4	1,629.24	3/4	1,263.84	3/4	899.90	3/4	540.34	3/4	183.87	3/4		3/4						3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-6"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	4,423.62	0	4,284.55	0	4,145.25	0	4,005.68	0	3,807.32	0	3,444.50	0	3,080.28	0	2,716.05	0	2,351.01
1/4		1/4	4,420.74	1/4	4,281.65	1/4	4,142.35	1/4	4,002.77	1/4	3,799.76	1/4	3,436.92	1/4	3,072.69	1/4	2,708.44	1/4	2,343.40
1/2		1/2	4,417.86	1/2	4,278.75	1/2	4,139.45	1/2	3,999.86	1/2	3,792.21	1/2	3,429.33	1/2	3,065.10	1/2	2,700.84	1/2	2,335.80
3/4		3/4	4,414.98	3/4	4,275.85	3/4	4,136.55	3/4	3,996.95	3/4	3,784.65	3/4	3,421.74	3/4	3,057.52	3/4	2,693.23	3/4	2,328.19
1		1	4,412.09	1	4,272.95	1	4,133.64	1	3,994.04	1	3,777.10	1	3,414.15	1	3,049.93	1	2,685.63	1	2,320.59
1/4		1/4	4,409.21	1/4	4,270.04	1/4	4,130.74	1/4	3,991.13	1/4	3,769.54	1/4	3,406.56	1/4	3,042.34	1/4	2,678.02	1/4	2,312.98
1/2		1/2	4,406.33	1/2	4,267.24	1/2	4,127.84	1/2	3,988.22	1/2	3,761.99	1/2	3,398.98	1/2	3,034.75	1/2	2,670.42	1/2	2,305.38
3/4		3/4	4,403.45	3/4	4,264.24	3/4	4,124.94	3/4	3,985.31	3/4	3,754.43	3/4	3,391.39	3/4	3,027.16	3/4	2,662.81	3/4	2,297.77
2		2	4,400.57	2	4,261.34	2	4,122.04	2	3,982.40	2	3,746.87	2	3,383.89	2	3,019.58	2	2,655.21	2	2,290.17
1/4		1/4	4,397.69	1/4	4,258.44	1/4	4,119.13	1/4	3,979.49	1/4	3,739.32	1/4	3,376.21	1/4	3,011.99	1/4	2,647.60	1/4	2,282.56
1/2		1/2	4,394.80	1/2	4,255.53	1/2	4,116.23	1/2	3,976.57	1/2	3,731.76	1/2	3,368.62	1/2	3,004.40	1/2	2,640.00	1/2	2,274.96
3/4		3/4	4,391.92	3/4	4,252.63	3/4	4,113.33	3/4	3,973.66	3/4	3,724.21	3/4	3,361.04	3/4	2,996.81	3/4	2,632.39	3/4	2,267.35
3		3	4,389.03	3	4,249.73	3	4,110.43	3	3,970.75	3	3,716.65	3	3,353.45	3	2,989.22	3	2,624.79	3	2,259.75
1/4		1/4	4,386.13	1/4	4,246.83	1/4	4,107.53	1/4	3,967.84	1/4	3,709.10	1/4	3,345.86	1/4	2,981.64	1/4	2,617.18	1/4	2,252.14
1/2		1/2	4,383.23	1/2	4,243.92	1/2	4,104.62	1/2	3,964.93	1/2	3,701.54	1/2	3,338.27	1/2	2,974.05	1/2	2,609.58	1/2	2,244.54
7/8		3/4	4,380.32	3/4	4,241.02	3/4	4,101.72	3/4	3,962.02	3/4	3,693.98	3/4	3,330.68	3/4	2,966.46	3/4	2,601.97	3/4	2,236.93
4		4	4,377.42	4	4,238.12	4	4,098.82	4	3,959.11	4	3,686.43	4	3,323.10	4	2,956.87	4	2,594.37	4	2,229.33
1/4		1/4	4,374.52	1/4	4,235.22	1/4	4,095.91	1/4	3,956.20	1/4	3,678.87	1/4	3,315.51	1/4	2,951.28	1/4	2,586.76	1/4	2,221.72
1/2		1/2	4,371.62	1/2	4,232.32	1/2	4,092.99	1/2	3,953.29	1/2	3,671.32	1/2	3,307.92	1/2	2,943.70	1/2	2,579.16	1/2	2,214.12
3/4		3/4	4,368.72	3/4	4,229.41	3/4	4,090.08	3/4	3,950.38	3/4	3,663.76	3/4	3,300.33	3/4	2,936.11	3/4	2,571.55	3/4	2,206.51
5		5	4,365.81	5	4,226.51	5	4,087.17	5	3,947.47	5	3,656.21	5	3,292.74	5	2,928.52	5	2,563.55	5	2,198.91
1/4		1/4	4,362.91	1/4	4,223.61	1/4	4,084.26	1/4	3,944.56	1/4	3,648.65	1/4	3,285.16	1/4	2,920.93	1/4	2,556.34	1/4	2,191.30
1/2		1/2	4,360.01	1/2	4,220.71	1/2	4,081.35	1/2	3,941.65	1/2	3,641.10	1/2	3,277.57	1/2	2,913.34	1/2	2,548.74	1/2	2,183.70
3/4		3/4	4,357.11	3/4	4,217.81	3/4	4,078.44	3/4	3,938.74	3/4	3,633.54	3/4	3,269.98	3/4	2,905.76	3/4	2,541.13	3/4	2,176.09
6		6	4,354.20	6	4,214.90	6	4,075.53	6	3,935.63	6	3,625.98	6	3,262.39	6	2,898.17	6	2,533.53	6	2,168.49
1/4		1/4	4,351.30	1/4	4,212.00	1/4	4,072.62	1/4	3,932.33	1/4	3,618.43	1/4	3,254.80	1/4	2,890.58	1/4	2,525.92	1/4	2,160.88
1/2		1/2	4,348.40	1/2	4,209.20	1/2	4,069.71	1/2	3,929.73	1/2	3,610.87	1/2	3,247.22	1/2	2,882.99	1/2	2,518.32	1/2	2,153.28
3/4		3/4	4,345.50	3/4	4,206.20	3/4	4,066.80	3/4	3,925.73	3/4	3,603.32	3/4	3,239.63	3/4	2,875.50	3/4	2,510.71	3/4	2,145.67
7		7	4,342.60	7	4,203.30	7	4,063.89	7	3,922.03	7	3,595.76	7	3,232.04	7	2,867.82	7	2,503.11	7	2,138.07
1/4		1/4	4,339.69	1/4	4,200.39	1/4	4,060.98	1/4	3,917.95	1/4	3,588.21	1/4	3,224.45	1/4	2,860.23	1/4	2,495.50	1/4	2,130.46
1/2		1/2	4,336.79	1/2	4,197.49	1/2	4,058.07	1/2	3,913.87	1/2	3,580.65	1/2	3,216.86	1/2	2,852.64	1/2	2,487.90	1/2	2,122.86
3/4		3/4	4,333.89	3/4	4,194.59	3/4	4,055.16	3/4	3,909.78	3/4	3,573.10	3/4	3,209.28	3/4	2,845.05	3/4	2,480.29	3/4	2,115.25
8		8	4,330.99	8	4,191.69	8	4,052.25	8	3,905.31	8	3,565.54	8	3,201.69	8	2,837.46	8	2,472.69	8	2,107.65
1/4		1/4	4,328.09	1/4	4,188.78	1/4	4,049.34	1/4	3,900.44	1/4	3,557.98	1/4	3,194.10	1/4	2,829.88	1/4	2,465.08	1/4	2,100.04
1/2		1/2	4,325.18	1/2	4,185.88	1/2	4,046.43	1/2	3,895.57	1/2	3,550.43	1/2	3,186.51	1/2	2,822.29	1/2	2,457.48	1/2	2,092.44
3/4		3/4	4,322.28	3/4	4,182.98	3/4	4,043.52	3/4	3,890.71	3/4	3,542.87	3/4	3,178.92	3/4	2,814.70	3/4	2,449.87	3/4	2,084.83
9		9	4,319.38	9	4,180.08	9	4,040.61	9	3,885.45	9	3,535.32	9	3,171.34	9	2,807.11	9	2,442.27	9	2,077.23
1/4		1/4	4,316.48	1/4	4,177.18	1/4	4,037.70	1/4	3,879.80	1/4	3,527.76	1/4	3,163.75	1/4	2,799.52	1/4	2,434.66	1/4	2,069.62
1/2		1/2	4,313.58	1/2	4,174.27	1/2	4,034.78	1/2	3,874.15	1/2	3,520.21	1/2	3,156.16	1/2	2,791.94	1/2	2,427.06	1/2	2,062.02
3/4		3/4	4,310.67	3/4	4,171.37	3/4	4,031.87	3/4	3,868.50	3/4	3,512.65	3/4	3,148.57	3/4	2,784.35	3/4	2,419.45	3/4	2,054.41
10		10	4,307.77	10	4,168.47	10	4,028.96	10	3,862.46	10	3,505.09	10	3,140.98	10	2,776.76	10	2,411.85	10	2,046.81
1/4		1/4	4,304.87	1/4	4,165.57	1/4	4,026.05	1/4	3,856.03	1/4	3,497.54	1/4	3,133.40	1/4	2,769.17	1/4	2,404.24	1/4	2,039.20
1/2		1/2	4,301.97	1/2	4,162.67	1/2	4,023.14	1/2	3,849.60	1/2	3,489.98	1/2	3,125.81	1/2	2,761.58	1/2	2,396.64	1/2	2,031.60
3/4		3/4	4,299.06	3/4	4,159.76	3/4	4,020.23	3/4	3,843.17	3/4	3,482.43	3/4	3,118.22	3/4	2,754.00	3/4	2,389.03	3/4	2,023.99
11		11	4,296.16	11	4,156.86	11	4,017.32	11	3,836.35	11	3,474.86	11	3,110.63	11	2,746.41	11	2,381.43	11	2,016.39
1/4		1/4	4,293.26	1/4	4,153.96	1/4	4,014.41	1/4	3,829.13	1/4	3,467.27	1/4	3,103.04	1/4	2,738.82	1/4	2,373.82	1/4	2,008.78
1/2		1/2	4,290.36	1/2	4,151.06	1/2	4,011.50	1/2	3,821.92	1/2	3,459.68	1/2	3,095.46	1/2	2,731.23	1/2	2,366.22	1/2	2,001.18
3/4		3/4	4,287.46	3/4	4,148.16	3/4	4,008.59	3/4	3,814.70	3/4	3,452.09	3/4	3,087.87	3/4	2,723.64	3/4	2,358.61	3/4	1,993.57

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 302"
HULL NO. 4407

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-6"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,985.97	0	1,621.31	0	1,256.27	0	891.43	0	531.76	0	176.05	0		0		0		0	
1/4	1,978.36	1/4	1,613.70	1/4	1,248.66	1/4	883.83	1/4	524.42	1/4	168.70	1/4		1/4		1/4		1/4	
1/2	1,970.76	1/2	1,606.10	1/2	1,241.06	1/2	876.23	1/2	517.07	1/2	161.35	1/2		1/2		1/2		1/2	
3/4	1,963.15	3/4	1,598.49	3/4	1,233.45	3/4	868.64	3/4	509.72	3/4	154.01	3/4		3/4		3/4		3/4	
1	1,955.55	1	1,590.89	1	1,225.85	1	861.04	1	502.38	1	146.66	1		1		1		1	
1/4	1,947.94	1/4	1,583.28	1/4	1,218.24	1/4	853.44	1/4	495.03	1/4	139.31	1/4		1/4		1/4		1/4	
1/2	1,940.34	1/2	1,575.68	1/2	1,210.64	1/2	845.85	1/2	487.68	1/2	131.97	1/2		1/2		1/2		1/2	
3/4	1,932.73	3/4	1,568.07	3/4	1,203.03	3/4	838.25	3/4	480.34	3/4	124.62	3/4		3/4		3/4		3/4	
2	1,925.13	2	1,560.47	2	1,195.43	2	830.66	2	472.99	2	117.27	2		2		2		2	
1/4	1,917.52	1/4	1,552.86	1/4	1,187.82	1/4	823.06	1/4	465.64	1/4	109.93	1/4		1/4		1/4		1/4	
1/2	1,909.92	1/2	1,545.26	1/2	1,180.22	1/2	815.47	1/2	458.30	1/2	102.58	1/2		1/2		1/2		1/2	
3/4	1,902.31	3/4	1,537.65	3/4	1,172.61	3/4	807.87	3/4	450.95	3/4	95.23	3/4		3/4		3/4		3/4	
3	1,894.72	3	1,530.05	3	1,165.01	3	800.28	3	443.60	3	87.76	3		3		3		3	
1/4	1,887.13	1/4	1,522.44	1/4	1,157.41	1/4	792.68	1/4	436.26	1/4	80.17	1/4		1/4		1/4		1/4	
1/2	1,879.54	1/2	1,514.84	1/2	1,149.80	1/2	785.09	1/2	428.79	1/2	72.57	1/2		1/2		1/2		1/2	
3/4	1,871.95	3/4	1,507.23	3/4	1,142.20	3/4	777.49	3/4	421.19	3/4	64.98	3/4		3/4		3/4		3/4	
4	1,864.36	4	1,499.63	4	1,134.60	4	769.90	4	413.60	4	57.86	4		4		4		4	
1/4	1,856.77	1/4	1,492.02	1/4	1,126.99	1/4	762.30	1/4	406.00	1/4	51.21	1/4		1/4		1/4		1/4	
1/2	1,849.18	1/2	1,484.42	1/2	1,119.39	1/2	754.71	1/2	398.41	1/2	44.57	1/2		1/2		1/2		1/2	
3/4	1,841.59	3/4	1,476.81	3/4	1,111.79	3/4	747.11	3/4	390.81	3/4	37.92	3/4		3/4		3/4		3/4	
5	1,834.00	5	1,469.21	5	1,104.19	5	739.51	5	383.22	5	32.23	5		5		5		5	
1/4	1,826.41	1/4	1,461.60	1/4	1,096.59	1/4	731.91	1/4	375.63	1/4	27.49	1/4		1/4		1/4		1/4	
1/2	1,818.82	1/2	1,454.00	1/2	1,088.99	1/2	724.30	1/2	368.03	1/2	22.75	1/2		1/2		1/2		1/2	
3/4	1,811.23	3/4	1,446.39	3/4	1,081.39	3/4	716.70	3/4	360.44	3/4	18.00	3/4		3/4		3/4		3/4	
6	1,803.65	6	1,438.79	6	1,073.79	6	709.09	6	352.84	6	14.20	6		6		6		6	
1/4	1,796.06	1/4	1,431.18	1/4	1,066.19	1/4	701.49	1/4	345.25	1/4		1/4		1/4		1/4		1/4	
1/2	1,788.47	1/2	1,423.58	1/2	1,058.60	1/2	693.88	1/2	337.77	1/2		1/2		1/2		1/2		1/2	
3/4	1,780.88	3/4	1,415.97	3/4	1,051.00	3/4	686.28	3/4	330.41	3/4		3/4		3/4		3/4		3/4	
7	1,773.29	7	1,408.37	7	1,043.40	7	678.79	7	323.06	7		7		7		7		7	
1/4	1,765.70	1/4	1,400.76	1/4	1,035.80	1/4	671.44	1/4	315.70	1/4		1/4		1/4		1/4		1/4	
1/2	1,758.11	1/2	1,393.16	1/2	1,028.20	1/2	664.08	1/2	308.34	1/2		1/2		1/2		1/2		1/2	
3/4	1,750.52	3/4	1,385.55	3/4	1,020.60	3/4	656.72	3/4	300.99	3/4		3/4		3/4		3/4		3/4	
8	1,742.93	8	1,377.95	8	1,013.00	8	649.37	8	293.63	8		8		8		8		8	
1/4	1,735.34	1/4	1,370.34	1/4	1,005.41	1/4	642.01	1/4	286.27	1/4		1/4		1/4		1/4		1/4	
1/2	1,727.75	1/2	1,362.74	1/2	997.81	1/2	634.65	1/2	278.91	1/2		1/2		1/2		1/2		1/2	
3/4	1,720.16	3/4	1,355.13	3/4	990.21	3/4	627.29	3/4	271.56	3/4		3/4		3/4		3/4		3/4	
9	1,712.57	9	1,347.53	9	982.61	9	619.94	9	264.21	9		9		9		9		9	
1/4	1,704.96	1/4	1,339.92	1/4	975.01	1/4	612.58	1/4	256.86	1/4		1/4		1/4		1/4		1/4	
1/2	1,697.36	1/2	1,332.32	1/2	967.41	1/2	605.23	1/2	249.51	1/2		1/2		1/2		1/2		1/2	
3/4	1,689.75	3/4	1,324.71	3/4	959.81	3/4	597.88	3/4	242.17	3/4		3/4		3/4		3/4		3/4	
10	1,682.15	10	1,317.11	10	952.22	10	590.54	10	234.82	10		10		10		10		10	
1/4	1,674.54	1/4	1,309.50	1/4	944.62	1/4	583.19	1/4	227.47	1/4		1/4		1/4		1/4		1/4	
1/2	1,666.94	1/2	1,301.90	1/2	937.02	1/2	575.84	1/2	220.13	1/2		1/2		1/2		1/2		1/2	
3/4	1,659.33	3/4	1,294.29	3/4	929.42	3/4	568.50	3/4	212.78	3/4		3/4		3/4		3/4		3/4	
11	1,651.73	11	1,286.69	11	921.82	11	561.15	11	205.43	11		11		11		11		11	
1/4	1,644.12	1/4	1,279.08	1/4	914.22	1/4	553.80	1/4	198.09	1/4		1/4		1/4		1/4		1/4	
1/2	1,636.52	1/2	1,271.48	1/2	906.63	1/2	546.46	1/2	190.74	1/2		1/2		1/2		1/2		1/2	
3/4	1,628.91	3/4	1,263.87	3/4	899.03	3/4	539.11	3/4	183.39	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.