

BARGE "RBT 304"
HULL NO. 4406

Entered 6-30-03
1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	11.49	0	296.46	0	628.95	0	993.68	0	1,360.50	0	1,727.38	0	2,094.29	0	2,461.19	0	2,828.09	0	3,194.99
1/4	14.17	1/4	303.15	1/4	636.36	1/4	1,001.32	1/4	1,368.15	1/4	1,735.03	1/4	2,101.93	1/4	2,468.83	1/4	2,835.73	1/4	3,202.64
1/2	17.21	1/2	309.86	1/2	643.80	1/2	1,008.96	1/2	1,375.79	1/2	1,742.67	1/2	2,109.57	1/2	2,476.48	1/2	2,843.38	1/2	3,210.28
3/4	20.26	3/4	316.57	3/4	651.24	3/4	1,016.61	3/4	1,383.43	3/4	1,750.32	3/4	2,117.22	3/4	2,484.12	3/4	2,851.02	3/4	3,217.92
1	23.31	1	323.28	1	658.68	1	1,024.25	1	1,391.07	1	1,757.96	1	2,124.86	1	2,491.76	1	2,858.67	1	3,225.57
1/4	27.12	1/4	329.66	1/4	666.15	1/4	1,031.89	1/4	1,398.72	1/4	1,765.60	1/4	2,132.51	1/4	2,499.41	1/4	2,866.31	1/4	3,233.21
1/2	31.70	1/2	335.71	1/2	673.65	1/2	1,039.53	1/2	1,406.36	1/2	1,773.25	1/2	2,140.15	1/2	2,507.05	1/2	2,873.95	1/2	3,240.86
3/4	36.28	3/4	341.75	3/4	681.14	3/4	1,047.17	3/4	1,414.00	3/4	1,780.89	3/4	2,147.79	3/4	2,514.69	3/4	2,881.60	3/4	3,248.50
2	40.86	2	347.80	2	688.64	2	1,054.82	2	1,421.64	2	1,788.53	2	2,155.44	2	2,522.34	2	2,889.24	2	3,256.14
1/4	46.22	1/4	353.88	1/4	696.17	1/4	1,062.46	1/4	1,429.29	1/4	1,796.18	1/4	2,163.08	1/4	2,529.98	1/4	2,896.88	1/4	3,263.79
1/2	52.35	1/2	359.98	1/2	703.72	1/2	1,070.10	1/2	1,436.93	1/2	1,803.82	1/2	2,170.72	1/2	2,537.63	1/2	2,904.53	1/2	3,271.43
3/4	58.48	3/4	366.09	3/4	711.28	3/4	1,077.74	3/4	1,444.57	3/4	1,811.47	3/4	2,178.37	3/4	2,545.27	3/4	2,912.17	3/4	3,279.07
3	64.62	3	372.19	3	718.83	3	1,085.38	3	1,452.21	3	1,819.11	3	2,186.01	3	2,552.91	3	2,917.82	3	3,286.72
1/4	70.79	1/4	378.70	1/4	726.41	1/4	1,093.02	1/4	1,459.86	1/4	1,826.75	1/4	2,193.66	1/4	2,560.56	1/4	2,927.46	1/4	3,294.36
1/2	77.02	1/2	385.62	1/2	734.03	1/2	1,100.66	1/2	1,467.50	1/2	1,834.40	1/2	2,201.30	1/2	2,568.20	1/2	2,935.10	1/2	3,302.01
3/4	83.24	3/4	392.54	3/4	741.64	3/4	1,108.31	3/4	1,475.14	3/4	1,842.04	3/4	2,208.94	3/4	2,575.85	3/4	2,942.75	3/4	3,309.65
4	89.46	4	399.46	4	749.25	4	1,115.95	4	1,482.78	4	1,849.68	4	2,216.59	4	2,583.49	4	2,950.39	4	3,317.29
1/4	95.71	1/4	406.41	1/4	756.87	1/4	1,123.59	1/4	1,488.07	1/4	1,857.33	1/4	2,224.23	1/4	2,591.13	1/4	2,958.04	1/4	3,324.94
1/2	101.99	1/2	413.38	1/2	764.51	1/2	1,131.23	1/2	1,498.07	1/2	1,864.97	1/2	2,231.87	1/2	2,598.78	1/2	2,965.68	1/2	3,332.58
3/4	108.28	3/4	420.36	3/4	772.15	3/4	1,138.87	3/4	1,505.71	3/4	1,872.62	3/4	2,239.52	3/4	2,606.42	3/4	2,973.32	3/4	3,340.23
5	114.56	5	427.33	5	779.78	5	1,146.52	5	1,513.36	5	1,880.26	5	2,247.16	5	2,614.06	5	2,980.97	5	3,347.87
1/4	120.87	1/4	434.34	1/4	787.42	1/4	1,154.16	1/4	1,521.00	1/4	1,887.90	1/4	2,254.81	1/4	2,621.71	1/4	2,988.61	1/4	3,355.51
1/2	127.20	1/2	441.37	1/2	795.06	1/2	1,161.80	1/2	1,528.64	1/2	1,895.55	1/2	2,262.45	1/2	2,629.35	1/2	2,996.25	1/2	3,363.16
3/4	133.54	3/4	448.41	3/4	802.70	3/4	1,169.44	3/4	1,536.29	3/4	1,903.19	3/4	2,270.09	3/4	2,637.00	3/4	3,003.90	3/4	3,370.80
6	139.88	6	455.44	6	810.33	6	1,177.09	6	1,543.93	6	1,910.83	6	2,277.74	6	2,644.64	6	3,011.54	6	3,378.44
1/4	146.25	1/4	462.50	1/4	817.97	1/4	1,184.73	1/4	1,551.58	1/4	1,918.48	1/4	2,285.38	1/4	2,652.28	1/4	3,019.19	1/4	3,386.09
1/2	152.65	1/2	469.60	1/2	825.61	1/2	1,192.37	1/2	1,559.22	1/2	1,926.12	1/2	2,293.02	1/2	2,659.93	1/2	3,026.83	1/2	3,393.73
3/4	159.04	3/4	476.69	3/4	833.25	3/4	1,200.01	3/4	1,566.86	3/4	1,933.77	3/4	2,300.67	3/4	2,667.57	3/4	3,034.47	3/4	3,401.38
7	165.44	7	483.78	7	840.89	7	1,207.66	7	1,574.51	7	1,941.41	7	2,308.31	7	2,675.21	7	3,042.12	7	3,409.02
1/4	171.87	1/4	490.90	1/4	848.52	1/4	1,215.30	1/4	1,582.15	1/4	1,949.05	1/4	2,315.96	1/4	2,682.86	1/4	3,049.76	1/4	3,416.66
1/2	178.32	1/2	498.05	1/2	856.16	1/2	1,222.94	1/2	1,589.80	1/2	1,956.70	1/2	2,323.60	1/2	2,690.50	1/2	3,057.40	1/2	3,424.31
3/4	184.78	3/4	505.20	3/4	863.80	3/4	1,230.58	3/4	1,597.44	3/4	1,964.34	3/4	2,331.24	3/4	2,698.15	3/4	3,065.05	3/4	3,431.95
8	191.23	8	512.35	8	871.44	8	1,238.23	8	1,605.08	8	1,971.99	8	2,338.89	8	2,705.79	8	3,072.69	8	3,439.59
1/4	197.71	1/4	519.53	1/4	879.08	1/4	1,245.87	1/4	1,612.73	1/4	1,979.63	1/4	2,346.53	1/4	2,713.43	1/4	3,080.34	1/4	3,447.24
1/2	204.23	1/2	526.74	1/2	886.72	1/2	1,253.51	1/2	1,620.37	1/2	1,987.27	1/2	2,354.18	1/2	2,721.08	1/2	3,087.98	1/2	3,454.88
3/4	210.74	3/4	533.94	3/4	894.35	3/4	1,261.15	3/4	1,628.01	3/4	1,994.92	3/4	2,361.82	3/4	2,728.72	3/4	3,095.62	3/4	3,462.53
9	217.25	9	541.15	9	901.99	9	1,268.80	9	1,635.66	9	2,002.56	9	2,369.46	9	2,736.37	9	3,103.27	9	3,470.17
1/4	223.79	1/4	548.39	1/4	909.63	1/4	1,276.44	1/4	1,643.30	1/4	2,010.20	1/4	2,377.11	1/4	2,744.01	1/4	3,110.91	1/4	3,477.81
1/2	230.36	1/2	555.66	1/2	917.27	1/2	1,284.08	1/2	1,650.95	1/2	2,017.85	1/2	2,384.75	1/2	2,751.65	1/2	3,118.56	1/2	3,485.46
3/4	236.93	3/4	562.92	3/4	924.91	3/4	1,291.72	3/4	1,658.59	3/4	2,025.49	3/4	2,392.39	3/4	2,759.30	3/4	3,126.20	3/4	3,493.10
10	243.50	10	570.19	10	932.55	10	1,299.37	10	1,666.23	10	2,033.14	10	2,400.04	10	2,766.94	10	3,133.64	10	3,500.75
1/4	250.09	1/4	577.48	1/4	940.19	1/4	1,307.01	1/4	1,673.88	1/4	2,040.78	1/4	2,407.68	1/4	2,774.58	1/4	3,141.49	1/4	3,508.39
1/2	256.68	1/2	584.81	1/2	947.83	1/2	1,314.65	1/2	1,681.52	1/2	2,048.42	1/2	2,415.33	1/2	2,782.23	1/2	3,149.13	1/2	3,516.03
3/4	263.28	3/4	592.13	3/4	955.47	3/4	1,322.29	3/4	1,689.16	3/4	2,056.07	3/4	2,422.97	3/4	2,789.87	3/4	3,156.77	3/4	3,523.68
11	269.88	11	599.45	11	963.11	11	1,329.93	11	1,696.81	11	2,063.71	11	2,430.61	11	2,797.52	11	3,164.42	11	3,531.32
1/4	276.50	1/4	606.81	1/4	970.75	1/4	1,337.58	1/4	1,704.45	1/4	2,071.35	1/4	2,438.26	1/4	2,805.16	1/4	3,172.06	1/4	3,538.96
1/2	283.15	1/2	614.19	1/2	978.40	1/2	1,345.22	1/2	1,712.10	1/2	2,079.00	1/2	2,445.90	1/2	2,812.80	1/2	3,179.71	1/2	3,546.61
3/4	289.81	3/4	621.57	3/4	986.04	3/4	1,352.86	3/4	1,719.74	3/4	2,086.64	3/4	2,453.54	3/4	2,820.45	3/4	3,187.35	3/4	3,554.25

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7
NOTE: GAUGE PRINTED IN INCHES 1/4" IN DEPTH CENTRED LINE AND 1/4" IN DEPTH OF ACT. DUE TO UNIFORM

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,561.90	0	3,928.80	0	4,296.70	0	4,659.69	0	5,023.05	0	5,346.13	0		0		0		0	
1/4	3,569.54	1/4	3,936.44	1/4	4,303.34	1/4	4,667.26	1/4	5,030.62	1/4	5,348.54	1/4		1/4		1/4		1/4	
1/2	3,577.18	1/2	3,944.09	1/2	4,310.99	1/2	4,674.83	1/2	5,038.19	1/2	5,350.33	1/2		1/2		1/2		1/2	
3/4	3,584.83	3/4	3,951.73	3/4	4,318.63	3/4	4,682.40	3/4	5,045.76	3/4	5,352.11	3/4		3/4		3/4		3/4	
1	3,592.47	1	3,959.37	1	4,326.28	1	4,689.97	1	5,053.33	1	5,353.89	1		1		1		1	
1/4	3,600.11	1/4	3,967.02	1/4	4,333.92	1/4	4,697.54	1/4	5,060.90	1/4	5,355.03	1/4		1/4		1/4		1/4	
1/2	3,607.76	1/2	3,974.66	1/2	4,341.56	1/2	4,705.11	1/2	5,068.47	1/2	5,355.54	1/2		1/2		1/2		1/2	
3/4	3,615.40	3/4	3,982.30	3/4	4,349.21	3/4	4,712.68	3/4	5,076.04	3/4	5,356.05	3/4		3/4		3/4		3/4	
2	3,623.05	2	3,989.95	2	4,356.85	2	4,720.25	2	5,083.61	2	5,356.56	2		2		2		2	
1/4	3,630.69	1/4	3,997.59	1/4	4,364.46	1/4	4,727.82	1/4	5,091.18	1/8	5,356.81	1/4		1/4		1/4		1/4	
1/2	3,638.33	1/2	4,005.24	1/2	4,372.03	1/2	4,735.39	1/2	5,098.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.98	3/4	4,012.88	3/4	4,379.60	3/4	4,742.96	3/4	5,106.32	3/4		3/4		3/4		3/4		3/4	
3	3,653.62	3	4,020.52	3	4,387.17	3	4,750.53	3	5,113.89	3		3		3		3		3	
1/4	3,661.26	1/4	4,028.17	1/4	4,394.74	1/4	4,758.10	1/4	5,121.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.91	1/2	4,035.81	1/2	4,402.31	1/2	4,765.67	1/2	5,129.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,676.55	3/4	4,043.45	3/4	4,409.88	3/4	4,773.24	3/4	5,136.60	3/4		3/4		3/4		3/4		3/4	
4	3,684.20	4	4,051.10	4	4,417.45	4	4,780.81	4	5,144.17	4		4		4		4		4	
1/4	3,691.84	1/4	4,058.74	1/4	4,425.02	1/4	4,788.38	1/4	5,151.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,699.48	1/2	4,066.39	1/2	4,432.59	1/2	4,795.95	1/2	5,159.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,707.13	3/4	4,074.03	3/4	4,440.16	3/4	4,803.52	3/4	5,166.74	3/4		3/4		3/4		3/4		3/4	
5	3,714.77	5	4,081.67	5	4,447.73	5	4,811.09	5	5,174.26	5		5		5		5		5	
1/4	3,722.42	1/4	4,089.32	1/4	4,455.30	1/4	4,818.66	1/4	5,181.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,730.06	1/2	4,096.96	1/2	4,462.87	1/2	4,826.23	1/2	5,189.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,737.70	3/4	4,104.61	3/4	4,470.44	3/4	4,833.80	3/4	5,196.80	3/4		3/4		3/4		3/4		3/4	
6	3,745.35	6	4,112.25	6	4,478.01	6	4,841.37	6	5,204.32	6		6		6		6		6	
1/4	3,752.99	1/4	4,119.89	1/4	4,485.58	1/4	4,848.94	1/4	5,211.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,760.63	1/2	4,127.54	1/2	4,493.15	1/2	4,856.51	1/2	5,219.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.28	3/4	4,135.18	3/4	4,500.72	3/4	4,864.08	3/4	5,226.86	3/4		3/4		3/4		3/4		3/4	
7	3,775.92	7	4,142.82	7	4,508.29	7	4,871.65	7	5,234.38	7		7		7		7		7	
1/4	3,783.57	1/4	4,150.47	1/4	4,515.86	1/4	4,879.22	1/4	5,241.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,791.21	1/2	4,158.11	1/2	4,523.43	1/2	4,886.79	1/2	5,249.41	1/2		1/2		1/2		1/2		1/2	
3/4	3,798.85	3/4	4,165.76	3/4	4,531.00	3/4	4,894.36	3/4	5,256.92	3/4		3/4		3/4		3/4		3/4	
8	3,806.50	8	4,173.40	8	4,538.57	8	4,901.93	8	5,264.44	8		8		8		8		8	
1/4	3,814.14	1/4	4,181.04	1/4	4,546.14	1/4	4,909.50	1/4	5,271.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,821.78	1/2	4,188.69	1/2	4,553.71	1/2	4,917.07	1/2	5,278.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,829.43	3/4	4,196.33	3/4	4,561.28	3/4	4,924.64	3/4	5,285.39	3/4		3/4		3/4		3/4		3/4	
9	3,837.07	9	4,203.97	9	4,568.85	9	4,932.21	9	5,292.26	9		9		9		9		9	
1/4	3,844.72	1/4	4,211.62	1/4	4,576.42	1/4	4,939.78	1/4	5,298.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,852.36	1/2	4,219.26	1/2	4,583.99	1/2	4,947.35	1/2	5,304.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,860.00	3/4	4,226.91	3/4	4,591.56	3/4	4,954.92	3/4	5,309.71	3/4		3/4		3/4		3/4		3/4	
10	3,867.65	10	4,234.55	10	4,599.13	10	4,962.49	10	5,315.31	10		10		10		10		10	
1/4	3,875.29	1/4	4,242.19	1/4	4,606.70	1/4	4,970.06	1/4	5,320.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,882.94	1/2	4,249.84	1/2	4,614.27	1/2	4,977.63	1/2	5,324.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,890.58	3/4	4,257.48	3/4	4,621.84	3/4	4,985.20	3/4	5,328.94	3/4		3/4		3/4		3/4		3/4	
11	3,898.22	11	4,265.13	11	4,629.41	11	4,992.77	11	5,333.27	11		11		11		11		11	
1/4	3,905.87	1/4	4,272.77	1/4	4,636.98	1/4	5,000.34	1/4	5,336.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,913.51	1/2	4,280.41	1/2	4,644.55	1/2	5,007.91	1/2	5,340.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,921.15	3/4	4,288.06	3/4	4,652.12	3/4	5,015.48	3/4	5,343.07	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	11.49	0	296.41	0	628.83	0	993.49	0	1,360.25	0	1,727.06	0	2,093.90	0	2,460.73	0	2,827.57	0	3,194.40
1/4	14.16	1/4	303.09	1/4	636.24	1/4	1,001.13	1/4	1,367.89	1/4	1,734.70	1/4	2,101.54	1/4	2,468.37	1/4	2,835.21	1/4	3,202.04
1/2	17.21	1/2	309.80	1/2	643.68	1/2	1,008.77	1/2	1,375.53	1/2	1,742.35	1/2	2,109.18	1/2	2,476.02	1/2	2,842.85	1/2	3,209.69
3/4	20.25	3/4	316.51	3/4	651.12	3/4	1,016.41	3/4	1,383.17	3/4	1,749.99	3/4	2,116.82	3/4	2,483.66	3/4	2,850.49	3/4	3,217.33
1	23.30	1	323.22	1	658.56	1	1,024.05	1	1,390.81	1	1,757.63	1	2,124.47	1	2,491.30	1	2,855.14	1	3,224.97
1/4	27.11	1/4	329.60	1/4	666.02	1/4	1,031.69	1/4	1,398.45	1/4	1,765.27	1/4	2,132.11	1/4	2,498.94	1/4	2,865.78	1/4	3,232.61
1/2	31.69	1/2	335.64	1/2	673.52	1/2	1,039.34	1/2	1,406.10	1/2	1,772.92	1/2	2,139.75	1/2	2,506.59	1/2	2,873.42	1/2	3,240.26
3/4	36.27	3/4	341.69	3/4	681.01	3/4	1,046.98	3/4	1,413.74	3/4	1,780.56	3/4	2,147.39	3/4	2,514.23	3/4	2,881.06	3/4	3,247.90
2	40.85	2	347.74	2	688.51	2	1,054.62	2	1,421.38	2	1,788.20	2	2,155.04	2	2,521.87	2	2,888.71	2	3,255.54
1/4	46.21	1/4	353.81	1/4	696.03	1/4	1,062.26	1/4	1,429.02	1/4	1,795.84	1/4	2,162.68	1/4	2,529.51	1/4	2,896.35	1/4	3,263.18
1/2	52.34	1/2	359.91	1/2	703.59	1/2	1,069.90	1/2	1,436.66	1/2	1,803.49	1/2	2,170.32	1/2	2,537.16	1/2	2,903.99	1/2	3,270.83
3/4	58.47	3/4	366.02	3/4	711.14	3/4	1,077.53	3/4	1,444.30	3/4	1,811.13	3/4	2,177.96	3/4	2,544.80	3/4	2,911.63	3/4	3,278.47
3	64.60	3	372.12	3	718.69	3	1,085.17	3	1,451.94	3	1,818.77	3	2,185.61	3	2,552.44	3	2,919.28	3	3,286.11
1/4	70.78	1/4	378.63	1/4	726.28	1/4	1,092.81	1/4	1,459.58	1/4	1,826.41	1/4	2,193.25	1/4	2,560.08	1/4	2,926.92	1/4	3,293.75
1/2	77.00	1/2	385.55	1/2	733.89	1/2	1,100.46	1/2	1,467.22	1/2	1,834.05	1/2	2,200.89	1/2	2,567.73	1/2	2,934.56	1/2	3,301.40
3/4	83.22	3/4	392.47	3/4	741.49	3/4	1,108.10	3/4	1,474.86	3/4	1,841.70	3/4	2,208.53	3/4	2,575.37	3/4	2,942.20	3/4	3,309.04
4	89.44	4	399.38	4	749.10	4	1,115.74	4	1,482.51	4	1,849.34	4	2,216.17	4	2,583.01	4	2,949.85	4	3,316.68
1/4	95.69	1/4	406.33	1/4	756.73	1/4	1,123.38	1/4	1,490.15	1/4	1,856.98	1/4	2,223.82	1/4	2,590.65	1/4	2,957.49	1/4	3,324.32
1/2	101.97	1/2	413.30	1/2	764.36	1/2	1,131.02	1/2	1,497.79	1/2	1,864.62	1/2	2,231.46	1/2	2,598.29	1/2	2,965.13	1/2	3,331.97
3/4	108.25	3/4	420.28	3/4	772.00	3/4	1,138.66	3/4	1,505.43	3/4	1,872.27	3/4	2,239.10	3/4	2,605.94	3/4	2,972.77	3/4	3,339.61
5	114.53	5	427.25	5	779.64	5	1,146.30	5	1,513.07	5	1,879.91	5	2,246.74	5	2,613.58	5	2,980.41	5	3,347.25
1/4	120.84	1/4	434.26	1/4	787.27	1/4	1,153.94	1/4	1,520.72	1/4	1,887.55	1/4	2,254.39	1/4	2,621.22	1/4	2,988.06	1/4	3,354.89
1/2	127.18	1/2	441.29	1/2	794.91	1/2	1,161.58	1/2	1,528.36	1/2	1,895.19	1/2	2,262.03	1/2	2,628.86	1/2	2,995.70	1/2	3,362.53
3/4	133.52	3/4	448.32	3/4	802.54	3/4	1,169.22	3/4	1,536.00	3/4	1,902.84	3/4	2,269.67	3/4	2,636.51	3/4	2,999.34	3/4	3,370.18
6	139.86	6	455.35	6	810.18	6	1,176.87	6	1,543.64	6	1,910.48	6	2,277.31	6	2,644.15	6	2,999.98	6	3,377.82
1/4	146.22	1/4	462.42	1/4	817.82	1/4	1,184.51	1/4	1,551.29	1/4	1,918.12	1/4	2,284.96	1/4	2,651.79	1/4	3,006.63	1/4	3,385.46
1/2	152.62	1/2	469.51	1/2	825.45	1/2	1,192.15	1/2	1,558.93	1/2	1,925.76	1/2	2,292.60	1/2	2,659.43	1/2	3,014.27	1/2	3,393.10
3/4	159.01	3/4	476.60	3/4	833.09	3/4	1,199.79	3/4	1,566.57	3/4	1,933.41	3/4	2,300.24	3/4	2,667.08	3/4	3,021.88	3/4	3,400.75
7	165.41	7	483.69	7	840.73	7	1,207.43	7	1,574.21	7	1,941.05	7	2,307.88	7	2,674.72	7	3,029.51	7	3,408.39
1/4	171.83	1/4	490.81	1/4	848.36	1/4	1,215.07	1/4	1,581.86	1/4	1,948.69	1/4	2,315.53	1/4	2,682.36	1/4	3,037.17	1/4	3,416.03
1/2	178.29	1/2	497.96	1/2	856.00	1/2	1,222.71	1/2	1,589.50	1/2	1,956.33	1/2	2,323.17	1/2	2,690.00	1/2	3,045.84	1/2	3,423.67
3/4	184.74	3/4	505.11	3/4	863.64	3/4	1,230.35	3/4	1,597.14	3/4	1,963.98	3/4	2,330.81	3/4	2,697.65	3/4	3,054.48	3/4	3,431.32
8	191.19	8	512.25	8	871.27	8	1,237.99	8	1,604.78	8	1,971.62	8	2,338.45	8	2,705.29	8	3,063.12	8	3,438.96
1/4	197.68	1/4	519.43	1/4	878.91	1/4	1,245.63	1/4	1,612.43	1/4	1,979.26	1/4	2,346.10	1/4	2,712.93	1/4	3,071.77	1/4	3,446.60
1/2	204.19	1/2	526.64	1/2	886.55	1/2	1,253.28	1/2	1,620.07	1/2	1,986.90	1/2	2,353.74	1/2	2,720.57	1/2	3,080.41	1/2	3,454.24
3/4	210.70	3/4	533.84	3/4	894.18	3/4	1,260.92	3/4	1,627.71	3/4	1,994.55	3/4	2,361.38	3/4	2,728.22	3/4	3,089.05	3/4	3,461.89
9	217.21	9	541.05	9	901.82	9	1,268.56	9	1,635.35	9	2,002.19	9	2,369.02	9	2,735.86	9	3,102.69	9	3,469.53
1/4	223.75	1/4	548.29	1/4	909.46	1/4	1,276.20	1/4	1,642.99	1/4	2,009.83	1/4	2,376.67	1/4	2,743.50	1/4	3,110.34	1/4	3,477.17
1/2	230.32	1/2	555.55	1/2	917.09	1/2	1,283.84	1/2	1,650.64	1/2	2,017.47	1/2	2,384.31	1/2	2,751.14	1/2	3,117.98	1/2	3,484.81
3/4	236.89	3/4	562.82	3/4	924.73	3/4	1,291.48	3/4	1,658.28	3/4	2,025.11	3/4	2,391.95	3/4	2,758.79	3/4	3,125.62	3/4	3,492.46
10	243.46	10	570.08	10	932.37	10	1,299.12	10	1,665.92	10	2,032.76	10	2,399.59	10	2,766.43	10	3,133.26	10	3,500.10
1/4	250.04	1/4	577.37	1/4	940.01	1/4	1,306.76	1/4	1,673.56	1/4	2,040.40	1/4	2,407.23	1/4	2,774.07	1/4	3,140.91	1/4	3,507.74
1/2	256.64	1/2	584.70	1/2	947.65	1/2	1,314.40	1/2	1,681.21	1/2	2,048.04	1/2	2,414.88	1/2	2,781.71	1/2	3,148.55	1/2	3,515.38
3/4	263.23	3/4	592.02	3/4	955.29	3/4	1,322.04	3/4	1,688.85	3/4	2,055.68	3/4	2,422.52	3/4	2,789.35	3/4	3,156.19	3/4	3,523.03
11	269.83	11	599.34	11	962.93	11	1,329.69	11	1,696.49	11	2,063.33	11	2,430.16	11	2,797.00	11	3,163.83	11	3,530.67
1/4	276.45	1/4	606.69	1/4	970.57	1/4	1,337.33	1/4	1,704.13	1/4	2,070.97	1/4	2,437.80	1/4	2,804.64	1/4	3,171.47	1/4	3,538.31
1/2	283.10	1/2	614.07	1/2	978.21	1/2	1,344.97	1/2	1,711.78	1/2	2,078.61	1/2	2,445.45	1/2	2,812.28	1/2	3,179.12	1/2	3,545.95
3/4	289.75	3/4	621.45	3/4	985.85	3/4	1,352.61	3/4	1,719.42	3/4	2,086.25	3/4	2,453.09	3/4	2,819.92	3/4	3,186.76	3/4	3,553.59

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NIPMS CHAPTER 2.7
NOTE: GAUGE POINT 1' AWAY FROM CENTERLINE AND 44' FROM FORWARD OF THE BARGE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,561.24	0	3,928.07	0	4,294.91	0	4,658.83	0	5,022.12	0	5,345.14	0		0		0		0	
1/4	3,568.88	1/4	3,935.71	1/4	4,302.55	1/4	4,666.40	1/4	5,029.69	1/4	5,347.56	1/4		1/4		1/4		1/4	
1/2	3,576.52	1/2	3,943.36	1/2	4,310.19	1/2	4,673.96	1/2	5,037.26	1/2	5,349.34	1/2		1/2		1/2		1/2	
3/4	3,584.16	3/4	3,951.00	3/4	4,317.83	3/4	4,681.53	3/4	5,044.83	3/4	5,351.12	3/4		3/4		3/4		3/4	
1	3,591.81	1	3,958.64	1	4,325.48	1	4,689.10	1	5,052.39	1	5,352.90	1		1		1		1	
1/4	3,599.45	1/4	3,966.28	1/4	4,333.12	1/4	4,696.67	1/4	5,059.96	1/4	5,354.04	1/4		1/4		1/4		1/4	
1/2	3,607.09	1/2	3,973.93	1/2	4,340.76	1/2	4,704.24	1/2	5,067.53	1/2	5,354.55	1/2		1/2		1/2		1/2	
3/4	3,614.73	3/4	3,981.57	3/4	4,348.40	3/4	4,711.81	3/4	5,075.10	3/4	5,355.06	3/4		3/4		3/4		3/4	
2	3,622.38	2	3,989.21	2	4,356.05	2	4,719.38	2	5,082.67	2	5,355.57	2		2		2		2	
1/4	3,630.02	1/4	3,996.85	1/4	4,363.65	1/4	4,726.95	1/4	5,090.24	1/8	5,355.82	1/4		1/4		1/4		1/4	
1/2	3,637.66	1/2	4,004.50	1/2	4,371.22	1/2	4,734.51	1/2	5,097.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.30	3/4	4,012.14	3/4	4,378.79	3/4	4,742.08	3/4	5,105.38	3/4		3/4		3/4		3/4		3/4	
3	3,652.95	3	4,019.78	3	4,386.36	3	4,749.65	3	5,112.94	3		3		3		3		3	
1/4	3,660.59	1/4	4,027.42	1/4	4,393.93	1/4	4,757.22	1/4	5,120.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.23	1/2	4,035.07	1/2	4,401.50	1/2	4,764.79	1/2	5,128.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,675.87	3/4	4,042.71	3/4	4,409.06	3/4	4,772.36	3/4	5,135.65	3/4		3/4		3/4		3/4		3/4	
4	3,683.52	4	4,050.35	4	4,416.63	4	4,779.93	4	5,143.22	4		4		4		4		4	
1/4	3,691.16	1/4	4,057.99	1/4	4,424.20	1/4	4,787.49	1/4	5,150.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.80	1/2	4,065.64	1/2	4,431.77	1/2	4,795.06	1/2	5,158.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,706.44	3/4	4,073.28	3/4	4,439.34	3/4	4,802.63	3/4	5,165.79	3/4		3/4		3/4		3/4		3/4	
5	3,714.09	5	4,080.92	5	4,446.91	5	4,810.20	5	5,173.30	5		5		5		5		5	
1/4	3,721.73	1/4	4,088.56	1/4	4,454.48	1/4	4,817.77	1/4	5,180.81	1/4		1/4		1/4		1/4		1/4	
1/2	3,729.37	1/2	4,096.21	1/2	4,462.04	1/2	4,825.34	1/2	5,188.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,737.01	3/4	4,103.85	3/4	4,469.61	3/4	4,832.91	3/4	5,195.84	3/4		3/4		3/4		3/4		3/4	
6	3,744.65	6	4,111.49	6	4,477.18	6	4,840.47	6	5,203.35	6		6		6		6		6	
1/4	3,752.30	1/4	4,119.13	1/4	4,484.75	1/4	4,848.04	1/4	5,210.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,759.94	1/2	4,126.77	1/2	4,492.32	1/2	4,855.61	1/2	5,218.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,767.58	3/4	4,134.42	3/4	4,499.89	3/4	4,863.18	3/4	5,225.90	3/4		3/4		3/4		3/4		3/4	
7	3,775.22	7	4,142.06	7	4,507.46	7	4,870.75	7	5,233.41	7		7		7		7		7	
1/4	3,782.87	1/4	4,149.70	1/4	4,515.02	1/4	4,878.32	1/4	5,240.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,790.51	1/2	4,157.34	1/2	4,522.59	1/2	4,885.89	1/2	5,248.44	1/2		1/2		1/2		1/2		1/2	
3/4	3,798.15	3/4	4,164.99	3/4	4,530.16	3/4	4,893.45	3/4	5,255.95	3/4		3/4		3/4		3/4		3/4	
8	3,805.79	8	4,172.63	8	4,537.73	8	4,901.02	8	5,263.46	8		8		8		8		8	
1/4	3,813.44	1/4	4,180.27	1/4	4,545.30	1/4	4,908.59	1/4	5,270.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,821.08	1/2	4,187.91	1/2	4,552.87	1/2	4,916.16	1/2	5,277.53	1/2		1/2		1/2		1/2		1/2	
3/4	3,828.72	3/4	4,195.56	3/4	4,560.44	3/4	4,923.73	3/4	5,284.41	3/4		3/4		3/4		3/4		3/4	
9	3,836.36	9	4,203.20	9	4,568.00	9	4,931.30	9	5,291.29	9		9		9		9		9	
1/4	3,844.01	1/4	4,210.84	1/4	4,575.57	1/4	4,938.87	1/4	5,297.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,851.65	1/2	4,218.48	1/2	4,583.14	1/2	4,946.43	1/2	5,303.13	1/2		1/2		1/2		1/2		1/2	
3/4	3,859.29	3/4	4,226.13	3/4	4,590.71	3/4	4,954.00	3/4	5,308.73	3/4		3/4		3/4		3/4		3/4	
10	3,866.93	10	4,233.77	10	4,598.28	10	4,961.57	10	5,314.33	10		10		10		10		10	
1/4	3,874.58	1/4	4,241.41	1/4	4,605.85	1/4	4,969.14	1/4	5,319.30	1/4		1/4		1/4		1/4		1/4	
1/2	3,882.22	1/2	4,249.05	1/2	4,613.42	1/2	4,976.71	1/2	5,323.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,889.86	3/4	4,256.70	3/4	4,620.98	3/4	4,984.28	3/4	5,327.95	3/4		3/4		3/4		3/4		3/4	
11	3,897.50	11	4,264.34	11	4,628.55	11	4,991.85	11	5,332.28	11		11		11		11		11	
1/4	3,905.15	1/4	4,271.98	1/4	4,636.12	1/4	4,999.41	1/4	5,335.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,912.79	1/2	4,279.62	1/2	4,643.69	1/2	5,006.98	1/2	5,339.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,920.43	3/4	4,287.27	3/4	4,651.26	3/4	5,014.55	3/4	5,342.08	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	13.42	0	335.74	0	675.19	0	1,020.69	0	1,365.94	0	1,711.43	0	2,057.06	0	2,402.70	0	2,748.34	0	3,093.98
1/4	16.63	1/4	342.91	1/4	682.39	1/4	1,027.89	1/4	1,373.13	1/4	1,718.63	1/4	2,064.26	1/4	2,409.90	1/4	2,755.54	1/4	3,101.18
1/2	20.34	1/2	350.08	1/2	689.59	1/2	1,035.09	1/2	1,380.33	1/2	1,725.83	1/2	2,071.47	1/2	2,417.10	1/2	2,762.74	1/2	3,108.38
3/4	24.06	3/4	357.24	3/4	696.79	3/4	1,042.29	3/4	1,387.52	3/4	1,733.03	3/4	2,078.67	3/4	2,424.30	3/4	2,769.94	3/4	3,115.58
1	27.77	1	364.41	1	703.99	1	1,049.49	1	1,394.71	1	1,740.23	1	2,085.87	1	2,431.51	1	2,777.14	1	3,122.78
1/4	32.38	1/4	371.22	1/4	711.19	1/4	1,056.69	1/4	1,401.90	1/4	1,747.43	1/4	2,093.07	1/4	2,438.71	1/4	2,784.34	1/4	3,129.98
1/2	37.90	1/2	377.66	1/2	718.39	1/2	1,063.89	1/2	1,409.09	1/2	1,754.63	1/2	2,100.27	1/2	2,445.81	1/2	2,791.55	1/2	3,137.18
3/4	43.41	3/4	384.11	3/4	725.59	3/4	1,071.09	3/4	1,416.28	3/4	1,761.83	3/4	2,107.47	3/4	2,453.11	3/4	2,798.75	3/4	3,144.38
2	48.92	2	390.56	2	732.79	2	1,078.29	2	1,423.47	2	1,769.03	2	2,114.67	2	2,460.31	2	2,805.95	2	3,151.59
1/4	55.26	1/4	397.00	1/4	739.99	1/4	1,085.48	1/4	1,430.67	1/4	1,776.23	1/4	2,121.87	1/4	2,467.51	1/4	2,813.15	1/4	3,158.79
1/2	62.43	1/2	403.45	1/2	747.19	1/2	1,092.67	1/2	1,437.86	1/2	1,783.43	1/2	2,129.07	1/2	2,474.71	1/2	2,820.35	1/2	3,165.99
3/4	69.60	3/4	409.89	3/4	754.39	3/4	1,099.86	3/4	1,445.05	3/4	1,790.63	3/4	2,136.27	3/4	2,481.91	3/4	2,827.55	3/4	3,173.19
3	76.77	3	416.34	3	761.59	3	1,107.05	3	1,452.24	3	1,797.84	3	2,143.47	3	2,489.11	3	2,834.75	3	3,180.39
1/4	83.95	1/4	423.16	1/4	768.79	1/4	1,114.24	1/4	1,459.43	1/4	1,805.04	1/4	2,150.67	1/4	2,496.31	1/4	2,841.95	1/4	3,187.59
1/2	91.15	1/2	430.36	1/2	775.99	1/2	1,121.43	1/2	1,466.62	1/2	1,812.24	1/2	2,157.88	1/2	2,503.51	1/2	2,849.15	1/2	3,194.79
3/4	98.36	3/4	437.56	3/4	783.19	3/4	1,128.63	3/4	1,473.81	3/4	1,819.44	3/4	2,165.08	3/4	2,510.71	3/4	2,856.35	3/4	3,201.99
4	105.56	4	444.76	4	790.39	4	1,135.82	4	1,481.00	4	1,826.64	4	2,172.28	4	2,517.92	4	2,863.55	4	3,209.19
1/4	112.76	1/4	451.96	1/4	797.59	1/4	1,143.01	1/4	1,488.20	1/4	1,833.84	1/4	2,179.48	1/4	2,525.12	1/4	2,870.75	1/4	3,216.39
1/2	119.96	1/2	459.16	1/2	804.78	1/2	1,150.20	1/2	1,495.40	1/2	1,841.04	1/2	2,186.68	1/2	2,532.32	1/2	2,877.96	1/2	3,223.59
3/4	127.16	3/4	466.37	3/4	811.98	3/4	1,157.39	3/4	1,502.60	3/4	1,848.24	3/4	2,193.88	3/4	2,539.52	3/4	2,885.16	3/4	3,230.79
5	134.36	5	473.57	5	819.17	5	1,164.58	5	1,509.80	5	1,855.44	5	2,201.08	5	2,546.72	5	2,892.36	5	3,238.00
1/4	141.56	1/4	480.77	1/4	826.37	1/4	1,171.77	1/4	1,517.00	1/4	1,862.64	1/4	2,208.28	1/4	2,553.92	1/4	2,899.56	1/4	3,245.20
1/2	148.76	1/2	487.97	1/2	833.56	1/2	1,178.97	1/2	1,524.20	1/2	1,869.84	1/2	2,215.48	1/2	2,561.12	1/2	2,906.76	1/2	3,252.40
3/4	155.96	3/4	495.17	3/4	840.76	3/4	1,186.16	3/4	1,531.41	3/4	1,877.04	3/4	2,222.68	3/4	2,568.32	3/4	2,913.96	3/4	3,259.60
6	163.16	6	502.37	6	847.96	6	1,193.35	6	1,538.61	6	1,884.24	6	2,229.88	6	2,575.52	6	2,921.16	6	3,266.80
1/4	170.36	1/4	509.57	1/4	855.15	1/4	1,200.54	1/4	1,545.81	1/4	1,891.45	1/4	2,237.08	1/4	2,582.72	1/4	2,928.56	1/4	3,274.00
1/2	177.56	1/2	516.77	1/2	862.35	1/2	1,207.73	1/2	1,553.01	1/2	1,898.65	1/2	2,244.28	1/2	2,589.92	1/2	2,935.66	1/2	3,281.20
3/4	184.77	3/4	523.97	3/4	869.54	3/4	1,214.92	3/4	1,560.21	3/4	1,905.85	3/4	2,251.49	3/4	2,597.12	3/4	2,942.76	3/4	3,288.40
7	191.97	7	531.17	7	876.74	7	1,222.11	7	1,567.41	7	1,913.05	7	2,258.69	7	2,604.32	7	2,949.96	7	3,295.60
1/4	199.17	1/4	538.37	1/4	883.93	1/4	1,229.31	1/4	1,574.61	1/4	1,920.25	1/4	2,265.89	1/4	2,611.53	1/4	2,957.16	1/4	3,302.80
1/2	206.37	1/2	545.57	1/2	891.13	1/2	1,236.50	1/2	1,581.81	1/2	1,927.45	1/2	2,273.09	1/2	2,618.73	1/2	2,964.36	1/2	3,310.00
3/4	213.57	3/4	552.77	3/4	898.33	3/4	1,243.69	3/4	1,589.01	3/4	1,934.65	3/4	2,280.29	3/4	2,625.93	3/4	2,971.57	3/4	3,317.20
8	220.77	8	559.98	8	905.52	8	1,250.88	8	1,596.21	8	1,941.85	8	2,287.49	8	2,633.13	8	2,978.77	8	3,324.40
1/4	227.97	1/4	567.18	1/4	912.72	1/4	1,258.07	1/4	1,603.41	1/4	1,949.05	1/4	2,294.69	1/4	2,640.33	1/4	2,985.97	1/4	3,331.61
1/2	235.17	1/2	574.38	1/2	919.91	1/2	1,265.26	1/2	1,610.61	1/2	1,956.25	1/2	2,301.89	1/2	2,647.53	1/2	2,993.17	1/2	3,338.81
3/4	242.37	3/4	581.58	3/4	927.11	3/4	1,272.45	3/4	1,617.82	3/4	1,963.45	3/4	2,309.09	3/4	2,654.73	3/4	3,000.37	3/4	3,346.01
9	249.57	9	588.78	9	934.31	9	1,279.65	9	1,625.02	9	1,970.65	9	2,316.29	9	2,661.93	9	3,007.57	9	3,353.21
1/4	256.77	1/4	595.98	1/4	941.50	1/4	1,286.84	1/4	1,632.22	1/4	1,977.86	1/4	2,323.49	1/4	2,669.13	1/4	3,014.77	1/4	3,360.41
1/2	263.97	1/2	603.18	1/2	948.70	1/2	1,294.03	1/2	1,639.42	1/2	1,985.06	1/2	2,330.69	1/2	2,676.33	1/2	3,021.97	1/2	3,367.61
3/4	271.17	3/4	610.38	3/4	955.90	3/4	1,301.22	3/4	1,646.62	3/4	1,992.26	3/4	2,337.90	3/4	2,683.53	3/4	3,029.17	3/4	3,374.81
10	278.38	10	617.58	10	963.09	10	1,308.41	10	1,653.82	10	1,999.46	10	2,345.10	10	2,690.73	10	3,036.37	10	3,382.01
1/4	285.56	1/4	624.78	1/4	970.29	1/4	1,315.60	1/4	1,661.02	1/4	2,006.66	1/4	2,352.30	1/4	2,697.94	1/4	3,043.57	1/4	3,389.21
1/2	292.73	1/2	631.98	1/2	977.49	1/2	1,322.79	1/2	1,668.22	1/2	2,013.86	1/2	2,359.50	1/2	2,705.14	1/2	3,050.77	1/2	3,396.41
3/4	299.90	3/4	639.18	3/4	984.69	3/4	1,329.99	3/4	1,675.42	3/4	2,021.06	3/4	2,366.70	3/4	2,712.34	3/4	3,057.98	3/4	3,403.61
11	307.07	11	646.39	11	991.89	11	1,337.18	11	1,682.62	11	2,028.26	11	2,373.90	11	2,719.54	11	3,065.18	11	3,410.81
1/4	314.23	1/4	653.59	1/4	999.09	1/4	1,344.37	1/4	1,689.82	1/4	2,035.46	1/4	2,381.10	1/4	2,726.74	1/4	3,072.38	1/4	3,418.02
1/2	321.40	1/2	660.79	1/2	1,006.29	1/2	1,351.56	1/2	1,697.02	1/2	2,042.66	1/2	2,388.30	1/2	2,733.94	1/2	3,079.58	1/2	3,425.22
3/4	328.57	3/4	667.99	3/4	1,013.49	3/4	1,358.75	3/4	1,704.22	3/4	2,049.86	3/4	2,395.50	3/4	2,741.14	3/4	3,086.78	3/4	3,432.42

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE PRINT LOCATION 14' 0" DEE CENTERED LINE AND 4'0" DEE ENDWARD OF AFT BULLHEAD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,439.62	0	3,785.26	0	4,130.89	0	4,473.65	0	4,815.78	0	5,119.89	0		0		0		0	
1/4	3,446.82	1/4	3,792.46	1/4	4,138.10	1/4	4,480.78	1/4	4,822.91	1/4	5,122.16	1/4		1/4		1/4		1/4	
1/2	3,454.02	1/2	3,799.66	1/2	4,145.30	1/2	4,487.91	1/2	4,830.04	1/2	5,123.83	1/2		1/2		1/2		1/2	
3/4	3,461.22	3/4	3,806.86	3/4	4,152.50	3/4	4,495.03	3/4	4,837.17	3/4	5,125.50	3/4		3/4		3/4		3/4	
1	3,468.42	1	3,814.06	1	4,159.70	1	4,502.16	1	4,844.30	1	5,127.18	1		1		1		1	
1/4	3,475.62	1/4	3,821.26	1/4	4,166.90	1/4	4,509.29	1/4	4,851.42	1/4	5,128.25	1/4		1/4		1/4		1/4	
1/2	3,482.82	1/2	3,828.46	1/2	4,174.10	1/2	4,516.42	1/2	4,858.55	1/2	5,128.72	1/2		1/2		1/2		1/2	
3/4	3,490.02	3/4	3,835.66	3/4	4,181.30	3/4	4,523.54	3/4	4,865.68	3/4	5,129.19	3/4		3/4		3/4		3/4	
2	3,497.22	2	3,842.86	2	4,188.50	2	4,530.67	2	4,872.81	2	5,129.66	2		2		2		2	
1/4	3,504.42	1/4	3,850.06	1/4	4,195.67	1/4	4,537.80	1/4	4,879.93	1/8	5,129.90	1/4		1/4		1/4		1/4	
1/2	3,511.63	1/2	3,857.26	1/2	4,202.79	1/2	4,544.93	1/2	4,887.06			1/2		1/2		1/2		1/2	
3/4	3,518.83	3/4	3,864.46	3/4	4,209.92	3/4	4,552.06	3/4	4,894.19	3/4		3/4		3/4		3/4		3/4	
3	3,526.03	3	3,871.67	3	4,217.05	3	4,559.18	3	4,901.32	3		3		3		3		3	
1/4	3,533.23	1/4	3,878.87	1/4	4,224.18	1/4	4,566.31	1/4	4,908.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,540.43	1/2	3,886.07	1/2	4,231.30	1/2	4,573.44	1/2	4,915.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,547.63	3/4	3,893.27	3/4	4,238.43	3/4	4,580.57	3/4	4,922.70	3/4		3/4		3/4		3/4		3/4	
4	3,554.83	4	3,900.47	4	4,245.56	4	4,587.69	4	4,929.83	4		4		4		4		4	
1/4	3,562.03	1/4	3,907.67	1/4	4,252.69	1/4	4,594.82	1/4	4,936.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,569.23	1/2	3,914.87	1/2	4,259.82	1/2	4,601.95	1/2	4,944.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,576.43	3/4	3,922.07	3/4	4,266.94	3/4	4,609.08	3/4	4,951.07	3/4		3/4		3/4		3/4		3/4	
5	3,583.63	5	3,929.27	5	4,274.07	5	4,616.21	5	4,958.15	5		5		5		5		5	
1/4	3,590.83	1/4	3,936.47	1/4	4,281.20	1/4	4,623.33	1/4	4,965.22	1/4		1/4		1/4		1/4		1/4	
1/2	3,598.04	1/2	3,943.67	1/2	4,288.33	1/2	4,630.46	1/2	4,972.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,605.24	3/4	3,950.87	3/4	4,295.45	3/4	4,637.59	3/4	4,979.37	3/4		3/4		3/4		3/4		3/4	
6	3,612.44	6	3,958.08	6	4,302.58	6	4,644.72	6	4,986.44	6		6		6		6		6	
1/4	3,619.64	1/4	3,965.28	1/4	4,309.71	1/4	4,651.84	1/4	4,993.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,626.84	1/2	3,972.48	1/2	4,316.84	1/2	4,658.97	1/2	5,000.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,634.04	3/4	3,979.68	3/4	4,323.97	3/4	4,666.10	3/4	5,007.66	3/4		3/4		3/4		3/4		3/4	
7	3,641.24	7	3,986.88	7	4,331.09	7	4,673.23	7	5,014.73	7		7		7		7		7	
1/4	3,648.44	1/4	3,994.08	1/4	4,338.22	1/4	4,680.36	1/4	5,021.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,655.64	1/2	4,001.28	1/2	4,345.35	1/2	4,687.48	1/2	5,028.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,662.84	3/4	4,008.48	3/4	4,352.48	3/4	4,694.61	3/4	5,035.95	3/4		3/4		3/4		3/4		3/4	
8	3,670.04	8	4,015.68	8	4,359.60	8	4,701.74	8	5,043.02	8		8		8		8		8	
1/4	3,677.24	1/4	4,022.88	1/4	4,366.73	1/4	4,708.87	1/4	5,049.79	1/4		1/4		1/4		1/4		1/4	
1/2	3,684.44	1/2	4,030.08	1/2	4,373.86	1/2	4,715.99	1/2	5,056.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,691.65	3/4	4,037.28	3/4	4,380.99	3/4	4,723.12	3/4	5,062.74	3/4		3/4		3/4		3/4		3/4	
9	3,698.85	9	4,044.48	9	4,388.12	9	4,730.25	9	5,069.21	9		9		9		9		9	
1/4	3,706.05	1/4	4,051.69	1/4	4,395.24	1/4	4,737.38	1/4	5,075.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,713.25	1/2	4,058.89	1/2	4,402.37	1/2	4,744.51	1/2	5,080.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,720.45	3/4	4,066.09	3/4	4,409.50	3/4	4,751.63	3/4	5,085.63	3/4		3/4		3/4		3/4		3/4	
10	3,727.65	10	4,073.29	10	4,416.63	10	4,758.76	10	5,090.91	10		10		10		10		10	
1/4	3,734.85	1/4	4,080.49	1/4	4,423.75	1/4	4,765.89	1/4	5,095.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,742.05	1/2	4,087.69	1/2	4,430.88	1/2	4,773.02	1/2	5,099.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,749.25	3/4	4,094.89	3/4	4,438.01	3/4	4,780.14	3/4	5,103.73	3/4		3/4		3/4		3/4		3/4	
11	3,756.45	11	4,102.09	11	4,445.14	11	4,787.27	11	5,107.80	11		11		11		11		11	
1/4	3,763.65	1/4	4,109.29	1/4	4,452.27	1/4	4,794.40	1/4	5,111.27	1/4		1/4		1/4		1/4		1/4	
1/2	3,770.85	1/2	4,116.49	1/2	4,459.39	1/2	4,801.53	1/2	5,114.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,778.06	3/4	4,123.69	3/4	4,466.52	3/4	4,808.66	3/4	5,117.02	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	13.36	0	334.20	0	672.09	0	1,016.04	0	1,360.05	0	1,704.11	0	2,048.20	0	2,392.28	0	2,736.36	0	3,080.45
1/4	16.56	1/4	341.34	1/4	679.26	1/4	1,023.21	1/4	1,367.22	1/4	1,711.28	1/4	2,055.37	1/4	2,399.45	1/4	2,743.53	1/4	3,087.62
1/2	20.25	1/2	348.47	1/2	686.43	1/2	1,030.37	1/2	1,374.39	1/2	1,718.45	1/2	2,062.53	1/2	2,406.62	1/2	2,750.70	1/2	3,094.78
3/4	23.94	3/4	355.61	3/4	693.60	3/4	1,037.54	3/4	1,381.56	3/4	1,725.62	3/4	2,069.70	3/4	2,413.79	3/4	2,757.87	3/4	3,101.95
1	27.63	1	362.74	1	700.77	1	1,044.71	1	1,388.72	1	1,732.79	1	2,076.87	1	2,420.95	1	2,765.04	1	3,109.12
1/4	32.22	1/4	369.52	1/4	707.94	1/4	1,051.88	1/4	1,395.89	1/4	1,739.96	1/4	2,084.04	1/4	2,428.12	1/4	2,772.21	1/4	3,116.29
1/2	37.71	1/2	375.93	1/2	715.10	1/2	1,059.04	1/2	1,403.06	1/2	1,747.12	1/2	2,091.21	1/2	2,435.29	1/2	2,779.37	1/2	3,123.46
3/4	43.19	3/4	382.34	3/4	722.27	3/4	1,066.21	3/4	1,410.22	3/4	1,754.29	3/4	2,098.38	3/4	2,442.46	3/4	2,786.54	3/4	3,130.63
2	48.68	2	388.76	2	729.44	2	1,073.38	2	1,417.39	2	1,761.46	2	2,105.54	2	2,449.63	2	2,793.71	2	3,137.79
1/4	54.99	1/4	395.17	1/4	736.61	1/4	1,080.54	1/4	1,424.56	1/4	1,768.63	1/4	2,112.71	1/4	2,456.80	1/4	2,800.88	1/4	3,144.96
1/2	62.12	1/2	401.58	1/2	743.77	1/2	1,087.71	1/2	1,431.72	1/2	1,775.80	1/2	2,119.88	1/2	2,463.96	1/2	2,808.05	1/2	3,152.13
3/4	69.26	3/4	408.00	3/4	750.94	3/4	1,094.88	3/4	1,438.89	3/4	1,782.97	3/4	2,127.05	3/4	2,471.13	3/4	2,815.22	3/4	3,159.30
3	76.40	3	414.41	3	758.11	3	1,102.04	3	1,446.06	3	1,790.13	3	2,134.22	3	2,478.30	3	2,822.38	3	3,166.47
1/4	83.55	1/4	421.20	1/4	765.28	1/4	1,109.21	1/4	1,453.23	1/4	1,797.30	1/4	2,141.39	1/4	2,485.47	1/4	2,829.55	1/4	3,173.64
1/2	90.72	1/2	428.37	1/2	772.44	1/2	1,116.38	1/2	1,460.39	1/2	1,804.47	1/2	2,148.55	1/2	2,492.64	1/2	2,836.72	1/2	3,180.80
3/4	97.89	3/4	435.54	3/4	779.61	3/4	1,123.54	3/4	1,467.56	3/4	1,811.64	3/4	2,155.72	3/4	2,499.81	3/4	2,843.89	3/4	3,187.97
4	105.05	4	442.71	4	786.78	4	1,130.71	4	1,474.73	4	1,818.81	4	2,162.89	4	2,506.97	4	2,851.06	4	3,195.14
1/4	112.22	1/4	449.87	1/4	793.94	1/4	1,137.88	1/4	1,481.89	1/4	1,825.98	1/4	2,170.06	1/4	2,514.14	1/4	2,858.23	1/4	3,202.31
1/2	119.39	1/2	457.04	1/2	801.11	1/2	1,145.04	1/2	1,489.23	1/2	1,833.15	1/2	2,177.20	1/2	2,521.31	1/2	2,865.39	1/2	3,209.48
3/4	126.56	3/4	464.21	3/4	808.27	3/4	1,152.21	3/4	1,496.23	3/4	1,840.31	3/4	2,184.40	3/4	2,528.48	3/4	2,872.56	3/4	3,216.65
5	133.73	5	471.38	5	815.43	5	1,159.38	5	1,503.40	5	1,847.48	5	2,191.57	5	2,535.65	5	2,879.73	5	3,223.81
1/4	140.90	1/4	478.55	1/4	822.59	1/4	1,166.55	1/4	1,510.57	1/4	1,854.65	1/4	2,198.73	1/4	2,542.82	1/4	2,886.90	1/4	3,230.98
1/2	148.06	1/2	485.72	1/2	829.76	1/2	1,173.71	1/2	1,517.74	1/2	1,861.82	1/2	2,205.90	1/2	2,549.99	1/2	2,894.07	1/2	3,238.15
3/4	155.23	3/4	492.88	3/4	836.92	3/4	1,180.88	3/4	1,524.90	3/4	1,868.99	3/4	2,213.07	3/4	2,557.15	3/4	2,901.24	3/4	3,245.32
6	162.40	6	500.05	6	844.08	6	1,188.05	6	1,532.07	6	1,876.16	6	2,220.24	6	2,564.32	6	2,908.41	6	3,252.49
1/4	169.57	1/4	507.22	1/4	851.25	1/4	1,195.21	1/4	1,539.24	1/4	1,883.32	1/4	2,227.41	1/4	2,571.49	1/4	2,915.57	1/4	3,259.66
1/2	176.74	1/2	514.39	1/2	858.41	1/2	1,202.38	1/2	1,546.41	1/2	1,890.49	1/2	2,234.58	1/2	2,578.66	1/2	2,922.74	1/2	3,266.83
3/4	183.91	3/4	521.56	3/4	865.57	3/4	1,209.55	3/4	1,553.58	3/4	1,897.66	3/4	2,241.74	3/4	2,585.83	3/4	2,929.91	3/4	3,273.99
7	191.08	7	528.73	7	872.74	7	1,216.71	7	1,560.75	7	1,904.83	7	2,248.91	7	2,593.00	7	2,937.08	7	3,281.16
1/4	198.24	1/4	535.89	1/4	879.90	1/4	1,223.88	1/4	1,567.91	1/4	1,912.00	1/4	2,256.08	1/4	2,600.16	1/4	2,944.25	1/4	3,288.33
1/2	205.41	1/2	543.06	1/2	887.06	1/2	1,231.05	1/2	1,575.08	1/2	1,919.17	1/2	2,263.25	1/2	2,607.33	1/2	2,951.42	1/2	3,295.50
3/4	212.58	3/4	550.23	3/4	894.23	3/4	1,238.22	3/4	1,582.25	3/4	1,926.33	3/4	2,270.42	3/4	2,614.50	3/4	2,958.58	3/4	3,302.67
8	219.75	8	557.40	8	901.39	8	1,245.38	8	1,589.42	8	1,933.50	8	2,277.59	8	2,621.67	8	2,965.75	8	3,309.84
1/4	226.92	1/4	564.57	1/4	908.55	1/4	1,252.55	1/4	1,596.59	1/4	1,940.67	1/4	2,284.75	1/4	2,628.84	1/4	2,972.92	1/4	3,317.00
1/2	234.09	1/2	571.74	1/2	915.72	1/2	1,259.72	1/2	1,603.76	1/2	1,947.84	1/2	2,291.92	1/2	2,636.01	1/2	2,980.09	1/2	3,324.17
3/4	241.25	3/4	578.91	3/4	922.88	3/4	1,266.88	3/4	1,610.92	3/4	1,955.01	3/4	2,299.09	3/4	2,643.17	3/4	2,987.26	3/4	3,331.34
9	248.42	9	586.07	9	930.05	9	1,274.05	9	1,618.09	9	1,962.18	9	2,306.26	9	2,650.34	9	2,994.43	9	3,338.51
1/4	255.59	1/4	593.24	1/4	937.21	1/4	1,281.22	1/4	1,625.26	1/4	1,969.34	1/4	2,313.43	1/4	2,657.51	1/4	3,001.59	1/4	3,345.68
1/2	262.76	1/2	600.41	1/2	944.37	1/2	1,288.38	1/2	1,632.43	1/2	1,976.51	1/2	2,320.60	1/2	2,664.68	1/2	3,008.76	1/2	3,352.85
3/4	269.93	3/4	607.58	3/4	951.54	3/4	1,295.55	3/4	1,639.60	3/4	1,983.68	3/4	2,327.76	3/4	2,671.85	3/4	3,015.93	3/4	3,360.01
10	277.10	10	614.75	10	958.70	10	1,302.72	10	1,646.77	10	1,990.85	10	2,334.93	10	2,679.02	10	3,023.10	10	3,367.18
1/4	284.25	1/4	621.92	1/4	965.87	1/4	1,309.89	1/4	1,653.94	1/4	1,998.02	1/4	2,342.10	1/4	2,686.18	1/4	3,030.27	1/4	3,374.35
1/2	291.38	1/2	629.08	1/2	973.03	1/2	1,317.05	1/2	1,661.10	1/2	2,005.19	1/2	2,349.27	1/2	2,693.35	1/2	3,037.44	1/2	3,381.52
3/4	298.52	3/4	636.25	3/4	980.20	3/4	1,324.22	3/4	1,668.27	3/4	2,012.36	3/4	2,356.44	3/4	2,700.52	3/4	3,044.60	3/4	3,388.69
11	305.66	11	643.42	11	987.37	11	1,331.39	11	1,675.44	11	2,019.52	11	2,363.61	11	2,707.69	11	3,051.77	11	3,395.86
1/4	312.79	1/4	650.59	1/4	994.54	1/4	1,338.55	1/4	1,682.61	1/4	2,026.69	1/4	2,370.78	1/4	2,714.86	1/4	3,058.94	1/4	3,403.02
1/2	319.93	1/2	657.76	1/2	1,001.70	1/2	1,345.72	1/2	1,689.78	1/2	2,033.86	1/2	2,377.94	1/2	2,722.03	1/2	3,066.11	1/2	3,410.19
3/4	327.06	3/4	664.93	3/4	1,008.87	3/4	1,352.89	3/4	1,696.95	3/4	2,041.03	3/4	2,385.11	3/4	2,729.20	3/4	3,073.28	3/4	3,417.36

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE PRINTED IN WATER 14" OFF DECK CENTERED INCE AHH 17" OFF DECK WAGON DECK ACT BILL RULEAN
THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,424.53	0	3,768.61	0	4,112.70	0	4,453.90	0	4,794.48	0	5,097.19	0				0			
1/4	3,431.70	1/4	3,775.78	1/4	4,119.86	1/4	4,460.99	1/4	4,801.57	1/4	5,099.45	1/4				1/4			
1/2	3,438.87	1/2	3,782.95	1/2	4,127.03	1/2	4,468.09	1/2	4,808.67	1/2	5,101.11	1/2				1/2			
3/4	3,446.04	3/4	3,790.12	3/4	4,134.20	3/4	4,475.18	3/4	4,815.76	3/4	5,102.78	3/4				3/4			
1	3,453.20	1	3,797.29	1	4,141.37	1	4,482.28	1	4,822.86	1	5,104.44	1				1			
1/4	3,460.37	1/4	3,804.46	1/4	4,148.54	1/4	4,489.37	1/4	4,829.95	1/4	5,105.51	1/4				1/4			
1/2	3,467.54	1/2	3,811.62	1/2	4,155.71	1/2	4,496.47	1/2	4,837.05	1/2	5,105.98	1/2				1/2			
3/4	3,474.71	3/4	3,818.79	3/4	4,162.88	3/4	4,503.56	3/4	4,844.14	3/4	5,106.45	3/4				3/4			
2	3,481.88	2	3,825.96	2	4,170.04	2	4,510.66	2	4,851.24	2	5,106.91	2				2			
1/4	3,489.05	1/4	3,833.13	1/4	4,177.18	1/4	4,517.75	1/4	4,858.33	1/8	5,107.15	1/4				1/4			
1/2	3,496.21	1/2	3,840.30	1/2	4,184.27	1/2	4,524.85	1/2	4,865.43	1/2		1/2				1/2			
3/4	3,503.38	3/4	3,847.47	3/4	4,191.37	3/4	4,531.95	3/4	4,872.52	3/4		3/4				3/4			
3	3,510.55	3	3,854.63	3	4,198.46	3	4,539.04	3	4,879.62	3		3				3			
1/4	3,517.72	1/4	3,861.80	1/4	4,205.56	1/4	4,546.14	1/4	4,886.72	1/4		1/4				1/4			
1/2	3,524.89	1/2	3,868.97	1/2	4,212.65	1/2	4,553.23	1/2	4,893.81	1/2		1/2				1/2			
3/4	3,532.06	3/4	3,876.14	3/4	4,219.75	3/4	4,560.33	3/4	4,900.91	3/4		3/4				3/4			
4	3,539.22	4	3,883.31	4	4,226.84	4	4,567.42	4	4,908.00	4		4				4			
1/4	3,546.39	1/4	3,890.48	1/4	4,233.94	1/4	4,574.52	1/4	4,915.07	1/4		1/4				1/4			
1/2	3,553.56	1/2	3,897.64	1/2	4,241.03	1/2	4,581.61	1/2	4,922.11	1/2		1/2				1/2			
3/4	3,560.73	3/4	3,904.81	3/4	4,248.13	3/4	4,588.71	3/4	4,929.15	3/4		3/4				3/4			
5	3,567.90	5	3,911.98	5	4,255.23	5	4,595.80	5	4,936.19	5		5				5			
1/4	3,575.07	1/4	3,919.15	1/4	4,262.32	1/4	4,602.90	1/4	4,943.23	1/4		1/4				1/4			
1/2	3,582.23	1/2	3,926.32	1/2	4,269.42	1/2	4,610.00	1/2	4,950.27	1/2		1/2				1/2			
3/4	3,589.40	3/4	3,933.49	3/4	4,276.51	3/4	4,617.09	3/4	4,957.31	3/4		3/4				3/4			
6	3,596.57	6	3,940.65	6	4,283.61	6	4,624.19	6	4,964.35	6		6				6			
1/4	3,603.74	1/4	3,947.82	1/4	4,290.70	1/4	4,631.28	1/4	4,971.39	1/4		1/4				1/4			
1/2	3,610.91	1/2	3,954.99	1/2	4,297.80	1/2	4,638.38	1/2	4,978.43	1/2		1/2				1/2			
3/4	3,618.08	3/4	3,962.16	3/4	4,304.89	3/4	4,645.47	3/4	4,985.47	3/4		3/4				3/4			
7	3,625.25	7	3,969.33	7	4,311.99	7	4,652.57	7	4,992.51	7		7				7			
1/4	3,632.41	1/4	3,976.50	1/4	4,319.08	1/4	4,659.66	1/4	4,999.55	1/4		1/4				1/4			
1/2	3,639.58	1/2	3,983.67	1/2	4,326.18	1/2	4,666.76	1/2	5,006.59	1/2		1/2				1/2			
3/4	3,646.75	3/4	3,990.83	3/4	4,333.27	3/4	4,673.85	3/4	5,013.64	3/4		3/4				3/4			
8	3,653.92	8	3,998.00	8	4,340.37	8	4,680.95	8	5,020.68	8		8				8			
1/4	3,661.09	1/4	4,005.17	1/4	4,347.47	1/4	4,688.04	1/4	5,027.42	1/4		1/4				1/4			
1/2	3,668.26	1/2	4,012.34	1/2	4,354.56	1/2	4,695.14	1/2	5,033.86	1/2		1/2				1/2			
3/4	3,675.42	3/4	4,019.51	3/4	4,361.66	3/4	4,702.24	3/4	5,040.31	3/4		3/4				3/4			
9	3,682.59	9	4,026.68	9	4,368.75	9	4,709.33	9	5,046.75	9		9				9			
1/4	3,689.76	1/4	4,033.84	1/4	4,375.85	1/4	4,716.43	1/4	5,052.60	1/4		1/4				1/4			
1/2	3,696.93	1/2	4,041.01	1/2	4,382.94	1/2	4,723.52	1/2	5,057.84	1/2		1/2				1/2			
3/4	3,704.10	3/4	4,048.18	3/4	4,390.04	3/4	4,730.62	3/4	5,063.09	3/4		3/4				3/4			
10	3,711.27	10	4,055.35	10	4,397.13	10	4,737.71	10	5,068.34	10		10				10			
1/4	3,718.43	1/4	4,062.52	1/4	4,404.23	1/4	4,744.81	1/4	5,072.99	1/4		1/4				1/4			
1/2	3,725.60	1/2	4,069.69	1/2	4,411.32	1/2	4,751.90	1/2	5,077.05	1/2		1/2				1/2			
3/4	3,732.77	3/4	4,076.85	3/4	4,418.42	3/4	4,759.00	3/4	5,081.10	3/4		3/4				3/4			
11	3,739.94	11	4,084.02	11	4,425.51	11	4,766.09	11	5,085.15	11		11				11			
1/4	3,747.11	1/4	4,091.19	1/4	4,432.61	1/4	4,773.19	1/4	5,088.61	1/4		1/4				1/4			
1/2	3,754.28	1/2	4,098.36	1/2	4,439.71	1/2	4,780.28	1/2	5,091.47	1/2		1/2				1/2			
3/4	3,761.44	3/4	4,105.53	3/4	4,446.80	3/4	4,787.38	3/4	5,094.33	3/4		3/4				3/4			

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

3 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	9 FT.	
																		IN	IN
0	14.16	0	355.16	0	713.87	0	1,078.45	0	1,442.25	0	1,806.58	0	2,171.30	0	2,536.01	0	2,900.72	0	3,263.39
1/4	17.57	1/4	362.73	1/4	721.47	1/4	1,086.04	1/4	1,449.82	1/4	1,814.18	1/4	2,178.90	1/4	2,543.61	1/4	2,908.30	1/4	3,270.94
1/2	21.54	1/2	370.31	1/2	729.07	1/2	1,093.64	1/2	1,457.40	1/2	1,821.78	1/2	2,186.49	1/2	2,551.21	1/2	2,915.86	1/2	3,278.50
3/4	25.51	3/4	377.89	3/4	736.67	3/4	1,101.24	3/4	1,464.97	3/4	1,829.38	3/4	2,194.09	3/4	2,558.81	3/4	2,923.41	3/4	3,286.05
1	29.48	1	385.47	1	744.26	1	1,108.84	1	1,472.55	1	1,836.98	1	2,201.69	1	2,566.40	1	2,930.97	1	3,293.61
1/4	34.40	1/4	392.68	1/4	751.86	1/4	1,116.43	1/4	1,480.12	1/4	1,844.58	1/4	2,209.29	1/4	2,574.00	1/4	2,938.52	1/4	3,301.16
1/2	40.27	1/2	399.54	1/2	759.46	1/2	1,124.03	1/2	1,487.70	1/2	1,852.17	1/2	2,216.89	1/2	2,581.60	1/2	2,946.08	1/2	3,308.72
3/4	46.14	3/4	406.39	3/4	767.06	3/4	1,131.63	3/4	1,495.27	3/4	1,859.77	3/4	2,224.49	3/4	2,589.20	3/4	2,953.63	3/4	3,316.27
2	52.01	2	413.24	2	774.65	2	1,139.22	2	1,502.85	2	1,867.37	2	2,232.08	2	2,596.80	2	2,961.19	2	3,323.83
1/4	58.73	1/4	420.10	1/4	782.25	1/4	1,146.81	1/4	1,510.43	1/4	1,874.97	1/4	2,239.68	1/4	2,604.40	1/4	2,968.74	1/4	3,331.38
1/2	66.31	1/2	426.95	1/2	789.85	1/2	1,154.38	1/2	1,518.00	1/2	1,882.57	1/2	2,247.28	1/2	2,611.99	1/2	2,976.30	1/2	3,338.94
3/4	73.88	3/4	433.81	3/4	797.45	3/4	1,161.96	3/4	1,525.58	3/4	1,890.16	3/4	2,254.88	3/4	2,619.59	3/4	2,983.85	3/4	3,346.49
3	81.46	3	440.66	3	805.04	3	1,169.53	3	1,533.15	3	1,897.76	3	2,262.48	3	2,627.19	3	2,991.41	3	3,354.05
1/4	89.06	1/4	447.89	1/4	812.64	1/4	1,177.11	1/4	1,540.73	1/4	1,905.36	1/4	2,270.07	1/4	2,634.79	1/4	2,998.96	1/4	3,361.60
1/2	96.67	1/2	455.50	1/2	820.24	1/2	1,184.68	1/2	1,548.30	1/2	1,912.96	1/2	2,277.67	1/2	2,642.39	1/2	2,996.52	1/2	3,369.16
3/4	104.28	3/4	463.11	3/4	827.83	3/4	1,192.26	3/4	1,555.88	3/4	1,920.56	3/4	2,285.27	3/4	2,649.98	3/4	2,994.07	3/4	3,376.71
4	111.88	4	470.72	4	835.43	4	1,199.83	4	1,563.45	4	1,928.16	4	2,292.87	4	2,657.58	4	3,021.63	4	3,384.27
1/4	119.49	1/4	478.33	1/4	843.03	1/4	1,207.41	1/4	1,571.04	1/4	1,935.75	1/4	2,300.47	1/4	2,665.18	1/4	3,029.18	1/4	3,391.82
1/2	127.10	1/2	485.93	1/2	850.62	1/2	1,214.98	1/2	1,578.64	1/2	1,943.35	1/2	2,308.07	1/2	2,672.78	1/2	3,036.74	1/2	3,399.38
3/4	134.71	3/4	493.52	3/4	858.21	3/4	1,222.56	3/4	1,586.24	3/4	1,950.95	3/4	2,315.66	3/4	2,680.38	3/4	3,044.29	3/4	3,406.93
5	142.32	5	501.12	5	865.80	5	1,230.14	5	1,593.83	5	1,958.55	5	2,323.26	5	2,687.98	5	3,051.85	5	3,414.49
1/4	149.93	1/4	508.72	1/4	873.40	1/4	1,237.71	1/4	1,601.43	1/4	1,966.15	1/4	2,330.86	1/4	2,695.57	1/4	3,059.40	1/4	3,422.04
1/2	157.54	1/2	516.32	1/2	880.99	1/2	1,245.29	1/2	1,609.03	1/2	1,973.74	1/2	2,338.46	1/2	2,703.17	1/2	3,066.96	1/2	3,429.60
3/4	165.15	3/4	523.92	3/4	888.58	3/4	1,252.86	3/4	1,616.63	3/4	1,981.34	3/4	2,346.06	3/4	2,710.77	3/4	3,074.51	3/4	3,437.15
6	172.76	6	531.51	6	896.18	6	1,260.44	6	1,624.23	6	1,998.94	6	2,353.25	6	2,718.37	6	3,082.07	6	3,444.71
1/4	180.37	1/4	539.11	1/4	903.77	1/4	1,268.01	1/4	1,631.83	1/4	1,996.54	1/4	2,361.65	1/4	2,725.97	1/4	3,089.62	1/4	3,452.26
1/2	187.98	1/2	546.71	1/2	911.36	1/2	1,275.59	1/2	1,639.42	1/2	2,004.14	1/2	2,368.85	1/2	2,733.56	1/2	3,097.18	1/2	3,459.82
3/4	195.59	3/4	554.31	3/4	918.95	3/4	1,283.16	3/4	1,647.02	3/4	2,011.74	3/4	2,376.45	3/4	2,741.16	3/4	3,104.73	3/4	3,467.37
7	203.20	7	561.91	7	926.55	7	1,290.74	7	1,654.62	7	2,019.33	7	2,384.05	7	2,748.76	7	3,112.29	7	3,474.93
1/4	210.81	1/4	569.51	1/4	934.14	1/4	1,298.31	1/4	1,662.22	1/4	2,026.93	1/4	2,391.65	1/4	2,756.36	1/4	3,119.84	1/4	3,482.48
1/2	218.42	1/2	577.10	1/2	941.73	1/2	1,305.89	1/2	1,669.82	1/2	2,034.53	1/2	2,399.24	1/2	2,763.96	1/2	3,127.40	1/2	3,490.04
3/4	226.03	3/4	584.70	3/4	949.33	3/4	1,313.46	3/4	1,677.41	3/4	2,042.13	3/4	2,406.84	3/4	2,771.56	3/4	3,134.95	3/4	3,497.59
8	233.64	8	592.30	8	956.92	8	1,321.04	8	1,685.01	8	2,049.73	8	2,414.44	8	2,779.15	8	3,142.51	8	3,505.15
1/4	241.25	1/4	599.90	1/4	964.52	1/4	1,328.62	1/4	1,692.61	1/4	2,057.32	1/4	2,422.04	1/4	2,786.75	1/4	3,150.06	1/4	3,512.70
1/2	248.86	1/2	607.50	1/2	972.11	1/2	1,336.19	1/2	1,700.21	1/2	2,064.92	1/2	2,429.64	1/2	2,794.35	1/2	3,157.62	1/2	3,520.26
3/4	256.47	3/4	615.09	3/4	979.70	3/4	1,343.77	3/4	1,707.81	3/4	2,072.52	3/4	2,437.23	3/4	2,801.95	3/4	3,165.17	3/4	3,527.81
9	264.08	9	622.69	9	987.30	9	1,351.34	9	1,715.41	9	2,080.12	9	2,444.83	9	2,809.55	9	3,172.73	9	3,535.37
1/4	271.69	1/4	630.29	1/4	994.89	1/4	1,358.92	1/4	1,723.00	1/4	2,087.72	1/4	2,452.43	1/4	2,817.14	1/4	3,180.28	1/4	3,542.92
1/2	279.30	1/2	637.89	1/2	1,002.48	1/2	1,366.49	1/2	1,730.60	1/2	2,095.32	1/2	2,460.03	1/2	2,824.74	1/2	3,187.84	1/2	3,550.48
3/4	286.91	3/4	645.49	3/4	1,010.08	3/4	1,374.07	3/4	1,738.20	3/4	2,102.91	3/4	2,467.63	3/4	2,832.34	3/4	3,195.39	3/4	3,558.03
10	294.52	10	653.09	10	1,017.67	10	1,381.64	10	1,745.80	10	2,110.51	10	2,475.23	10	2,839.94	10	3,202.95	10	3,565.59
1/4	302.11	1/4	660.68	1/4	1,025.27	1/4	1,389.22	1/4	1,753.40	1/4	2,118.11	1/4	2,482.82	1/4	2,847.54	1/4	3,210.50	1/4	3,573.14
1/2	309.69	1/2	668.28	1/2	1,032.86	1/2	1,396.79	1/2	1,760.99	1/2	2,125.71	1/2	2,490.42	1/2	2,855.14	1/2	3,218.06	1/2	3,580.70
3/4	317.27	3/4	675.88	3/4	1,040.46	3/4	1,404.37	3/4	1,768.59	3/4	2,133.31	3/4	2,498.02	3/4	2,862.73	3/4	3,225.61	3/4	3,588.25
11	324.85	11	683.48	11	1,048.06	11	1,411.95	11	1,776.19	11	2,140.90	11	2,505.62	11	2,870.33	11	3,233.17	11	3,595.81
1/4	332.42	1/4	691.08	1/4	1,056.65	1/4	1,419.52	1/4	1,783.79	1/4	2,148.50	1/4	2,513.22	1/4	2,877.93	1/4	3,240.72	1/4	3,603.36
1/2	340.00	1/2	698.68	1/2	1,063.25	1/2	1,427.10	1/2	1,791.39	1/2	2,156.10	1/2	2,520.81	1/2	2,885.53	1/2	3,248.28	1/2	3,610.92
3/4	347.58	3/4	706.27	3/4	1,070.85	3/4	1,434.67	3/4	1,798.99	3/4	2,163.70	3/4	2,528.41	3/4	2,893.13	3/4	3,255.83	3/4	3,618.47

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NFPA CHAPTER 2.7
NOTE: GAUGE PRINT CAPACITY 14' 0" SEE CENTERED LINE AND FOR AN EXPLANATION OF ACT. DRILL PLAN

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

3 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,626.03	0	3,932.90	0	4,071.86	0	4,210.32	0	4,348.52	0	4,471.39	0		0		0			
1/4	3,633.58	1/4	3,935.91	1/4	4,074.77	1/4	4,213.20	1/4	4,351.40	1/4	4,472.31	1/4		1/4		1/4		1/4	
1/2	3,641.14	1/2	3,938.77	1/2	4,077.68	1/2	4,216.08	1/2	4,354.28	1/2	4,472.98	1/2		1/2		1/2		1/2	
3/4	3,648.69	3/4	3,941.62	3/4	4,080.59	3/4	4,218.96	3/4	4,357.16	3/4	4,473.66	3/4		3/4		3/4		3/4	
1	3,656.25	1	3,944.48	1	4,083.50	1	4,221.84	1	4,360.04	1	4,474.33	1		1		1		1	
1/4	3,663.80	1/4	3,947.34	1/4	4,086.41	1/4	4,224.72	1/4	4,362.92	1/4	4,474.76	1/4		1/4		1/4		1/4	
1/2	3,671.36	1/2	3,950.19	1/2	4,089.32	1/2	4,227.59	1/2	4,365.80	1/2	4,474.96	1/2		1/2		1/2		1/2	
3/4	3,678.91	3/4	3,953.05	3/4	4,092.23	3/4	4,230.47	3/4	4,368.68	3/4	4,475.15	3/4		3/4		3/4		3/4	
2	3,686.47	2	3,955.91	2	4,095.14	2	4,233.35	2	4,371.55	2	4,475.34	2		2		2		2	
1/4	3,694.01	1/4	3,958.77	1/4	4,098.03	1/4	4,236.23	1/4	4,374.43	1/8	4,475.43	1/4		1/4		1/4		1/4	
1/2	3,701.53	1/2	3,961.62	1/2	4,100.91	1/2	4,239.11	1/2	4,377.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,709.06	3/4	3,964.48	3/4	4,103.79	3/4	4,241.99	3/4	4,380.19	3/4		3/4		3/4		3/4		3/4	
3	3,716.59	3	3,967.34	3	4,106.67	3	4,244.87	3	4,383.07	3		3		3		3		3	
1/4	3,724.11	1/4	3,970.19	1/4	4,109.55	1/4	4,247.75	1/4	4,385.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.64	1/2	3,973.05	1/2	4,112.43	1/2	4,250.63	1/2	4,388.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,739.17	3/4	3,975.91	3/4	4,115.31	3/4	4,253.51	3/4	4,391.71	3/4		3/4		3/4		3/4		3/4	
4	3,746.69	4	3,978.76	4	4,118.19	4	4,256.39	4	4,394.59	4		4		4		4		4	
1/4	3,754.22	1/4	3,981.65	1/4	4,121.06	1/4	4,259.27	1/4	4,397.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,761.75	1/2	3,984.56	1/2	4,123.94	1/2	4,262.15	1/2	4,400.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,769.28	3/4	3,987.47	3/4	4,126.82	3/4	4,265.02	3/4	4,403.17	3/4		3/4		3/4		3/4		3/4	
5	3,776.80	5	3,990.38	5	4,129.70	5	4,267.90	5	4,406.03	5		5		5		5		5	
1/4	3,784.33	1/4	3,993.29	1/4	4,132.58	1/4	4,270.78	1/4	4,408.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,791.86	1/2	3,996.20	1/2	4,135.46	1/2	4,273.66	1/2	4,411.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,799.38	3/4	3,999.11	3/4	4,138.34	3/4	4,276.54	3/4	4,414.61	3/4		3/4		3/4		3/4		3/4	
6	3,806.91	6	4,002.02	6	4,141.22	6	4,279.42	6	4,417.47	6		6		6		6		6	
1/4	3,814.24	1/4	4,004.93	1/4	4,144.10	1/4	4,282.30	1/4	4,420.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,821.38	1/2	4,007.84	1/2	4,146.98	1/2	4,285.18	1/2	4,423.18	1/2		1/2		1/2		1/2		1/2	
3/4	3,828.51	3/4	4,010.75	3/4	4,149.86	3/4	4,288.06	3/4	4,426.04	3/4		3/4		3/4		3/4		3/4	
7	3,835.65	7	4,013.66	7	4,152.74	7	4,290.94	7	4,428.90	7		7		7		7		7	
1/4	3,842.39	1/4	4,016.57	1/4	4,155.61	1/4	4,293.82	1/4	4,431.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,848.74	1/2	4,019.48	1/2	4,158.49	1/2	4,296.70	1/2	4,434.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,855.09	3/4	4,022.39	3/4	4,161.37	3/4	4,299.57	3/4	4,437.47	3/4		3/4		3/4		3/4		3/4	
8	3,861.44	8	4,025.30	8	4,164.25	8	4,302.45	8	4,440.33	8		8		8		8		8	
1/4	3,867.40	1/4	4,028.21	1/4	4,167.13	1/4	4,305.33	1/4	4,443.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,872.97	1/2	4,031.12	1/2	4,170.01	1/2	4,308.21	1/2	4,445.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,878.54	3/4	4,034.03	3/4	4,172.89	3/4	4,311.09	3/4	4,448.30	3/4		3/4		3/4		3/4		3/4	
9	3,884.11	9	4,036.94	9	4,175.77	9	4,313.97	9	4,450.92	9		9		9		9		9	
1/4	3,889.28	1/4	4,039.85	1/4	4,178.65	1/4	4,316.85	1/4	4,453.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,894.07	1/2	4,042.76	1/2	4,181.53	1/2	4,319.73	1/2	4,455.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,898.85	3/4	4,045.67	3/4	4,184.41	3/4	4,322.61	3/4	4,457.55	3/4		3/4		3/4		3/4		3/4	
10	3,903.64	10	4,048.58	10	4,187.29	10	4,325.49	10	4,459.68	10		10		10		10		10	
1/4	3,908.01	1/4	4,051.49	1/4	4,190.17	1/4	4,328.37	1/4	4,461.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,911.95	1/2	4,054.40	1/2	4,193.04	1/2	4,331.25	1/2	4,463.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,915.90	3/4	4,057.31	3/4	4,195.92	3/4	4,334.13	3/4	4,464.86	3/4		3/4		3/4		3/4		3/4	
11	3,919.85	11	4,060.22	11	4,198.80	11	4,337.00	11	4,466.50	11		11		11		11		11	
1/4	3,923.41	1/4	4,063.13	1/4	4,201.68	1/4	4,339.88	1/4	4,467.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,926.57	1/2	4,066.04	1/2	4,204.56	1/2	4,342.76	1/2	4,469.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,929.74	3/4	4,068.95	3/4	4,207.44	3/4	4,345.64	3/4	4,470.23	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.15	0	354.81	0	713.54	0	1,078.32	0	1,443.17	0	1,808.07	0	2,172.99	0	2,537.91	0	2,902.83	0	3,265.70
1/4	17.56	1/4	362.38	1/4	721.14	1/4	1,085.92	1/4	1,450.78	1/4	1,815.67	1/4	2,180.59	1/4	2,545.51	1/4	2,910.41	1/4	3,273.26
1/2	21.52	1/2	369.95	1/2	728.75	1/2	1,093.52	1/2	1,458.38	1/2	1,823.28	1/2	2,188.20	1/2	2,553.12	1/2	2,917.97	1/2	3,280.82
3/4	25.48	3/4	377.52	3/4	736.35	3/4	1,101.13	3/4	1,465.98	3/4	1,830.88	3/4	2,195.80	3/4	2,560.72	3/4	2,925.53	3/4	3,288.38
1	29.45	1	385.09	1	743.95	1	1,108.73	1	1,473.58	1	1,838.48	1	2,203.40	1	2,568.32	1	2,933.09	1	3,295.94
1/4	34.36	1/4	392.30	1/4	751.55	1/4	1,116.33	1/4	1,481.18	1/4	1,846.08	1/4	2,211.00	1/4	2,575.92	1/4	2,940.65	1/4	3,303.50
1/2	40.22	1/2	399.15	1/2	759.15	1/2	1,123.93	1/2	1,488.78	1/2	1,853.69	1/2	2,218.61	1/2	2,583.53	1/2	2,948.21	1/2	3,311.05
3/4	46.09	3/4	405.99	3/4	766.76	3/4	1,131.53	3/4	1,496.38	3/4	1,861.29	3/4	2,226.21	3/4	2,591.13	3/4	2,955.77	3/4	3,318.61
2	51.95	2	412.84	2	774.36	2	1,139.13	2	1,503.98	2	1,868.89	2	2,233.81	2	2,596.73	2	2,963.33	2	3,326.17
1/4	58.67	1/4	419.69	1/4	781.96	1/4	1,146.73	1/4	1,511.58	1/4	1,876.49	1/4	2,241.41	1/4	2,606.33	1/4	2,970.89	1/4	3,333.73
1/2	66.24	1/2	426.53	1/2	789.56	1/2	1,154.33	1/2	1,519.18	1/2	1,884.10	1/2	2,249.02	1/2	2,613.94	1/2	2,978.45	1/2	3,341.29
3/4	73.81	3/4	433.38	3/4	797.16	3/4	1,161.93	3/4	1,526.79	3/4	1,891.70	3/4	2,256.62	3/4	2,621.54	3/4	2,986.00	3/4	3,348.85
3	81.38	3	440.23	3	804.77	3	1,169.53	3	1,534.39	3	1,899.30	3	2,264.22	3	2,629.14	3	2,993.56	3	3,356.41
1/4	88.96	1/4	447.45	1/4	812.37	1/4	1,177.14	1/4	1,541.99	1/4	1,906.90	1/4	2,271.82	1/4	2,636.74	1/4	3,001.12	1/4	3,363.97
1/2	96.57	1/2	455.06	1/2	819.97	1/2	1,184.74	1/2	1,549.59	1/2	1,914.51	1/2	2,279.43	1/2	2,644.35	1/2	3,008.68	1/2	3,371.53
3/4	104.17	3/4	462.66	3/4	827.57	3/4	1,192.34	3/4	1,557.19	3/4	1,922.11	3/4	2,287.03	3/4	2,651.95	3/4	3,016.24	3/4	3,379.09
4	111.77	4	470.26	4	835.17	4	1,199.94	4	1,564.79	4	1,929.71	4	2,294.63	4	2,659.55	4	3,023.80	4	3,386.65
1/4	119.37	1/4	477.86	1/4	842.77	1/4	1,207.54	1/4	1,572.39	1/4	1,937.31	1/4	2,302.23	1/4	2,667.15	1/4	3,031.36	1/4	3,394.21
1/2	126.98	1/2	485.47	1/2	850.37	1/2	1,215.14	1/2	1,580.00	1/2	1,944.52	1/2	2,309.84	1/2	2,674.76	1/2	3,038.98	1/2	3,401.77
3/4	134.58	3/4	493.07	3/4	857.96	3/4	1,222.74	3/4	1,587.60	3/4	1,952.92	3/4	2,317.44	3/4	2,682.36	3/4	3,046.48	3/4	3,409.33
5	142.18	5	500.67	5	865.56	5	1,230.34	5	1,595.20	5	1,960.12	5	2,325.04	5	2,689.96	5	3,054.04	5	3,416.88
1/4	149.78	1/4	508.27	1/4	873.16	1/4	1,237.94	1/4	1,602.80	1/4	1,967.72	1/4	2,332.64	1/4	2,697.56	1/4	3,061.60	1/4	3,424.44
1/2	157.39	1/2	515.88	1/2	880.75	1/2	1,245.55	1/2	1,610.41	1/2	1,975.33	1/2	2,340.25	1/2	2,705.17	1/2	3,069.16	1/2	3,432.00
3/4	164.99	3/4	523.48	3/4	888.35	3/4	1,253.15	3/4	1,618.01	3/4	1,982.93	3/4	2,347.85	3/4	2,712.77	3/4	3,076.72	3/4	3,439.56
6	172.59	6	531.08	6	895.95	6	1,260.75	6	1,625.61	6	1,990.53	6	2,355.45	6	2,720.37	6	3,084.28	6	3,447.12
1/4	180.19	1/4	538.68	1/4	903.55	1/4	1,268.35	1/4	1,633.21	1/4	1,998.13	1/4	2,363.05	1/4	2,727.97	1/4	3,091.83	1/4	3,454.68
1/2	187.80	1/2	546.29	1/2	911.14	1/2	1,275.95	1/2	1,640.82	1/2	2,005.74	1/2	2,370.66	1/2	2,735.58	1/2	3,099.39	1/2	3,462.24
3/4	195.40	3/4	553.89	3/4	918.74	3/4	1,283.55	3/4	1,648.42	3/4	2,013.34	3/4	2,378.26	3/4	2,743.18	3/4	3,106.95	3/4	3,469.80
7	203.00	7	561.49	7	926.34	7	1,291.15	7	1,656.02	7	2,020.94	7	2,385.86	7	2,750.78	7	3,114.51	7	3,477.36
1/4	210.60	1/4	569.09	1/4	933.93	1/4	1,298.75	1/4	1,663.62	1/4	2,028.54	1/4	2,393.46	1/4	2,758.38	1/4	3,122.07	1/4	3,484.92
1/2	218.21	1/2	576.70	1/2	941.53	1/2	1,306.35	1/2	1,671.23	1/2	2,036.15	1/2	2,401.07	1/2	2,765.99	1/2	3,129.63	1/2	3,492.48
3/4	225.81	3/4	584.30	3/4	949.13	3/4	1,313.96	3/4	1,678.83	3/4	2,043.75	3/4	2,408.67	3/4	2,773.59	3/4	3,137.19	3/4	3,500.04
8	233.41	8	591.90	8	956.73	8	1,321.56	8	1,686.43	8	2,051.35	8	2,416.27	8	2,781.19	8	3,144.75	8	3,507.60
1/4	241.01	1/4	599.50	1/4	964.33	1/4	1,329.16	1/4	1,694.03	1/4	2,058.95	1/4	2,423.87	1/4	2,788.79	1/4	3,152.31	1/4	3,515.16
1/2	248.62	1/2	607.11	1/2	971.92	1/2	1,336.76	1/2	1,701.64	1/2	2,066.56	1/2	2,431.48	1/2	2,796.40	1/2	3,159.87	1/2	3,522.71
3/4	256.22	3/4	614.71	3/4	979.52	3/4	1,344.36	3/4	1,709.24	3/4	2,074.16	3/4	2,439.08	3/4	2,804.00	3/4	3,167.43	3/4	3,530.27
9	263.82	9	622.31	9	987.12	9	1,351.96	9	1,716.84	9	2,081.76	9	2,446.68	9	2,811.60	9	3,174.99	9	3,537.83
1/4	271.42	1/4	629.91	1/4	994.72	1/4	1,359.56	1/4	1,724.44	1/4	2,089.36	1/4	2,454.28	1/4	2,819.20	1/4	3,182.55	1/4	3,545.39
1/2	279.03	1/2	637.52	1/2	1,002.32	1/2	1,367.16	1/2	1,732.05	1/2	2,096.97	1/2	2,461.89	1/2	2,826.81	1/2	3,190.11	1/2	3,552.95
3/4	286.63	3/4	645.12	3/4	1,009.91	3/4	1,374.76	3/4	1,739.65	3/4	2,104.57	3/4	2,469.49	3/4	2,834.41	3/4	3,197.67	3/4	3,560.51
10	294.23	10	652.72	10	1,017.51	10	1,382.37	10	1,747.25	10	2,112.17	10	2,477.09	10	2,842.01	10	3,205.22	10	3,568.07
1/4	301.82	1/4	660.32	1/4	1,025.11	1/4	1,389.97	1/4	1,754.85	1/4	2,119.77	1/4	2,484.69	1/4	2,849.61	1/4	3,212.78	1/4	3,575.63
1/2	309.39	1/2	667.93	1/2	1,032.71	1/2	1,397.57	1/2	1,762.46	1/2	2,127.38	1/2	2,492.30	1/2	2,857.22	1/2	3,220.34	1/2	3,583.19
3/4	316.96	3/4	675.53	3/4	1,040.31	3/4	1,405.17	3/4	1,770.06	3/4	2,134.98	3/4	2,499.90	3/4	2,864.82	3/4	3,227.90	3/4	3,590.75
11	324.53	11	683.13	11	1,047.92	11	1,412.77	11	1,777.66	11	2,142.58	11	2,507.50	11	2,872.42	11	3,233.46	11	3,598.31
1/4	332.10	1/4	690.73	1/4	1,055.52	1/4	1,420.37	1/4	1,785.26	1/4	2,150.18	1/4	2,515.10	1/4	2,880.02	1/4	3,243.02	1/4	3,605.87
1/2	339.67	1/2	698.34	1/2	1,063.12	1/2	1,427.97	1/2	1,792.87	1/2	2,157.79	1/2	2,522.71	1/2	2,887.63	1/2	3,250.58	1/2	3,613.43
3/4	347.24	3/4	705.94	3/4	1,070.72	3/4	1,435.57	3/4	1,800.47	3/4	2,165.39	3/4	2,530.31	3/4	2,895.23	3/4	3,255.14	3/4	3,620.99

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE PRINT LOCATION 14' 0" AFT CENTERLINE AND 6' 0" FORWARD OF AFT BULKHEAD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 304"
HULL NO. 4406

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,628.55	0	3,936.08	0	4,075.78	0	4,214.11	0	4,352.18	0	4,474.92	0		0		0			
1/4	3,636.10	1/4	3,939.14	1/4	4,078.69	1/4	4,216.99	1/4	4,355.06	1/4	4,475.84	1/4		1/4		1/4		1/4	
1/2	3,643.66	1/2	3,942.05	1/2	4,081.60	1/2	4,219.86	1/2	4,357.93	1/2	4,476.52	1/2		1/2		1/2		1/2	
3/4	3,651.22	3/4	3,944.96	3/4	4,084.50	3/4	4,222.74	3/4	4,360.81	3/4	4,477.19	3/4		3/4		3/4		3/4	
1	3,658.78	1	3,947.87	1	4,087.41	1	4,225.62	1	4,363.68	1	4,477.87	1		1		1		1	
1/4	3,666.34	1/4	3,950.77	1/4	4,090.32	1/4	4,228.49	1/4	4,366.56	1/4	4,478.30	1/4		1/4		1/4		1/4	
1/2	3,673.90	1/2	3,953.68	1/2	4,093.23	1/2	4,231.37	1/2	4,369.44	1/2	4,478.48	1/2		1/2		1/2		1/2	
3/4	3,681.46	3/4	3,956.59	3/4	4,096.13	3/4	4,234.25	3/4	4,372.31	3/4	4,478.68	3/4		3/4		3/4		3/4	
2	3,689.02	2	3,959.49	2	4,099.04	2	4,237.12	2	4,375.19	2	4,478.87	2		2		2		2	
1/4	3,696.56	1/4	3,962.40	1/4	4,101.93	1/4	4,240.00	1/4	4,378.07	1/8	4,478.96	1/4		1/4		1/4		1/4	
1/2	3,704.10	1/2	3,965.31	1/2	4,104.81	1/2	4,242.88	1/2	4,380.94	1/2		1/2		1/2		1/2		1/2	
3/4	3,711.63	3/4	3,968.22	3/4	4,107.68	3/4	4,245.75	3/4	4,383.82	3/4		3/4		3/4		3/4		3/4	
3	3,719.16	3	3,971.12	3	4,110.56	3	4,248.63	3	4,386.70	3		3		3		3		3	
1/4	3,726.69	1/4	3,974.03	1/4	4,113.44	1/4	4,251.50	1/4	4,389.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,734.22	1/2	3,976.94	1/2	4,116.31	1/2	4,254.38	1/2	4,392.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,741.75	3/4	3,979.84	3/4	4,119.19	3/4	4,257.26	3/4	4,395.32	3/4		3/4		3/4		3/4		3/4	
4	3,749.28	4	3,982.75	4	4,122.07	4	4,260.13	4	4,398.20	4		4		4		4		4	
1/4	3,756.81	1/4	3,985.66	1/4	4,124.94	1/4	4,263.01	1/4	4,401.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,764.34	1/2	3,988.57	1/2	4,127.82	1/2	4,265.89	1/2	4,403.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,771.88	3/4	3,991.47	3/4	4,130.70	3/4	4,268.76	3/4	4,406.78	3/4		3/4		3/4		3/4		3/4	
5	3,779.41	5	3,994.38	5	4,133.57	5	4,271.64	5	4,409.63	5		5		5		5		5	
1/4	3,786.94	1/4	3,997.29	1/4	4,136.45	1/4	4,274.52	1/4	4,412.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,794.47	1/2	4,000.20	1/2	4,139.33	1/2	4,277.39	1/2	4,415.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,802.00	3/4	4,003.10	3/4	4,142.20	3/4	4,280.27	3/4	4,418.20	3/4		3/4		3/4		3/4		3/4	
6	3,809.53	6	4,006.01	6	4,145.08	6	4,283.15	6	4,421.06	6		6		6		6		6	
1/4	3,816.87	1/4	4,008.92	1/4	4,147.95	1/4	4,286.02	1/4	4,423.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,824.01	1/2	4,011.82	1/2	4,150.83	1/2	4,288.90	1/2	4,426.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,831.15	3/4	4,014.73	3/4	4,153.71	3/4	4,291.77	3/4	4,429.62	3/4		3/4		3/4		3/4		3/4	
7	3,838.29	7	4,017.64	7	4,156.58	7	4,294.65	7	4,432.48	7		7		7		7		7	
1/4	3,845.03	1/4	4,020.55	1/4	4,159.46	1/4	4,297.53	1/4	4,435.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,851.39	1/2	4,023.45	1/2	4,162.34	1/2	4,300.40	1/2	4,438.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,857.75	3/4	4,026.36	3/4	4,165.21	3/4	4,303.28	3/4	4,441.05	3/4		3/4		3/4		3/4		3/4	
8	3,864.11	8	4,029.27	8	4,168.09	8	4,306.16	8	4,443.90	8		8		8		8		8	
1/4	3,870.07	1/4	4,032.17	1/4	4,170.97	1/4	4,309.03	1/4	4,446.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,875.65	1/2	4,035.08	1/2	4,173.84	1/2	4,311.91	1/2	4,449.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,881.22	3/4	4,037.99	3/4	4,176.72	3/4	4,314.79	3/4	4,451.86	3/4		3/4		3/4		3/4		3/4	
9	3,886.79	9	4,040.90	9	4,179.59	9	4,317.66	9	4,454.47	9		9		9		9		9	
1/4	3,891.98	1/4	4,043.80	1/4	4,182.47	1/4	4,320.54	1/4	4,456.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,896.77	1/2	4,046.71	1/2	4,185.35	1/2	4,323.41	1/2	4,458.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,901.56	3/4	4,049.62	3/4	4,188.22	3/4	4,326.29	3/4	4,461.10	3/4		3/4		3/4		3/4		3/4	
10	3,906.35	10	4,052.52	10	4,191.10	10	4,329.17	10	4,463.23	10		10		10		10		10	
1/4	3,910.75	1/4	4,055.43	1/4	4,193.98	1/4	4,332.04	1/4	4,465.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,914.76	1/2	4,058.34	1/2	4,196.85	1/2	4,334.92	1/2	4,466.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,918.77	3/4	4,061.25	3/4	4,199.73	3/4	4,337.80	3/4	4,468.40	3/4		3/4		3/4		3/4		3/4	
11	3,922.78	11	4,064.15	11	4,202.61	11	4,340.67	11	4,470.05	11		11		11		11		11	
1/4	3,926.40	1/4	4,067.06	1/4	4,205.48	1/4	4,343.55	1/4	4,471.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,929.62	1/2	4,069.97	1/2	4,208.36	1/2	4,346.43	1/2	4,472.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,932.85	3/4	4,072.88	3/4	4,211.24	3/4	4,349.30	3/4	4,473.77	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.