

BARGE "RBT 306"
HULL NO. 4408

Entered 6-30-05
1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.37	0	357.09	0	717.10	0	1,083.90	0	1,452.09	0	1,820.59	0	2,188.96	0	2,557.55	0	2,926.23	0	3,294.91
1/4	18.22	1/4	364.77	1/4	724.78	1/4	1,091.54	1/4	1,459.77	1/4	1,828.26	1/4	2,196.64	1/4	2,565.23	1/4	2,933.91	1/4	3,302.59
1/2	23.02	1/2	372.45	1/2	732.46	1/2	1,099.17	1/2	1,467.45	1/2	1,835.92	1/2	2,204.32	1/2	2,572.91	1/2	2,941.59	1/2	3,310.27
3/4	27.82	3/4	380.13	3/4	740.15	3/4	1,106.81	3/4	1,475.13	3/4	1,843.59	3/4	2,211.99	3/4	2,580.59	3/4	2,949.27	3/4	3,317.95
1	32.62	1	387.82	1	747.83	1	1,114.45	1	1,482.81	1	1,851.25	1	2,219.67	1	2,588.27	1	2,956.95	1	3,325.63
1/4	38.39	1/4	395.50	1/4	755.49	1/4	1,122.09	1/4	1,490.50	1/4	1,858.98	1/4	2,227.35	1/4	2,595.95	1/4	2,964.63	1/4	3,333.31
1/2	45.11	1/2	403.18	1/2	763.12	1/2	1,129.74	1/2	1,498.18	1/2	1,866.58	1/2	2,235.03	1/2	2,603.63	1/2	2,972.31	1/2	3,340.99
3/4	51.84	3/4	410.86	3/4	770.76	3/4	1,137.38	3/4	1,505.86	3/4	1,874.25	3/4	2,242.70	3/4	2,611.31	3/4	2,979.99	3/4	3,348.67
2	58.56	2	418.55	2	778.39	2	1,145.02	2	1,513.54	2	1,881.91	2	2,250.38	2	2,619.00	2	2,987.67	2	3,356.35
1/4	65.77	1/4	426.22	1/4	786.03	1/4	1,152.66	1/4	1,521.22	1/4	1,889.58	1/4	2,258.06	1/4	2,626.68	1/4	2,995.35	1/4	3,364.03
1/2	73.46	1/2	433.89	1/2	793.66	1/2	1,160.31	1/2	1,528.90	1/2	1,897.24	1/2	2,265.74	1/2	2,634.36	1/2	2,999.36	1/2	3,371.71
3/4	81.15	3/4	441.44	3/4	801.30	3/4	1,167.95	3/4	1,536.58	3/4	1,904.91	3/4	2,273.42	3/4	2,642.04	3/4	3,010.72	3/4	3,379.39
3	88.84	3	448.96	3	808.93	3	1,175.59	3	1,544.26	3	1,912.57	3	2,281.09	3	2,649.72	3	3,018.40	3	3,387.08
1/4	96.40	1/4	456.29	1/4	816.57	1/4	1,183.26	1/4	1,551.94	1/4	1,920.25	1/4	2,288.77	1/4	2,657.40	1/4	3,026.08	1/4	3,394.76
1/2	103.83	1/2	463.71	1/2	824.20	1/2	1,190.94	1/2	1,559.62	1/2	1,927.92	1/2	2,296.45	1/2	2,665.08	1/2	3,033.76	1/2	3,402.44
3/4	111.27	3/4	471.13	3/4	831.84	3/4	1,198.62	3/4	1,567.31	3/4	1,935.60	3/4	2,304.13	3/4	2,672.76	3/4	3,041.44	3/4	3,410.12
4	118.70	4	478.56	4	839.47	4	1,206.30	4	1,574.99	4	1,943.28	4	2,311.80	4	2,680.44	4	3,049.12	4	3,417.80
1/4	126.14	1/4	485.98	1/4	847.11	1/4	1,213.98	1/4	1,582.67	1/4	1,950.96	1/4	2,319.48	1/4	2,688.12	1/4	3,056.80	1/4	3,425.48
1/2	133.57	1/2	493.40	1/2	854.75	1/2	1,221.66	1/2	1,590.35	1/2	1,958.63	1/2	2,327.16	1/2	2,695.80	1/2	3,064.48	1/2	3,433.16
3/4	141.01	3/4	500.82	3/4	862.38	3/4	1,229.34	3/4	1,598.03	3/4	1,966.31	3/4	2,334.84	3/4	2,703.48	3/4	3,072.18	3/4	3,440.84
5	148.44	5	508.25	5	870.02	5	1,237.02	5	1,605.71	5	1,973.99	5	2,342.51	5	2,711.16	5	3,079.84	5	3,448.52
1/4	155.87	1/4	515.67	1/4	877.65	1/4	1,244.70	1/4	1,613.39	1/4	1,981.67	1/4	2,350.19	1/4	2,718.85	1/4	3,087.52	1/4	3,456.20
1/2	163.31	1/2	523.09	1/2	885.29	1/2	1,252.38	1/2	1,621.07	1/2	1,989.34	1/2	2,357.87	1/2	2,726.53	1/2	3,095.20	1/2	3,463.88
3/4	170.74	3/4	530.52	3/4	892.93	3/4	1,260.07	3/4	1,628.75	3/4	1,997.02	3/4	2,365.55	3/4	2,734.21	3/4	3,102.89	3/4	3,471.56
6	178.18	6	537.94	6	900.57	6	1,267.75	6	1,636.43	6	2,004.70	6	2,373.22	6	2,741.89	6	3,110.57	6	3,479.24
1/4	185.61	1/4	545.36	1/4	908.21	1/4	1,275.43	1/4	1,644.12	1/4	2,012.38	1/4	2,380.90	1/4	2,749.57	1/4	3,118.25	1/4	3,486.93
1/2	193.05	1/2	552.79	1/2	915.84	1/2	1,283.11	1/2	1,651.80	1/2	2,020.05	1/2	2,388.58	1/2	2,757.25	1/2	3,125.93	1/2	3,494.61
3/4	200.48	3/4	560.21	3/4	923.48	3/4	1,290.79	3/4	1,659.48	3/4	2,027.73	3/4	2,396.26	3/4	2,764.93	3/4	3,133.61	3/4	3,502.29
7	207.92	7	567.63	7	931.12	7	1,298.47	7	1,667.16	7	2,035.41	7	2,403.93	7	2,772.61	7	3,141.29	7	3,509.97
1/4	215.35	1/4	575.05	1/4	938.76	1/4	1,306.15	1/4	1,674.84	1/4	2,043.09	1/4	2,411.61	1/4	2,780.29	1/4	3,148.97	1/4	3,517.63
1/2	222.79	1/2	582.48	1/2	946.40	1/2	1,313.83	1/2	1,682.52	1/2	2,050.76	1/2	2,419.29	1/2	2,787.97	1/2	3,156.65	1/2	3,525.28
3/4	230.22	3/4	589.90	3/4	954.04	3/4	1,321.51	3/4	1,690.20	3/4	2,058.44	3/4	2,426.98	3/4	2,795.65	3/4	3,164.33	3/4	3,532.93
8	237.66	8	597.32	8	961.68	8	1,329.19	8	1,697.88	8	2,066.12	8	2,434.66	8	2,803.33	8	3,172.01	8	3,540.58
1/4	245.09	1/4	604.75	1/4	969.31	1/4	1,336.88	1/4	1,705.56	1/4	2,073.80	1/4	2,442.34	1/4	2,811.02	1/4	3,179.69	1/4	3,548.23
1/2	252.52	1/2	612.17	1/2	976.95	1/2	1,344.56	1/2	1,713.24	1/2	2,081.48	1/2	2,450.02	1/2	2,818.70	1/2	3,187.37	1/2	3,555.87
3/4	259.96	3/4	619.60	3/4	984.59	3/4	1,352.24	3/4	1,720.93	3/4	2,089.15	3/4	2,457.70	3/4	2,826.38	3/4	3,195.06	3/4	3,563.52
9	267.39	9	627.03	9	992.23	9	1,359.92	9	1,728.61	9	2,096.83	9	2,465.38	9	2,834.06	9	3,202.74	9	3,571.17
1/4	274.83	1/4	634.46	1/4	999.87	1/4	1,367.60	1/4	1,736.28	1/4	2,104.51	1/4	2,473.06	1/4	2,841.74	1/4	3,210.42	1/4	3,578.82
1/2	282.28	1/2	641.90	1/2	1,007.51	1/2	1,375.28	1/2	1,743.94	1/2	2,112.19	1/2	2,480.74	1/2	2,849.42	1/2	3,218.10	1/2	3,586.47
3/4	289.72	3/4	649.33	3/4	1,015.15	3/4	1,382.96	3/4	1,751.61	3/4	2,119.86	3/4	2,488.42	3/4	2,857.10	3/4	3,225.78	3/4	3,594.12
10	297.17	10	656.77	10	1,022.79	10	1,390.64	10	1,759.27	10	2,127.54	10	2,496.10	10	2,864.78	10	3,233.46	10	3,601.77
1/4	304.61	1/4	664.20	1/4	1,030.42	1/4	1,398.32	1/4	1,766.94	1/4	2,135.22	1/4	2,503.78	1/4	2,872.46	1/4	3,241.14	1/4	3,609.41
1/2	312.06	1/2	671.63	1/2	1,038.06	1/2	1,406.00	1/2	1,774.60	1/2	2,142.90	1/2	2,511.46	1/2	2,880.14	1/2	3,248.82	1/2	3,617.06
3/4	319.50	3/4	679.07	3/4	1,045.70	3/4	1,413.69	3/4	1,782.27	3/4	2,150.57	3/4	2,519.14	3/4	2,887.82	3/4	3,256.50	3/4	3,624.71
11	326.95	11	686.50	11	1,053.34	11	1,421.37	11	1,789.93	11	2,158.25	11	2,526.83	11	2,895.50	11	3,264.18	11	3,632.36
1/4	334.40	1/4	694.06	1/4	1,060.98	1/4	1,429.05	1/4	1,797.60	1/4	2,165.93	1/4	2,534.51	1/4	2,903.18	1/4	3,271.86	1/4	3,640.01
1/2	341.84	1/2	701.74	1/2	1,068.62	1/2	1,436.73	1/2	1,805.26	1/2	2,173.61	1/2	2,542.19	1/2	2,910.87	1/2	3,279.54	1/2	3,647.66
3/4	349.40	3/4	709.42	3/4	1,076.26	3/4	1,444.41	3/4	1,812.93	3/4	2,181.28	3/4	2,549.87	3/4	2,918.55	3/4	3,287.22	3/4	3,655.30

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7
NOTE: GAUGE HEIGHT 16'-5 1/2" GAUGE CENTERED IN ACROSS 44' 8" ENDS WARD ON EACH SIDE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,662.95	0	4,031.12	0	4,400.37	0	4,769.30	0	5,138.16	0	5,467.89	0		0		0		0	
1/4	3,670.60	1/4	4,038.81	1/4	4,408.07	1/4	4,776.99	1/4	5,145.85	1/4	5,470.42	1/4		1/4		1/4		1/4	
1/2	3,678.25	1/2	4,046.50	1/2	4,415.76	1/2	4,784.67	1/2	5,153.53	1/2	5,472.31	1/2		1/2		1/2		1/2	
3/4	3,685.90	3/4	4,054.20	3/4	4,423.45	3/4	4,792.36	3/4	5,161.22	3/4	5,474.20	3/4		3/4		3/4		3/4	
1	3,693.55	1	4,061.89	1	4,431.14	1	4,800.04	1	5,168.90	1	5,476.09	1		1		1		1	
1/4	3,701.19	1/4	4,069.58	1/4	4,438.84	1/4	4,807.73	1/4	5,176.59	1/4	5,477.34	1/4		1/4		1/4		1/4	
1/2	3,708.84	1/2	4,077.28	1/2	4,446.53	1/2	4,815.41	1/2	5,184.27	1/2	5,477.95	1/2		1/2		1/2		1/2	
3/4	3,716.49	3/4	4,084.97	3/4	4,454.22	3/4	4,823.10	3/4	5,191.96	3/4	5,478.56	3/4		3/4		3/4		3/4	
2	3,724.14	2	4,092.66	2	4,461.92	2	4,830.78	2	5,199.64	2	5,479.16	2		2		2		2	
1/4	3,731.79	1/4	4,100.35	1/4	4,469.60	1/4	4,838.47	1/4	5,207.33	1/8	5,479.47	1/4		1/4		1/4		1/4	
1/2	3,739.44	1/2	4,108.05	1/2	4,477.29	1/2	4,846.15	1/2	5,215.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,747.08	3/4	4,115.74	3/4	4,484.97	3/4	4,853.83	3/4	5,222.70	3/4		3/4		3/4		3/4		3/4	
3	3,754.73	3	4,123.43	3	4,492.66	3	4,861.52	3	5,230.38	3		3		3		3		3	
1/4	3,762.38	1/4	4,131.13	1/4	4,500.34	1/4	4,869.20	1/4	5,238.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,770.03	1/2	4,138.82	1/2	4,508.03	1/2	4,876.89	1/2	5,245.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,777.68	3/4	4,146.51	3/4	4,515.71	3/4	4,884.57	3/4	5,253.43	3/4		3/4		3/4		3/4		3/4	
4	3,785.33	4	4,154.20	4	4,523.40	4	4,892.26	4	5,261.12	4		4		4		4		4	
1/4	3,792.98	1/4	4,161.90	1/4	4,531.08	1/4	4,899.94	1/4	5,268.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,800.62	1/2	4,169.59	1/2	4,538.77	1/2	4,907.63	1/2	5,276.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,808.27	3/4	4,177.28	3/4	4,546.45	3/4	4,915.31	3/4	5,284.17	3/4		3/4		3/4		3/4		3/4	
5	3,815.92	5	4,184.97	5	4,554.13	5	4,923.00	5	5,291.86	5		5		5		5		5	
1/4	3,823.57	1/4	4,192.67	1/4	4,561.82	1/4	4,930.68	1/4	5,299.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,831.22	1/2	4,200.36	1/2	4,569.50	1/2	4,938.36	1/2	5,307.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,838.87	3/4	4,208.05	3/4	4,577.19	3/4	4,946.05	3/4	5,314.91	3/4		3/4		3/4		3/4		3/4	
6	3,846.51	6	4,215.75	6	4,584.87	6	4,953.73	6	5,322.59	6		6		6		6		6	
1/4	3,854.18	1/4	4,223.44	1/4	4,592.56	1/4	4,961.42	1/4	5,330.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,861.88	1/2	4,231.13	1/2	4,600.24	1/2	4,969.10	1/2	5,337.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,869.57	3/4	4,238.82	3/4	4,607.93	3/4	4,976.79	3/4	5,345.65	3/4		3/4		3/4		3/4		3/4	
7	3,877.26	7	4,246.52	7	4,615.61	7	4,984.47	7	5,353.33	7		7		7		7		7	
1/4	3,884.96	1/4	4,254.21	1/4	4,623.30	1/4	4,992.16	1/4	5,361.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,892.65	1/2	4,261.90	1/2	4,630.98	1/2	4,999.84	1/2	5,368.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,900.34	3/4	4,269.60	3/4	4,638.67	3/4	5,007.53	3/4	5,376.39	3/4		3/4		3/4		3/4		3/4	
8	3,908.03	8	4,277.29	8	4,646.35	8	5,015.21	8	5,384.07	8		8		8		8		8	
1/4	3,915.73	1/4	4,284.98	1/4	4,654.03	1/4	5,022.90	1/4	5,391.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,923.42	1/2	4,292.67	1/2	4,661.72	1/2	5,030.58	1/2	5,398.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,931.11	3/4	4,300.37	3/4	4,669.40	3/4	5,038.26	3/4	5,405.47	3/4		3/4		3/4		3/4		3/4	
9	3,938.81	9	4,308.06	9	4,677.09	9	5,045.95	9	5,412.49	9		9		9		9		9	
1/4	3,946.50	1/4	4,315.75	1/4	4,684.77	1/4	5,053.63	1/4	5,418.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,954.19	1/2	4,323.45	1/2	4,692.46	1/2	5,061.32	1/2	5,424.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,961.88	3/4	4,331.14	3/4	4,700.14	3/4	5,069.00	3/4	5,430.35	3/4		3/4		3/4		3/4		3/4	
10	3,969.58	10	4,338.83	10	4,707.83	10	5,076.69	10	5,436.09	10		10		10		10		10	
1/4	3,977.27	1/4	4,346.52	1/4	4,715.51	1/4	5,084.37	1/4	5,441.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,984.96	1/2	4,354.22	1/2	4,723.20	1/2	5,092.06	1/2	5,445.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,992.65	3/4	4,361.91	3/4	4,730.88	3/4	5,099.74	3/4	5,450.10	3/4		3/4		3/4		3/4		3/4	
11	4,000.35	11	4,369.60	11	4,738.57	11	5,107.43	11	5,454.56	11		11		11		11		11	
1/4	4,008.04	1/4	4,377.29	1/4	4,746.25	1/4	5,115.11	1/4	5,458.37	1/4		1/4		1/4		1/4		1/4	
1/2	4,015.73	1/2	4,384.99	1/2	4,753.93	1/2	5,122.80	1/2	5,461.55	1/2		1/2		1/2		1/2		1/2	
3/4	4,023.43	3/4	4,392.68	3/4	4,761.62	3/4	5,130.48	3/4	5,464.72	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5.8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.30	0	355.31	0	714.06	0	1,081.14	0	1,448.58	0	1,816.16	0	2,183.75	0	2,551.33	0	2,918.91	0	3,286.50
1/4	18.12	1/4	362.96	1/4	721.72	1/4	1,088.79	1/4	1,456.24	1/4	1,823.82	1/4	2,191.40	1/4	2,558.99	1/4	2,926.57	1/4	3,294.16
1/2	22.90	1/2	370.61	1/2	729.37	1/2	1,096.43	1/2	1,463.90	1/2	1,831.48	1/2	2,199.06	1/2	2,566.65	1/2	2,934.23	1/2	3,301.81
3/4	27.68	3/4	378.25	3/4	737.03	3/4	1,104.08	3/4	1,471.55	3/4	1,839.14	3/4	2,206.72	3/4	2,574.30	3/4	2,941.89	3/4	3,309.47
1	32.45	1	385.90	1	744.69	1	1,111.73	1	1,479.21	1	1,846.79	1	2,214.38	1	2,581.96	1	2,949.55	1	3,317.13
1/4	38.19	1/4	393.55	1/4	752.34	1/4	1,119.38	1/4	1,486.87	1/4	1,854.45	1/4	2,222.04	1/4	2,589.62	1/4	2,957.20	1/4	3,324.79
1/2	44.88	1/2	401.20	1/2	759.99	1/2	1,127.03	1/2	1,494.53	1/2	1,862.12	1/2	2,229.69	1/2	2,597.28	1/2	2,964.86	1/2	3,332.45
3/4	51.57	3/4	408.84	3/4	767.63	3/4	1,134.68	3/4	1,502.19	3/4	1,869.77	3/4	2,237.35	3/4	2,604.94	3/4	2,972.92	3/4	3,340.10
2	58.26	2	416.49	2	775.28	2	1,142.33	2	1,509.84	2	1,877.43	2	2,245.01	2	2,612.59	2	2,980.18	2	3,347.76
1/4	65.43	1/4	424.14	1/4	782.93	1/4	1,149.98	1/4	1,517.50	1/4	1,885.08	1/4	2,252.67	1/4	2,620.25	1/4	2,987.84	1/4	3,355.42
1/2	73.08	1/2	431.79	1/2	790.57	1/2	1,157.63	1/2	1,525.16	1/2	1,892.74	1/2	2,260.33	1/2	2,627.91	1/2	2,995.49	1/2	3,363.08
3/4	80.72	3/4	439.31	3/4	798.22	3/4	1,165.28	3/4	1,532.82	3/4	1,900.40	3/4	2,267.98	3/4	2,635.57	3/4	3,003.15	3/4	3,370.74
3	88.37	3	446.71	3	805.86	3	1,172.93	3	1,540.48	3	1,908.06	3	2,275.64	3	2,643.23	3	3,010.81	3	3,378.39
1/4	95.90	1/4	454.11	1/4	813.51	1/4	1,180.59	1/4	1,548.13	1/4	1,915.72	1/4	2,283.30	1/4	2,650.88	1/4	3,018.47	1/4	3,386.05
1/2	103.29	1/2	461.50	1/2	821.16	1/2	1,188.24	1/2	1,555.79	1/2	1,923.37	1/2	2,290.96	1/2	2,658.54	1/2	3,026.13	1/2	3,393.71
3/4	110.69	3/4	468.90	3/4	828.80	3/4	1,195.89	3/4	1,563.45	3/4	1,931.03	3/4	2,298.62	3/4	2,666.20	3/4	3,033.78	3/4	3,401.37
4	118.09	4	476.30	4	836.45	4	1,203.54	4	1,571.11	4	1,938.69	4	2,306.27	4	2,673.86	4	3,041.44	4	3,409.03
1/4	125.49	1/4	483.70	1/4	844.10	1/4	1,211.20	1/4	1,578.77	1/4	1,946.35	1/4	2,313.93	1/4	2,681.52	1/4	3,049.10	1/4	3,416.68
1/2	132.89	1/2	491.10	1/2	851.74	1/2	1,218.85	1/2	1,586.42	1/2	1,954.01	1/2	2,321.55	1/2	2,689.17	1/2	3,056.76	1/2	3,424.34
3/4	140.28	3/4	498.49	3/4	859.39	3/4	1,226.50	3/4	1,594.08	3/4	1,961.66	3/4	2,329.25	3/4	2,696.83	3/4	3,064.42	3/4	3,432.00
5	147.68	5	505.89	5	867.03	5	1,234.16	5	1,601.74	5	1,969.32	5	2,336.91	5	2,704.49	5	3,072.07	5	3,439.66
1/4	155.08	1/4	513.29	1/4	874.68	1/4	1,241.81	1/4	1,609.40	1/4	1,976.98	1/4	2,344.56	1/4	2,712.15	1/4	3,079.73	1/4	3,447.32
1/2	162.48	1/2	520.69	1/2	882.33	1/2	1,249.47	1/2	1,617.06	1/2	1,984.64	1/2	2,352.22	1/2	2,719.81	1/2	3,087.39	1/2	3,454.97
3/4	169.88	3/4	528.09	3/4	889.97	3/4	1,257.13	3/4	1,624.71	3/4	1,992.30	3/4	2,359.88	3/4	2,727.46	3/4	3,095.05	3/4	3,462.63
6	177.28	6	535.49	6	897.62	6	1,264.79	6	1,632.37	6	1,999.95	6	2,367.54	6	2,735.12	6	3,102.71	6	3,470.29
1/4	184.67	1/4	542.88	1/4	905.27	1/4	1,272.45	1/4	1,640.03	1/4	2,007.61	1/4	2,375.20	1/4	2,742.78	1/4	3,110.36	1/4	3,477.95
1/2	192.07	1/2	550.28	1/2	912.91	1/2	1,280.10	1/2	1,647.69	1/2	2,015.27	1/2	2,382.85	1/2	2,750.44	1/2	3,118.02	1/2	3,485.61
3/4	199.47	3/4	557.68	3/4	920.56	3/4	1,287.76	3/4	1,655.35	3/4	2,022.93	3/4	2,390.51	3/4	2,758.10	3/4	3,125.68	3/4	3,493.26
7	206.87	7	565.08	7	928.20	7	1,295.42	7	1,663.00	7	2,030.59	7	2,398.17	7	2,765.75	7	3,133.34	7	3,500.92
1/4	214.27	1/4	572.48	1/4	935.85	1/4	1,303.08	1/4	1,670.66	1/4	2,038.24	1/4	2,405.83	1/4	2,773.41	1/4	3,141.00	1/4	3,508.58
1/2	221.66	1/2	579.87	1/2	943.50	1/2	1,310.74	1/2	1,678.32	1/2	2,045.90	1/2	2,413.49	1/2	2,781.07	1/2	3,148.65	1/2	3,516.24
3/4	229.06	3/4	587.27	3/4	951.14	3/4	1,318.39	3/4	1,685.98	3/4	2,053.56	3/4	2,421.14	3/4	2,788.73	3/4	3,156.31	3/4	3,523.90
8	236.46	8	594.67	8	958.79	8	1,326.05	8	1,693.63	8	2,061.22	8	2,428.80	8	2,796.39	8	3,163.97	8	3,531.55
1/4	243.86	1/4	602.07	1/4	966.44	1/4	1,333.71	1/4	1,701.29	1/4	2,068.88	1/4	2,436.46	1/4	2,804.04	1/4	3,171.63	1/4	3,539.21
1/2	251.26	1/2	609.47	1/2	974.08	1/2	1,341.37	1/2	1,708.95	1/2	2,076.53	1/2	2,444.12	1/2	2,811.70	1/2	3,179.29	1/2	3,546.87
3/4	258.66	3/4	616.87	3/4	981.73	3/4	1,349.03	3/4	1,716.61	3/4	2,084.19	3/4	2,451.78	3/4	2,819.36	3/4	3,186.94	3/4	3,554.53
9	266.05	9	624.28	9	989.38	9	1,356.68	9	1,724.27	9	2,091.85	9	2,459.43	9	2,827.02	9	3,194.60	9	3,562.19
1/4	273.46	1/4	631.69	1/4	997.03	1/4	1,364.34	1/4	1,731.92	1/4	2,099.51	1/4	2,467.09	1/4	2,834.68	1/4	3,202.26	1/4	3,569.84
1/2	280.87	1/2	639.10	1/2	1,004.67	1/2	1,372.00	1/2	1,739.58	1/2	2,107.17	1/2	2,474.75	1/2	2,842.33	1/2	3,209.92	1/2	3,577.50
3/4	288.27	3/4	646.51	3/4	1,012.32	3/4	1,379.66	3/4	1,747.24	3/4	2,114.82	3/4	2,482.41	3/4	2,849.99	3/4	3,217.58	3/4	3,585.16
10	295.68	10	653.91	10	1,019.97	10	1,387.32	10	1,754.90	10	2,122.48	10	2,490.07	10	2,857.65	10	3,225.23	10	3,592.82
1/4	303.09	1/4	661.32	1/4	1,027.61	1/4	1,394.97	1/4	1,762.56	1/4	2,130.14	1/4	2,497.72	1/4	2,865.31	1/4	3,232.89	1/4	3,600.48
1/2	310.50	1/2	668.73	1/2	1,035.26	1/2	1,402.63	1/2	1,770.21	1/2	2,137.80	1/2	2,505.38	1/2	2,872.97	1/2	3,240.55	1/2	3,608.13
3/4	317.91	3/4	676.14	3/4	1,042.91	3/4	1,410.29	3/4	1,777.87	3/4	2,145.46	3/4	2,513.04	3/4	2,880.62	3/4	3,248.21	3/4	3,615.79
11	325.32	11	683.55	11	1,050.55	11	1,417.95	11	1,785.53	11	2,153.11	11	2,520.20	11	2,888.28	11	3,255.87	11	3,623.45
1/4	332.73	1/4	691.08	1/4	1,058.20	1/4	1,425.61	1/4	1,793.19	1/4	2,160.77	1/4	2,528.36	1/4	2,895.94	1/4	3,263.52	1/4	3,631.11
1/2	340.14	1/2	698.74	1/2	1,065.85	1/2	1,433.26	1/2	1,800.85	1/2	2,168.43	1/2	2,536.01	1/2	2,903.60	1/2	3,271.18	1/2	3,638.77
3/4	347.66	3/4	706.40	3/4	1,073.49	3/4	1,440.92	3/4	1,808.50	3/4	2,176.09	3/4	2,543.67	3/4	2,911.26	3/4	3,278.84	3/4	3,646.42

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7
NOTE: GAUGE POINT LOCATED 14' 0" FROM CENTERLINE AND 14' 0" FROM BARGE END

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,654.08	0	4,021.67	0	4,389.16	0	4,755.69	0	5,122.06	0	5,447.94	0		0		0		0	
1/4	3,661.74	1/4	4,029.32	1/4	4,396.81	1/4	4,763.33	1/4	5,129.69	1/4	5,450.41	1/4		1/4		1/4		1/4	
1/2	3,669.40	1/2	4,036.98	1/2	4,404.47	1/2	4,770.96	1/2	5,137.32	1/2	5,452.25	1/2		1/2		1/2		1/2	
3/4	3,677.06	3/4	4,044.64	3/4	4,412.12	3/4	4,778.59	3/4	5,144.96	3/4	5,454.08	3/4		3/4		3/4		3/4	
1	3,684.71	1	4,052.30	1	4,419.77	1	4,786.22	1	5,152.59	1	5,455.92	1		1		1		1	
1/4	3,692.37	1/4	4,059.96	1/4	4,427.42	1/4	4,793.86	1/4	5,160.22	1/4	5,457.11	1/4		1/4		1/4		1/4	
1/2	3,700.03	1/2	4,067.61	1/2	4,435.07	1/2	4,801.49	1/2	5,167.85	1/2	5,457.67	1/2		1/2		1/2		1/2	
3/4	3,707.69	3/4	4,075.27	3/4	4,442.73	3/4	4,809.12	3/4	5,175.49	3/4	5,458.23	3/4		3/4		3/4		3/4	
2	3,715.35	2	4,082.93	2	4,450.38	2	4,816.75	2	5,183.12	2	5,458.79	2		2		2		2	
1/4	3,723.00	1/4	4,090.59	1/4	4,458.02	1/4	4,824.39	1/4	5,190.75	1/8	5,459.07	1/4		1/4		1/4		1/4	
1/2	3,730.66	1/2	4,098.25	1/2	4,465.65	1/2	4,832.02	1/2	5,198.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,738.32	3/4	4,105.90	3/4	4,473.29	3/4	4,839.65	3/4	5,206.02	3/4		3/4		3/4		3/4		3/4	
3	3,745.98	3	4,113.56	3	4,480.92	3	4,847.28	3	5,213.65	3		3		3		3		3	
1/4	3,753.64	1/4	4,121.22	1/4	4,488.55	1/4	4,854.92	1/4	5,221.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,761.29	1/2	4,128.88	1/2	4,496.18	1/2	4,862.55	1/2	5,228.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.95	3/4	4,136.54	3/4	4,503.82	3/4	4,870.18	3/4	5,236.41	3/4		3/4		3/4		3/4		3/4	
4	3,776.61	4	4,144.19	4	4,511.45	4	4,877.81	4	5,243.99	4		4		4		4		4	
1/4	3,784.27	1/4	4,151.85	1/4	4,519.08	1/4	4,885.45	1/4	5,251.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,791.93	1/2	4,159.51	1/2	4,526.71	1/2	4,893.08	1/2	5,259.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,799.58	3/4	4,167.17	3/4	4,534.35	3/4	4,900.71	3/4	5,266.73	3/4		3/4		3/4		3/4		3/4	
5	3,807.24	5	4,174.83	5	4,541.98	5	4,908.34	5	5,274.31	5		5		5		5		5	
1/4	3,814.90	1/4	4,182.48	1/4	4,549.61	1/4	4,915.98	1/4	5,281.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,822.56	1/2	4,190.14	1/2	4,557.24	1/2	4,923.61	1/2	5,289.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,830.22	3/4	4,197.80	3/4	4,564.88	3/4	4,931.24	3/4	5,297.05	3/4		3/4		3/4		3/4		3/4	
6	3,837.87	6	4,205.46	6	4,572.51	6	4,938.87	6	5,304.63	6		6		6		6		6	
1/4	3,845.53	1/4	4,213.12	1/4	4,580.14	1/4	4,946.51	1/4	5,312.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,853.19	1/2	4,220.77	1/2	4,587.78	1/2	4,954.14	1/2	5,319.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,860.85	3/4	4,228.43	3/4	4,595.41	3/4	4,961.77	3/4	5,327.37	3/4		3/4		3/4		3/4		3/4	
7	3,868.51	7	4,236.09	7	4,603.04	7	4,969.41	7	5,334.95	7		7		7		7		7	
1/4	3,876.16	1/4	4,243.75	1/4	4,610.67	1/4	4,977.04	1/4	5,342.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,883.82	1/2	4,251.41	1/2	4,618.31	1/2	4,984.67	1/2	5,350.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,891.48	3/4	4,259.06	3/4	4,625.94	3/4	4,992.30	3/4	5,357.69	3/4		3/4		3/4		3/4		3/4	
8	3,899.14	8	4,266.72	8	4,633.57	8	4,999.94	8	5,365.27	8		8		8		8		8	
1/4	3,906.80	1/4	4,274.38	1/4	4,641.20	1/4	5,007.57	1/4	5,372.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,914.45	1/2	4,282.03	1/2	4,648.84	1/2	5,015.20	1/2	5,379.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,922.11	3/4	4,289.68	3/4	4,656.47	3/4	5,022.83	3/4	5,386.41	3/4		3/4		3/4		3/4		3/4	
9	3,929.77	9	4,297.33	9	4,664.10	9	5,030.47	9	5,393.36	9		9		9		9		9	
1/4	3,937.43	1/4	4,304.99	1/4	4,671.73	1/4	5,038.10	1/4	5,399.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,945.09	1/2	4,312.64	1/2	4,679.37	1/2	5,045.73	1/2	5,405.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,952.74	3/4	4,320.29	3/4	4,687.00	3/4	5,053.36	3/4	5,410.99	3/4		3/4		3/4		3/4		3/4	
10	3,960.40	10	4,327.94	10	4,694.63	10	5,061.00	10	5,416.65	10		10		10		10		10	
1/4	3,968.06	1/4	4,335.60	1/4	4,702.26	1/4	5,068.63	1/4	5,421.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,975.72	1/2	4,343.25	1/2	4,709.90	1/2	5,076.26	1/2	5,426.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,983.38	3/4	4,350.90	3/4	4,717.53	3/4	5,083.89	3/4	5,430.46	3/4		3/4		3/4		3/4		3/4	
11	3,991.03	11	4,358.55	11	4,725.16	11	5,091.53	11	5,434.85	11		11		11		11		11	
1/4	3,998.69	1/4	4,366.20	1/4	4,732.79	1/4	5,099.16	1/4	5,438.60	1/4		1/4		1/4		1/4		1/4	
1/2	4,006.35	1/2	4,373.86	1/2	4,740.43	1/2	5,106.79	1/2	5,441.71	1/2		1/2		1/2		1/2		1/2	
3/4	4,014.01	3/4	4,381.51	3/4	4,748.06	3/4	5,114.42	3/4	5,444.82	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16 - 5 7/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.94	0	371.71	0	747.02	0	1,131.08	0	1,515.49	0	1,900.05	0	2,284.60	0	2,669.16	0	3,053.72	0	3,438.27
1/4	18.94	1/4	379.71	1/4	755.04	1/4	1,139.08	1/4	1,523.50	1/4	1,908.06	1/4	2,292.62	1/4	2,677.17	1/4	3,061.73	1/4	3,446.29
1/2	23.94	1/2	387.71	1/2	763.05	1/2	1,147.08	1/2	1,531.51	1/2	1,916.07	1/2	2,300.63	1/2	2,685.18	1/2	3,069.74	1/2	3,454.30
3/4	28.94	3/4	395.71	3/4	771.06	3/4	1,155.08	3/4	1,539.53	3/4	1,924.08	3/4	2,308.64	3/4	2,693.20	3/4	3,077.75	3/4	3,462.31
1	33.93	1	403.71	1	779.07	1	1,163.08	1	1,547.54	1	1,932.09	1	2,316.65	1	2,701.21	1	3,085.76	1	3,470.32
1/4	39.93	1/4	411.71	1/4	787.08	1/4	1,171.08	1/4	1,555.55	1/4	1,940.11	1/4	2,324.66	1/4	2,709.22	1/4	3,093.78	1/4	3,478.33
1/2	46.93	1/2	419.71	1/2	795.08	1/2	1,179.09	1/2	1,563.56	1/2	1,948.12	1/2	2,332.67	1/2	2,717.23	1/2	3,101.79	1/2	3,486.34
3/4	53.93	3/4	427.71	3/4	803.08	3/4	1,187.09	3/4	1,571.57	3/4	1,956.13	3/4	2,340.69	3/4	2,725.24	3/4	3,109.80	3/4	3,494.36
2	60.93	2	435.71	2	811.08	2	1,195.10	2	1,579.58	2	1,964.14	2	2,348.70	2	2,733.25	2	3,117.81	2	3,502.37
1/4	68.43	1/4	443.72	1/4	819.08	1/4	1,203.10	1/4	1,587.60	1/4	1,972.15	1/4	2,356.71	1/4	2,741.27	1/4	3,125.82	1/4	3,510.38
1/2	76.44	1/2	451.72	1/2	827.07	1/2	1,211.11	1/2	1,595.61	1/2	1,980.16	1/2	2,364.72	1/2	2,749.28	1/2	3,133.83	1/2	3,518.39
3/4	84.44	3/4	459.59	3/4	835.07	3/4	1,219.11	3/4	1,603.62	3/4	1,988.18	3/4	2,372.73	3/4	2,757.29	3/4	3,141.85	3/4	3,526.40
3	92.44	3	467.33	3	843.07	3	1,227.12	3	1,611.63	3	1,996.19	3	2,380.74	3	2,765.30	3	3,149.86	3	3,534.41
1/4	100.31	1/4	475.07	1/4	851.07	1/4	1,235.12	1/4	1,619.64	1/4	2,004.20	1/4	2,388.76	1/4	2,773.31	1/4	3,157.87	1/4	3,542.43
1/2	108.05	1/2	482.81	1/2	859.07	1/2	1,243.13	1/2	1,627.65	1/2	2,012.21	1/2	2,396.77	1/2	2,781.32	1/2	3,165.88	1/2	3,550.44
3/4	115.79	3/4	490.55	3/4	867.07	3/4	1,251.13	3/4	1,635.66	3/4	2,020.22	3/4	2,404.78	3/4	2,789.34	3/4	3,173.89	3/4	3,558.45
4	123.53	4	498.29	4	875.07	4	1,259.14	4	1,643.68	4	2,028.23	4	2,412.79	4	2,797.35	4	3,181.90	4	3,566.46
1/4	131.27	1/4	506.03	1/4	883.07	1/4	1,267.15	1/4	1,651.69	1/4	2,036.24	1/4	2,420.80	1/4	2,805.36	1/4	3,189.92	1/4	3,574.47
1/2	139.01	1/2	513.77	1/2	891.07	1/2	1,275.15	1/2	1,659.70	1/2	2,044.26	1/2	2,428.81	1/2	2,813.37	1/2	3,197.93	1/2	3,582.48
3/4	146.75	3/4	521.51	3/4	899.07	3/4	1,283.16	3/4	1,667.71	3/4	2,052.27	3/4	2,436.82	3/4	2,821.38	3/4	3,205.94	3/4	3,590.50
5	154.49	5	529.25	5	907.07	5	1,291.17	5	1,675.72	5	2,060.28	5	2,444.84	5	2,829.39	5	3,213.95	5	3,598.51
1/4	162.23	1/4	536.99	1/4	915.07	1/4	1,299.18	1/4	1,683.73	1/4	2,068.29	1/4	2,452.85	1/4	2,837.40	1/4	3,221.96	1/4	3,606.52
1/2	169.97	1/2	544.73	1/2	923.07	1/2	1,307.19	1/2	1,691.75	1/2	2,076.30	1/2	2,460.86	1/2	2,845.42	1/2	3,229.97	1/2	3,614.53
3/4	177.71	3/4	552.47	3/4	931.07	3/4	1,315.20	3/4	1,699.76	3/4	2,084.31	3/4	2,468.87	3/4	2,853.43	3/4	3,237.98	3/4	3,622.54
6	185.45	6	560.21	6	939.07	6	1,323.21	6	1,707.77	6	2,092.33	6	2,476.88	6	2,861.44	6	3,246.00	6	3,630.55
1/4	193.19	1/4	567.95	1/4	947.07	1/4	1,331.22	1/4	1,715.78	1/4	2,100.34	1/4	2,484.89	1/4	2,869.45	1/4	3,254.01	1/4	3,638.56
1/2	200.93	1/2	575.69	1/2	955.07	1/2	1,339.24	1/2	1,723.79	1/2	2,108.35	1/2	2,492.91	1/2	2,877.46	1/2	3,262.02	1/2	3,646.58
3/4	208.67	3/4	583.43	3/4	963.07	3/4	1,347.25	3/4	1,731.80	3/4	2,116.36	3/4	2,500.92	3/4	2,885.47	3/4	3,270.03	3/4	3,654.59
7	216.41	7	591.17	7	971.07	7	1,355.26	7	1,739.82	7	2,124.37	7	2,508.93	7	2,893.49	7	3,278.04	7	3,662.60
1/4	224.15	1/4	598.91	1/4	979.07	1/4	1,363.27	1/4	1,747.83	1/4	2,132.38	1/4	2,516.94	1/4	2,901.50	1/4	3,286.05	1/4	3,670.61
1/2	231.89	1/2	606.65	1/2	987.07	1/2	1,371.29	1/2	1,755.84	1/2	2,140.40	1/2	2,524.95	1/2	2,909.51	1/2	3,294.07	1/2	3,678.62
3/4	239.63	3/4	614.39	3/4	995.07	3/4	1,379.29	3/4	1,763.85	3/4	2,148.41	3/4	2,532.96	3/4	2,917.52	3/4	3,302.08	3/4	3,686.63
8	247.37	8	622.13	8	1,003.07	8	1,387.31	8	1,771.86	8	2,156.42	8	2,540.98	8	2,925.53	8	3,310.09	8	3,694.65
1/4	255.11	1/4	629.87	1/4	1,011.07	1/4	1,395.32	1/4	1,779.87	1/4	2,164.43	1/4	2,548.99	1/4	2,933.54	1/4	3,318.10	1/4	3,702.66
1/2	262.85	1/2	637.61	1/2	1,019.07	1/2	1,403.33	1/2	1,787.89	1/2	2,172.44	1/2	2,557.00	1/2	2,941.56	1/2	3,326.11	1/2	3,710.67
3/4	270.59	3/4	645.35	3/4	1,027.07	3/4	1,411.34	3/4	1,795.90	3/4	2,180.45	3/4	2,565.01	3/4	2,949.57	3/4	3,334.12	3/4	3,718.68
9	278.33	9	653.10	9	1,035.07	9	1,419.35	9	1,803.91	9	2,188.47	9	2,573.02	9	2,957.58	9	3,342.14	9	3,726.69
1/4	286.07	1/4	660.85	1/4	1,043.07	1/4	1,427.36	1/4	1,811.92	1/4	2,196.48	1/4	2,581.03	1/4	2,965.59	1/4	3,350.15	1/4	3,734.70
1/2	293.83	1/2	668.60	1/2	1,051.07	1/2	1,435.37	1/2	1,819.93	1/2	2,204.49	1/2	2,589.05	1/2	2,973.60	1/2	3,358.16	1/2	3,742.72
3/4	301.58	3/4	676.35	3/4	1,059.08	3/4	1,443.39	3/4	1,827.94	3/4	2,212.50	3/4	2,597.06	3/4	2,981.61	3/4	3,366.17	3/4	3,750.73
10	309.33	10	684.11	10	1,067.08	10	1,451.40	10	1,835.95	10	2,220.51	10	2,605.07	10	2,989.63	10	3,374.18	10	3,758.74
1/4	317.08	1/4	691.86	1/4	1,075.08	1/4	1,459.41	1/4	1,843.97	1/4	2,228.52	1/4	2,613.08	1/4	2,997.64	1/4	3,382.19	1/4	3,766.75
1/2	324.83	1/2	699.61	1/2	1,083.08	1/2	1,467.42	1/2	1,851.98	1/2	2,236.53	1/2	2,621.09	1/2	3,005.65	1/2	3,390.21	1/2	3,774.76
3/4	332.58	3/4	707.36	3/4	1,091.08	3/4	1,475.43	3/4	1,859.99	3/4	2,244.55	3/4	2,629.10	3/4	3,013.66	3/4	3,398.22	3/4	3,782.77
11	340.33	11	715.11	11	1,099.08	11	1,483.44	11	1,868.00	11	2,252.56	11	2,637.11	11	3,021.67	11	3,406.23	11	3,790.79
1/4	348.08	1/4	722.99	1/4	1,107.08	1/4	1,491.46	1/4	1,876.01	1/4	2,260.57	1/4	2,645.13	1/4	3,029.68	1/4	3,414.24	1/4	3,798.80
1/2	355.83	1/2	731.00	1/2	1,115.08	1/2	1,499.47	1/2	1,884.02	1/2	2,268.58	1/2	2,653.14	1/2	3,037.69	1/2	3,422.25	1/2	3,806.81
3/4	363.71	3/4	739.01	3/4	1,123.08	3/4	1,507.48	3/4	1,892.04	3/4	2,276.59	3/4	2,661.15	3/4	3,045.71	3/4	3,430.26	3/4	3,814.82

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE PRINT CAPACITIES 14" 0" DEC CENTERED LINE MIN 42" 0" ENDWARD ON ACT BIII WUCAN

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,822.83	0	4,207.39	0	4,591.51	0	4,974.82	0	5,358.15	0	5,699.22	0		0		0		0	
1/4	3,830.84	1/4	4,215.40	1/4	4,599.49	1/4	4,982.80	1/4	5,366.14	1/4	5,701.81	1/4		1/4		1/4		1/4	
1/2	3,838.85	1/2	4,223.41	1/2	4,607.47	1/2	4,990.79	1/2	5,374.13	1/2	5,703.74	1/2		1/2		1/2		1/2	
3/4	3,846.87	3/4	4,231.42	3/4	4,615.45	3/4	4,998.78	3/4	5,382.11	3/4	5,705.66	3/4		3/4		3/4		3/4	
1	3,854.88	1	4,239.43	1	4,623.44	1	5,006.76	1	5,390.10	1	5,707.59	1		1		1		1	
1/4	3,862.89	1/4	4,247.45	1/4	4,631.42	1/4	5,014.75	1/4	5,398.09	1/4	5,708.84	1/4		1/4		1/4		1/4	
1/2	3,870.90	1/2	4,255.46	1/2	4,639.40	1/2	5,022.73	1/2	5,406.07	1/2	5,709.84	1/2		1/2		1/2		1/2	
3/4	3,878.91	3/4	4,263.47	3/4	4,647.39	3/4	5,030.72	3/4	5,414.06	3/4	5,710.02	3/4		3/4		3/4		3/4	
2	3,886.92	2	4,271.48	2	4,655.37	2	5,038.71	2	5,422.04	2	5,710.61	2		2		2		2	
1/4	3,894.94	1/4	4,279.49	1/4	4,663.36	1/4	5,046.69	1/4	5,430.03	1/8	5,710.91	1/4		1/4		1/4		1/4	
1/2	3,902.95	1/2	4,287.50	1/2	4,671.34	1/2	5,054.68	1/2	5,438.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,910.96	3/4	4,295.52	3/4	4,679.33	3/4	5,062.67	3/4	5,446.00	3/4		3/4		3/4		3/4		3/4	
3	3,918.97	3	4,303.53	3	4,687.31	3	5,070.65	3	5,453.99	3		3		3		3		3	
1/4	3,926.98	1/4	4,311.54	1/4	4,695.30	1/4	5,078.64	1/4	5,461.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,934.99	1/2	4,319.55	1/2	4,703.29	1/2	5,086.62	1/2	5,469.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,943.01	3/4	4,327.56	3/4	4,711.27	3/4	5,094.61	3/4	5,477.82	3/4		3/4		3/4		3/4		3/4	
4	3,951.02	4	4,335.57	4	4,719.26	4	5,102.60	4	5,485.75	4		4		4		4		4	
1/4	3,959.03	1/4	4,343.59	1/4	4,727.24	1/4	5,110.58	1/4	5,493.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,967.04	1/2	4,351.60	1/2	4,735.23	1/2	5,118.57	1/2	5,501.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,975.05	3/4	4,359.61	3/4	4,743.22	3/4	5,126.55	3/4	5,509.55	3/4		3/4		3/4		3/4		3/4	
5	3,983.06	5	4,367.62	5	4,751.20	5	5,134.54	5	5,517.48	5		5		5		5		5	
1/4	3,991.08	1/4	4,375.63	1/4	4,759.19	1/4	5,142.53	1/4	5,525.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,999.09	1/2	4,383.64	1/2	4,767.18	1/2	5,150.51	1/2	5,533.35	1/2		1/2		1/2		1/2		1/2	
3/4	4,007.10	3/4	4,391.66	3/4	4,775.16	3/4	5,158.50	3/4	5,541.28	3/4		3/4		3/4		3/4		3/4	
6	4,015.11	6	4,399.67	6	4,783.15	6	5,166.49	6	5,549.22	6		6		6		6		6	
1/4	4,023.12	1/4	4,407.68	1/4	4,791.13	1/4	5,174.47	1/4	5,557.15	1/4		1/4		1/4		1/4		1/4	
1/2	4,031.13	1/2	4,415.69	1/2	4,799.12	1/2	5,182.46	1/2	5,565.08	1/2		1/2		1/2		1/2		1/2	
3/4	4,039.14	3/4	4,423.70	3/4	4,807.11	3/4	5,190.44	3/4	5,573.02	3/4		3/4		3/4		3/4		3/4	
7	4,047.16	7	4,431.71	7	4,815.09	7	5,198.43	7	5,580.95	7		7		7		7		7	
1/4	4,055.17	1/4	4,439.72	1/4	4,823.08	1/4	5,206.42	1/4	5,588.88	1/4		1/4		1/4		1/4		1/4	
1/2	4,063.18	1/2	4,447.74	1/2	4,831.07	1/2	5,214.40	1/2	5,596.82	1/2		1/2		1/2		1/2		1/2	
3/4	4,071.19	3/4	4,455.75	3/4	4,839.05	3/4	5,222.39	3/4	5,604.75	3/4		3/4		3/4		3/4		3/4	
8	4,079.20	8	4,463.76	8	4,847.04	8	5,230.38	8	5,612.68	8		8		8		8		8	
1/4	4,087.21	1/4	4,471.76	1/4	4,855.02	1/4	5,238.36	1/4	5,620.28	1/4		1/4		1/4		1/4		1/4	
1/2	4,095.23	1/2	4,479.74	1/2	4,863.01	1/2	5,246.35	1/2	5,627.55	1/2		1/2		1/2		1/2		1/2	
3/4	4,103.24	3/4	4,487.72	3/4	4,871.00	3/4	5,254.33	3/4	5,634.81	3/4		3/4		3/4		3/4		3/4	
9	4,111.25	9	4,495.71	9	4,878.98	9	5,262.32	9	5,642.08	9		9		9		9		9	
1/4	4,119.26	1/4	4,503.69	1/4	4,886.96	1/4	5,270.31	1/4	5,648.68	1/4		1/4		1/4		1/4		1/4	
1/2	4,127.27	1/2	4,511.67	1/2	4,894.97	1/2	5,278.29	1/2	5,654.61	1/2		1/2		1/2		1/2		1/2	
3/4	4,135.28	3/4	4,519.66	3/4	4,902.94	3/4	5,286.28	3/4	5,660.54	3/4		3/4		3/4		3/4		3/4	
10	4,143.30	10	4,527.64	10	4,910.93	10	5,294.27	10	5,666.47	10		10		10		10		10	
1/4	4,151.31	1/4	4,535.62	1/4	4,918.91	1/4	5,302.25	1/4	5,671.73	1/4		1/4		1/4		1/4		1/4	
1/2	4,159.32	1/2	4,543.61	1/2	4,926.90	1/2	5,310.24	1/2	5,676.33	1/2		1/2		1/2		1/2		1/2	
3/4	4,167.33	3/4	4,551.59	3/4	4,934.89	3/4	5,318.22	3/4	5,680.92	3/4		3/4		3/4		3/4		3/4	
11	4,175.34	11	4,559.57	11	4,942.87	11	5,326.21	11	5,685.52	11		11		11		11		11	
1/4	4,183.35	1/4	4,567.54	1/4	4,950.86	1/4	5,334.20	1/4	5,689.44	1/4		1/4		1/4		1/4		1/4	
1/2	4,191.37	1/2	4,575.54	1/2	4,958.84	1/2	5,342.18	1/2	5,692.70	1/2		1/2		1/2		1/2		1/2	
3/4	4,199.38	3/4	4,583.52	3/4	4,966.83	3/4	5,350.17	3/4	5,695.96	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS GAUGE HEIGHT 16'-5.34"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.95	0	371.94	0	747.50	0	1,132.01	0	1,516.76	0	1,901.55	0	2,286.35	0	2,671.15	0	3,055.94	0	3,440.74
1/4	18.95	1/4	379.95	1/4	755.52	1/4	1,140.02	1/4	1,524.77	1/4	1,909.57	1/4	2,294.37	1/4	2,679.16	1/4	3,063.96	1/4	3,448.76
1/2	23.95	1/2	387.96	1/2	763.53	1/2	1,148.03	1/2	1,532.79	1/2	1,917.59	1/2	2,302.38	1/2	2,687.18	1/2	3,071.98	1/2	3,456.77
3/4	28.95	3/4	395.96	3/4	771.55	3/4	1,156.04	3/4	1,540.81	3/4	1,925.60	3/4	2,310.40	3/4	2,695.20	3/4	3,079.99	3/4	3,464.79
1	33.95	1	403.97	1	779.57	1	1,164.05	1	1,548.82	1	1,933.62	1	2,318.42	1	2,703.21	1	3,088.01	1	3,472.81
1/4	39.96	1/4	411.97	1/4	787.58	1/4	1,172.06	1/4	1,556.84	1/4	1,941.64	1/4	2,326.43	1/4	2,711.23	1/4	3,096.03	1/4	3,488.82
1/2	46.96	1/2	419.98	1/2	795.59	1/2	1,180.07	1/2	1,564.86	1/2	1,949.65	1/2	2,334.45	1/2	2,719.25	1/2	3,104.04	1/2	3,488.84
3/4	53.97	3/4	427.99	3/4	803.60	3/4	1,188.09	3/4	1,572.87	3/4	1,957.67	3/4	2,342.47	3/4	2,727.26	3/4	3,112.06	3/4	3,496.86
2	60.97	2	435.99	2	811.61	2	1,196.10	2	1,580.89	2	1,965.68	2	2,350.48	2	2,735.28	2	3,120.08	2	3,504.87
1/4	68.48	1/4	444.00	1/4	819.62	1/4	1,204.12	1/4	1,588.90	1/4	1,973.70	1/4	2,358.50	1/4	2,743.30	1/4	3,128.09	1/4	3,512.89
1/2	76.48	1/2	452.00	1/2	827.63	1/2	1,212.13	1/2	1,596.92	1/2	1,981.72	1/2	2,366.51	1/2	2,751.31	1/2	3,136.11	1/2	3,520.91
3/4	84.49	3/4	459.88	3/4	835.64	3/4	1,220.14	3/4	1,604.94	3/4	1,989.73	3/4	2,374.53	3/4	2,759.33	3/4	3,144.13	3/4	3,528.92
3	92.50	3	467.62	3	843.65	3	1,228.16	3	1,612.95	3	1,997.75	3	2,382.55	3	2,767.34	3	3,152.14	3	3,536.94
1/4	100.37	1/4	475.37	1/4	851.66	1/4	1,236.17	1/4	1,620.97	1/4	2,005.77	1/4	2,390.56	1/4	2,775.36	1/4	3,160.16	1/4	3,544.96
1/2	108.12	1/2	483.11	1/2	859.67	1/2	1,244.19	1/2	1,628.99	1/2	2,013.78	1/2	2,398.58	1/2	2,783.38	1/2	3,168.17	1/2	3,552.97
3/4	115.86	3/4	490.86	3/4	867.68	3/4	1,252.21	3/4	1,637.00	3/4	2,021.80	3/4	2,406.60	3/4	2,791.39	3/4	3,176.19	3/4	3,560.99
4	123.61	4	498.60	4	875.69	4	1,260.22	4	1,645.02	4	2,029.82	4	2,414.61	4	2,799.41	4	3,184.21	4	3,569.00
1/4	131.35	1/4	506.35	1/4	883.70	1/4	1,268.24	1/4	1,653.04	1/4	2,037.83	1/4	2,422.63	1/4	2,807.43	1/4	3,192.22	1/4	3,577.02
1/2	139.10	1/2	514.09	1/2	891.71	1/2	1,276.26	1/2	1,661.05	1/2	2,045.85	1/2	2,430.65	1/2	2,815.44	1/2	3,200.24	1/2	3,585.04
3/4	146.84	3/4	521.84	3/4	899.71	3/4	1,284.27	3/4	1,669.07	3/4	2,053.87	3/4	2,438.66	3/4	2,823.46	3/4	3,208.26	3/4	3,593.05
5	154.59	5	529.58	5	907.72	5	1,292.29	5	1,677.09	5	2,061.88	5	2,446.68	5	2,831.48	5	3,216.27	5	3,601.07
1/4	162.33	1/4	537.33	1/4	915.73	1/4	1,300.31	1/4	1,685.10	1/4	2,069.90	1/4	2,454.70	1/4	2,839.49	1/4	3,224.29	1/4	3,609.09
1/2	170.08	1/2	545.07	1/2	923.74	1/2	1,308.32	1/2	1,693.12	1/2	2,077.92	1/2	2,462.71	1/2	2,847.51	1/2	3,232.31	1/2	3,617.10
3/4	177.82	3/4	552.82	3/4	931.75	3/4	1,316.34	3/4	1,701.14	3/4	2,085.93	3/4	2,470.73	3/4	2,855.53	3/4	3,240.32	3/4	3,625.12
6	185.57	6	560.56	6	939.76	6	1,324.36	6	1,709.15	6	2,093.95	6	2,478.75	6	2,863.54	6	3,248.34	6	3,633.14
1/4	193.31	1/4	568.31	1/4	947.77	1/4	1,332.37	1/4	1,717.17	1/4	2,101.97	1/4	2,486.76	1/4	2,871.56	1/4	3,256.37	1/4	3,641.15
1/2	201.06	1/2	576.05	1/2	955.78	1/2	1,340.39	1/2	1,725.19	1/2	2,109.98	1/2	2,494.78	1/2	2,879.58	1/2	3,264.37	1/2	3,649.17
3/4	208.80	3/4	583.80	3/4	963.79	3/4	1,348.41	3/4	1,733.20	3/4	2,118.00	3/4	2,502.80	3/4	2,887.59	3/4	3,272.39	3/4	3,657.19
7	216.55	7	591.54	7	971.80	7	1,356.42	7	1,741.22	7	2,126.02	7	2,510.81	7	2,895.61	7	3,280.41	7	3,665.20
1/4	224.29	1/4	599.29	1/4	979.81	1/4	1,364.44	1/4	1,749.24	1/4	2,134.03	1/4	2,518.83	1/4	2,903.63	1/4	3,288.42	1/4	3,673.22
1/2	232.04	1/2	607.03	1/2	987.82	1/2	1,372.46	1/2	1,757.25	1/2	2,142.05	1/2	2,526.85	1/2	2,911.64	1/2	3,296.44	1/2	3,681.24
3/4	239.78	3/4	614.78	3/4	995.83	3/4	1,380.47	3/4	1,765.27	3/4	2,150.07	3/4	2,534.86	3/4	2,919.66	3/4	3,304.46	3/4	3,689.25
8	247.53	8	622.52	8	1,003.84	8	1,388.49	8	1,773.29	8	2,158.08	8	2,542.86	8	2,927.68	8	3,312.47	8	3,697.27
1/4	255.27	1/4	630.27	1/4	1,011.85	1/4	1,396.51	1/4	1,781.30	1/4	2,166.10	1/4	2,550.90	1/4	2,935.69	1/4	3,320.49	1/4	3,705.29
1/2	263.02	1/2	638.01	1/2	1,019.86	1/2	1,404.52	1/2	1,789.32	1/2	2,174.12	1/2	2,558.91	1/2	2,943.71	1/2	3,328.51	1/2	3,713.30
3/4	270.76	3/4	645.76	3/4	1,027.87	3/4	1,412.54	3/4	1,797.34	3/4	2,182.13	3/4	2,566.93	3/4	2,951.73	3/4	3,336.52	3/4	3,721.32
9	278.51	9	653.52	9	1,035.88	9	1,420.56	9	1,805.35	9	2,190.15	9	2,574.95	9	2,959.74	9	3,344.54	9	3,729.34
1/4	286.26	1/4	661.28	1/4	1,043.89	1/4	1,428.57	1/4	1,813.37	1/4	2,198.17	1/4	2,582.96	1/4	2,967.76	1/4	3,352.56	1/4	3,737.35
1/2	294.01	1/2	669.03	1/2	1,051.90	1/2	1,436.59	1/2	1,821.39	1/2	2,206.18	1/2	2,590.98	1/2	2,975.78	1/2	3,360.57	1/2	3,745.37
3/4	301.77	3/4	676.79	3/4	1,059.91	3/4	1,444.61	3/4	1,829.40	3/4	2,214.20	3/4	2,599.00	3/4	2,983.79	3/4	3,368.59	3/4	3,753.39
10	309.52	10	684.54	10	1,067.92	10	1,452.62	10	1,837.42	10	2,222.22	10	2,607.01	10	2,991.81	10	3,376.61	10	3,761.40
1/4	317.28	1/4	692.30	1/4	1,075.93	1/4	1,460.64	1/4	1,845.44	1/4	2,230.23	1/4	2,615.03	1/4	2,999.83	1/4	3,384.62	1/4	3,769.42
1/2	325.03	1/2	700.05	1/2	1,083.94	1/2	1,468.66	1/2	1,853.45	1/2	2,238.25	1/2	2,623.05	1/2	3,007.84	1/2	3,392.64	1/2	3,777.44
3/4	332.79	3/4	707.81	3/4	1,091.95	3/4	1,476.67	3/4	1,861.47	3/4	2,246.27	3/4	2,631.06	3/4	3,015.86	3/4	3,400.66	3/4	3,785.45
11	340.55	11	715.57	11	1,099.96	11	1,484.69	11	1,869.49	11	2,254.28	11	2,639.08	11	3,023.88	11	3,418.67	11	3,793.47
1/4	348.30	1/4	723.45	1/4	1,107.97	1/4	1,492.71	1/4	1,877.50	1/4	2,262.30	1/4	2,647.10	1/4	3,031.89	1/4	3,426.67	1/4	3,801.49
1/2	356.06	1/2	731.47	1/2	1,115.98	1/2	1,500.72	1/2	1,885.52	1/2	2,270.32	1/2	2,655.11	1/2	3,039.91	1/2	3,434.71	1/2	3,809.50
3/4	363.94	3/4	739.48	3/4	1,123.99	3/4	1,508.74	3/4	1,893.54	3/4	2,278.33	3/4	2,663.13	3/4	3,047.93	3/4	3,442.72	3/4	3,817.52

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7
NOTE: GAUGE PRINT IN CAPTAIN 14" W/CEE CENTERED INE MAIN 42" W/CEMMAIN ON ACT 2" W/UEVAIN
THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16'-5 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,825.54	0	4,210.33	0	4,594.69	0	4,978.24	0	5,361.82	0	5,703.10	0		0		0		0	
1/4	3,833.55	1/4	4,218.35	1/4	4,602.68	1/4	4,986.23	1/4	5,369.81	1/4	5,705.70	1/4		1/4		1/4		1/4	
1/2	3,841.57	1/2	4,226.37	1/2	4,610.67	1/2	4,994.22	1/2	5,377.80	1/2	5,707.62	1/2		1/2		1/2		1/2	
3/4	3,849.59	3/4	4,234.38	3/4	4,618.65	3/4	5,002.22	3/4	5,385.79	3/4	5,709.55	3/4		3/4		3/4		3/4	
1	3,857.60	1	4,242.40	1	4,626.64	1	5,010.21	1	5,393.78	1	5,711.47	1		1		1		1	
1/4	3,865.62	1/4	4,250.42	1/4	4,634.63	1/4	5,018.20	1/4	5,401.78	1/4	5,712.73	1/4		1/4		1/4		1/4	
1/2	3,873.64	1/2	4,258.43	1/2	4,642.62	1/2	5,026.19	1/2	5,409.77	1/2	5,713.32	1/2		1/2		1/2		1/2	
3/4	3,881.65	3/4	4,266.45	3/4	4,650.61	3/4	5,034.18	3/4	5,417.76	3/4	5,713.91	3/4		3/4		3/4		3/4	
2	3,889.67	2	4,274.47	2	4,658.60	2	5,042.17	2	5,425.75	2	5,714.50	2		2		2		2	
1/4	3,897.69	1/4	4,282.48	1/4	4,666.58	1/4	5,050.16	1/4	5,433.74	1/8	5,714.79	1/4		1/4		1/4		1/4	
1/2	3,905.70	1/2	4,290.50	1/2	4,674.58	1/2	5,058.15	1/2	5,441.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,913.72	3/4	4,298.52	3/4	4,682.57	3/4	5,066.14	3/4	5,449.72	3/4		3/4		3/4		3/4		3/4	
3	3,921.74	3	4,306.53	3	4,690.56	3	5,074.14	3	5,457.71	3		3		3		3		3	
1/4	3,929.75	1/4	4,314.55	1/4	4,698.55	1/4	5,082.13	1/4	5,465.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,937.77	1/2	4,322.57	1/2	4,706.54	1/2	5,090.12	1/2	5,473.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,945.79	3/4	4,330.58	3/4	4,714.53	3/4	5,098.11	3/4	5,481.56	3/4		3/4		3/4		3/4		3/4	
4	3,953.80	4	4,338.60	4	4,722.52	4	5,106.10	4	5,489.49	4		4		4		4		4	
1/4	3,961.82	1/4	4,346.62	1/4	4,730.51	1/4	5,114.09	1/4	5,497.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,969.83	1/2	4,354.63	1/2	4,738.51	1/2	5,122.08	1/2	5,505.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,977.85	3/4	4,362.65	3/4	4,746.50	3/4	5,130.07	3/4	5,513.31	3/4		3/4		3/4		3/4		3/4	
5	3,985.87	5	4,370.66	5	4,754.49	5	5,138.07	5	5,521.25	5		5		5		5		5	
1/4	3,993.88	1/4	4,378.68	1/4	4,762.48	1/4	5,146.06	1/4	5,529.19	1/4		1/4		1/4		1/4		1/4	
1/2	4,001.90	1/2	4,386.70	1/2	4,770.47	1/2	5,154.05	1/2	5,537.12	1/2		1/2		1/2		1/2		1/2	
3/4	4,009.92	3/4	4,394.71	3/4	4,778.46	3/4	5,162.04	3/4	5,545.06	3/4		3/4		3/4		3/4		3/4	
6	4,017.93	6	4,402.73	6	4,786.45	6	5,170.03	6	5,553.00	6		6		6		6		6	
1/4	4,025.95	1/4	4,410.75	1/4	4,794.44	1/4	5,178.02	1/4	5,560.94	1/4		1/4		1/4		1/4		1/4	
1/2	4,033.97	1/2	4,418.76	1/2	4,802.44	1/2	5,186.01	1/2	5,568.88	1/2		1/2		1/2		1/2		1/2	
3/4	4,041.98	3/4	4,426.78	3/4	4,810.43	3/4	5,194.00	3/4	5,576.82	3/4		3/4		3/4		3/4		3/4	
7	4,050.00	7	4,434.80	7	4,818.42	7	5,202.00	7	5,584.75	7		7		7		7		7	
1/4	4,058.02	1/4	4,442.81	1/4	4,826.41	1/4	5,209.99	1/4	5,592.69	1/4		1/4		1/4		1/4		1/4	
1/2	4,066.03	1/2	4,450.83	1/2	4,834.40	1/2	5,217.98	1/2	5,600.63	1/2		1/2		1/2		1/2		1/2	
3/4	4,074.05	3/4	4,458.85	3/4	4,842.39	3/4	5,225.97	3/4	5,608.57	3/4		3/4		3/4		3/4		3/4	
8	4,082.07	8	4,466.86	8	4,850.38	8	5,233.96	8	5,616.51	8		8		8		8		8	
1/4	4,090.08	1/4	4,474.87	1/4	4,858.37	1/4	5,241.95	1/4	5,624.11	1/4		1/4		1/4		1/4		1/4	
1/2	4,098.10	1/2	4,482.85	1/2	4,866.36	1/2	5,249.94	1/2	5,631.38	1/2		1/2		1/2		1/2		1/2	
3/4	4,106.12	3/4	4,490.84	3/4	4,874.36	3/4	5,257.93	3/4	5,638.65	3/4		3/4		3/4		3/4		3/4	
9	4,114.13	9	4,498.83	9	4,882.35	9	5,265.92	9	5,645.92	9		9		9		9		9	
1/4	4,122.15	1/4	4,506.82	1/4	4,890.34	1/4	5,273.92	1/4	5,652.53	1/4		1/4		1/4		1/4		1/4	
1/2	4,130.17	1/2	4,514.81	1/2	4,898.33	1/2	5,281.91	1/2	5,658.46	1/2		1/2		1/2		1/2		1/2	
3/4	4,138.18	3/4	4,522.80	3/4	4,906.32	3/4	5,289.90	3/4	5,664.39	3/4		3/4		3/4		3/4		3/4	
10	4,146.20	10	4,530.78	10	4,914.31	10	5,297.89	10	5,670.33	10		10		10		10		10	
1/4	4,154.22	1/4	4,538.77	1/4	4,922.30	1/4	5,305.88	1/4	5,675.59	1/4		1/4		1/4		1/4		1/4	
1/2	4,162.23	1/2	4,546.76	1/2	4,930.29	1/2	5,313.87	1/2	5,680.19	1/2		1/2		1/2		1/2		1/2	
3/4	4,170.25	3/4	4,554.75	3/4	4,938.29	3/4	5,321.86	3/4	5,684.79	3/4		3/4		3/4		3/4		3/4	
11	4,178.27	11	4,562.74	11	4,946.28	11	5,329.85	11	5,689.39	11		11		11		11		11	
1/4	4,186.28	1/4	4,570.72	1/4	4,954.27	1/4	5,337.85	1/4	5,693.32	1/4		1/4		1/4		1/4		1/4	
1/2	4,194.30	1/2	4,578.71	1/2	4,962.26	1/2	5,345.84	1/2	5,696.58	1/2		1/2		1/2		1/2		1/2	
3/4	4,202.32	3/4	4,586.70	3/4	4,970.25	3/4	5,353.83	3/4	5,699.84	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

3 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16"-5.78"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.23	0	353.42	0	709.80	0	1,072.95	0	1,437.51	0	1,802.38	0	2,167.10	0	2,532.05	0	2,896.69	0	3,260.92
1/4	18.03	1/4	361.03	1/4	717.40	1/4	1,080.52	1/4	1,445.12	1/4	1,809.96	1/4	2,174.71	1/4	2,539.66	1/4	2,904.28	1/4	3,268.51
1/2	22.78	1/2	368.63	1/2	725.01	1/2	1,088.08	1/2	1,452.72	1/2	1,817.55	1/2	2,182.31	1/2	2,547.26	1/2	2,911.87	1/2	3,276.09
3/4	27.53	3/4	376.24	3/4	732.61	3/4	1,095.64	3/4	1,460.33	3/4	1,825.14	3/4	2,189.91	3/4	2,554.87	3/4	2,919.46	3/4	3,283.68
1	32.28	1	383.85	1	740.22	1	1,103.21	1	1,467.93	1	1,832.73	1	2,197.51	1	2,562.47	1	2,927.05	1	3,291.27
1/4	37.98	1/4	391.45	1/4	747.80	1/4	1,110.77	1/4	1,475.54	1/4	1,840.32	1/4	2,205.11	1/4	2,577.08	1/4	2,934.63	1/4	3,298.86
1/2	44.64	1/2	399.06	1/2	755.36	1/2	1,118.34	1/2	1,483.14	1/2	1,847.91	1/2	2,212.72	1/2	2,577.68	1/2	2,942.82	1/2	3,306.45
3/4	51.29	3/4	406.67	3/4	762.92	3/4	1,125.91	3/4	1,490.75	3/4	1,855.86	3/4	2,220.32	3/4	2,585.29	3/4	2,949.81	3/4	3,314.03
2	57.95	2	414.27	2	770.48	2	1,133.47	2	1,498.35	2	1,863.09	2	2,227.92	2	2,592.89	2	2,957.40	2	3,321.62
1/4	65.08	1/4	421.87	1/4	778.04	1/4	1,141.04	1/4	1,505.96	1/4	1,870.68	1/4	2,235.52	1/4	2,600.50	1/4	2,964.99	1/4	3,329.21
1/2	72.69	1/2	429.47	1/2	785.60	1/2	1,148.61	1/2	1,513.56	1/2	1,878.27	1/2	2,243.12	1/2	2,608.10	1/2	2,972.57	1/2	3,336.80
3/4	80.30	3/4	436.94	3/4	793.16	3/4	1,156.17	3/4	1,521.17	3/4	1,885.86	3/4	2,250.72	3/4	2,615.71	3/4	2,980.16	3/4	3,344.39
3	87.90	3	444.29	3	800.72	3	1,163.74	3	1,528.77	3	1,893.45	3	2,258.33	3	2,623.31	3	2,987.75	3	3,351.97
1/4	95.39	1/4	451.64	1/4	808.28	1/4	1,171.33	1/4	1,536.38	1/4	1,901.14	1/4	2,265.93	1/4	2,630.92	1/4	2,995.34	1/4	3,359.56
1/2	102.74	1/2	458.98	1/2	815.84	1/2	1,178.93	1/2	1,543.98	1/2	1,908.64	1/2	2,273.53	1/2	2,638.52	1/2	3,002.93	1/2	3,367.15
3/4	110.10	3/4	466.33	3/4	823.40	3/4	1,186.54	3/4	1,551.59	3/4	1,916.25	3/4	2,281.13	3/4	2,646.13	3/4	3,010.51	3/4	3,374.74
4	117.46	4	473.68	4	830.96	4	1,194.14	4	1,559.19	4	1,923.85	4	2,288.73	4	2,653.73	4	3,018.10	4	3,382.33
1/4	124.82	1/4	481.02	1/4	838.52	1/4	1,201.75	1/4	1,566.80	1/4	1,931.45	1/4	2,296.33	1/4	2,661.34	1/4	3,025.69	1/4	3,389.91
1/2	132.18	1/2	488.37	1/2	846.08	1/2	1,209.35	1/2	1,574.40	1/2	1,939.05	1/2	2,303.94	1/2	2,668.94	1/2	3,033.28	1/2	3,397.50
3/4	139.54	3/4	495.72	3/4	853.64	3/4	1,216.96	3/4	1,582.01	3/4	1,946.65	3/4	2,311.54	3/4	2,676.55	3/4	3,040.87	3/4	3,405.09
5	146.90	5	503.07	5	861.20	5	1,224.56	5	1,589.61	5	1,954.25	5	2,319.14	5	2,684.15	5	3,048.45	5	3,412.68
1/4	154.26	1/4	510.41	1/4	868.76	1/4	1,232.17	1/4	1,597.22	1/4	1,961.86	1/4	2,326.74	1/4	2,691.76	1/4	3,056.04	1/4	3,420.27
1/2	161.61	1/2	517.76	1/2	876.32	1/2	1,239.77	1/2	1,604.82	1/2	1,969.46	1/2	2,334.34	1/2	2,699.36	1/2	3,063.63	1/2	3,427.85
3/4	168.97	3/4	525.11	3/4	883.88	3/4	1,247.38	3/4	1,612.43	3/4	1,977.06	3/4	2,341.95	3/4	2,706.97	3/4	3,071.22	3/4	3,435.44
6	176.33	6	532.45	6	891.44	6	1,254.99	6	1,620.03	6	1,984.66	6	2,349.55	6	2,714.57	6	3,078.81	6	3,443.03
1/4	183.69	1/4	539.80	1/4	899.01	1/4	1,262.59	1/4	1,627.64	1/4	1,992.26	1/4	2,357.15	1/4	2,722.17	1/4	3,086.39	1/4	3,450.62
1/2	191.05	1/2	547.15	1/2	906.57	1/2	1,270.20	1/2	1,635.25	1/2	1,999.86	1/2	2,364.75	1/2	2,729.76	1/2	3,093.98	1/2	3,458.21
3/4	198.41	3/4	554.50	3/4	914.13	3/4	1,277.80	3/4	1,642.85	3/4	2,007.47	3/4	2,372.35	3/4	2,737.35	3/4	3,101.57	3/4	3,465.79
7	205.77	7	561.84	7	921.69	7	1,285.41	7	1,650.46	7	2,015.07	7	2,379.95	7	2,744.93	7	3,109.16	7	3,473.38
1/4	213.13	1/4	569.19	1/4	929.26	1/4	1,293.01	1/4	1,658.06	1/4	2,022.67	1/4	2,387.56	1/4	2,752.52	1/4	3,116.75	1/4	3,480.95
1/2	220.49	1/2	576.54	1/2	936.82	1/2	1,300.62	1/2	1,665.67	1/2	2,030.27	1/2	2,395.16	1/2	2,760.11	1/2	3,124.33	1/2	3,488.51
3/4	227.84	3/4	583.88	3/4	944.38	3/4	1,308.22	3/4	1,673.27	3/4	2,037.87	3/4	2,402.77	3/4	2,767.70	3/4	3,131.92	3/4	3,496.06
8	235.20	8	591.23	8	951.95	8	1,315.83	8	1,680.88	8	2,045.48	8	2,410.37	8	2,775.29	8	3,139.51	8	3,503.62
1/4	242.56	1/4	598.58	1/4	959.51	1/4	1,323.43	1/4	1,688.48	1/4	2,053.08	1/4	2,417.98	1/4	2,782.87	1/4	3,147.10	1/4	3,511.18
1/2	249.92	1/2	605.93	1/2	967.07	1/2	1,331.04	1/2	1,696.09	1/2	2,060.68	1/2	2,425.58	1/2	2,790.46	1/2	3,154.69	1/2	3,518.73
3/4	257.28	3/4	613.28	3/4	974.64	3/4	1,338.64	3/4	1,703.69	3/4	2,068.28	3/4	2,433.19	3/4	2,798.05	3/4	3,162.27	3/4	3,526.29
9	264.64	9	620.64	9	982.20	9	1,346.25	9	1,711.30	9	2,075.88	9	2,440.79	9	2,805.64	9	3,169.86	9	3,533.84
1/4	272.00	1/4	627.99	1/4	989.76	1/4	1,353.85	1/4	1,718.89	1/4	2,083.48	1/4	2,448.40	1/4	2,813.23	1/4	3,177.45	1/4	3,541.40
1/2	279.37	1/2	635.35	1/2	997.32	1/2	1,361.46	1/2	1,726.48	1/2	2,091.09	1/2	2,456.00	1/2	2,820.81	1/2	3,185.04	1/2	3,548.95
3/4	286.74	3/4	642.71	3/4	1,004.89	3/4	1,369.06	3/4	1,734.07	3/4	2,098.69	3/4	2,463.61	3/4	2,828.40	3/4	3,192.63	3/4	3,556.51
10	294.11	10	650.07	10	1,012.45	10	1,376.67	10	1,741.66	10	2,106.29	10	2,471.21	10	2,835.99	10	3,200.21	10	3,564.07
1/4	301.48	1/4	657.43	1/4	1,020.01	1/4	1,384.27	1/4	1,749.25	1/4	2,113.89	1/4	2,478.82	1/4	2,843.58	1/4	3,207.80	1/4	3,571.62
1/2	308.85	1/2	664.78	1/2	1,027.58	1/2	1,391.88	1/2	1,756.84	1/2	2,121.49	1/2	2,486.42	1/2	2,851.17	1/2	3,215.39	1/2	3,579.18
3/4	316.22	3/4	672.14	3/4	1,035.14	3/4	1,399.48	3/4	1,764.43	3/4	2,129.10	3/4	2,494.03	3/4	2,858.75	3/4	3,222.98	3/4	3,586.73
11	323.59	11	679.50	11	1,042.70	11	1,407.09	11	1,772.02	11	2,136.70	11	2,501.63	11	2,866.34	11	3,230.57	11	3,594.29
1/4	330.96	1/4	686.86	1/4	1,050.27	1/4	1,414.69	1/4	1,779.61	1/4	2,144.30	1/4	2,509.24	1/4	2,873.93	1/4	3,238.15	1/4	3,601.84
1/2	338.33	1/2	694.59	1/2	1,057.83	1/2	1,422.30	1/2	1,787.20	1/2	2,151.90	1/2	2,516.84	1/2	2,881.52	1/2	3,245.74	1/2	3,609.40
3/4	345.81	3/4	702.19	3/4	1,065.39	3/4	1,429.90	3/4	1,794.79	3/4	2,159.50	3/4	2,524.45	3/4	2,889.11	3/4	3,253.33	3/4	3,616.95

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7
NOTE: GAUGE POINT LOCATED 14" ABOVE CENTERED LINE MAIN DECK ENDS/STATION DECK ACT. 8113 ULEAFN

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

3 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 7/8"

IN	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
0	3,624.51	0	3,934.37	0	4,074.34	0	4,213.86	0	4,353.39	0	4,477.49	0		0		0		0		0
1/4	3,632.07	1/4	3,937.48	1/4	4,077.25	1/4	4,216.77	1/4	4,356.29	1/4	4,478.43	1/4		1/4		1/4		1/4		1/4
1/2	3,639.62	1/2	3,940.39	1/2	4,080.15	1/2	4,219.67	1/2	4,359.20	1/2	4,479.13	1/2		1/2		1/2		1/2		1/2
3/4	3,647.18	3/4	3,943.31	3/4	4,083.06	3/4	4,222.58	3/4	4,362.11	3/4	4,479.83	3/4		3/4		3/4		3/4		3/4
1	3,654.73	1	3,946.22	1	4,085.97	1	4,225.49	1	4,365.01	1	4,480.53	1		1		1		1		1
1/4	3,662.29	1/4	3,949.14	1/4	4,088.87	1/4	4,228.39	1/4	4,367.92	1/4	4,480.98	1/4		1/4		1/4		1/4		1/4
1/2	3,669.84	1/2	3,952.05	1/2	4,091.78	1/2	4,231.30	1/2	4,370.83	1/2	4,481.20	1/2		1/2		1/2		1/2		1/2
3/4	3,677.40	3/4	3,954.97	3/4	4,094.68	3/4	4,234.21	3/4	4,373.73	3/4	4,481.41	3/4		3/4		3/4		3/4		3/4
2	3,684.95	2	3,957.88	2	4,097.59	2	4,237.11	2	4,376.64	2	4,481.63	2		2		2		2		2
1/4	3,692.51	1/4	3,960.80	1/4	4,100.49	1/4	4,240.02	1/4	4,379.55	1/4	4,481.73	1/4		1/4		1/4		1/4		1/4
1/2	3,700.07	1/2	3,963.71	1/2	4,103.40	1/2	4,242.93	1/2	4,382.45	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,707.62	3/4	3,966.63	3/4	4,106.31	3/4	4,245.83	3/4	4,385.36	3/4		3/4		3/4		3/4		3/4		3/4
3	3,715.18	3	3,969.54	3	4,109.22	3	4,248.74	3	4,388.27	3		3		3		3		3		3
1/4	3,722.73	1/4	3,972.46	1/4	4,112.12	1/4	4,251.65	1/4	4,391.16	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,730.29	1/2	3,975.37	1/2	4,115.03	1/2	4,254.56	1/2	4,394.05	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,737.84	3/4	3,978.29	3/4	4,117.94	3/4	4,257.46	3/4	4,396.94	3/4		3/4		3/4		3/4		3/4		3/4
4	3,745.40	4	3,981.20	4	4,120.84	4	4,260.37	4	4,399.82	4		4		4		4		4		4
1/4	3,752.96	1/4	3,984.12	1/4	4,123.75	1/4	4,263.28	1/4	4,402.71	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,760.51	1/2	3,987.03	1/2	4,126.66	1/2	4,266.18	1/2	4,405.60	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,768.07	3/4	3,989.95	3/4	4,129.56	3/4	4,269.09	3/4	4,408.48	3/4		3/4		3/4		3/4		3/4		3/4
5	3,775.62	5	3,992.86	5	4,132.47	5	4,272.00	5	4,411.37	5		5		5		5		5		5
1/4	3,783.18	1/4	3,995.78	1/4	4,135.38	1/4	4,274.90	1/4	4,414.26	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,790.73	1/2	3,998.69	1/2	4,138.28	1/2	4,277.81	1/2	4,417.14	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,798.29	3/4	4,001.61	3/4	4,141.19	3/4	4,280.72	3/4	4,420.03	3/4		3/4		3/4		3/4		3/4		3/4
6	3,805.84	6	4,004.52	6	4,144.10	6	4,283.62	6	4,422.91	6		6		6		6		6		6
1/4	3,813.23	1/4	4,007.44	1/4	4,147.00	1/4	4,286.53	1/4	4,425.80	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,820.46	1/2	4,010.35	1/2	4,149.91	1/2	4,289.44	1/2	4,428.69	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,827.69	3/4	4,013.27	3/4	4,152.82	3/4	4,292.34	3/4	4,431.57	3/4		3/4		3/4		3/4		3/4		3/4
7	3,834.91	7	4,016.18	7	4,155.72	7	4,295.25	7	4,434.46	7		7		7		7		7		7
1/4	3,841.74	1/4	4,019.10	1/4	4,158.63	1/4	4,298.16	1/4	4,437.35	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,848.19	1/2	4,022.01	1/2	4,161.54	1/2	4,301.06	1/2	4,440.23	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,854.63	3/4	4,024.93	3/4	4,164.44	3/4	4,303.97	3/4	4,443.12	3/4		3/4		3/4		3/4		3/4		3/4
8	3,861.07	8	4,027.84	8	4,167.35	8	4,306.88	8	4,446.01	8		8		8		8		8		8
1/4	3,867.12	1/4	4,030.76	1/4	4,170.26	1/4	4,309.78	1/4	4,448.77	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,872.78	1/2	4,033.66	1/2	4,173.16	1/2	4,312.69	1/2	4,451.41	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,878.43	3/4	4,036.57	3/4	4,176.07	3/4	4,315.60	3/4	4,454.06	3/4		3/4		3/4		3/4		3/4		3/4
9	3,884.09	9	4,039.47	9	4,178.98	9	4,318.50	9	4,456.70	9		9		9		9		9		9
1/4	3,889.36	1/4	4,042.38	1/4	4,181.89	1/4	4,321.41	1/4	4,459.10	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,894.23	1/2	4,045.28	1/2	4,184.79	1/2	4,324.32	1/2	4,461.26	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,899.11	3/4	4,048.19	3/4	4,187.70	3/4	4,327.23	3/4	4,463.42	3/4		3/4		3/4		3/4		3/4		3/4
10	3,903.98	10	4,051.10	10	4,190.61	10	4,330.13	10	4,465.57	10		10		10		10		10		10
1/4	3,908.46	1/4	4,054.00	1/4	4,193.51	1/4	4,333.04	1/4	4,467.49	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,912.56	1/2	4,056.91	1/2	4,196.42	1/2	4,335.95	1/2	4,469.16	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,916.65	3/4	4,059.81	3/4	4,199.33	3/4	4,338.85	3/4	4,470.83	3/4		3/4		3/4		3/4		3/4		3/4
11	3,920.75	11	4,062.72	11	4,202.23	11	4,341.76	11	4,472.50	11		11		11		11		11		11
1/4	3,924.45	1/4	4,065.62	1/4	4,205.14	1/4	4,344.67	1/4	4,473.93	1/4		1/4		1/4		1/4		1/4		1/4
1/2	3,927.76	1/2	4,068.53	1/2	4,208.05	1/2	4,347.57	1/2	4,475.12	1/2		1/2		1/2		1/2		1/2		1/2
3/4	3,931.06	3/4	4,071.44	3/4	4,210.95	3/4	4,350.48	3/4	4,476.30	3/4		3/4		3/4		3/4		3/4		3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS GAUGE HEIGHT 16'-5 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	7.22	0	345.05	0	701.04	0	1,063.81	0	1,427.99	0	1,792.47	0	2,156.82	0	2,521.40	0	2,885.67	0	3,249.51
1/4	10.02	1/4	352.65	1/4	708.64	1/4	1,071.37	1/4	1,435.58	1/4	1,800.05	1/4	2,164.42	1/4	2,529.00	1/4	2,893.25	1/4	3,257.10
1/2	14.77	1/2	360.25	1/2	716.24	1/2	1,078.92	1/2	1,443.18	1/2	1,807.63	1/2	2,172.01	1/2	2,536.59	1/2	2,900.83	1/2	3,264.68
3/4	19.51	3/4	367.85	3/4	723.84	3/4	1,086.48	3/4	1,450.78	3/4	1,815.21	3/4	2,179.61	3/4	2,544.19	3/4	2,908.41	3/4	3,272.26
1	24.26	1	375.44	1	731.43	1	1,094.03	1	1,458.38	1	1,822.80	1	2,187.20	1	2,551.79	1	2,915.99	1	3,279.84
1/4	29.95	1/4	383.04	1/4	739.01	1/4	1,101.59	1/4	1,465.97	1/4	1,830.38	1/4	2,194.79	1/4	2,559.39	1/4	2,923.57	1/4	3,287.42
1/2	36.60	1/2	390.64	1/2	746.56	1/2	1,109.15	1/2	1,473.57	1/2	1,837.96	1/2	2,202.39	1/2	2,566.98	1/2	2,931.15	1/2	3,295.00
3/4	43.25	3/4	398.24	3/4	754.11	3/4	1,116.71	3/4	1,481.17	3/4	1,845.54	3/4	2,209.98	3/4	2,574.58	3/4	2,938.73	3/4	3,302.58
2	49.90	2	405.84	2	761.66	2	1,124.27	2	1,488.76	2	1,853.12	2	2,217.58	2	2,582.18	2	2,946.31	2	3,310.16
1/4	57.02	1/4	413.43	1/4	769.21	1/4	1,131.83	1/4	1,496.36	1/4	1,860.70	1/4	2,225.17	1/4	2,589.77	1/4	2,953.89	1/4	3,317.74
1/2	64.62	1/2	421.02	1/2	776.77	1/2	1,139.39	1/2	1,503.96	1/2	1,868.28	1/2	2,232.76	1/2	2,597.37	1/2	2,961.47	1/2	3,325.32
3/4	72.22	3/4	428.48	3/4	784.32	3/4	1,146.95	3/4	1,511.56	3/4	1,875.87	3/4	2,240.36	3/4	2,604.97	3/4	2,969.05	3/4	3,332.90
3	79.82	3	435.82	3	791.87	3	1,154.51	3	1,519.15	3	1,883.45	3	2,247.95	3	2,612.57	3	2,976.63	3	3,340.48
1/4	87.29	1/4	443.16	1/4	799.42	1/4	1,162.08	1/4	1,526.75	1/4	1,891.03	1/4	2,255.55	1/4	2,620.16	1/4	2,984.21	1/4	3,348.06
1/2	94.64	1/2	450.50	1/2	806.97	1/2	1,169.68	1/2	1,534.35	1/2	1,898.63	1/2	2,263.14	1/2	2,627.76	1/2	2,991.79	1/2	3,355.64
3/4	102.00	3/4	457.84	3/4	814.52	3/4	1,177.28	3/4	1,541.94	3/4	1,906.22	3/4	2,270.73	3/4	2,635.36	3/4	2,999.37	3/4	3,363.22
4	109.35	4	465.18	4	822.07	4	1,184.88	4	1,549.54	4	1,913.82	4	2,278.33	4	2,642.95	4	3,006.95	4	3,370.80
1/4	116.70	1/4	472.52	1/4	829.63	1/4	1,192.47	1/4	1,557.14	1/4	1,921.41	1/4	2,285.92	1/4	2,650.55	1/4	3,014.53	1/4	3,378.38
1/2	124.05	1/2	479.86	1/2	837.18	1/2	1,200.07	1/2	1,564.74	1/2	1,929.00	1/2	2,293.52	1/2	2,658.15	1/2	3,022.11	1/2	3,385.96
3/4	131.40	3/4	487.20	3/4	844.73	3/4	1,207.67	3/4	1,572.33	3/4	1,936.60	3/4	2,301.11	3/4	2,665.75	3/4	3,029.69	3/4	3,393.54
5	138.75	5	494.53	5	852.28	5	1,215.26	5	1,579.93	5	1,944.19	5	2,308.70	5	2,673.34	5	3,037.27	5	3,401.12
1/4	146.10	1/4	501.87	1/4	859.83	1/4	1,222.86	1/4	1,587.53	1/4	1,951.79	1/4	2,316.30	1/4	2,680.94	1/4	3,044.85	1/4	3,408.70
1/2	153.45	1/2	509.21	1/2	867.39	1/2	1,230.46	1/2	1,595.12	1/2	1,959.38	1/2	2,323.89	1/2	2,688.54	1/2	3,052.43	1/2	3,416.28
3/4	160.80	3/4	516.55	3/4	874.94	3/4	1,238.06	3/4	1,602.72	3/4	1,966.97	3/4	2,331.49	3/4	2,696.13	3/4	3,060.01	3/4	3,423.86
6	168.15	6	523.89	6	882.50	6	1,245.65	6	1,610.32	6	1,974.57	6	2,339.08	6	2,703.73	6	3,067.59	6	3,431.44
1/4	175.50	1/4	531.23	1/4	890.05	1/4	1,253.25	1/4	1,617.92	1/4	1,982.16	1/4	2,346.67	1/4	2,711.32	1/4	3,075.17	1/4	3,439.02
1/2	182.85	1/2	538.57	1/2	897.61	1/2	1,260.85	1/2	1,625.85	1/2	1,989.76	1/2	2,354.27	1/2	2,718.90	1/2	3,082.75	1/2	3,446.60
3/4	190.21	3/4	545.91	3/4	905.16	3/4	1,268.45	3/4	1,633.11	3/4	1,997.35	3/4	2,361.86	3/4	2,726.48	3/4	3,090.33	3/4	3,454.18
7	197.56	7	553.25	7	912.72	7	1,276.04	7	1,640.71	7	2,004.94	7	2,369.46	7	2,734.06	7	3,097.91	7	3,461.76
1/4	204.91	1/4	560.59	1/4	920.27	1/4	1,283.64	1/4	1,648.31	1/4	2,012.54	1/4	2,377.05	1/4	2,741.64	1/4	3,105.49	1/4	3,469.32
1/2	212.26	1/2	567.93	1/2	927.82	1/2	1,291.24	1/2	1,655.90	1/2	2,020.13	1/2	2,384.65	1/2	2,749.22	1/2	3,113.07	1/2	3,476.87
3/4	219.61	3/4	575.27	3/4	935.38	3/4	1,298.83	3/4	1,663.50	3/4	2,027.73	3/4	2,392.25	3/4	2,756.80	3/4	3,120.65	3/4	3,484.42
8	226.96	8	582.60	8	942.93	8	1,306.43	8	1,671.10	8	2,035.32	8	2,399.84	8	2,764.38	8	3,128.23	8	3,491.97
1/4	234.31	1/4	589.94	1/4	950.49	1/4	1,314.03	1/4	1,678.69	1/4	2,042.91	1/4	2,407.44	1/4	2,771.96	1/4	3,135.81	1/4	3,499.52
1/2	241.66	1/2	597.28	1/2	958.04	1/2	1,321.63	1/2	1,686.29	1/2	2,050.51	1/2	2,415.04	1/2	2,779.54	1/2	3,143.39	1/2	3,507.06
3/4	249.01	3/4	604.63	3/4	965.60	3/4	1,329.22	3/4	1,693.89	3/4	2,058.10	3/4	2,422.64	3/4	2,787.12	3/4	3,150.97	3/4	3,514.61
9	256.36	9	611.98	9	973.15	9	1,336.82	9	1,701.49	9	2,065.70	9	2,430.23	9	2,794.70	9	3,158.55	9	3,522.16
1/4	263.72	1/4	619.33	1/4	980.71	1/4	1,344.42	1/4	1,709.07	1/4	2,073.29	1/4	2,437.83	1/4	2,802.28	1/4	3,166.13	1/4	3,529.71
1/2	271.08	1/2	626.68	1/2	988.26	1/2	1,352.01	1/2	1,716.66	1/2	2,080.88	1/2	2,445.43	1/2	2,809.86	1/2	3,173.71	1/2	3,537.25
3/4	278.44	3/4	634.03	3/4	995.82	3/4	1,359.61	3/4	1,724.24	3/4	2,088.48	3/4	2,453.02	3/4	2,817.44	3/4	3,181.29	3/4	3,544.80
10	285.80	10	641.38	10	1,003.37	10	1,367.21	10	1,731.82	10	2,096.07	10	2,460.62	10	2,825.02	10	3,188.87	10	3,552.35
1/4	293.16	1/4	648.73	1/4	1,010.93	1/4	1,374.81	1/4	1,739.40	1/4	2,103.67	1/4	2,468.22	1/4	2,832.60	1/4	3,196.45	1/4	3,559.90
1/2	300.53	1/2	656.08	1/2	1,018.48	1/2	1,382.40	1/2	1,746.98	1/2	2,111.26	1/2	2,475.82	1/2	2,840.18	1/2	3,204.03	1/2	3,567.45
3/4	307.89	3/4	663.43	3/4	1,026.04	3/4	1,390.00	3/4	1,754.56	3/4	2,118.85	3/4	2,483.41	3/4	2,847.76	3/4	3,211.61	3/4	3,574.99
11	315.25	11	670.78	11	1,033.59	11	1,397.60	11	1,762.14	11	2,126.45	11	2,491.01	11	2,855.34	11	3,219.19	11	3,582.54
1/4	322.61	1/4	678.25	1/4	1,041.15	1/4	1,405.19	1/4	1,769.73	1/4	2,134.04	1/4	2,498.61	1/4	2,862.92	1/4	3,226.77	1/4	3,590.09
1/2	329.97	1/2	685.65	1/2	1,048.70	1/2	1,412.79	1/2	1,777.31	1/2	2,141.64	1/2	2,506.20	1/2	2,870.50	1/2	3,234.35	1/2	3,597.64
3/4	337.45	3/4	693.44	3/4	1,056.26	3/4	1,420.39	3/4	1,784.89	3/4	2,149.23	3/4	2,513.80	3/4	2,878.09	3/4	3,241.93	3/4	3,605.18

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7
 NOTE: GAUGE POINT LOCATED 14' 0" AOE CENTERED INE MAIN '00' & ENDS WARD ON CE AFT' 3' ULL KUEAN
 THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "RBT 306"
HULL NO. 4408

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,612.73	0	3,922.27	0	4,062.11	0	4,201.48	0	4,340.86	0	4,484.82	0		0		0		0	
1/4	3,620.28	1/4	3,925.38	1/4	4,065.01	1/4	4,204.38	1/4	4,343.76	1/4	4,485.77	1/4		1/4		1/4		1/4	
1/2	3,627.83	1/2	3,928.29	1/2	4,067.91	1/2	4,207.29	1/2	4,346.66	1/2	4,486.46	1/2		1/2		1/2		1/2	
3/4	3,635.38	3/4	3,931.21	3/4	4,070.82	3/4	4,210.19	3/4	4,349.57	3/4	4,487.16	3/4		3/4		3/4		3/4	
1	3,642.92	1	3,934.12	1	4,073.72	1	4,213.09	1	4,352.47	1	4,487.86	1		1		1		1	
1/4	3,650.47	1/4	3,937.03	1/4	4,076.62	1/4	4,216.00	1/4	4,355.37	1/4	4,488.32	1/4		1/4		1/4		1/4	
1/2	3,658.02	1/2	3,939.94	1/2	4,079.53	1/2	4,218.90	1/2	4,358.28	1/2	4,488.53	1/2		1/2		1/2		1/2	
3/4	3,665.57	3/4	3,942.85	3/4	4,082.43	3/4	4,221.80	3/4	4,361.18	3/4	4,488.74	3/4		3/4		3/4		3/4	
2	3,673.12	2	3,945.77	2	4,085.33	2	4,224.71	2	4,364.09	2	4,488.96	2		2		2		2	
1/4	3,680.66	1/4	3,948.68	1/4	4,088.23	1/4	4,227.61	1/4	4,366.99	1/4	4,489.06	1/4		1/4		1/4		1/4	
1/2	3,688.21	1/2	3,951.59	1/2	4,091.14	1/2	4,230.52	1/2	4,369.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,695.76	3/4	3,954.50	3/4	4,094.04	3/4	4,233.42	3/4	4,372.80	3/4		3/4		3/4		3/4		3/4	
3	3,703.31	3	3,957.41	3	4,096.95	3	4,236.32	3	4,375.70	3		3		3		3		3	
1/4	3,710.85	1/4	3,960.33	1/4	4,099.85	1/4	4,239.23	1/4	4,378.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,718.40	1/2	3,963.24	1/2	4,102.75	1/2	4,242.13	1/2	4,381.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,725.95	3/4	3,966.15	3/4	4,105.66	3/4	4,245.03	3/4	4,384.36	3/4		3/4		3/4		3/4		3/4	
4	3,733.50	4	3,969.06	4	4,108.56	4	4,247.94	4	4,387.24	4		4		4		4		4	
1/4	3,741.05	1/4	3,971.98	1/4	4,111.46	1/4	4,250.84	1/4	4,390.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,748.59	1/2	3,974.89	1/2	4,114.37	1/2	4,253.75	1/2	4,393.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,756.14	3/4	3,977.80	3/4	4,117.27	3/4	4,256.65	3/4	4,395.89	3/4		3/4		3/4		3/4		3/4	
5	3,763.69	5	3,980.71	5	4,120.18	5	4,259.55	5	4,398.78	5		5		5		5		5	
1/4	3,771.24	1/4	3,983.62	1/4	4,123.08	1/4	4,262.46	1/4	4,401.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,778.78	1/2	3,986.54	1/2	4,125.98	1/2	4,265.36	1/2	4,404.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,786.33	3/4	3,989.45	3/4	4,128.89	3/4	4,268.26	3/4	4,407.43	3/4		3/4		3/4		3/4		3/4	
6	3,793.88	6	3,992.36	6	4,131.79	6	4,271.17	6	4,410.31	6		6		6		6		6	
1/4	3,801.42	1/4	3,995.27	1/4	4,134.69	1/4	4,274.07	1/4	4,413.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,808.48	1/2	3,998.18	1/2	4,137.60	1/2	4,276.97	1/2	4,416.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,815.70	3/4	4,001.10	3/4	4,140.50	3/4	4,279.88	3/4	4,418.96	3/4		3/4		3/4		3/4		3/4	
7	3,822.92	7	4,004.01	7	4,143.40	7	4,282.78	7	4,421.84	7		7		7		7		7	
1/4	3,829.74	1/4	4,006.92	1/4	4,146.31	1/4	4,285.69	1/4	4,424.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,836.18	1/2	4,009.83	1/2	4,149.21	1/2	4,288.59	1/2	4,427.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,842.61	3/4	4,012.74	3/4	4,152.12	3/4	4,291.49	3/4	4,430.49	3/4		3/4		3/4		3/4		3/4	
8	3,849.05	8	4,015.66	8	4,155.02	8	4,294.40	8	4,433.38	8		8		8		8		8	
1/4	3,855.09	1/4	4,018.56	1/4	4,157.92	1/4	4,297.30	1/4	4,436.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,860.74	1/2	4,021.47	1/2	4,160.83	1/2	4,300.20	1/2	4,438.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,866.40	3/4	4,024.37	3/4	4,163.73	3/4	4,303.11	3/4	4,441.42	3/4		3/4		3/4		3/4		3/4	
9	3,872.05	9	4,027.27	9	4,166.63	9	4,306.01	9	4,444.06	9		9		9		9		9	
1/4	3,877.31	1/4	4,030.18	1/4	4,169.54	1/4	4,308.92	1/4	4,446.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,882.18	1/2	4,033.08	1/2	4,172.44	1/2	4,311.82	1/2	4,448.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,887.05	3/4	4,035.98	3/4	4,175.35	3/4	4,314.72	3/4	4,450.77	3/4		3/4		3/4		3/4		3/4	
10	3,891.92	10	4,038.88	10	4,178.25	10	4,317.63	10	4,452.92	10		10		10		10		10	
1/4	3,896.40	1/4	4,041.79	1/4	4,181.15	1/4	4,320.53	1/4	4,454.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,900.49	1/2	4,044.69	1/2	4,184.06	1/2	4,323.43	1/2	4,456.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,904.58	3/4	4,047.59	3/4	4,186.96	3/4	4,326.34	3/4	4,458.18	3/4		3/4		3/4		3/4		3/4	
11	3,908.67	11	4,050.50	11	4,189.86	11	4,329.24	11	4,459.85	11		11		11		11		11	
1/4	3,912.36	1/4	4,053.40	1/4	4,192.77	1/4	4,332.15	1/4	4,461.27	1/4		1/4		1/4		1/4		1/4	
1/2	3,915.67	1/2	4,056.30	1/2	4,195.67	1/2	4,335.05	1/2	4,462.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,918.97	3/4	4,059.20	3/4	4,198.57	3/4	4,337.95	3/4	4,463.64	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.