

BARGE "RBT 308"
HULL NO. 2126-1

Intertek BUS 5/25/04
JB

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19.75	0	361.52	0	720.34	0	1,079.20	0	1,445.75	0	1,812.29	0	2,178.84	0	2,545.38	0	2,911.92	0	3,278.47
1/4	24.18	1/4	369.00	1/4	727.82	1/4	1,086.84	1/4	1,453.38	1/4	1,819.93	1/4	2,186.47	1/4	2,553.02	1/4	2,919.56	1/4	3,286.10
1/2	28.62	1/2	376.47	1/2	735.29	1/2	1,094.48	1/2	1,461.02	1/2	1,827.56	1/2	2,194.11	1/2	2,560.65	1/2	2,927.20	1/2	3,293.74
3/4	33.06	3/4	383.95	3/4	742.77	3/4	1,102.11	3/4	1,468.66	3/4	1,835.20	3/4	2,201.74	3/4	2,568.29	3/4	2,934.83	3/4	3,301.38
1	37.49	1	391.43	1	750.25	1	1,109.75	1	1,476.29	1	1,842.84	1	2,209.38	1	2,575.92	1	2,942.47	1	3,309.01
1/4	43.77	1/4	399.90	1/4	757.72	1/4	1,117.38	1/4	1,483.93	1/4	1,850.47	1/4	2,217.02	1/4	2,583.56	1/4	2,950.10	1/4	3,316.65
1/2	50.04	1/2	406.38	1/2	765.20	1/2	1,125.02	1/2	1,491.57	1/2	1,858.11	1/2	2,224.65	1/2	2,591.20	1/2	2,959.74	1/2	3,324.92
3/4	56.31	3/4	413.95	3/4	772.68	3/4	1,132.66	3/4	1,499.20	3/4	1,865.75	3/4	2,232.29	3/4	2,598.83	3/4	2,965.38	3/4	3,331.92
2	62.58	2	421.33	2	780.15	2	1,140.29	2	1,506.84	2	1,873.38	2	2,239.93	2	2,606.47	2	2,973.01	2	3,339.56
1/4	70.06	1/4	428.30	1/4	787.63	1/4	1,147.93	1/4	1,514.47	1/4	1,881.02	1/4	2,247.56	1/4	2,614.11	1/4	2,980.65	1/4	3,347.19
1/2	77.53	1/2	433.28	1/2	795.10	1/2	1,155.57	1/2	1,522.11	1/2	1,888.65	1/2	2,255.20	1/2	2,621.74	1/2	2,988.29	1/2	3,354.83
3/4	85.00	3/4	443.75	3/4	802.58	3/4	1,163.30	3/4	1,529.75	3/4	1,896.29	3/4	2,262.87	3/4	2,629.38	3/4	2,995.92	3/4	3,362.47
3	92.48	3	451.23	3	810.06	3	1,170.84	3	1,537.38	3	1,903.93	3	2,270.47	3	2,637.02	3	2,997.56	3	3,370.10
1/4	99.95	1/4	458.70	1/4	817.53	1/4	1,178.48	1/4	1,545.02	1/4	1,911.56	1/4	2,278.11	1/4	2,644.65	1/4	2,998.83	1/4	3,377.74
1/2	107.42	1/2	466.18	1/2	825.01	1/2	1,186.11	1/2	1,552.66	1/2	1,919.20	1/2	2,285.74	1/2	2,652.29	1/2	3,018.83	1/2	3,385.38
3/4	114.90	3/4	473.65	3/4	832.49	3/4	1,193.75	3/4	1,560.29	3/4	1,926.84	3/4	2,293.38	3/4	2,659.92	3/4	3,026.47	3/4	3,393.01
4	122.37	4	481.13	4	839.96	4	1,201.38	4	1,567.93	4	1,934.47	4	2,301.02	4	2,667.56	4	3,034.10	4	3,400.65
1/4	129.85	1/4	488.61	1/4	847.44	1/4	1,209.02	1/4	1,575.56	1/4	1,942.11	1/4	2,308.65	1/4	2,675.20	1/4	3,041.74	1/4	3,408.28
1/2	137.32	1/2	496.08	1/2	854.91	1/2	1,216.66	1/2	1,583.20	1/2	1,949.75	1/2	2,316.29	1/2	2,682.83	1/2	3,049.38	1/2	3,415.92
3/4	144.79	3/4	503.56	3/4	862.39	3/4	1,224.29	3/4	1,590.84	3/4	1,957.38	3/4	2,323.93	3/4	2,690.47	3/4	3,057.01	3/4	3,423.56
5	152.27	5	511.03	5	869.87	5	1,231.93	5	1,598.47	5	1,965.02	5	2,331.56	5	2,698.11	5	3,064.65	5	3,431.19
1/4	159.74	1/4	518.51	1/4	877.34	1/4	1,239.57	1/4	1,606.11	1/4	1,972.65	1/4	2,339.20	1/4	2,705.74	1/4	3,072.29	1/4	3,438.83
1/2	167.21	1/2	525.98	1/2	884.82	1/2	1,247.20	1/2	1,613.75	1/2	1,980.29	1/2	2,346.83	1/2	2,713.38	1/2	3,079.92	1/2	3,446.47
3/4	174.69	3/4	533.46	3/4	892.30	3/4	1,254.84	3/4	1,621.38	3/4	1,987.93	3/4	2,354.47	3/4	2,721.01	3/4	3,087.56	3/4	3,454.10
6	182.16	6	540.93	6	899.77	6	1,262.48	6	1,629.02	6	1,995.56	6	2,362.11	6	2,728.65	6	3,095.20	6	3,461.74
1/4	189.63	1/4	548.41	1/4	907.25	1/4	1,270.11	1/4	1,636.66	1/4	2,003.20	1/4	2,369.74	1/4	2,736.29	1/4	3,102.83	1/4	3,469.38
1/2	197.11	1/2	555.98	1/2	914.72	1/2	1,277.75	1/2	1,644.29	1/2	2,010.84	1/2	2,377.38	1/2	2,743.92	1/2	3,110.47	1/2	3,477.01
3/4	204.58	3/4	563.36	3/4	922.20	3/4	1,285.38	3/4	1,651.93	3/4	2,018.47	3/4	2,385.02	3/4	2,751.56	3/4	3,118.10	3/4	3,484.65
7	212.05	7	570.83	7	929.68	7	1,293.02	7	1,659.56	7	2,026.11	7	2,392.65	7	2,759.20	7	3,125.74	7	3,492.28
1/4	219.53	1/4	578.31	1/4	937.15	1/4	1,300.66	1/4	1,667.20	1/4	2,033.74	1/4	2,400.29	1/4	2,766.83	1/4	3,133.38	1/4	3,499.92
1/2	227.00	1/2	585.78	1/2	944.63	1/2	1,308.29	1/2	1,674.84	1/2	2,041.38	1/2	2,407.93	1/2	2,774.47	1/2	3,141.01	1/2	3,507.56
3/4	234.47	3/4	593.26	3/4	952.11	3/4	1,315.93	3/4	1,682.47	3/4	2,049.02	3/4	2,415.56	3/4	2,782.11	3/4	3,148.65	3/4	3,515.19
8	241.95	8	600.74	8	959.58	8	1,323.57	8	1,690.11	8	2,056.65	8	2,423.20	8	2,789.74	8	3,156.29	8	3,522.83
1/4	249.42	1/4	608.21	1/4	967.06	1/4	1,331.20	1/4	1,697.75	1/4	2,064.29	1/4	2,430.83	1/4	2,797.38	1/4	3,163.92	1/4	3,530.47
1/2	256.89	1/2	615.69	1/2	974.54	1/2	1,338.84	1/2	1,705.38	1/2	2,071.93	1/2	2,438.47	1/2	2,805.01	1/2	3,171.56	1/2	3,538.10
3/4	264.37	3/4	623.16	3/4	982.01	3/4	1,346.47	3/4	1,713.02	3/4	2,079.56	3/4	2,446.11	3/4	2,812.65	3/4	3,179.19	3/4	3,545.74
9	271.84	9	630.34	9	989.49	9	1,354.11	9	1,720.66	9	2,087.20	9	2,453.74	9	2,820.29	9	3,186.83	9	3,553.38
1/4	279.32	1/4	638.81	1/4	996.96	1/4	1,361.75	1/4	1,728.29	1/4	2,094.84	1/4	2,461.38	1/4	2,827.92	1/4	3,194.47	1/4	3,561.01
1/2	286.79	1/2	645.39	1/2	1,004.44	1/2	1,369.38	1/2	1,735.93	1/2	2,102.47	1/2	2,469.02	1/2	2,835.56	1/2	3,202.10	1/2	3,568.65
3/4	294.26	3/4	653.96	3/4	1,011.92	3/4	1,377.02	3/4	1,743.56	3/4	2,110.11	3/4	2,476.65	3/4	2,843.20	3/4	3,209.74	3/4	3,576.28
10	301.74	10	660.74	10	1,019.39	10	1,384.66	10	1,751.20	10	2,117.74	10	2,484.29	10	2,850.83	10	3,217.38	10	3,583.92
1/4	309.21	1/4	668.01	1/4	1,026.87	1/4	1,392.29	1/4	1,758.84	1/4	2,125.38	1/4	2,491.92	1/4	2,858.47	1/4	3,225.01	1/4	3,591.56
1/2	316.68	1/2	675.59	1/2	1,034.35	1/2	1,399.93	1/2	1,766.47	1/2	2,133.02	1/2	2,499.56	1/2	2,866.11	1/2	3,232.65	1/2	3,599.19
3/4	324.16	3/4	682.96	3/4	1,041.82	3/4	1,407.57	3/4	1,774.11	3/4	2,140.65	3/4	2,507.20	3/4	2,873.74	3/4	3,240.29	3/4	3,606.83
11	331.63	11	690.74	11	1,049.30	11	1,415.20	11	1,781.75	11	2,148.29	11	2,514.83	11	2,881.38	11	3,247.92	11	3,614.47
1/4	339.10	1/4	697.92	1/4	1,056.77	1/4	1,422.84	1/4	1,789.38	1/4	2,155.93	1/4	2,522.47	1/4	2,889.01	1/4	3,255.56	1/4	3,622.10
1/2	346.58	1/2	705.39	1/2	1,064.25	1/2	1,430.47	1/2	1,797.02	1/2	2,163.56	1/2	2,530.11	1/2	2,896.65	1/2	3,263.19	1/2	3,629.74
3/4	354.05	3/4	712.97	3/4	1,071.73	3/4	1,438.11	3/4	1,804.65	3/4	2,171.20	3/4	2,537.74	3/4	2,904.29	3/4	3,270.83	3/4	3,637.37

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MNMS CHAPTER 2.7
NOTE: GAUGE POINT LOCATED 11 7/8" OFF CENTERLINE AND 45" FORWARD OF AFT BULKHEAD
NOTE: GAUGE POINT TO TOP UP OF 8" DIAMETER GAUGE HATCH OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/26/04 BY: WHF
DATE ISSUED: 4/1/04

INTERTEK CALEB BRETT

BARGE "RBT 308"
HULL NO. 2126-1

1 PORT
INNAGE TABLE

GAUGE HEIGHT: 16' 5 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,645.01	0	4,011.56	0	4,378.10	0	4,744.64	0	5,111.19	0	5,455.49	0		0				0	
1/4	3,652.65	1/4	4,019.19	1/4	4,385.74	1/4	4,752.28	1/4	5,118.82	1/4	5,477.46	1/4		1/4			1/4	1/4	
1/2	3,660.28	1/2	4,026.83	1/2	4,393.37	1/2	4,759.92	1/2	5,126.46	1/2	5,483.31	1/2		1/2			1/2	1/2	
3/4	3,667.92	3/4	4,034.46	3/4	4,401.01	3/4	4,767.55	3/4	5,134.10	3/4	5,491.16	3/4		3/4			3/4	3/4	
1	3,675.56	1	4,042.10	1	4,408.64	1	4,775.19	1	5,141.73	1	5,420.01	1		1			1	1	
1/4	3,683.19	1/4	4,049.74	1/4	4,416.28	1/4	4,782.82	1/4	5,149.37	1/4	5,420.86	1/4		1/4			1/4	1/4	
1/2	3,690.83	1/2	4,057.37	1/2	4,423.92	1/2	4,790.46	1/2	5,157.01	1/2		1/2		1/2			1/2	1/2	
3/4	3,698.47	3/4	4,065.01	3/4	4,431.55	3/4	4,798.10	3/4	5,164.64	3/4		3/4		3/4			3/4	3/4	
2	3,706.10	2	4,072.65	2	4,439.19	2	4,805.73	2	5,172.28	2		2		2			2	2	
1/4	3,713.74	1/4	4,080.28	1/4	4,446.83	1/4	4,813.37	1/4	5,179.91	1/4		1/4		1/4			1/4	1/4	
1/2	3,721.37	1/2	4,087.92	1/2	4,454.46	1/2	4,821.01	1/2	5,187.55	1/2		1/2		1/2			1/2	1/2	
3/4	3,729.01	3/4	4,095.55	3/4	4,462.10	3/4	4,828.64	3/4	5,195.19	3/4		3/4		3/4			3/4	3/4	
3	3,736.65	3	4,103.19	3	4,469.74	3	4,836.28	3	5,202.82	3		3		3			3	3	
1/4	3,744.28	1/4	4,110.83	1/4	4,477.37	1/4	4,843.92	1/4	5,210.46	1/4		1/4		1/4			1/4	1/4	
1/2	3,751.92	1/2	4,118.46	1/2	4,485.01	1/2	4,851.55	1/2	5,218.10	1/2		1/2		1/2			1/2	1/2	
3/4	3,759.56	3/4	4,126.10	3/4	4,492.64	3/4	4,859.19	3/4	5,225.73	3/4		3/4		3/4			3/4	3/4	
4	3,767.19	4	4,133.74	4	4,500.28	4	4,866.82	4	5,233.37	4		4		4			4	4	
1/4	3,774.83	1/4	4,141.37	1/4	4,507.92	1/4	4,874.46	1/4	5,241.00	1/4		1/4		1/4			1/4	1/4	
1/2	3,782.47	1/2	4,149.01	1/2	4,515.55	1/2	4,882.10	1/2	5,248.64	1/2		1/2		1/2			1/2	1/2	
3/4	3,790.10	3/4	4,156.65	3/4	4,523.19	3/4	4,889.73	3/4	5,256.28	3/4		3/4		3/4			3/4	3/4	
5	3,797.74	5	4,163.28	5	4,530.83	5	4,897.37	5	5,263.91	5		5		5			5	5	
1/4	3,805.37	1/4	4,170.92	1/4	4,538.46	1/4	4,905.01	1/4	5,271.55	1/4		1/4		1/4			1/4	1/4	
1/2	3,813.01	1/2	4,179.55	1/2	4,546.10	1/2	4,912.64	1/2	5,279.19	1/2		1/2		1/2			1/2	1/2	
3/4	3,820.65	3/4	4,187.19	3/4	4,553.73	3/4	4,920.28	3/4	5,286.82	3/4		3/4		3/4			3/4	3/4	
6	3,828.28	6	4,194.83	6	4,561.37	6	4,927.92	6	5,294.46	6		6		6			6	6	
1/4	3,835.92	1/4	4,202.46	1/4	4,569.01	1/4	4,935.55	1/4	5,302.10	1/4		1/4		1/4			1/4	1/4	
1/2	3,843.56	1/2	4,210.10	1/2	4,576.64	1/2	4,943.19	1/2	5,309.73	1/2		1/2		1/2			1/2	1/2	
3/4	3,851.19	3/4	4,217.74	3/4	4,584.28	3/4	4,950.82	3/4	5,317.37	3/4		3/4		3/4			3/4	3/4	
7	3,858.83	7	4,225.37	7	4,591.92	7	4,958.46	7	5,325.00	7		7		7			7	7	
1/4	3,866.46	1/4	4,233.01	1/4	4,599.55	1/4	4,966.10	1/4	5,332.64	1/4		1/4		1/4			1/4	1/4	
1/2	3,874.10	1/2	4,240.65	1/2	4,607.19	1/2	4,973.73	1/2	5,339.14	1/2		1/2		1/2			1/2	1/2	
3/4	3,881.74	3/4	4,248.28	3/4	4,614.83	3/4	4,981.37	3/4	5,345.64	3/4		3/4		3/4			3/4	3/4	
8	3,889.37	8	4,255.92	8	4,622.46	8	4,989.01	8	5,353.14	8		8		8			8	8	
1/4	3,897.01	1/4	4,263.55	1/4	4,630.10	1/4	4,996.64	1/4	5,358.64	1/4		1/4		1/4			1/4	1/4	
1/2	3,904.65	1/2	4,271.19	1/2	4,637.73	1/2	5,004.28	1/2	5,364.01	1/2		1/2		1/2			1/2	1/2	
3/4	3,912.28	3/4	4,278.83	3/4	4,645.37	3/4	5,011.91	3/4	5,369.39	3/4		3/4		3/4			3/4	3/4	
9	3,919.92	9	4,286.46	9	4,653.01	9	5,019.55	9	5,374.76	9		9		9			9	9	
1/4	3,927.56	1/4	4,294.10	1/4	4,660.64	1/4	5,027.19	1/4	5,380.13	1/4		1/4		1/4			1/4	1/4	
1/2	3,935.19	1/2	4,301.74	1/2	4,668.28	1/2	5,034.82	1/2	5,384.38	1/2		1/2		1/2			1/2	1/2	
3/4	3,942.83	3/4	4,309.37	3/4	4,675.92	3/4	5,042.46	3/4	5,388.62	3/4		3/4		3/4			3/4	3/4	
10	3,950.46	10	4,317.01	10	4,683.55	10	5,050.10	10	5,392.86	10		10		10			10	10	
1/4	3,958.10	1/4	4,324.64	1/4	4,691.19	1/4	5,057.73	1/4	5,397.10	1/4		1/4		1/4			1/4	1/4	
1/2	3,965.74	1/2	4,332.28	1/2	4,698.83	1/2	5,065.37	1/2	5,400.21	1/2		1/2		1/2			1/2	1/2	
3/4	3,973.37	3/4	4,339.92	3/4	4,706.46	3/4	5,073.01	3/4	5,403.32	3/4		3/4		3/4			3/4	3/4	
11	3,981.01	11	4,347.55	11	4,714.10	11	5,080.64	11	5,406.44	11		11		11			11	11	
1/4	3,988.65	1/4	4,355.19	1/4	4,721.73	1/4	5,088.28	1/4	5,409.55	1/4		1/4		1/4			1/4	1/4	
1/2	3,996.28	1/2	4,362.83	1/2	4,729.37	1/2	5,095.91	1/2	5,411.53	1/2		1/2		1/2			1/2	1/2	
3/4	4,003.92	3/4	4,370.46	3/4	4,737.01	3/4	5,103.55	3/4	5,413.51	3/4		3/4		3/4			3/4	3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 27
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/28/04 BY: WHF
DATE ISSUED: 4/12/04

BARGE "RBT 308"
HULL NO. 2126-1

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT: 16' 5 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19.75	0	361.52	0	720.34	0	1,079.20	0	1,445.75	0	1,812.29	0	2,178.84	0	2,545.38	0	2,911.92	0	3,278.47
1/4	24.18	1/4	366.00	1/4	727.82	1/4	1,086.84	1/4	1,453.38	1/4	1,819.93	1/4	2,186.47	1/4	2,553.02	1/4	2,919.56	1/4	3,286.10
1/2	28.62	1/2	376.47	1/2	735.29	1/2	1,094.48	1/2	1,461.02	1/2	1,827.56	1/2	2,194.11	1/2	2,560.65	1/2	2,927.20	1/2	3,293.74
3/4	33.06	3/4	383.95	3/4	742.77	3/4	1,102.11	3/4	1,466.66	3/4	1,835.20	3/4	2,201.74	3/4	2,568.29	3/4	2,934.83	3/4	3,301.38
1	37.49	1	391.43	1	750.25	1	1,109.75	1	1,476.29	1	1,842.84	1	2,209.38	1	2,575.92	1	2,942.47	1	3,309.01
1/4	43.77	1/4	398.90	1/4	757.72	1/4	1,117.38	1/4	1,483.93	1/4	1,850.47	1/4	2,217.02	1/4	2,583.56	1/4	2,950.10	1/4	3,316.65
1/2	50.04	1/2	406.38	1/2	765.20	1/2	1,125.02	1/2	1,491.57	1/2	1,858.11	1/2	2,224.65	1/2	2,591.20	1/2	2,957.74	1/2	3,323.22
3/4	56.31	3/4	413.85	3/4	772.68	3/4	1,132.66	3/4	1,499.20	3/4	1,865.75	3/4	2,232.29	3/4	2,598.83	3/4	2,965.38	3/4	3,331.92
2	62.58	2	421.33	2	780.15	2	1,140.29	2	1,506.84	2	1,873.38	2	2,239.93	2	2,606.47	2	2,973.01	2	3,339.56
1/4	70.06	1/4	428.80	1/4	787.63	1/4	1,147.93	1/4	1,514.47	1/4	1,881.02	1/4	2,247.56	1/4	2,614.11	1/4	2,980.65	1/4	3,347.19
1/2	77.53	1/2	436.28	1/2	795.10	1/2	1,155.57	1/2	1,522.11	1/2	1,888.65	1/2	2,255.20	1/2	2,621.74	1/2	2,988.29	1/2	3,354.83
3/4	85.00	3/4	443.75	3/4	802.58	3/4	1,163.20	3/4	1,529.75	3/4	1,893.29	3/4	2,262.83	3/4	2,629.38	3/4	2,999.92	3/4	3,362.47
3	92.48	3	451.23	3	810.06	3	1,170.84	3	1,537.38	3	1,903.93	3	2,270.11	3	2,637.02	3	3,003.56	3	3,370.10
1/4	99.95	1/4	458.70	1/4	817.53	1/4	1,178.48	1/4	1,545.02	1/4	1,911.56	1/4	2,278.11	1/4	2,644.65	1/4	3,011.20	1/4	3,377.74
1/2	107.42	1/2	466.18	1/2	825.01	1/2	1,186.11	1/2	1,552.66	1/2	1,919.20	1/2	2,285.74	1/2	2,652.29	1/2	3,018.83	1/2	3,385.38
3/4	114.90	3/4	473.65	3/4	832.49	3/4	1,193.75	3/4	1,560.29	3/4	1,926.84	3/4	2,293.38	3/4	2,659.92	3/4	3,026.47	3/4	3,393.01
4	122.37	4	481.13	4	839.36	4	1,201.38	4	1,567.93	4	1,934.47	4	2,301.02	4	2,667.56	4	3,034.10	4	3,400.28
1/4	129.85	1/4	488.61	1/4	847.44	1/4	1,209.02	1/4	1,575.56	1/4	1,942.11	1/4	2,308.65	1/4	2,675.20	1/4	3,041.74	1/4	3,408.65
1/2	137.32	1/2	496.08	1/2	854.91	1/2	1,216.66	1/2	1,583.20	1/2	1,949.75	1/2	2,316.29	1/2	2,682.83	1/2	3,049.38	1/2	3,415.92
3/4	144.79	3/4	503.56	3/4	862.39	3/4	1,224.29	3/4	1,590.84	3/4	1,957.38	3/4	2,323.93	3/4	2,690.47	3/4	3,057.01	3/4	3,423.56
5	152.27	5	511.03	5	869.87	5	1,231.93	5	1,599.47	5	1,965.02	5	2,331.56	5	2,698.11	5	3,064.65	5	3,431.19
1/4	159.74	1/4	518.51	1/4	877.34	1/4	1,239.57	1/4	1,606.11	1/4	1,972.65	1/4	2,339.20	1/4	2,705.74	1/4	3,072.29	1/4	3,438.83
1/2	167.21	1/2	525.98	1/2	884.82	1/2	1,247.20	1/2	1,613.75	1/2	1,980.29	1/2	2,346.83	1/2	2,713.38	1/2	3,079.92	1/2	3,446.45
3/4	174.69	3/4	533.46	3/4	892.30	3/4	1,254.84	3/4	1,621.38	3/4	1,987.93	3/4	2,354.47	3/4	2,721.01	3/4	3,087.56	3/4	3,454.10
6	182.16	6	540.93	6	899.77	6	1,262.48	6	1,629.02	6	1,995.56	6	2,362.11	6	2,728.65	6	3,095.20	6	3,461.74
1/4	189.63	1/4	548.41	1/4	907.25	1/4	1,270.11	1/4	1,636.66	1/4	2,003.20	1/4	2,369.74	1/4	2,736.29	1/4	3,102.83	1/4	3,469.38
1/2	197.11	1/2	555.88	1/2	914.72	1/2	1,277.75	1/2	1,644.29	1/2	2,010.84	1/2	2,377.38	1/2	2,743.92	1/2	3,110.47	1/2	3,477.01
3/4	204.58	3/4	563.36	3/4	922.20	3/4	1,285.38	3/4	1,651.93	3/4	2,018.47	3/4	2,385.02	3/4	2,751.56	3/4	3,118.10	3/4	3,484.65
7	212.05	7	570.83	7	929.68	7	1,293.02	7	1,659.56	7	2,026.11	7	2,392.65	7	2,759.20	7	3,125.74	7	3,492.28
1/4	219.53	1/4	578.31	1/4	937.15	1/4	1,300.66	1/4	1,667.20	1/4	2,033.74	1/4	2,400.29	1/4	2,766.83	1/4	3,133.38	1/4	3,499.92
1/2	227.00	1/2	585.78	1/2	944.63	1/2	1,308.29	1/2	1,674.84	1/2	2,041.38	1/2	2,407.93	1/2	2,774.47	1/2	3,141.01	1/2	3,507.56
3/4	234.47	3/4	593.26	3/4	952.11	3/4	1,315.93	3/4	1,682.47	3/4	2,049.02	3/4	2,415.56	3/4	2,782.11	3/4	3,148.65	3/4	3,515.19
8	241.95	8	600.74	8	959.58	8	1,323.57	8	1,690.11	8	2,056.65	8	2,423.20	8	2,789.74	8	3,156.29	8	3,522.83
1/4	249.42	1/4	608.21	1/4	967.06	1/4	1,331.20	1/4	1,697.75	1/4	2,064.29	1/4	2,430.83	1/4	2,797.38	1/4	3,163.92	1/4	3,530.47
1/2	256.89	1/2	615.69	1/2	974.54	1/2	1,338.84	1/2	1,705.38	1/2	2,071.93	1/2	2,438.47	1/2	2,805.01	1/2	3,171.56	1/2	3,538.10
3/4	264.37	3/4	623.16	3/4	982.01	3/4	1,346.47	3/4	1,713.02	3/4	2,079.56	3/4	2,446.11	3/4	2,812.65	3/4	3,179.19	3/4	3,545.74
9	271.84	9	630.64	9	989.49	9	1,354.11	9	1,720.66	9	2,087.20	9	2,453.74	9	2,820.29	9	3,186.83	9	3,553.38
1/4	279.32	1/4	638.11	1/4	996.96	1/4	1,361.75	1/4	1,728.29	1/4	2,094.84	1/4	2,461.38	1/4	2,827.92	1/4	3,194.47	1/4	3,561.01
1/2	286.79	1/2	645.59	1/2	1,004.44	1/2	1,369.38	1/2	1,735.93	1/2	2,102.47	1/2	2,469.02	1/2	2,835.56	1/2	3,202.10	1/2	3,568.65
3/4	294.26	3/4	653.06	3/4	1,011.92	3/4	1,377.02	3/4	1,743.56	3/4	2,110.11	3/4	2,476.65	3/4	2,843.20	3/4	3,209.74	3/4	3,576.28
10	301.74	10	660.54	10	1,019.39	10	1,384.66	10	1,751.20	10	2,117.74	10	2,484.29	10	2,850.83	10	3,217.38	10	3,583.92
1/4	309.21	1/4	668.01	1/4	1,026.87	1/4	1,392.29	1/4	1,758.84	1/4	2,125.38	1/4	2,491.92	1/4	2,858.47	1/4	3,225.01	1/4	3,591.56
1/2	316.68	1/2	675.49	1/2	1,034.35	1/2	1,399.93	1/2	1,766.47	1/2	2,133.02	1/2	2,499.56	1/2	2,866.11	1/2	3,232.65	1/2	3,599.19
3/4	324.16	3/4	682.96	3/4	1,041.82	3/4	1,407.57	3/4	1,774.11	3/4	2,140.65	3/4	2,507.20	3/4	2,873.74	3/4	3,240.29	3/4	3,606.83
11	331.63	11	690.14	11	1,049.30	11	1,415.20	11	1,781.75	11	2,148.29	11	2,514.83	11	2,881.38	11	3,247.92	11	3,614.47
1/4	339.10	1/4	697.32	1/4	1,056.77	1/4	1,422.84	1/4	1,789.38	1/4	2,155.93	1/4	2,522.47	1/4	2,889.01	1/4	3,255.56	1/4	3,622.10
1/2	346.58	1/2	705.39	1/2	1,064.25	1/2	1,430.47	1/2	1,797.02	1/2	2,163.56	1/2	2,530.11	1/2	2,896.65	1/2	3,263.19	1/2	3,629.74
3/4	354.05	3/4	712.77	3/4	1,071.73	3/4	1,438.11	3/4	1,804.65	3/4	2,171.20	3/4	2,537.74	3/4	2,904.29	3/4	3,270.83	3/4	3,637.37

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMO CHAPTER 27
NOTE: GAUGE POINT LOCATED 11 7/8" OFF CENTERLINE AND 43 9/16" FORWARD OF AFT BULKHEAD.
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/26/04 BY: WHF
DATE ISSUED: 4/1/04

INTERTEK CALEB BRETT

BARGE "RBT 308"
HULL NO. 2126-1

1 STBD
INNAGE TABLE

GAUGE HEIGHT 16' 5 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,645.01	0	4,011.56	0	4,378.10	0	4,744.64	0	5,111.19	0	5,415.49	0		0		0		0	
1/4	3,652.65	1/4	4,019.19	1/4	4,385.74	1/4	4,752.28	1/4	5,118.82	1/4	5,417.46	1/4		1/4		1/4		1/4	
1/2	3,660.28	1/2	4,026.83	1/2	4,393.37	1/2	4,759.92	1/2	5,126.46	1/2	5,418.31	1/2		1/2		1/2		1/2	
3/4	3,667.92	3/4	4,034.46	3/4	4,401.01	3/4	4,767.55	3/4	5,134.10	3/4	5,419.16	3/4		3/4		3/4		3/4	
1	3,675.56	1	4,042.10	1	4,408.64	1	4,775.19	1	5,141.73	1	5,420.01	1		1		1		1	
1/4	3,683.19	1/4	4,049.74	1/4	4,416.28	1/4	4,782.82	1/4	5,149.37	1/4	5,420.86	1/4		1/4		1/4		1/4	
1/2	3,690.83	1/2	4,057.37	1/2	4,423.92	1/2	4,790.46	1/2	5,157.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,698.47	3/4	4,065.01	3/4	4,431.55	3/4	4,798.10	3/4	5,164.64	3/4		3/4		3/4		3/4		3/4	
2	3,706.10	2	4,072.65	2	4,439.19	2	4,805.73	2	5,172.28	2		2		2		2		2	
1/4	3,713.74	1/4	4,080.28	1/4	4,446.83	1/4	4,813.37	1/4	5,179.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,721.37	1/2	4,087.92	1/2	4,454.46	1/2	4,821.01	1/2	5,187.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,729.01	3/4	4,095.55	3/4	4,462.10	3/4	4,828.64	3/4	5,195.19	3/4		3/4		3/4		3/4		3/4	
3	3,736.65	3	4,103.19	3	4,469.74	3	4,836.28	3	5,202.82	3		3		3		3		3	
1/4	3,744.28	1/4	4,110.83	1/4	4,477.37	1/4	4,843.92	1/4	5,210.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,751.92	1/2	4,118.46	1/2	4,485.01	1/2	4,851.55	1/2	5,218.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,759.56	3/4	4,126.10	3/4	4,492.64	3/4	4,859.19	3/4	5,225.73	3/4		3/4		3/4		3/4		3/4	
4	3,767.19	4	4,133.74	4	4,500.28	4	4,866.82	4	5,233.37	4		4		4		4		4	
1/4	3,774.83	1/4	4,141.37	1/4	4,507.92	1/4	4,874.46	1/4	5,241.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,782.47	1/2	4,149.01	1/2	4,515.55	1/2	4,882.10	1/2	5,248.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,790.10	3/4	4,156.65	3/4	4,523.19	3/4	4,889.73	3/4	5,256.28	3/4		3/4		3/4		3/4		3/4	
5	3,797.74	5	4,164.28	5	4,530.83	5	4,897.37	5	5,263.91	5		5		5		5		5	
1/4	3,805.37	1/4	4,171.92	1/4	4,538.46	1/4	4,905.01	1/4	5,271.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,813.01	1/2	4,179.55	1/2	4,546.10	1/2	4,912.64	1/2	5,279.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,820.65	3/4	4,187.19	3/4	4,553.73	3/4	4,920.28	3/4	5,286.82	3/4		3/4		3/4		3/4		3/4	
6	3,828.28	6	4,194.83	6	4,561.37	6	4,927.92	6	5,294.46	6		6		6		6		6	
1/4	3,835.92	1/4	4,202.46	1/4	4,569.01	1/4	4,935.55	1/4	5,302.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,843.56	1/2	4,210.10	1/2	4,576.64	1/2	4,943.19	1/2	5,309.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,851.19	3/4	4,217.74	3/4	4,584.28	3/4	4,950.82	3/4	5,317.37	3/4		3/4		3/4		3/4		3/4	
7	3,858.83	7	4,225.37	7	4,591.92	7	4,958.46	7	5,325.00	7		7		7		7		7	
1/4	3,866.46	1/4	4,233.01	1/4	4,599.55	1/4	4,966.10	1/4	5,332.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,874.10	1/2	4,240.65	1/2	4,607.19	1/2	4,973.73	1/2	5,339.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,881.74	3/4	4,248.28	3/4	4,614.83	3/4	4,981.37	3/4	5,345.64	3/4		3/4		3/4		3/4		3/4	
8	3,889.37	8	4,255.92	8	4,622.46	8	4,989.01	8	5,352.14	8		8		8		8		8	
1/4	3,897.01	1/4	4,263.55	1/4	4,630.10	1/4	4,996.64	1/4	5,358.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,904.65	1/2	4,271.19	1/2	4,637.73	1/2	5,004.28	1/2	5,364.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,912.28	3/4	4,278.83	3/4	4,645.37	3/4	5,011.91	3/4	5,369.39	3/4		3/4		3/4		3/4		3/4	
9	3,919.92	9	4,286.46	9	4,653.01	9	5,019.55	9	5,374.76	9		9		9		9		9	
1/4	3,927.56	1/4	4,294.10	1/4	4,660.64	1/4	5,027.19	1/4	5,380.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,935.19	1/2	4,301.74	1/2	4,668.28	1/2	5,034.82	1/2	5,384.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,942.83	3/4	4,309.37	3/4	4,675.92	3/4	5,042.46	3/4	5,388.62	3/4		3/4		3/4		3/4		3/4	
10	3,950.46	10	4,317.01	10	4,683.55	10	5,050.10	10	5,392.86	10		10		10		10		10	
1/4	3,958.10	1/4	4,324.64	1/4	4,691.19	1/4	5,057.73	1/4	5,397.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,965.74	1/2	4,332.28	1/2	4,698.83	1/2	5,065.37	1/2	5,400.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,973.37	3/4	4,339.92	3/4	4,706.46	3/4	5,073.01	3/4	5,403.32	3/4		3/4		3/4		3/4		3/4	
11	3,981.01	11	4,347.55	11	4,714.10	11	5,080.64	11	5,406.44	11		11		11		11		11	
1/4	3,988.65	1/4	4,355.19	1/4	4,721.73	1/4	5,088.28	1/4	5,409.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,996.28	1/2	4,362.83	1/2	4,729.37	1/2	5,095.91	1/2	5,411.53	1/2		1/2		1/2		1/2		1/2	
3/4	4,003.92	3/4	4,370.46	3/4	4,737.01	3/4	5,103.55	3/4	5,413.51	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 27
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/26/04 BY: WHF
DATE ISSUED: 4/12/04

INTERTEK CALEB BRETT



BARGE "RBT 308"
HULL NO. 2126-1

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'5"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19.37	0	34.92	0	678.10	0	1,014.32	0	1,358.23	0	1,702.14	0	2,046.04	0	2,389.95	0	2,733.86	0	3,077.76
1/4	23.85	1/4	34.92	1/4	688.10	1/4	1,021.49	1/4	1,365.39	1/4	1,709.30	1/4	2,053.21	1/4	2,397.11	1/4	2,741.02	1/4	3,084.93
1/2	28.32	1/2	35.92	1/2	692.11	1/2	1,028.65	1/2	1,372.56	1/2	1,716.46	1/2	2,060.37	1/2	2,404.28	1/2	2,748.19	1/2	3,092.09
3/4	32.80	3/4	36.93	3/4	699.11	3/4	1,035.82	3/4	1,379.72	3/4	1,723.63	3/4	2,067.54	3/4	2,411.44	3/4	2,755.35	3/4	3,099.26
1	37.28	1	36.93	1	706.12	1	1,042.98	1	1,386.89	1	1,730.79	1	2,074.70	1	2,418.61	1	2,762.52	1	3,106.42
1/4	43.39	1/4	37.69	1/4	713.12	1/4	1,050.14	1/4	1,394.05	1/4	1,737.96	1/4	2,081.87	1/4	2,425.77	1/4	2,769.68	1/4	3,113.59
1/2	49.50	1/2	38.94	1/2	720.12	1/2	1,057.31	1/2	1,401.22	1/2	1,745.12	1/2	2,089.03	1/2	2,432.94	1/2	2,776.84	1/2	3,120.72
3/4	55.61	3/4	39.94	3/4	727.13	3/4	1,064.47	3/4	1,408.38	3/4	1,752.29	3/4	2,096.20	3/4	2,440.10	3/4	2,784.01	3/4	3,127.95
2	61.72	2	39.95	2	734.13	2	1,071.64	2	1,415.55	2	1,759.45	2	2,103.36	2	2,447.27	2	2,791.17	2	3,135.08
1/4	68.72	1/4	40.95	1/4	741.14	1/4	1,078.80	1/4	1,422.71	1/4	1,766.62	1/4	2,110.52	1/4	2,454.43	1/4	2,798.34	1/4	3,142.25
1/2	75.73	1/2	41.95	1/2	748.14	1/2	1,085.97	1/2	1,429.88	1/2	1,773.78	1/2	2,117.69	1/2	2,461.60	1/2	2,805.50	1/2	3,149.41
3/4	82.73	3/4	41.96	3/4	755.15	3/4	1,093.13	3/4	1,433.04	3/4	1,780.95	3/4	2,124.85	3/4	2,468.76	3/4	2,812.67	3/4	3,156.58
3	89.74	3	42.96	3	762.15	3	1,100.37	3	1,444.21	3	1,788.11	3	2,132.02	3	2,475.93	3	2,819.83	3	3,163.74
1/4	96.74	1/4	43.96	1/4	769.16	1/4	1,107.46	1/4	1,451.37	1/4	1,795.28	1/4	2,139.18	1/4	2,483.09	1/4	2,827.00	1/4	3,170.90
1/2	103.74	1/2	43.97	1/2	776.16	1/2	1,114.63	1/2	1,458.53	1/2	1,802.44	1/2	2,146.35	1/2	2,490.26	1/2	2,834.16	1/2	3,178.07
3/4	110.75	3/4	44.97	3/4	783.17	3/4	1,121.79	3/4	1,465.70	3/4	1,809.61	3/4	2,153.51	3/4	2,497.42	3/4	2,841.33	3/4	3,185.23
4	117.75	4	45.98	4	790.17	4	1,128.96	4	1,472.86	4	1,816.77	4	2,160.68	4	2,504.58	4	2,848.49	4	3,192.40
1/4	124.76	1/4	46.98	1/4	797.18	1/4	1,136.12	1/4	1,480.03	1/4	1,823.94	1/4	2,167.84	1/4	2,511.75	1/4	2,855.66	1/4	3,199.56
1/2	131.76	1/2	46.98	1/2	804.18	1/2	1,143.29	1/2	1,487.19	1/2	1,831.10	1/2	2,175.01	1/2	2,518.91	1/2	2,862.82	1/2	3,206.73
3/4	138.77	3/4	47.99	3/4	811.19	3/4	1,150.45	3/4	1,494.36	3/4	1,838.27	3/4	2,182.17	3/4	2,526.08	3/4	2,869.99	3/4	3,213.89
5	145.77	5	48.99	5	818.19	5	1,157.62	5	1,501.52	5	1,845.43	5	2,189.34	5	2,533.24	5	2,877.15	5	3,221.06
1/4	152.78	1/4	48.99	1/4	825.19	1/4	1,164.74	1/4	1,508.69	1/4	1,852.59	1/4	2,196.50	1/4	2,540.41	1/4	2,884.32	1/4	3,228.22
1/2	159.78	1/2	49.00	1/2	832.20	1/2	1,171.95	1/2	1,515.85	1/2	1,859.76	1/2	2,203.67	1/2	2,547.57	1/2	2,891.48	1/2	3,235.39
3/4	166.79	3/4	50.00	3/4	839.20	3/4	1,179.11	3/4	1,522.02	3/4	1,866.92	3/4	2,210.83	3/4	2,554.74	3/4	2,898.65	3/4	3,242.55
6	173.80	6	51.01	6	846.21	6	1,186.27	6	1,530.18	6	1,874.09	6	2,218.00	6	2,561.90	6	2,905.81	6	3,249.72
1/4	180.80	1/4	51.01	1/4	853.21	1/4	1,193.44	1/4	1,537.35	1/4	1,881.25	1/4	2,225.16	1/4	2,569.07	1/4	2,912.97	1/4	3,256.88
1/2	187.81	1/2	52.01	1/2	860.22	1/2	1,200.60	1/2	1,544.51	1/2	1,888.42	1/2	2,232.33	1/2	2,576.23	1/2	2,920.14	1/2	3,264.05
3/4	194.81	3/4	53.02	3/4	867.22	3/4	1,207.77	3/4	1,551.68	3/4	1,895.58	3/4	2,239.49	3/4	2,583.40	3/4	2,927.30	3/4	3,271.21
7	201.82	7	53.02	7	874.23	7	1,214.93	7	1,558.84	7	1,902.75	7	2,246.65	7	2,590.56	7	2,934.47	7	3,278.38
1/4	208.82	1/4	54.02	1/4	881.23	1/4	1,222.10	1/4	1,566.01	1/4	1,909.91	1/4	2,253.82	1/4	2,597.73	1/4	2,941.63	1/4	3,285.54
1/2	215.83	1/2	55.03	1/2	888.24	1/2	1,229.26	1/2	1,573.17	1/2	1,917.08	1/2	2,260.98	1/2	2,604.89	1/2	2,948.80	1/2	3,292.71
3/4	222.84	3/4	55.03	3/4	895.24	3/4	1,236.43	3/4	1,580.33	3/4	1,924.24	3/4	2,268.15	3/4	2,612.06	3/4	2,956.96	3/4	3,299.87
8	229.84	8	56.04	8	902.25	8	1,243.59	8	1,587.50	8	1,931.41	8	2,275.31	8	2,619.22	8	2,963.13	8	3,307.03
1/4	236.85	1/4	57.04	1/4	909.25	1/4	1,250.76	1/4	1,594.66	1/4	1,938.57	1/4	2,282.48	1/4	2,626.39	1/4	2,970.29	1/4	3,314.20
1/2	243.85	1/2	58.04	1/2	916.26	1/2	1,257.92	1/2	1,601.83	1/2	1,945.74	1/2	2,289.64	1/2	2,633.55	1/2	2,977.46	1/2	3,321.36
3/4	250.86	3/4	59.05	3/4	923.26	3/4	1,265.09	3/4	1,608.99	3/4	1,952.90	3/4	2,296.81	3/4	2,640.71	3/4	2,984.62	3/4	3,328.53
9	257.86	9	59.05	9	930.27	9	1,272.25	9	1,616.16	9	1,960.07	9	2,303.97	9	2,647.88	9	2,991.79	9	3,335.69
1/4	264.87	1/4	60.05	1/4	937.27	1/4	1,279.42	1/4	1,623.32	1/4	1,967.23	1/4	2,311.14	1/4	2,655.04	1/4	2,998.95	1/4	3,342.86
1/2	271.87	1/2	60.06	1/2	944.27	1/2	1,286.58	1/2	1,630.49	1/2	1,974.39	1/2	2,318.30	1/2	2,662.21	1/2	2,996.12	1/2	3,350.02
3/4	278.88	3/4	61.06	3/4	951.28	3/4	1,293.75	3/4	1,637.65	3/4	1,981.56	3/4	2,325.47	3/4	2,669.37	3/4	3,003.28	3/4	3,357.19
10	285.89	10	62.07	10	958.28	10	1,300.91	10	1,644.82	10	1,988.72	10	2,332.63	10	2,676.54	10	3,010.45	10	3,364.35
1/4	292.89	1/4	62.07	1/4	965.29	1/4	1,308.08	1/4	1,651.98	1/4	1,995.89	1/4	2,339.80	1/4	2,683.70	1/4	3,017.61	1/4	3,371.52
1/2	299.89	1/2	63.07	1/2	972.29	1/2	1,315.24	1/2	1,659.15	1/2	2,003.05	1/2	2,346.96	1/2	2,690.87	1/2	3,024.77	1/2	3,378.68
3/4	306.90	3/4	63.08	3/4	979.30	3/4	1,322.40	3/4	1,666.31	3/4	2,010.22	3/4	2,354.13	3/4	2,698.03	3/4	3,031.94	3/4	3,385.85
11	313.90	11	65.08	11	986.30	11	1,329.57	11	1,673.48	11	2,017.38	11	2,361.29	11	2,705.20	11	3,039.10	11	3,393.01
1/4	320.90	1/4	65.09	1/4	993.31	1/4	1,336.73	1/4	1,680.64	1/4	2,024.55	1/4	2,368.46	1/4	2,712.36	1/4	3,046.27	1/4	3,400.18
1/2	327.91	1/2	66.09	1/2	1,000.31	1/2	1,343.90	1/2	1,687.81	1/2	2,031.71	1/2	2,375.69	1/2	2,719.53	1/2	3,053.43	1/2	3,407.34
3/4	334.91	3/4	67.10	3/4	1,007.32	3/4	1,351.06	3/4	1,694.97	3/4	2,038.88	3/4	2,382.78	3/4	2,726.69	3/4	3,060.60	3/4	3,414.51

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 27
NOTE: GAUGE POINT LOCATED 11.7' OFF CENTERLINE AND 41.3' FORWARD OF AFT BULKHEAD
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/28/04 BY: WHF
DATE ISSUED: 4/12/04

INTERTEK CALEB BRETT

BARGE "RBT 308"
HULL NO. 2126-1

2 PORT
INNAGE TABLE

GAUGE HEIGHT 16'5"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS																			
IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,421.67	0	3,765.58	0	4,109.48	0	4,453.39	0	4,797.30	0	5,141.19	0		0		0		0	
1/4	3,428.84	1/4	3,772.74	1/4	4,116.65	1/4	4,460.56	1/4	4,804.46	1/4	5,148.35	1/4		1/4		1/4		1/4	
1/2	3,436.00	1/2	3,779.91	1/2	4,123.81	1/2	4,467.72	1/2	4,811.63	1/2	5,155.52	1/2		1/2		1/2		1/2	
3/4	3,443.16	3/4	3,787.07	3/4	4,130.98	3/4	4,474.89	3/4	4,818.79	3/4	5,162.68	3/4		3/4		3/4		3/4	
1	3,450.33	1	3,794.24	1	4,138.14	1	4,482.05	1	4,825.96	1	5,169.85	1					1		1
1/4	3,457.49	1/4	3,801.40	1/4	4,145.31	1/4	4,489.21	1/4	4,833.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,464.66	1/2	3,808.57	1/2	4,152.47	1/2	4,496.38	1/2	4,840.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,471.82	3/4	3,815.73	3/4	4,159.64	3/4	4,503.54	3/4	4,847.45	3/4		3/4		3/4		3/4		3/4	
2	3,478.99	2	3,822.90	2	4,166.80	2	4,510.71	2	4,854.62	2		2				2		2	
1/4	3,486.15	1/4	3,830.06	1/4	4,173.97	1/4	4,517.87	1/4	4,861.78	1/4		1/4		1/4		1/4		1/4	
1/2	3,493.32	1/2	3,837.22	1/2	4,181.13	1/2	4,525.04	1/2	4,868.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,500.48	3/4	3,844.39	3/4	4,188.30	3/4	4,532.20	3/4	4,876.11	3/4		3/4		3/4		3/4		3/4	
3	3,507.65	3	3,851.55	3	4,195.46	3	4,539.37	3	4,883.28	3		3					3		3
1/4	3,514.81	1/4	3,858.72	1/4	4,202.63	1/4	4,546.53	1/4	4,890.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,521.98	1/2	3,865.88	1/2	4,209.79	1/2	4,553.70	1/2	4,897.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,529.14	3/4	3,873.05	3/4	4,216.96	3/4	4,560.86	3/4	4,904.77	3/4		3/4		3/4		3/4		3/4	
4	3,536.31	4	3,880.21	4	4,224.12	4	4,568.03	4	4,911.93	4		4				4		4	
1/4	3,543.47	1/4	3,887.38	1/4	4,231.28	1/4	4,575.19	1/4	4,919.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,550.64	1/2	3,894.54	1/2	4,238.45	1/2	4,582.36	1/2	4,926.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,557.80	3/4	3,901.71	3/4	4,245.61	3/4	4,589.52	3/4	4,933.43	3/4		3/4		3/4		3/4		3/4	
5	3,564.96	5	3,908.87	5	4,252.78	5	4,596.69	5	4,940.59	5		5				5		5	
1/4	3,572.13	1/4	3,916.04	1/4	4,259.94	1/4	4,603.85	1/4	4,947.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,579.29	1/2	3,923.20	1/2	4,267.11	1/2	4,611.02	1/2	4,954.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,586.46	3/4	3,930.37	3/4	4,274.27	3/4	4,618.18	3/4	4,962.09	3/4		3/4		3/4		3/4		3/4	
6	3,593.62	6	3,937.53	6	4,281.44	6	4,625.34	6	4,969.25	6		6				6		6	
1/4	3,600.79	1/4	3,944.70	1/4	4,288.60	1/4	4,632.51	1/4	4,976.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,607.95	1/2	3,951.86	1/2	4,295.77	1/2	4,639.67	1/2	4,983.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.12	3/4	3,959.03	3/4	4,302.93	3/4	4,646.84	3/4	4,990.75	3/4		3/4		3/4		3/4		3/4	
7	3,622.28	7	3,966.19	7	4,310.10	7	4,654.00	7	4,997.91	7		7				7		7	
1/4	3,629.45	1/4	3,973.35	1/4	4,317.26	1/4	4,661.17	1/4	5,005.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,636.61	1/2	3,980.52	1/2	4,324.43	1/2	4,668.33	1/2	5,012.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,643.78	3/4	3,987.68	3/4	4,331.59	3/4	4,675.50	3/4	5,019.39	3/4		3/4		3/4		3/4		3/4	
8	3,650.94	8	3,994.85	8	4,338.76	8	4,682.66	8	5,026.55	8		8				8		8	
1/4	3,658.11	1/4	4,002.01	1/4	4,345.92	1/4	4,689.83	1/4	5,033.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,665.27	1/2	4,009.18	1/2	4,353.09	1/2	4,696.99	1/2	5,040.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,672.44	3/4	4,016.34	3/4	4,360.25	3/4	4,704.16	3/4	5,048.04	3/4		3/4		3/4		3/4		3/4	
9	3,679.60	9	4,023.51	9	4,367.41	9	4,711.32	9	5,055.21	9		9				9		9	
1/4	3,686.77	1/4	4,030.67	1/4	4,374.58	1/4	4,718.49	1/4	5,062.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,693.93	1/2	4,037.84	1/2	4,381.74	1/2	4,725.65	1/2	5,069.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,701.09	3/4	4,045.00	3/4	4,388.91	3/4	4,732.82	3/4	5,076.70	3/4		3/4		3/4		3/4		3/4	
10	3,708.26	10	4,052.17	10	4,396.07	10	4,739.98	10	5,083.87	10		10				10		10	
1/4	3,715.42	1/4	4,059.33	1/4	4,403.24	1/4	4,747.15	1/4	5,091.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,722.59	1/2	4,066.50	1/2	4,410.40	1/2	4,754.31	1/2	5,098.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,729.75	3/4	4,073.66	3/4	4,417.57	3/4	4,761.47	3/4	5,105.36	3/4		3/4		3/4		3/4		3/4	
11	3,736.92	11	4,080.83	11	4,424.73	11	4,768.64	11	5,112.53	11		11				11		11	
1/4	3,744.08	1/4	4,087.99	1/4	4,431.90	1/4	4,775.80	1/4	5,119.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,751.25	1/2	4,095.15	1/2	4,439.06	1/2	4,782.97	1/2	5,126.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,758.41	3/4	4,102.32	3/4	4,446.23	3/4	4,790.13	3/4	5,134.02	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MARIS CHAPTER 27.
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/26/04 BY: WHF
DATE ISSUED: 4/1/2004

BARGE "RBT 308"
HULL NO. 2126-1

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19.37	0	341.92	0	678.10	0	1,014.32	0	1,358.23	0	1,702.14	0	2,046.04	0	2,389.95	0	2,733.86	0	3,077.76
1/4	23.85	1/4	348.92	1/4	685.10	1/4	1,021.49	1/4	1,365.39	1/4	1,709.30	1/4	2,053.21	1/4	2,397.11	1/4	2,741.02	1/4	3,084.93
1/2	28.32	1/2	355.92	1/2	692.11	1/2	1,028.65	1/2	1,372.56	1/2	1,716.46	1/2	2,060.37	1/2	2,404.28	1/2	2,748.19	1/2	3,092.09
3/4	32.80	3/4	362.93	3/4	699.11	3/4	1,035.82	3/4	1,379.72	3/4	1,723.63	3/4	2,067.54	3/4	2,411.44	3/4	2,755.35	3/4	3,099.26
1	37.28	1	369.93	1	706.12	1	1,042.98	1	1,386.89	1	1,730.79	1	2,074.70	1	2,418.61	1	2,762.52	1	3,106.42
1/4	43.39	1/4	376.93	1/4	713.12	1/4	1,050.14	1/4	1,394.05	1/4	1,737.96	1/4	2,081.87	1/4	2,425.77	1/4	2,769.68	1/4	3,113.59
1/2	49.50	1/2	383.94	1/2	720.12	1/2	1,057.31	1/2	1,401.22	1/2	1,745.12	1/2	2,089.03	1/2	2,432.94	1/2	2,776.84	1/2	3,127.92
3/4	55.61	3/4	390.94	3/4	727.13	3/4	1,064.47	3/4	1,408.38	3/4	1,752.29	3/4	2,096.20	3/4	2,440.10	3/4	2,784.01	3/4	3,135.08
2	61.72	2	397.95	2	734.13	2	1,071.64	2	1,415.55	2	1,759.45	2	2,103.36	2	2,447.27	2	2,791.17	2	3,142.25
1/4	68.72	1/4	404.95	1/4	741.14	1/4	1,078.80	1/4	1,422.71	1/4	1,766.62	1/4	2,110.52	1/4	2,454.43	1/4	2,798.34	1/4	3,149.41
1/2	75.73	1/2	411.95	1/2	748.14	1/2	1,085.97	1/2	1,429.88	1/2	1,773.78	1/2	2,117.69	1/2	2,461.60	1/2	2,805.50	1/2	3,156.58
3/4	82.73	3/4	418.96	3/4	755.15	3/4	1,093.13	3/4	1,437.04	3/4	1,780.95	3/4	2,124.85	3/4	2,468.76	3/4	2,812.67	3/4	3,163.74
3	89.74	3	425.96	3	762.15	3	1,100.30	3	1,444.21	3	1,788.11	3	2,132.02	3	2,475.93	3	2,819.83	3	3,170.90
1/4	96.74	1/4	432.96	1/4	769.16	1/4	1,107.46	1/4	1,451.37	1/4	1,795.28	1/4	2,139.18	1/4	2,483.09	1/4	2,827.00	1/4	3,178.07
1/2	103.74	1/2	439.97	1/2	776.16	1/2	1,114.63	1/2	1,458.53	1/2	1,802.44	1/2	2,146.35	1/2	2,490.26	1/2	2,834.16	1/2	3,185.23
3/4	110.75	3/4	446.97	3/4	783.17	3/4	1,121.79	3/4	1,465.70	3/4	1,809.61	3/4	2,153.51	3/4	2,497.42	3/4	2,841.33	3/4	3,192.40
4	117.75	4	453.98	4	790.17	4	1,128.96	4	1,472.86	4	1,816.77	4	2,160.68	4	2,504.58	4	2,848.49	4	3,199.56
1/4	124.76	1/4	460.98	1/4	797.18	1/4	1,136.12	1/4	1,480.03	1/4	1,823.94	1/4	2,167.84	1/4	2,511.75	1/4	2,855.66	1/4	3,206.73
1/2	131.76	1/2	467.98	1/2	804.18	1/2	1,143.29	1/2	1,487.19	1/2	1,831.10	1/2	2,175.01	1/2	2,518.91	1/2	2,862.82	1/2	3,213.89
3/4	138.77	3/4	474.99	3/4	811.19	3/4	1,150.45	3/4	1,494.36	3/4	1,838.27	3/4	2,182.17	3/4	2,526.08	3/4	2,869.99	3/4	3,221.06
5	145.77	5	481.99	5	818.19	5	1,157.62	5	1,501.52	5	1,845.43	5	2,189.34	5	2,533.24	5	2,877.15	5	3,228.22
1/4	152.78	1/4	488.99	1/4	825.19	1/4	1,164.78	1/4	1,508.69	1/4	1,852.59	1/4	2,196.50	1/4	2,540.41	1/4	2,884.32	1/4	3,235.35
1/2	159.78	1/2	496.00	1/2	832.20	1/2	1,171.95	1/2	1,515.85	1/2	1,859.76	1/2	2,203.67	1/2	2,547.57	1/2	2,891.48	1/2	3,242.55
3/4	166.79	3/4	503.00	3/4	839.20	3/4	1,179.11	3/4	1,522.02	3/4	1,866.92	3/4	2,210.83	3/4	2,554.74	3/4	2,898.65	3/4	3,249.72
6	173.80	6	510.01	6	846.21	6	1,186.27	6	1,530.18	6	1,874.09	6	2,218.00	6	2,561.90	6	2,905.81	6	3,256.88
1/4	180.80	1/4	517.01	1/4	853.21	1/4	1,193.44	1/4	1,537.35	1/4	1,881.25	1/4	2,225.16	1/4	2,569.07	1/4	2,912.97	1/4	3,264.05
1/2	187.81	1/2	524.01	1/2	860.22	1/2	1,200.60	1/2	1,544.51	1/2	1,888.42	1/2	2,232.33	1/2	2,576.23	1/2	2,920.14	1/2	3,271.21
3/4	194.81	3/4	531.02	3/4	867.22	3/4	1,207.77	3/4	1,551.68	3/4	1,895.58	3/4	2,239.49	3/4	2,583.40	3/4	2,927.30	3/4	3,278.38
7	201.82	7	538.02	7	874.23	7	1,214.93	7	1,558.84	7	1,902.75	7	2,246.65	7	2,590.56	7	2,934.47	7	3,285.54
1/4	208.82	1/4	545.02	1/4	881.23	1/4	1,222.10	1/4	1,566.01	1/4	1,909.91	1/4	2,253.82	1/4	2,597.73	1/4	2,941.63	1/4	3,292.71
1/2	215.83	1/2	552.03	1/2	888.24	1/2	1,229.26	1/2	1,573.17	1/2	1,917.08	1/2	2,260.98	1/2	2,604.89	1/2	2,948.80	1/2	3,299.87
3/4	222.84	3/4	559.03	3/4	895.24	3/4	1,236.43	3/4	1,580.33	3/4	1,924.24	3/4	2,268.15	3/4	2,612.06	3/4	2,955.96	3/4	3,307.03
8	229.84	8	566.04	8	902.25	8	1,243.59	8	1,587.50	8	1,931.41	8	2,275.31	8	2,619.22	8	2,963.13	8	3,314.20
1/4	236.85	1/4	573.04	1/4	909.25	1/4	1,250.76	1/4	1,594.66	1/4	1,938.57	1/4	2,282.48	1/4	2,626.39	1/4	2,970.29	1/4	3,321.36
1/2	243.85	1/2	580.04	1/2	916.26	1/2	1,257.92	1/2	1,601.83	1/2	1,945.74	1/2	2,289.64	1/2	2,633.55	1/2	2,977.46	1/2	3,328.53
3/4	250.86	3/4	587.05	3/4	923.26	3/4	1,265.09	3/4	1,608.99	3/4	1,952.90	3/4	2,296.81	3/4	2,640.71	3/4	2,984.62	3/4	3,335.69
9	257.86	9	594.05	9	930.27	9	1,272.25	9	1,616.16	9	1,960.07	9	2,303.97	9	2,647.88	9	2,991.79	9	3,342.86
1/4	264.87	1/4	601.05	1/4	937.27	1/4	1,279.42	1/4	1,623.32	1/4	1,967.23	1/4	2,311.14	1/4	2,655.04	1/4	2,998.95	1/4	3,350.02
1/2	271.87	1/2	608.06	1/2	944.27	1/2	1,286.58	1/2	1,630.49	1/2	1,974.39	1/2	2,318.30	1/2	2,662.21	1/2	2,662.21	1/2	3,357.19
3/4	278.88	3/4	615.06	3/4	951.28	3/4	1,293.75	3/4	1,637.65	3/4	1,981.56	3/4	2,325.47	3/4	2,669.37	3/4	2,669.37	3/4	3,364.35
10	285.89	10	622.07	10	958.28	10	1,300.91	10	1,644.82	10	1,988.72	10	2,332.63	10	2,676.54	10	2,676.54	10	3,371.52
1/4	292.89	1/4	629.07	1/4	965.29	1/4	1,308.08	1/4	1,651.98	1/4	1,995.89	1/4	2,339.80	1/4	2,683.70	1/4	2,683.70	1/4	3,378.68
1/2	299.89	1/2	636.07	1/2	972.29	1/2	1,315.24	1/2	1,659.15	1/2	2,003.05	1/2	2,346.96	1/2	2,690.87	1/2	2,690.87	1/2	3,385.85
3/4	306.90	3/4	643.08	3/4	979.30	3/4	1,322.40	3/4	1,666.31	3/4	2,010.22	3/4	2,354.13	3/4	2,698.03	3/4	2,698.03	3/4	3,393.01
11	313.90	11	650.08	11	986.30	11	1,329.57	11	1,673.48	11	2,017.38	11	2,361.29	11	2,705.20	11	2,705.20	11	3,400.18
1/4	320.90	1/4	657.09	1/4	993.31	1/4	1,336.73	1/4	1,680.64	1/4	2,024.55	1/4	2,368.46	1/4	2,712.36	1/4	2,712.36	1/4	3,407.34
1/2	327.91	1/2	664.09	1/2	1,000.31	1/2	1,343.90	1/2	1,687.81	1/2	2,031.71	1/2	2,375.62	1/2	2,719.53	1/2	2,719.53	1/2	3,414.51
3/4	334.91	3/4	671.09	3/4	1,007.32	3/4	1,351.06	3/4	1,694.97	3/4	2,038.88	3/4	2,382.78	3/4	2,726.69	3/4	2,726.69	3/4	3,421.68

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMO CHAPTER 27
NOTE: GAUGE POINT LOCATED 11 7/8" OFF CENTERLINE AND 41 3/4" FORWARD OF AFT BULKHEAD.
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/19/04 BY: MDL

INTERTEK CALEB BRETT

DATE COMPUTED: 3/26/04 BY: WHF

DATE ISSUED: 4/1/04

BARGE "RBT 308"
HULL NO. 2126-1

2 STBD
INNAGE TABLE

GAUGE HEIGHT 16' 5 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,421.67	0	3,765.58	0	4,109.48	0	4,453.39	0	4,797.30	0	5,141.19	0		0		0		0	
1/4	3,428.84	1/4	3,772.74	1/4	4,116.65	1/4	4,460.56	1/4	4,804.46	1/4	5,148.35	1/4		1/4		1/4		1/4	
1/2	3,436.00	1/2	3,779.91	1/2	4,123.81	1/2	4,467.72	1/2	4,811.63	1/2	5,155.52	1/2		1/2		1/2		1/2	
3/4	3,443.16	3/4	3,787.07	3/4	4,130.98	3/4	4,474.89	3/4	4,818.79	3/4	5,162.68	3/4		3/4		3/4		3/4	
1	3,450.33	1	3,794.24	1	4,138.14	1	4,482.05	1	4,825.96	1	5,169.85	1		1		1		1	
1/4	3,457.49	1/4	3,801.40	1/4	4,145.31	1/4	4,489.21	1/4	4,833.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,464.66	1/2	3,808.57	1/2	4,152.47	1/2	4,496.38	1/2	4,840.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,471.82	3/4	3,815.73	3/4	4,159.64	3/4	4,503.54	3/4	4,847.45	3/4		3/4		3/4		3/4		3/4	
2	3,478.99	2	3,823.90	2	4,166.80	2	4,510.71	2	4,854.62	2		2		2		2		2	
1/4	3,486.15	1/4	3,833.06	1/4	4,173.97	1/4	4,517.87	1/4	4,861.78	1/4		1/4		1/4		1/4		1/4	
1/2	3,493.32	1/2	3,837.22	1/2	4,181.13	1/2	4,525.04	1/2	4,868.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,500.48	3/4	3,844.39	3/4	4,188.30	3/4	4,532.20	3/4	4,876.11	3/4		3/4		3/4		3/4		3/4	
3	3,507.65	3	3,851.55	3	4,195.46	3	4,539.37	3	4,883.28	3		3		3		3		3	
1/4	3,514.81	1/4	3,858.72	1/4	4,202.63	1/4	4,546.53	1/4	4,890.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,521.98	1/2	3,865.88	1/2	4,209.79	1/2	4,553.70	1/2	4,897.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,529.14	3/4	3,873.05	3/4	4,216.96	3/4	4,560.86	3/4	4,904.77	3/4		3/4		3/4		3/4		3/4	
4	3,536.31	4	3,880.21	4	4,224.12	4	4,568.03	4	4,911.93	4		4		4		4		4	
1/4	3,543.47	1/4	3,887.38	1/4	4,231.28	1/4	4,575.19	1/4	4,919.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,550.64	1/2	3,894.54	1/2	4,238.45	1/2	4,582.36	1/2	4,926.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,557.80	3/4	3,901.71	3/4	4,245.61	3/4	4,589.52	3/4	4,933.43	3/4		3/4		3/4		3/4		3/4	
5	3,564.96	5	3,908.87	5	4,252.78	5	4,596.69	5	4,940.59	5		5		5		5		5	
1/4	3,572.13	1/4	3,916.04	1/4	4,259.94	1/4	4,603.85	1/4	4,947.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,579.29	1/2	3,923.20	1/2	4,267.11	1/2	4,611.02	1/2	4,954.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,586.46	3/4	3,930.37	3/4	4,274.27	3/4	4,618.18	3/4	4,962.09	3/4		3/4		3/4		3/4		3/4	
6	3,593.62	6	3,937.53	6	4,281.44	6	4,625.34	6	4,969.25	6		6		6		6		6	
1/4	3,600.79	1/4	3,944.70	1/4	4,288.60	1/4	4,632.51	1/4	4,976.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,607.95	1/2	3,951.86	1/2	4,295.77	1/2	4,639.67	1/2	4,983.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.12	3/4	3,959.03	3/4	4,302.93	3/4	4,646.84	3/4	4,990.75	3/4		3/4		3/4		3/4		3/4	
7	3,622.28	7	3,966.19	7	4,310.10	7	4,654.00	7	4,997.91	7		7		7		7		7	
1/4	3,629.45	1/4	3,973.35	1/4	4,317.26	1/4	4,661.17	1/4	5,005.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,636.61	1/2	3,980.52	1/2	4,324.43	1/2	4,668.33	1/2	5,012.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,643.78	3/4	3,987.68	3/4	4,331.59	3/4	4,675.50	3/4	5,019.39	3/4		3/4		3/4		3/4		3/4	
8	3,650.94	8	3,994.85	8	4,338.76	8	4,682.66	8	5,026.55	8		8		8		8		8	
1/4	3,658.11	1/4	4,002.01	1/4	4,345.92	1/4	4,689.83	1/4	5,033.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,665.27	1/2	4,009.18	1/2	4,353.09	1/2	4,696.99	1/2	5,040.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,672.44	3/4	4,016.34	3/4	4,360.25	3/4	4,704.16	3/4	5,048.04	3/4		3/4		3/4		3/4		3/4	
9	3,679.60	9	4,023.51	9	4,367.41	9	4,711.32	9	5,055.21	9		9		9		9		9	
1/4	3,686.77	1/4	4,030.67	1/4	4,374.58	1/4	4,718.49	1/4	5,062.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,693.93	1/2	4,037.84	1/2	4,381.74	1/2	4,725.65	1/2	5,069.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,701.09	3/4	4,045.00	3/4	4,388.91	3/4	4,732.82	3/4	5,076.70	3/4		3/4		3/4		3/4		3/4	
10	3,708.26	10	4,052.17	10	4,396.07	10	4,739.98	10	5,083.87	10		10		10		10		10	
1/4	3,715.42	1/4	4,059.33	1/4	4,403.24	1/4	4,747.15	1/4	5,091.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,722.59	1/2	4,066.50	1/2	4,410.40	1/2	4,754.31	1/2	5,098.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,729.75	3/4	4,073.66	3/4	4,417.57	3/4	4,761.47	3/4	5,105.36	3/4		3/4		3/4		3/4		3/4	
11	3,736.92	11	4,080.83	11	4,424.73	11	4,768.64	11	5,112.53	11		11		11		11		11	
1/4	3,744.08	1/4	4,087.99	1/4	4,431.90	1/4	4,775.80	1/4	5,119.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,751.25	1/2	4,095.15	1/2	4,439.06	1/2	4,782.97	1/2	5,126.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,758.41	3/4	4,102.32	3/4	4,446.23	3/4	4,790.13	3/4	5,134.02	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPUS CHAPTER 27
NOTE: GAUGE POINT LOCATED 11' 7" OFF CENTERLINE AND 41' 3" FORWARD OF AFT BULKHEAD.
NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/26/04 BY: WHF
DATE ISSUED: 4/12/04

INTERTEK CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 05"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.94	0	350.99	0	704.57	0	1,063.03	0	1,421.77	0	1,780.51	0	2,139.25	0	2,497.99	0	2,856.73	0	3,215.46
1/4	19.45	1/4	356.30	1/4	712.04	1/4	1,070.50	1/4	1,429.24	1/4	1,787.98	1/4	2,146.72	1/4	2,505.46	1/4	2,864.20	1/4	3,222.94
1/2	23.96	1/2	365.62	1/2	719.51	1/2	1,077.98	1/2	1,436.72	1/2	1,795.46	1/2	2,154.19	1/2	2,512.93	1/2	2,871.67	1/2	3,230.41
3/4	28.47	3/4	372.93	3/4	726.97	3/4	1,085.45	3/4	1,444.19	3/4	1,802.93	3/4	2,161.67	3/4	2,520.41	3/4	2,879.15	3/4	3,237.89
1	32.98	1	380.24	1	734.44	1	1,092.92	1	1,451.66	1	1,810.40	1	2,169.14	1	2,527.88	1	2,886.62	1	3,245.36
1/4	39.36	1/4	387.55	1/4	741.91	1/4	1,100.40	1/4	1,459.14	1/4	1,817.88	1/4	2,176.62	1/4	2,535.35	1/4	2,894.09	1/4	3,252.83
1/2	45.74	1/2	394.87	1/2	749.38	1/2	1,107.87	1/2	1,466.61	1/2	1,825.35	1/2	2,184.09	1/2	2,542.83	1/2	2,901.57	1/2	3,260.31
3/4	52.12	3/4	402.18	3/4	756.85	3/4	1,115.35	3/4	1,474.08	3/4	1,832.82	3/4	2,191.56	3/4	2,550.30	3/4	2,909.04	3/4	3,267.78
2	58.50	2	409.49	2	764.31	2	1,122.82	2	1,481.56	2	1,840.30	2	2,199.04	2	2,557.78	2	2,916.52	2	3,275.25
1/4	65.81	1/4	416.80	1/4	771.78	1/4	1,130.29	1/4	1,489.03	1/4	1,847.77	1/4	2,206.51	1/4	2,565.25	1/4	2,923.99	1/4	3,282.73
1/2	73.12	1/2	424.12	1/2	779.25	1/2	1,137.77	1/2	1,496.51	1/2	1,855.25	1/2	2,213.98	1/2	2,572.72	1/2	2,931.46	1/2	3,290.20
3/4	80.43	3/4	431.43	3/4	786.72	3/4	1,145.24	3/4	1,503.98	3/4	1,862.72	3/4	2,221.46	3/4	2,580.20	3/4	2,938.94	3/4	3,297.68
3	87.75	3	438.74	3	794.18	3	1,152.71	3	1,511.45	3	1,870.19	3	2,228.93	3	2,587.67	3	2,946.41	3	3,305.15
1/4	95.06	1/4	446.05	1/4	801.65	1/4	1,160.19	1/4	1,518.93	1/4	1,877.67	1/4	2,236.41	1/4	2,595.14	1/4	2,953.88	1/4	3,312.62
1/2	102.37	1/2	453.37	1/2	809.12	1/2	1,167.66	1/2	1,526.40	1/2	1,885.14	1/2	2,243.88	1/2	2,602.62	1/2	2,961.36	1/2	3,320.10
3/4	109.68	3/4	460.68	3/4	816.59	3/4	1,175.14	3/4	1,533.87	3/4	1,892.61	3/4	2,251.35	3/4	2,610.09	3/4	2,968.83	3/4	3,327.57
4	117.00	4	467.99	4	824.06	4	1,182.61	4	1,541.35	4	1,900.09	4	2,258.83	4	2,617.57	4	2,976.30	4	3,335.02
1/4	124.31	1/4	475.30	1/4	831.52	1/4	1,190.08	1/4	1,548.82	1/4	1,907.56	1/4	2,266.30	1/4	2,625.04	1/4	2,983.78	1/4	3,342.54
1/2	131.62	1/2	482.62	1/2	838.99	1/2	1,197.56	1/2	1,556.30	1/2	1,915.03	1/2	2,273.77	1/2	2,632.51	1/2	2,991.25	1/2	3,349.99
3/4	138.93	3/4	489.93	3/4	846.46	3/4	1,205.03	3/4	1,563.77	3/4	1,922.51	3/4	2,281.25	3/4	2,639.99	3/4	2,998.73	3/4	3,357.47
5	146.24	5	497.24	5	853.93	5	1,212.50	5	1,571.24	5	1,929.98	5	2,288.72	5	2,647.46	5	3,006.20	5	3,364.94
1/4	153.56	1/4	504.55	1/4	861.40	1/4	1,219.98	1/4	1,578.72	1/4	1,937.46	1/4	2,296.20	1/4	2,654.93	1/4	3,013.67	1/4	3,372.41
1/2	160.87	1/2	511.86	1/2	868.86	1/2	1,227.45	1/2	1,586.19	1/2	1,944.93	1/2	2,303.67	1/2	2,662.41	1/2	3,021.15	1/2	3,379.89
3/4	168.18	3/4	519.18	3/4	876.33	3/4	1,234.93	3/4	1,593.66	3/4	1,952.40	3/4	2,311.14	3/4	2,669.88	3/4	3,028.62	3/4	3,387.36
6	175.49	6	526.49	6	883.80	6	1,242.40	6	1,601.14	6	1,959.88	6	2,318.62	6	2,677.36	6	3,036.09	6	3,394.83
1/4	182.81	1/4	533.80	1/4	891.27	1/4	1,249.87	1/4	1,608.61	1/4	1,967.35	1/4	2,326.09	1/4	2,684.83	1/4	3,043.57	1/4	3,402.31
1/2	190.12	1/2	541.12	1/2	898.74	1/2	1,257.35	1/2	1,616.09	1/2	1,974.82	1/2	2,333.56	1/2	2,692.30	1/2	3,051.04	1/2	3,409.78
3/4	197.43	3/4	548.43	3/4	906.20	3/4	1,264.82	3/4	1,623.56	3/4	1,982.30	3/4	2,341.04	3/4	2,699.78	3/4	3,058.52	3/4	3,417.26
7	204.74	7	555.74	7	913.67	7	1,272.29	7	1,631.03	7	1,989.77	7	2,348.51	7	2,707.25	7	3,065.99	7	3,424.73
1/4	212.06	1/4	563.06	1/4	921.14	1/4	1,279.77	1/4	1,638.51	1/4	1,997.25	1/4	2,355.99	1/4	2,714.72	1/4	3,073.46	1/4	3,432.20
1/2	219.37	1/2	570.37	1/2	928.61	1/2	1,287.24	1/2	1,646.98	1/2	2,004.72	1/2	2,363.46	1/2	2,722.20	1/2	3,080.94	1/2	3,439.68
3/4	226.68	3/4	577.58	3/4	936.07	3/4	1,294.72	3/4	1,653.45	3/4	2,012.19	3/4	2,370.91	3/4	2,729.67	3/4	3,088.41	3/4	3,447.15
8	233.99	8	585.00	8	943.54	8	1,302.12	8	1,660.93	8	2,019.67	8	2,378.41	8	2,737.15	8	3,095.88	8	3,454.62
1/4	241.31	1/4	592.47	1/4	951.01	1/4	1,309.66	1/4	1,668.40	1/4	2,027.14	1/4	2,385.88	1/4	2,744.62	1/4	3,103.36	1/4	3,462.10
1/2	248.62	1/2	599.94	1/2	958.48	1/2	1,317.14	1/2	1,675.88	1/2	2,034.61	1/2	2,393.35	1/2	2,752.09	1/2	3,110.83	1/2	3,469.57
3/4	255.93	3/4	607.42	3/4	965.95	3/4	1,324.61	3/4	1,683.35	3/4	2,042.09	3/4	2,400.83	3/4	2,759.57	3/4	3,118.31	3/4	3,477.05
9	263.24	9	614.89	9	973.41	9	1,332.08	9	1,690.82	9	2,049.56	9	2,408.30	9	2,767.04	9	3,125.78	9	3,484.52
1/4	270.56	1/4	622.36	1/4	980.88	1/4	1,339.56	1/4	1,698.30	1/4	2,057.04	1/4	2,415.77	1/4	2,774.51	1/4	3,133.25	1/4	3,491.99
1/2	277.87	1/2	629.84	1/2	988.35	1/2	1,347.03	1/2	1,705.77	1/2	2,064.51	1/2	2,423.25	1/2	2,781.99	1/2	3,140.73	1/2	3,499.47
3/4	285.18	3/4	637.31	3/4	995.82	3/4	1,354.50	3/4	1,713.24	3/4	2,071.98	3/4	2,430.72	3/4	2,789.46	3/4	3,148.20	3/4	3,506.94
10	292.49	10	644.78	10	1,003.29	10	1,361.98	10	1,720.12	10	2,079.46	10	2,438.20	10	2,796.94	10	3,155.67	10	3,514.41
1/4	299.81	1/4	652.26	1/4	1,010.75	1/4	1,369.45	1/4	1,728.19	1/4	2,086.93	1/4	2,445.67	1/4	2,804.41	1/4	3,163.15	1/4	3,521.89
1/2	307.12	1/2	659.73	1/2	1,018.22	1/2	1,376.93	1/2	1,735.67	1/2	2,094.40	1/2	2,453.14	1/2	2,811.88	1/2	3,170.62	1/2	3,529.36
3/4	314.43	3/4	667.30	3/4	1,025.69	3/4	1,384.40	3/4	1,743.14	3/4	2,101.88	3/4	2,460.62	3/4	2,819.36	3/4	3,178.10	3/4	3,536.83
11	321.74	11	674.58	11	1,033.16	11	1,391.87	11	1,750.61	11	2,109.35	11	2,468.09	11	2,826.83	11	3,185.57	11	3,544.31
1/4	329.05	1/4	682.15	1/4	1,040.63	1/4	1,399.35	1/4	1,758.09	1/4	2,116.83	1/4	2,475.56	1/4	2,834.30	1/4	3,193.04	1/4	3,551.78
1/2	336.37	1/2	689.62	1/2	1,048.09	1/2	1,406.82	1/2	1,765.56	1/2	2,124.30	1/2	2,483.04	1/2	2,841.78	1/2	3,200.52	1/2	3,559.26
3/4	343.68	3/4	697.10	3/4	1,055.56	3/4	1,414.29	3/4	1,773.03	3/4	2,131.77	3/4	2,490.51	3/4	2,849.25	3/4	3,207.99	3/4	3,566.73

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 27

NOTE: GAUGE POINT LOCATED 11.7' OFF CENTERLINE AND 5' 4" FORWARD OF AFT BULKHEAD

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK

NOTE: APPLY TRIM CORRECTION WHEN REQUIRED. ADDING CORRECTION TO INNAGES FOR TRIM BY THE STERN

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/19/04 BY: MDL

DATE COMPUTED: 3/28/04 BY: WHF

DATE ISSUED: 4/12/04

INTERTEK CALEB BRETT



BARGE "RBT 308"
HULL NO. 2126-1

3 PORT
INNAGE TABLE

GAUGE HEIGHT 16' 05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,574.20	0	3,753.04	0	3,919.46	0	4,055.89	0	4,192.31	0	4,305.57	0		0		0		0	
1/4	3,581.68	1/4	3,755.88	1/4	3,922.31	1/4	4,058.73	1/4	4,195.15	1/4	4,306.31	1/4		1/4		1/4		1/4	
1/2	3,589.15	1/2	3,755.73	1/2	3,925.15	1/2	4,061.57	1/2	4,198.00	1/2	4,306.63	1/2		1/2		1/2		1/2	
3/4	3,596.62	3/4	3,751.57	3/4	3,927.99	3/4	4,064.41	3/4	4,200.84	3/4	4,306.94	3/4		3/4		3/4		3/4	
1	3,604.10	1	3,754.41	1	3,930.83	1	4,067.26	1	4,203.68	1	4,307.26	1		1		1		1	
1/4	3,611.57	1/4	3,757.25	1/4	3,933.68	1/4	4,070.10	1/4	4,206.52	1/4	4,307.57	1/4		1/4		1/4		1/4	
1/2	3,618.34	1/2	3,800.09	1/2	3,936.52	1/2	4,073.94	1/2	4,209.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,625.10	3/4	3,802.94	3/4	3,939.36	3/4	4,075.78	3/4	4,212.21	3/4		3/4		3/4		3/4		3/4	
2	3,631.86	2	3,805.78	2	3,942.20	2	4,078.63	2	4,215.05	2		2		2		2		2	
1/4	3,638.62	1/4	3,808.62	1/4	3,945.04	1/4	4,081.47	1/4	4,217.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,644.68	1/2	3,811.46	1/2	3,947.89	1/2	4,084.31	1/2	4,220.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,650.73	3/4	3,814.30	3/4	3,950.73	3/4	4,087.15	3/4	4,223.58	3/4		3/4		3/4		3/4		3/4	
3	3,656.78	3	3,817.15	3	3,953.57	3	4,089.99	3	4,226.42	3		3		3		3		3	
1/4	3,662.83	1/4	3,819.99	1/4	3,956.41	1/4	4,092.84	1/4	4,229.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.18	1/2	3,822.83	1/2	3,959.25	1/2	4,095.68	1/2	4,232.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,673.52	3/4	3,825.67	3/4	3,962.10	3/4	4,098.52	3/4	4,234.94	3/4		3/4		3/4		3/4		3/4	
4	3,678.86	4	3,828.52	4	3,964.94	4	4,101.36	4	4,237.79	4		4		4		4		4	
1/4	3,684.20	1/4	3,831.36	1/4	3,967.78	1/4	4,104.21	1/4	4,240.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,688.83	1/2	3,834.20	1/2	3,970.62	1/2	4,107.05	1/2	4,243.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,693.46	3/4	3,837.04	3/4	3,973.47	3/4	4,109.89	3/4	4,246.31	3/4		3/4		3/4		3/4		3/4	
5	3,698.09	5	3,839.88	5	3,976.31	5	4,112.73	5	4,249.16	5		5		5		5		5	
1/4	3,702.72	1/4	3,842.73	1/4	3,979.15	1/4	4,115.57	1/4	4,252.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,707.36	1/2	3,845.57	1/2	3,981.99	1/2	4,118.42	1/2	4,254.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,711.99	3/4	3,848.41	3/4	3,984.83	3/4	4,121.26	3/4	4,257.68	3/4		3/4		3/4		3/4		3/4	
6	3,714.83	6	3,851.25	6	3,987.68	6	4,124.10	6	4,260.52	6		6		6		6		6	
1/4	3,717.67	1/4	3,854.09	1/4	3,990.52	1/4	4,126.94	1/4	4,263.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,720.51	1/2	3,856.94	1/2	3,993.36	1/2	4,129.78	1/2	4,266.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,723.36	3/4	3,859.78	3/4	3,996.20	3/4	4,132.63	3/4	4,269.05	3/4		3/4		3/4		3/4		3/4	
7	3,726.20	7	3,862.62	7	3,999.05	7	4,135.47	7	4,271.89	7		7		7		7		7	
1/4	3,729.04	1/4	3,865.46	1/4	4,001.89	1/4	4,138.31	1/4	4,274.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.88	1/2	3,868.31	1/2	4,004.73	1/2	4,141.15	1/2	4,277.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,734.72	3/4	3,871.15	3/4	4,007.57	3/4	4,144.00	3/4	4,279.58	3/4		3/4		3/4		3/4		3/4	
8	3,737.57	8	3,873.99	8	4,010.41	8	4,146.84	8	4,282.00	8		8		8		8		8	
1/4	3,740.41	1/4	3,876.83	1/4	4,013.26	1/4	4,149.68	1/4	4,284.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,743.25	1/2	3,879.67	1/2	4,016.10	1/2	4,152.52	1/2	4,286.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,746.09	3/4	3,882.52	3/4	4,018.94	3/4	4,155.36	3/4	4,288.42	3/4		3/4		3/4		3/4		3/4	
9	3,748.93	9	3,885.36	9	4,021.78	9	4,158.21	9	4,290.42	9		9		9		9		9	
1/4	3,751.78	1/4	3,888.20	1/4	4,024.62	1/4	4,161.05	1/4	4,292.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,754.62	1/2	3,891.04	1/2	4,027.47	1/2	4,163.89	1/2	4,294.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,757.46	3/4	3,893.89	3/4	4,030.31	3/4	4,166.73	3/4	4,295.58	3/4		3/4		3/4		3/4		3/4	
10	3,760.30	10	3,896.73	10	4,033.15	10	4,169.57	10	4,297.16	10		10		10		10		10	
1/4	3,763.15	1/4	3,899.57	1/4	4,035.99	1/4	4,172.42	1/4	4,299.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,765.99	1/2	3,902.41	1/2	4,038.84	1/2	4,175.26	1/2	4,299.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.83	3/4	3,905.25	3/4	4,041.68	3/4	4,178.10	3/4	4,301.05	3/4		3/4		3/4		3/4		3/4	
11	3,771.67	11	3,908.10	11	4,044.52	11	4,180.94	11	4,302.21	11		11		11		11		11	
1/4	3,774.51	1/4	3,910.94	1/4	4,047.36	1/4	4,183.79	1/4	4,303.36	1/4		1/4		1/4		1/4		1/4	
1/2	3,777.36	1/2	3,913.78	1/2	4,050.20	1/2	4,186.63	1/2	4,304.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,780.20	3/4	3,916.62	3/4	4,053.05	3/4	4,189.47	3/4	4,304.84	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPWS CHAPTER 27
NOTE: GAUGE POINT LOCATED 11.7' OFF CENTERLINE AND 57.4' FORWARD OF AFT BULKHEAD.
NOTE: GAUGE POINT, TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED NEAR CENTER OF TANK.
NOTE: APPLY TRIM CORRECTION WHEN REQUIRED. ADDING CORRECTION TO INNAGES FOR TRIM BY THE STERN.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/29/04 BY: WHF
DATE ISSUED: 4/12/04

INTERTEK CALEB BRETT

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'5"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.94	0	350.99	0	704.57	0	1,063.03	0	1,421.77	0	1,780.51	0	2,139.25	0	2,497.99	0	2,856.73	0	3,215.46
1/4	19.45	1/4	358.30	1/4	712.04	1/4	1,070.50	1/4	1,429.24	1/4	1,787.98	1/4	2,146.72	1/4	2,505.46	1/4	2,864.20	1/4	3,222.94
1/2	23.96	1/2	365.62	1/2	719.51	1/2	1,077.98	1/2	1,436.72	1/2	1,795.46	1/2	2,154.19	1/2	2,512.93	1/2	2,871.67	1/2	3,230.41
3/4	28.47	3/4	372.93	3/4	726.97	3/4	1,085.45	3/4	1,444.19	3/4	1,802.93	3/4	2,161.67	3/4	2,520.41	3/4	2,879.15	3/4	3,237.89
1	32.98	1	380.24	1	733.44	1	1,092.92	1	1,451.66	1	1,810.40	1	2,169.14	1	2,527.88	1	2,886.62	1	3,245.36
1/4	39.36	1/4	387.55	1/4	741.91	1/4	1,100.40	1/4	1,459.14	1/4	1,817.88	1/4	2,176.62	1/4	2,535.35	1/4	2,894.09	1/4	3,252.83
1/2	45.74	1/2	394.87	1/2	749.38	1/2	1,107.87	1/2	1,466.61	1/2	1,825.35	1/2	2,184.09	1/2	2,542.83	1/2	2,901.57	1/2	3,260.31
3/4	52.12	3/4	402.18	3/4	756.85	3/4	1,115.35	3/4	1,474.08	3/4	1,832.82	3/4	2,191.56	3/4	2,550.30	3/4	2,909.04	3/4	3,267.78
2	58.50	2	409.49	2	764.31	2	1,122.82	2	1,481.56	2	1,840.30	2	2,199.04	2	2,557.78	2	2,916.52	2	3,275.25
1/4	65.81	1/4	416.80	1/4	771.78	1/4	1,130.29	1/4	1,489.03	1/4	1,847.77	1/4	2,206.51	1/4	2,565.25	1/4	2,923.99	1/4	3,282.73
1/2	73.12	1/2	424.12	1/2	779.25	1/2	1,137.77	1/2	1,496.51	1/2	1,855.25	1/2	2,213.98	1/2	2,572.72	1/2	2,931.46	1/2	3,290.20
3/4	80.43	3/4	431.43	3/4	786.72	3/4	1,145.24	3/4	1,503.98	3/4	1,862.72	3/4	2,221.46	3/4	2,580.20	3/4	2,938.94	3/4	3,297.68
3	87.75	3	438.74	3	794.18	3	1,152.71	3	1,511.45	3	1,870.19	3	2,228.93	3	2,587.67	3	2,946.41	3	3,305.15
1/4	95.06	1/4	446.05	1/4	801.65	1/4	1,160.19	1/4	1,518.93	1/4	1,877.67	1/4	2,236.41	1/4	2,595.14	1/4	2,953.88	1/4	3,312.62
1/2	102.37	1/2	453.37	1/2	809.12	1/2	1,167.66	1/2	1,526.40	1/2	1,885.14	1/2	2,243.88	1/2	2,602.62	1/2	2,961.36	1/2	3,320.10
3/4	109.68	3/4	460.68	3/4	816.59	3/4	1,175.14	3/4	1,533.87	3/4	1,892.61	3/4	2,251.35	3/4	2,610.09	3/4	2,968.83	3/4	3,327.57
4	117.00	4	467.99	4	824.06	4	1,182.61	4	1,541.35	4	1,900.09	4	2,258.83	4	2,617.57	4	2,976.30	4	3,335.02
1/4	124.31	1/4	475.30	1/4	831.52	1/4	1,190.08	1/4	1,548.82	1/4	1,907.56	1/4	2,266.30	1/4	2,625.04	1/4	2,983.78	1/4	3,342.52
1/2	131.62	1/2	482.62	1/2	838.99	1/2	1,197.56	1/2	1,556.30	1/2	1,915.03	1/2	2,273.77	1/2	2,632.51	1/2	2,991.25	1/2	3,349.99
3/4	138.93	3/4	489.93	3/4	846.46	3/4	1,205.03	3/4	1,563.77	3/4	1,922.51	3/4	2,281.25	3/4	2,639.99	3/4	2,998.73	3/4	3,357.47
5	146.24	5	497.24	5	853.93	5	1,212.50	5	1,571.24	5	1,929.98	5	2,288.72	5	2,647.46	5	3,006.20	5	3,364.94
1/4	153.56	1/4	504.55	1/4	861.40	1/4	1,219.98	1/4	1,578.72	1/4	1,937.46	1/4	2,296.20	1/4	2,654.93	1/4	3,013.67	1/4	3,372.42
1/2	160.87	1/2	511.86	1/2	868.86	1/2	1,227.45	1/2	1,586.19	1/2	1,944.93	1/2	2,303.67	1/2	2,662.41	1/2	3,021.15	1/2	3,379.89
3/4	168.18	3/4	519.18	3/4	876.33	3/4	1,234.93	3/4	1,593.66	3/4	1,952.40	3/4	2,311.14	3/4	2,669.88	3/4	3,028.62	3/4	3,387.36
6	175.49	6	526.49	6	883.80	6	1,242.40	6	1,601.14	6	1,959.88	6	2,318.62	6	2,677.36	6	3,036.09	6	3,394.83
1/4	182.81	1/4	533.80	1/4	891.27	1/4	1,249.87	1/4	1,608.61	1/4	1,967.35	1/4	2,326.09	1/4	2,684.83	1/4	3,043.57	1/4	3,402.31
1/2	190.12	1/2	541.12	1/2	898.74	1/2	1,257.35	1/2	1,616.09	1/2	1,974.82	1/2	2,333.56	1/2	2,692.30	1/2	3,051.04	1/2	3,409.78
3/4	197.43	3/4	548.43	3/4	906.20	3/4	1,264.82	3/4	1,623.56	3/4	1,982.30	3/4	2,341.04	3/4	2,699.78	3/4	3,058.52	3/4	3,417.26
7	204.74	7	555.74	7	913.67	7	1,272.29	7	1,631.03	7	1,989.77	7	2,348.51	7	2,707.25	7	3,065.99	7	3,424.73
1/4	212.06	1/4	563.06	1/4	921.14	1/4	1,279.77	1/4	1,638.51	1/4	1,997.25	1/4	2,355.99	1/4	2,714.72	1/4	3,073.46	1/4	3,432.20
1/2	219.37	1/2	570.37	1/2	928.61	1/2	1,287.24	1/2	1,645.98	1/2	2,004.72	1/2	2,363.46	1/2	2,722.20	1/2	3,080.94	1/2	3,439.68
3/4	226.68	3/4	577.68	3/4	936.07	3/4	1,294.72	3/4	1,653.45	3/4	2,012.19	3/4	2,370.93	3/4	2,729.67	3/4	3,088.41	3/4	3,447.15
8	233.99	8	585.00	8	943.54	8	1,302.19	8	1,660.93	8	2,019.67	8	2,378.41	8	2,737.15	8	3,095.88	8	3,454.62
1/4	241.31	1/4	592.47	1/4	951.01	1/4	1,309.66	1/4	1,668.40	1/4	2,027.14	1/4	2,385.88	1/4	2,744.62	1/4	3,103.36	1/4	3,462.10
1/2	248.62	1/2	599.94	1/2	958.48	1/2	1,317.14	1/2	1,675.88	1/2	2,034.61	1/2	2,393.35	1/2	2,752.09	1/2	3,110.83	1/2	3,469.57
3/4	255.93	3/4	607.12	3/4	965.95	3/4	1,324.61	3/4	1,683.35	3/4	2,042.09	3/4	2,400.83	3/4	2,759.57	3/4	3,118.31	3/4	3,477.05
9	263.24	9	614.39	9	973.41	9	1,332.08	9	1,690.82	9	2,049.56	9	2,408.30	9	2,767.04	9	3,125.78	9	3,484.52
1/4	270.56	1/4	622.36	1/4	980.88	1/4	1,339.56	1/4	1,698.30	1/4	2,057.04	1/4	2,415.77	1/4	2,774.51	1/4	3,133.25	1/4	3,491.99
1/2	277.87	1/2	629.84	1/2	988.35	1/2	1,347.03	1/2	1,705.77	1/2	2,064.51	1/2	2,423.25	1/2	2,781.99	1/2	3,140.73	1/2	3,499.47
3/4	285.18	3/4	637.31	3/4	995.82	3/4	1,354.50	3/4	1,713.24	3/4	2,071.98	3/4	2,430.72	3/4	2,789.46	3/4	3,148.20	3/4	3,506.94
10	292.49	10	644.78	10	1,003.29	10	1,361.98	10	1,720.72	10	2,079.46	10	2,438.20	10	2,796.94	10	3,155.67	10	3,514.41
1/4	299.81	1/4	652.26	1/4	1,010.75	1/4	1,369.45	1/4	1,728.19	1/4	2,086.93	1/4	2,445.67	1/4	2,804.41	1/4	3,163.15	1/4	3,521.89
1/2	307.12	1/2	659.73	1/2	1,018.22	1/2	1,376.93	1/2	1,735.67	1/2	2,094.40	1/2	2,453.14	1/2	2,811.88	1/2	3,170.62	1/2	3,529.36
3/4	314.43	3/4	667.20	3/4	1,025.69	3/4	1,384.40	3/4	1,743.14	3/4	2,101.88	3/4	2,460.62	3/4	2,819.36	3/4	3,178.10	3/4	3,536.83
11	321.74	11	674.68	11	1,033.16	11	1,391.87	11	1,750.61	11	2,109.35	11	2,468.09	11	2,826.83	11	3,185.57	11	3,544.31
1/4	329.05	1/4	682.15	1/4	1,040.63	1/4	1,399.35	1/4	1,758.09	1/4	2,116.83	1/4	2,475.56	1/4	2,834.30	1/4	3,193.04	1/4	3,551.78
1/2	336.37	1/2	689.62	1/2	1,046.82	1/2	1,406.82	1/2	1,765.56	1/2	2,124.30	1/2	2,483.04	1/2	2,841.78	1/2	3,200.52	1/2	3,559.26
3/4	343.68	3/4	697.10	3/4	1,055.56	3/4	1,414.29	3/4	1,773.03	3/4	2,131.77	3/4	2,490.51	3/4	2,849.25	3/4	3,207.99	3/4	3,566.73

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 3/19/04 BY: MDL

DATE COMPUTED: 3/26/04 BY: WHF

DATE ISSUED: 4/12/04

BARGE "RBT 308"
HULL NO. 2126-1

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 5"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,574.20	0	3,785.04	0	3,919.46	0	4,055.89	0	4,192.31	0	4,305.57	0		0		0		0	
1/4	3,581.68	1/4	3,783.88	1/4	3,922.31	1/4	4,058.73	1/4	4,195.15	1/4	4,306.31	1/4		1/4		1/4		1/4	
1/2	3,589.15	1/2	3,788.73	1/2	3,925.15	1/2	4,061.57	1/2	4,198.00	1/2	4,306.63	1/2		1/2		1/2		1/2	
3/4	3,596.62	3/4	3,791.57	3/4	3,927.99	3/4	4,064.41	3/4	4,200.84	3/4	4,306.94	3/4		3/4		3/4		3/4	
1	3,604.10	1	3,794.41	1	3,930.83	1	4,067.26	1	4,203.68	1	4,307.26	1		1		1		1	
1/4	3,611.57	1/4	3,797.25	1/4	3,933.68	1/4	4,070.10	1/4	4,206.52	1/4	4,307.57	1/4		1/4		1/4		1/4	
1/2	3,618.34	1/2	3,800.09	1/2	3,936.52	1/2	4,072.94	1/2	4,209.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,625.10	3/4	3,803.94	3/4	3,939.36	3/4	4,075.78	3/4	4,212.21	3/4		3/4		3/4		3/4		3/4	
2	3,631.86	2	3,805.78	2	3,942.20	2	4,078.63	2	4,215.05	2		2		2		2		2	
1/4	3,638.62	1/4	3,808.62	1/4	3,945.04	1/4	4,081.47	1/4	4,217.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,644.68	1/2	3,811.46	1/2	3,947.89	1/2	4,084.31	1/2	4,220.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,650.73	3/4	3,814.30	3/4	3,950.73	3/4	4,087.15	3/4	4,223.58	3/4		3/4		3/4		3/4		3/4	
3	3,656.78	3	3,817.15	3	3,953.57	3	4,089.99	3	4,226.42	3		3		3		3		3	
1/4	3,662.83	1/4	3,819.99	1/4	3,956.41	1/4	4,092.84	1/4	4,229.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.18	1/2	3,822.83	1/2	3,959.25	1/2	4,095.68	1/2	4,232.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,673.52	3/4	3,825.67	3/4	3,962.10	3/4	4,098.52	3/4	4,234.94	3/4		3/4		3/4		3/4		3/4	
4	3,678.86	4	3,828.52	4	3,964.94	4	4,101.36	4	4,237.79	4		4		4		4		4	
1/4	3,684.20	1/4	3,831.36	1/4	3,967.78	1/4	4,104.21	1/4	4,240.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,688.83	1/2	3,834.20	1/2	3,970.62	1/2	4,107.05	1/2	4,243.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,693.46	3/4	3,837.04	3/4	3,973.47	3/4	4,109.89	3/4	4,246.31	3/4		3/4		3/4		3/4		3/4	
5	3,698.09	5	3,839.88	5	3,976.31	5	4,112.73	5	4,249.16	5		5		5		5		5	
1/4	3,702.72	1/4	3,842.73	1/4	3,979.15	1/4	4,115.57	1/4	4,252.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,707.36	1/2	3,845.57	1/2	3,981.99	1/2	4,118.42	1/2	4,254.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,711.99	3/4	3,848.41	3/4	3,984.83	3/4	4,121.26	3/4	4,257.68	3/4		3/4		3/4		3/4		3/4	
6	3,714.83	6	3,851.25	6	3,987.68	6	4,124.10	6	4,260.52	6		6		6		6		6	
1/4	3,717.67	1/4	3,854.09	1/4	3,990.52	1/4	4,126.94	1/4	4,263.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,720.51	1/2	3,856.94	1/2	3,993.36	1/2	4,129.78	1/2	4,266.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,723.36	3/4	3,859.78	3/4	3,996.20	3/4	4,132.63	3/4	4,269.05	3/4		3/4		3/4		3/4		3/4	
7	3,726.20	7	3,862.62	7	3,999.05	7	4,135.47	7	4,271.89	7		7		7		7		7	
1/4	3,729.04	1/4	3,865.46	1/4	4,001.89	1/4	4,138.31	1/4	4,274.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.88	1/2	3,868.31	1/2	4,004.73	1/2	4,141.15	1/2	4,277.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,734.72	3/4	3,871.15	3/4	4,007.57	3/4	4,144.00	3/4	4,279.58	3/4		3/4		3/4		3/4		3/4	
8	3,737.57	8	3,873.99	8	4,010.41	8	4,146.84	8	4,282.00	8		8		8		8		8	
1/4	3,740.41	1/4	3,876.83	1/4	4,013.26	1/4	4,149.68	1/4	4,284.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,743.25	1/2	3,879.67	1/2	4,016.10	1/2	4,152.52	1/2	4,286.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,746.09	3/4	3,882.52	3/4	4,018.94	3/4	4,155.36	3/4	4,288.42	3/4		3/4		3/4		3/4		3/4	
9	3,748.93	9	3,885.36	9	4,021.78	9	4,158.21	9	4,290.42	9		9		9		9		9	
1/4	3,751.78	1/4	3,888.20	1/4	4,024.62	1/4	4,161.05	1/4	4,292.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,754.62	1/2	3,891.04	1/2	4,027.47	1/2	4,163.89	1/2	4,294.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,757.46	3/4	3,893.89	3/4	4,030.31	3/4	4,166.73	3/4	4,295.58	3/4		3/4		3/4		3/4		3/4	
10	3,760.30	10	3,896.73	10	4,033.15	10	4,169.57	10	4,297.16	10		10		10		10		10	
1/4	3,763.15	1/4	3,899.57	1/4	4,035.99	1/4	4,172.42	1/4	4,298.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,765.99	1/2	3,902.41	1/2	4,038.84	1/2	4,175.26	1/2	4,299.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.83	3/4	3,905.25	3/4	4,041.68	3/4	4,178.10	3/4	4,301.05	3/4		3/4		3/4		3/4		3/4	
11	3,771.67	11	3,908.10	11	4,044.52	11	4,180.94	11	4,302.21	11		11		11		11		11	
1/4	3,774.51	1/4	3,910.94	1/4	4,047.36	1/4	4,183.79	1/4	4,303.36	1/4		1/4		1/4		1/4		1/4	
1/2	3,777.36	1/2	3,913.78	1/2	4,050.20	1/2	4,186.63	1/2	4,304.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,780.20	3/4	3,916.62	3/4	4,053.05	3/4	4,189.47	3/4	4,304.84	3/4		3/4		3/4		3/4		3/4	

TRIM CORRECTION
Trim (ft) Correction (inches)
-1.5 -2
-1.0 -1 3/8

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE POINT LOCATED 11' 7" OFF CENTERLINE AND 57' 4" FORWARD OF AFT BULKHEAD.
NOTE: GAUGE POINT, TOP OF 11' 7" DIAMETER GAUGE HATCH, OPPOSITE HINGE LOCATED NEAR CENTER OF TANK.
NOTE: APPLY TRIM CORRECTION WHEN REQUIRED - ADDING CORRECTION TO INNAGES FOR TRIM BY THE STERN.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 3/19/04 BY: MDL
DATE COMPUTED: 3/26/04 BY: WHF
DATE ISSUED: 4/12/04

Intertek Caleb Brett Incremental Factor Sheet

BARGE: "RBT 308"
HULL NO. 2126-1

TANK NO. 3
Gauge Height Std: 16' 5"

Given In: BARRELS Per: 1/4 Inch ULLAGE TABLE

Line #	Gauge From	Gauge To	Number of Increments	Incremental Factor	Total BARRELS
--------	------------	----------	----------------------	--------------------	---------------

1	16'- 5	16'- 5	1	4.5095	14.9379
2	16'- 5	16'- 4	4		32.9761
3	16'- 4	16'- 3	4	6.3800	58.4959
4	16'- 3	16'- 1	8	7.3124	116.9951
5	16'- 1	15'- 7	24	7.3124	292.4927
6	15'- 7	15'- 5	8	7.3124	350.9919
7	15'- 5	14'- 11	24	7.3124	526.4894
8	14'- 11	14'- 9	8	7.3133	584.9960
9	14'- 9	14'- 5	16	7.4734	704.5699
10	14'- 5	13'- 5	48	7.4679	1063.0293
11	13'- 5	6'- 3 3/4	341	7.4737	3611.5722
12	6'- 3 3/4	6'- 2 3/4	4	6.7631	3638.6244
13	6'- 2 3/4	6'- 1 3/4	4	6.0524	3662.8339
14	6'- 1 3/4	6'- 0 3/4	4	5.3417	3684.2006
15	6'- 0 3/4	5'- 11 1/4	6	4.6310	3711.9867
16	5'- 11 1/4	1'- 9 3/4	198	2.8422	4274.7349
17	1'- 9 3/4	1'- 8 3/4	4	2.4210	4284.4190
18	1'- 8 3/4	1'- 7 3/4	4	1.9999	4292.4185
19	1'- 7 3/4	1'- 6 3/4	4	1.5788	4298.7339
20	1'- 6 3/4	1'- 5 3/4	4	1.1577	4303.3647
21	1'- 5 3/4	1'- 4 3/4	4	0.7366	4306.3109
22	1'- 4 3/4	1'- 3 3/4	4	0.3154	4307.5725