



BARGE "RBT 318"

HULL NO. 4512

1 PORT INNAGE TABLE

GAUGE HEIGHT: 16'- 5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	13.50	0	361.27	0	721.81	0	1,089.21	0	1,456.70	0	1,824.16	0	2,191.66	0	2,559.26	0	2,926.86	0	3,294.26
1/4	17.33	1/4	368.93	1/4	729.47	1/4	1,096.86	1/4	1,464.36	1/4	1,831.80	1/4	2,199.32	1/4	2,566.92	1/4	2,934.51	1/4	3,301.91
1/2	21.16	1/2	376.59	1/2	737.13	1/2	1,104.51	1/2	1,472.02	1/2	1,839.44	1/2	2,206.98	1/2	2,574.57	1/2	2,942.17	1/2	3,309.56
3/4	27.54	3/4	384.25	3/4	744.79	3/4	1,112.16	3/4	1,479.68	3/4	1,847.09	3/4	2,214.63	3/4	2,582.23	3/4	2,949.83	3/4	3,317.22
1	33.93	1	391.91	1	752.45	1	1,119.82	1	1,487.33	1	1,854.75	1	2,222.29	1	2,589.89	1	2,957.49	1	3,324.87
1/4	40.31	1/4	399.57	1/4	760.10	1/4	1,127.47	1/4	1,494.99	1/4	1,862.40	1/4	2,229.95	1/4	2,597.55	1/4	2,965.15	1/4	3,332.52
1/2	46.69	1/2	407.23	1/2	767.76	1/2	1,135.12	1/2	1,502.65	1/2	1,870.05	1/2	2,237.61	1/2	2,605.21	1/2	2,972.81	1/2	3,340.17
3/4	54.06	3/4	414.89	3/4	775.42	3/4	1,142.77	3/4	1,510.31	3/4	1,877.70	3/4	2,245.27	3/4	2,612.87	3/4	2,980.46	3/4	3,347.83
2	61.43	2	422.54	2	783.08	2	1,150.43	2	1,517.97	2	1,885.36	2	2,252.92	2	2,620.52	2	2,988.12	2	3,355.48
1/4	68.80	1/4	430.20	1/4	790.74	1/4	1,158.08	1/4	1,525.63	1/4	1,893.01	1/4	2,260.58	1/4	2,628.18	1/4	2,995.78	1/4	3,363.13
1/2	76.17	1/2	437.86	1/2	798.40	1/2	1,165.73	1/2	1,533.29	1/2	1,900.66	1/2	2,266.24	1/2	2,635.84	1/2	2,995.78	1/2	3,370.79
3/4	83.48	3/4	445.47	3/4	806.05	3/4	1,173.38	3/4	1,540.94	3/4	1,908.32	3/4	2,275.90	3/4	2,643.50	3/4	3,011.09	3/4	3,378.44
3	90.80	3	453.07	3	813.71	3	1,181.04	3	1,548.60	3	1,915.97	3	2,283.56	3	2,651.16	3	3,018.74	3	3,386.09
1/4	98.11	1/4	460.68	1/4	821.37	1/4	1,188.69	1/4	1,556.26	1/4	1,923.62	1/4	2,291.22	1/4	2,658.81	1/4	3,026.40	1/4	3,393.75
1/2	105.43	1/2	468.28	1/2	829.02	1/2	1,196.34	1/2	1,563.92	1/2	1,931.28	1/2	2,298.87	1/2	2,666.47	1/2	3,034.05	1/2	3,401.40
3/4	112.74	3/4	475.60	3/4	836.68	3/4	1,203.99	3/4	1,571.58	3/4	1,938.93	3/4	2,306.53	3/4	2,674.13	3/4	3,041.70	3/4	3,409.05
4	120.06	4	482.91	4	844.33	4	1,211.65	4	1,579.24	4	1,946.59	4	2,314.19	4	2,681.79	4	3,049.36	4	3,416.71
1/4	127.37	1/4	490.23	1/4	851.99	1/4	1,219.30	1/4	1,586.90	1/4	1,954.25	1/4	2,321.85	1/4	2,689.45	1/4	3,057.01	1/4	3,424.36
1/2	134.69	1/2	497.54	1/2	859.64	1/2	1,226.95	1/2	1,594.55	1/2	1,961.91	1/2	2,329.51	1/2	2,697.11	1/2	3,064.66	1/2	3,432.01
3/4	142.00	3/4	504.86	3/4	867.30	3/4	1,234.61	3/4	1,602.21	3/4	1,969.57	3/4	2,337.17	3/4	2,704.76	3/4	3,072.32	3/4	3,439.67
5	149.32	5	512.17	5	874.95	5	1,242.26	5	1,609.87	5	1,977.23	5	2,344.82	5	2,712.42	5	3,079.97	5	3,447.32
1/4	156.63	1/4	519.49	1/4	882.60	1/4	1,249.92	1/4	1,617.53	1/4	1,984.88	1/4	2,352.48	1/4	2,720.08	1/4	3,087.62	1/4	3,454.97
1/2	163.95	1/2	526.80	1/2	890.25	1/2	1,257.58	1/2	1,625.19	1/2	1,992.54	1/2	2,360.14	1/2	2,727.74	1/2	3,095.28	1/2	3,462.62
3/4	171.26	3/4	534.12	3/4	897.90	3/4	1,265.23	3/4	1,632.85	3/4	2,000.20	3/4	2,367.80	3/4	2,735.40	3/4	3,102.93	3/4	3,470.28
6	178.58	6	541.43	6	905.55	6	1,272.89	6	1,640.50	6	2,007.86	6	2,375.46	6	2,743.06	6	3,110.58	6	3,477.93
1/4	185.90	1/4	548.75	1/4	913.21	1/4	1,280.55	1/4	1,648.16	1/4	2,015.52	1/4	2,383.12	1/4	2,750.71	1/4	3,118.23	1/4	3,485.58
1/2	193.21	1/2	556.06	1/2	920.86	1/2	1,288.20	1/2	1,655.82	1/2	2,023.18	1/2	2,390.77	1/2	2,758.37	1/2	3,125.89	1/2	3,493.24
3/4	200.82	3/4	563.38	3/4	928.51	3/4	1,295.86	3/4	1,663.48	3/4	2,030.83	3/4	2,398.43	3/4	2,766.03	3/4	3,133.54	3/4	3,500.89
7	208.42	7	570.69	7	936.16	7	1,303.52	7	1,671.14	7	2,038.49	7	2,406.09	7	2,773.69	7	3,141.19	7	3,508.54
1/4	216.02	1/4	578.01	1/4	943.81	1/4	1,311.18	1/4	1,678.80	1/4	2,046.15	1/4	2,413.75	1/4	2,781.35	1/4	3,148.85	1/4	3,516.20
1/2	223.63	1/2	585.32	1/2	951.47	1/2	1,318.84	1/2	1,686.46	1/2	2,053.81	1/2	2,421.41	1/2	2,789.01	1/2	3,156.50	1/2	3,523.85
3/4	231.23	3/4	592.64	3/4	959.12	3/4	1,326.50	3/4	1,694.11	3/4	2,061.47	3/4	2,429.07	3/4	2,796.66	3/4	3,164.15	3/4	3,531.50
8	238.84	8	599.96	8	966.77	8	1,334.16	8	1,701.77	8	2,069.13	8	2,436.72	8	2,804.32	8	3,171.81	8	3,539.16
1/4	246.44	1/4	607.27	1/4	974.42	1/4	1,341.82	1/4	1,709.43	1/4	2,076.78	1/4	2,444.38	1/4	2,811.98	1/4	3,179.46	1/4	3,546.81
1/2	254.05	1/2	614.59	1/2	982.07	1/2	1,349.48	1/2	1,717.09	1/2	2,084.44	1/2	2,452.04	1/2	2,819.64	1/2	3,187.11	1/2	3,554.46
3/4	261.71	3/4	622.24	3/4	989.72	3/4	1,357.13	3/4	1,724.75	3/4	2,092.10	3/4	2,459.70	3/4	2,827.30	3/4	3,194.77	3/4	3,562.11
9	269.37	9	629.90	9	997.38	9	1,364.79	9	1,732.41	9	2,099.76	9	2,467.36	9	2,834.96	9	3,202.42	9	3,569.77
1/4	277.03	1/4	637.56	1/4	1,005.03	1/4	1,372.45	1/4	1,740.07	1/4	2,107.42	1/4	2,475.02	1/4	2,842.61	1/4	3,210.07	1/4	3,577.42
1/2	284.68	1/2	645.22	1/2	1,012.68	1/2	1,380.11	1/2	1,747.72	1/2	2,115.08	1/2	2,482.67	1/2	2,850.27	1/2	3,217.73	1/2	3,585.07
3/4	292.34	3/4	652.88	3/4	1,020.33	3/4	1,387.77	3/4	1,755.38	3/4	2,122.73	3/4	2,490.33	3/4	2,857.93	3/4	3,225.38	3/4	3,592.73
10	300.00	10	660.54	10	1,027.99	10	1,395.43	10	1,763.03	10	2,130.39	10	2,497.99	10	2,865.59	10	3,233.03	10	3,600.38
1/4	307.66	1/4	668.20	1/4	1,035.64	1/4	1,403.09	1/4	1,770.68	1/4	2,138.05	1/4	2,505.65	1/4	2,873.25	1/4	3,240.68	1/4	3,608.03
1/2	315.32	1/2	675.86	1/2	1,043.29	1/2	1,410.75	1/2	1,778.34	1/2	2,145.71	1/2	2,510.31	1/2	2,880.91	1/2	3,248.34	1/2	3,615.69
3/4	322.98	3/4	683.52	3/4	1,050.94	3/4	1,418.41	3/4	1,785.97	3/4	2,153.37	3/4	2,517.97	3/4	2,888.56	3/4	3,255.99	3/4	3,623.34
11	330.64	11	691.17	11	1,058.60	11	1,426.06	11	1,793.61	11	2,161.03	11	2,528.62	11	2,896.22	11	3,263.64	11	3,630.99
1/4	338.30	1/4	698.83	1/4	1,066.25	1/4	1,433.72	1/4	1,801.25	1/4	2,168.68	1/4	2,536.28	1/4	2,903.88	1/4	3,271.30	1/4	3,638.65
1/2	345.96	1/2	706.49	1/2	1,073.90	1/2	1,441.38	1/2	1,808.89	1/2	2,176.34	1/2	2,543.94	1/2	2,911.54	1/2	3,278.95	1/2	3,646.30
3/4	353.61	3/4	714.15	3/4	1,081.55	3/4	1,449.04	3/4	1,816.53	3/4	2,184.00	3/4	2,551.60	3/4	2,919.20	3/4	3,286.60	3/4	3,653.95

1. STRAPPED AND COMPUTED IN ACCORDANCE WITH MPNS CHAPTER 2.7

2. GAUGE POINT: TO TOP LIP OF 10" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED 12'- 0" OFF CENTERLINE AND 44'- 0" FORWARD OF AFT BULKHEAD.

3. NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

4. TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Bill A. Rose



BARGE "RBT 318"

HULL NO. 4512

1 PORT INNAGE TABLE

GAUGE HEIGHT: 16'- 5 1/4"

IN	10. FT.	IN	11. FT.	IN	12. FT.	IN	13. FT.	IN	14. FT.	IN	15. FT.	IN	16. FT.	IN	17. FT.	IN	18. FT.	IN	19. FT.
0	3,661.60	0	4,028.95	0	4,396.30	0	4,762.68	0	5,127.90	0		0		0		0		0	
1/4	3,669.26	1/4	4,036.61	1/4	4,403.96	1/4	4,770.29	1/4	5,135.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,676.91	1/2	4,044.26	1/2	4,411.61	1/2	4,777.89	1/2	5,143.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,684.56	3/4	4,051.91	3/4	4,419.26	3/4	4,785.50	3/4	5,150.73	3/4		3/4		3/4		3/4		3/4	
1	3,692.22	1	4,059.57	1	4,426.91	1	4,793.11	1	5,158.33	1		1		1		1		1	
1/4	3,699.87	1/4	4,067.22	1/4	4,434.57	1/4	4,800.72	1/4	5,165.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,707.52	1/2	4,074.87	1/2	4,442.22	1/2	4,808.33	1/2	5,173.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,715.18	3/4	4,082.53	3/4	4,449.87	3/4	4,815.94	3/4	5,181.16	3/4		3/4		3/4		3/4		3/4	
2	3,722.83	2	4,090.18	2	4,457.53	2	4,823.55	2	5,188.77	2		2		2		2		2	
1/4	3,730.48	1/4	4,097.83	1/4	4,465.18	1/4	4,831.16	1/4	5,196.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,738.14	1/2	4,105.48	1/2	4,472.83	1/2	4,838.76	1/2	5,203.99	1/2		1/2		1/2		1/2		1/2	
3/4	3,745.79	3/4	4,113.14	3/4	4,480.49	3/4	4,846.37	3/4	5,211.59	3/4		3/4		3/4		3/4		3/4	
3	3,753.44	3	4,120.79	3	4,488.14	3	4,853.98	3	5,219.19	3		3		3		3		3	
1/4	3,761.10	1/4	4,128.44	1/4	4,495.79	1/4	4,861.59	1/4	5,226.79	1/4		1/4		1/4		1/4		1/4	
1/2	3,768.75	1/2	4,136.10	1/2	4,503.45	1/2	4,869.20	1/2	5,234.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,776.40	3/4	4,143.75	3/4	4,511.10	3/4	4,876.81	3/4	5,241.99	3/4		3/4		3/4		3/4		3/4	
4	3,784.05	4	4,151.40	4	4,518.75	4	4,884.42	4	5,249.59	4		4		4		4		4	
1/4	3,791.71	1/4	4,159.06	1/4	4,526.41	1/4	4,892.03	1/4	5,257.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,799.36	1/2	4,166.71	1/2	4,534.06	1/2	4,899.64	1/2	5,264.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,807.01	3/4	4,174.36	3/4	4,541.71	3/4	4,907.25	3/4	5,272.39	3/4		3/4		3/4		3/4		3/4	
5	3,814.67	5	4,182.02	5	4,549.36	5	4,914.85	5	5,279.99	5		5		5		5		5	
1/4	3,822.32	1/4	4,189.67	1/4	4,557.02	1/4	4,922.46	1/4	5,287.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,829.97	1/2	4,197.32	1/2	4,564.67	1/2	4,930.07	1/2	5,295.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,837.63	3/4	4,204.98	3/4	4,572.32	3/4	4,937.68	3/4	5,302.79	3/4		3/4		3/4		3/4		3/4	
6	3,845.28	6	4,212.63	6	4,579.98	6	4,945.29	6	5,310.40	6		6		6		6		6	
1/4	3,852.93	1/4	4,220.28	1/4	4,587.63	1/4	4,952.90	1/4	5,318.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,860.59	1/2	4,227.93	1/2	4,595.28	1/2	4,960.51	1/2	5,325.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,868.24	3/4	4,235.59	3/4	4,602.89	3/4	4,968.11	3/4	5,333.20	3/4		3/4		3/4		3/4		3/4	
7	3,875.89	7	4,243.24	7	4,610.50	7	4,975.72	7	5,340.80	7		7		7		7		7	
1/4	3,883.54	1/4	4,250.89	1/4	4,618.11	1/4	4,983.33	1/4	5,348.40	1/4		1/4		1/4		1/4		1/4	
1/2	3,891.20	1/2	4,258.55	1/2	4,625.85	1/2	4,990.94	1/2	5,356.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,898.85	3/4	4,266.20	3/4	4,633.33	3/4	4,998.55	3/4	5,363.60	3/4		3/4		3/4		3/4		3/4	
8	3,906.50	8	4,273.85	8	4,640.94	8	5,006.16	8	5,371.20	8		8		8		8		8	
1/4	3,914.16	1/4	4,281.51	1/4	4,648.54	1/4	5,013.77	1/4	5,378.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,921.81	1/2	4,289.16	1/2	4,656.15	1/2	5,021.38	1/2	5,386.40	1/2		1/2		1/2		1/2		1/2	
3/4	3,929.46	3/4	4,296.81	3/4	4,663.76	3/4	5,028.98	3/4	5,393.37	3/4		3/4		3/4		3/4		3/4	
9	3,937.12	9	4,304.47	9	4,671.37	9	5,036.59	9	5,400.34	9		9		9		9		9	
1/4	3,944.77	1/4	4,312.12	1/4	4,678.98	1/4	5,044.20	1/4	5,407.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,952.42	1/2	4,319.77	1/2	4,686.59	1/2	5,051.81	1/2	5,414.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,960.08	3/4	4,327.42	3/4	4,694.20	3/4	5,059.42	3/4	5,419.97	3/4		3/4		3/4		3/4		3/4	
10	3,967.73	10	4,335.08	10	4,701.81	10	5,067.03	10	5,425.66	10		10		10		10		10	
1/4	3,975.38	1/4	4,342.73	1/4	4,709.42	1/4	5,074.64	1/4	5,431.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,983.04	1/2	4,350.38	1/2	4,717.02	1/2	5,082.25	1/2	5,437.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,990.69	3/4	4,358.04	3/4	4,724.63	3/4	5,089.86	3/4	5,443.46	3/4		3/4		3/4		3/4		3/4	
11	3,998.34	11	4,365.69	11	4,732.24	11	5,097.46	11	5,449.87	11		11		11		11		11	
1/4	4,005.99	1/4	4,373.34	1/4	4,739.85	1/4	5,105.07	1/4	5,450.29	1/4		1/4		1/4		1/4		1/4	
1/2	4,013.65	1/2	4,381.00	1/2	4,747.46	1/2	5,112.68	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,021.30	3/4	4,388.65	3/4	4,755.07	3/4	5,120.29	3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Bill A. Brown



BARGE "RBT 318"

HULL NO. 4512

1 STBD

INNAGE TABLE

GAUGE HEIGHT: 16'- 5 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	13.47	0	360.58	0	720.43	0	1,087.19	0	1,454.02	0	1,820.76	0	2,187.53	0	2,554.40	0	2,921.28	0	3,287.95
1/4	17.29	1/4	368.22	1/4	728.07	1/4	1,094.83	1/4	1,461.66	1/4	1,828.38	1/4	2,195.17	1/4	2,562.05	1/4	2,928.92	1/4	3,295.59
1/2	21.12	1/2	375.87	1/2	735.71	1/2	1,102.47	1/2	1,469.31	1/2	1,836.00	1/2	2,202.82	1/2	2,569.69	1/2	2,936.56	1/2	3,303.23
3/4	27.49	3/4	383.51	3/4	743.36	3/4	1,110.11	3/4	1,476.95	3/4	1,843.64	3/4	2,210.46	3/4	2,577.33	3/4	2,944.21	3/4	3,310.87
1	33.86	1	391.15	1	751.00	1	1,117.75	1	1,484.59	1	1,851.28	1	2,218.10	1	2,584.98	1	2,951.85	1	3,318.50
1/4	40.23	1/4	398.80	1/4	758.65	1/4	1,123.39	1/4	1,492.24	1/4	1,858.92	1/4	2,225.75	1/4	2,592.62	1/4	2,959.49	1/4	3,326.14
1/2	46.60	1/2	406.44	1/2	766.29	1/2	1,133.03	1/2	1,499.88	1/2	1,866.56	1/2	2,233.39	1/2	2,600.26	1/2	2,967.14	1/2	3,333.78
3/4	53.95	3/4	414.09	3/4	773.93	3/4	1,140.67	3/4	1,507.52	3/4	1,874.19	3/4	2,241.03	3/4	2,607.91	3/4	2,974.78	3/4	3,341.42
2	61.31	2	421.73	2	781.58	2	1,148.31	2	1,515.17	2	1,881.83	2	2,248.68	2	2,615.55	2	2,982.42	2	3,349.06
1/4	68.66	1/4	429.37	1/4	789.22	1/4	1,155.95	1/4	1,522.81	1/4	1,889.47	1/4	2,256.32	1/4	2,623.19	1/4	2,990.07	1/4	3,356.59
1/2	76.02	1/2	437.02	1/2	796.86	1/2	1,163.59	1/2	1,530.45	1/2	1,897.11	1/2	2,263.96	1/2	2,630.84	1/2	2,997.71	1/2	3,364.33
3/4	83.32	3/4	444.61	3/4	804.51	3/4	1,171.23	3/4	1,538.10	3/4	1,904.75	3/4	2,271.60	3/4	2,638.48	3/4	3,005.35	3/4	3,371.97
4	90.62	3	452.20	3	812.15	3	1,178.87	3	1,545.74	3	1,912.38	3	2,279.25	3	2,646.12	3	3,012.98	3	3,379.61
1/4	97.92	1/4	459.79	1/4	819.79	1/4	1,186.51	1/4	1,553.38	1/4	1,920.02	1/4	2,286.89	1/4	2,653.76	1/4	3,020.62	1/4	3,387.25
1/2	105.23	1/2	467.38	1/2	827.44	1/2	1,194.15	1/2	1,561.03	1/2	1,927.66	1/2	2,294.53	1/2	2,661.41	1/2	3,028.26	1/2	3,394.88
3/4	112.53	3/4	474.68	3/4	835.08	3/4	1,201.79	3/4	1,568.67	3/4	1,935.30	3/4	2,302.18	3/4	2,669.05	3/4	3,035.90	3/4	3,402.52
4	119.83	4	481.98	4	842.72	4	1,209.43	4	1,576.31	4	1,942.95	4	2,309.82	4	2,676.69	4	3,043.54	4	3,410.16
1/4	127.13	1/4	489.28	1/4	850.37	1/4	1,217.07	1/4	1,583.96	1/4	1,950.59	1/4	2,317.46	1/4	2,684.34	1/4	3,051.17	1/4	3,417.80
1/2	134.43	1/2	496.58	1/2	858.01	1/2	1,224.71	1/2	1,591.60	1/2	1,958.23	1/2	2,325.11	1/2	2,691.98	1/2	3,058.81	1/2	3,425.44
3/4	141.73	3/4	503.89	3/4	865.65	3/4	1,232.35	3/4	1,599.25	3/4	1,965.88	3/4	2,332.75	3/4	2,699.62	3/4	3,066.45	3/4	3,433.07
5	149.04	5	511.19	5	873.29	5	1,239.99	5	1,606.89	5	1,973.52	5	2,340.39	5	2,707.27	5	3,074.09	5	3,440.71
1/4	156.34	1/4	518.49	1/4	880.93	1/4	1,247.64	1/4	1,614.53	1/4	1,981.16	1/4	2,348.04	1/4	2,714.91	1/4	3,081.73	1/4	3,448.35
1/2	163.64	1/2	525.79	1/2	888.56	1/2	1,255.28	1/2	1,622.18	1/2	1,988.81	1/2	2,355.68	1/2	2,722.55	1/2	3,089.36	1/2	3,455.99
3/4	170.94	3/4	533.09	3/4	896.20	3/4	1,262.92	3/4	1,629.82	3/4	1,996.45	3/4	2,363.32	3/4	2,730.20	3/4	3,097.00	3/4	3,463.63
6	178.24	6	540.39	6	903.84	6	1,270.57	6	1,637.46	6	2,004.09	6	2,370.97	6	2,737.84	6	3,104.64	6	3,471.26
1/4	185.55	1/4	547.70	1/4	911.48	1/4	1,278.21	1/4	1,645.11	1/4	2,011.74	1/4	2,378.61	1/4	2,745.48	1/4	3,112.28	1/4	3,478.90
1/2	192.85	1/2	555.00	1/2	919.12	1/2	1,285.86	1/2	1,652.75	1/2	2,019.38	1/2	2,386.25	1/2	2,753.13	1/2	3,119.92	1/2	3,486.54
3/4	200.44	3/4	562.30	3/4	926.76	3/4	1,293.50	3/4	1,660.39	3/4	2,027.02	3/4	2,393.90	3/4	2,760.77	3/4	3,127.55	3/4	3,494.18
7	208.03	7	569.60	7	934.40	7	1,301.19	7	1,668.04	7	2,034.67	7	2,401.54	7	2,768.41	7	3,135.19	7	3,501.82
1/4	215.62	1/4	576.90	1/4	942.04	1/4	1,308.79	1/4	1,675.68	1/4	2,042.31	1/4	2,409.18	1/4	2,776.06	1/4	3,142.83	1/4	3,509.45
1/2	223.21	1/2	584.21	1/2	949.68	1/2	1,316.43	1/2	1,683.32	1/2	2,049.95	1/2	2,416.83	1/2	2,783.70	1/2	3,150.47	1/2	3,517.09
3/4	230.80	3/4	591.51	3/4	957.32	3/4	1,324.08	3/4	1,690.97	3/4	2,057.60	3/4	2,424.47	3/4	2,791.34	3/4	3,158.11	3/4	3,524.73
8	238.39	8	598.81	8	964.95	8	1,331.72	8	1,698.61	8	2,065.24	8	2,432.11	8	2,798.99	8	3,165.74	8	3,532.37
1/4	245.98	1/4	606.11	1/4	972.59	1/4	1,339.36	1/4	1,706.25	1/4	2,072.88	1/4	2,447.40	1/4	2,806.63	1/4	3,173.38	1/4	3,540.01
1/2	253.57	1/2	613.41	1/2	980.23	1/2	1,347.01	1/2	1,713.90	1/2	2,080.52	1/2	2,447.40	1/2	2,814.27	1/2	3,181.02	1/2	3,547.64
3/4	261.21	3/4	621.06	3/4	987.87	3/4	1,354.65	3/4	1,721.54	3/4	2,088.17	3/4	2,455.04	3/4	2,821.92	3/4	3,188.66	3/4	3,555.28
9	268.85	9	628.70	9	995.51	9	1,362.29	9	1,729.18	9	2,095.81	9	2,462.68	9	2,829.56	9	3,196.30	9	3,562.92
1/4	276.50	1/4	636.34	1/4	1,003.15	1/4	1,369.94	1/4	1,736.83	1/4	2,103.45	1/4	2,470.33	1/4	2,837.20	1/4	3,203.93	1/4	3,570.56
1/2	284.14	1/2	643.99	1/2	1,010.79	1/2	1,377.58	1/2	1,744.47	1/2	2,111.10	1/2	2,477.97	1/2	2,844.84	1/2	3,211.57	1/2	3,578.20
3/4	291.79	3/4	651.63	3/4	1,018.43	3/4	1,385.23	3/4	1,752.11	3/4	2,118.74	3/4	2,485.61	3/4	2,852.49	3/4	3,219.21	3/4	3,585.83
10	299.43	10	659.28	10	1,026.07	10	1,392.87	10	1,759.75	10	2,126.38	10	2,493.26	10	2,860.13	10	3,226.85	10	3,593.47
1/4	307.07	1/4	666.92	1/4	1,033.71	1/4	1,400.51	1/4	1,767.38	1/4	2,134.03	1/4	2,500.90	1/4	2,867.77	1/4	3,234.49	1/4	3,601.11
1/2	314.72	1/2	674.56	1/2	1,041.35	1/2	1,408.16	1/2	1,775.02	1/2	2,141.67	1/2	2,508.54	1/2	2,875.42	1/2	3,242.12	1/2	3,608.75
3/4	322.36	3/4	682.21	3/4	1,048.99	3/4	1,415.80	3/4	1,782.64	3/4	2,149.31	3/4	2,516.19	3/4	2,883.06	3/4	3,249.76	3/4	3,616.39
11	330.00	11	689.85	11	1,056.63	11	1,423.44	11	1,790.27	11	2,156.96	11	2,523.83	11	2,890.70	11	3,257.40	11	3,624.02
1/4	337.65	1/4	697.49	1/4	1,064.27	1/4	1,431.09	1/4	1,797.89	1/4	2,164.60	1/4	2,531.47	1/4	2,898.35	1/4	3,265.04	1/4	3,631.66
1/2	345.29	1/2	705.14	1/2	1,071.91	1/2	1,438.73	1/2	1,805.51	1/2	2,172.24	1/2	2,539.12	1/2	2,905.99	1/2	3,272.68	1/2	3,639.30
3/4	352.94	3/4	712.78	3/4	1,079.55	3/4	1,446.38	3/4	1,813.14	3/4	2,179.89	3/4	2,546.76	3/4	2,913.63	3/4	3,280.31	3/4	3,646.94

1. STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

2. GAUGE POINT: TO TOP LIP OF 10" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED 12'- 0" OFF CENTERLINE AND 44'- 0" FORWARD OF AFT BULKHEAD.

3. NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

4. TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA & DR
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Bill A. Ben



BARGE "RBT 318"

HULL NO. 4512

1 STBD INNAGE TABLE

Gauge Height: 16'- 5 5/8"

IN	10. FT.	IN	11. FT.	IN	12. FT.	IN	13. FT.	IN	14. FT.	IN	15. FT.	IN	16. FT.	IN	17. FT.	IN	18. FT.	IN	19. FT.
0	3,654.58	0	4,021.20	0	4,387.82	0	4,753.48	0	5,117.99	0		0		0		0		0	
1/4	3,662.21	1/4	4,028.84	1/4	4,395.46	1/4	4,761.07	1/4	5,125.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,669.85	1/2	4,036.48	1/2	4,403.10	1/2	4,768.67	1/2	5,133.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,677.49	3/4	4,044.11	3/4	4,410.74	3/4	4,776.26	3/4	5,140.77	3/4		3/4		3/4		3/4		3/4	
1	3,685.13	1	4,051.75	1	4,418.38	1	4,783.85	1	5,148.36	1		1		1		1		1	
1/4	3,692.77	1/4	4,059.39	1/4	4,426.01	1/4	4,791.45	1/4	5,155.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,700.40	1/2	4,067.03	1/2	4,433.65	1/2	4,799.04	1/2	5,163.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,708.04	3/4	4,074.67	3/4	4,441.29	3/4	4,806.64	3/4	5,171.14	3/4		3/4		3/4		3/4		3/4	
2	3,715.68	2	4,082.30	2	4,448.93	2	4,814.23	2	5,178.74	2		2		2		2		2	
1/4	3,723.32	1/4	4,089.94	1/4	4,456.57	1/4	4,821.82	1/4	5,186.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,730.96	1/2	4,097.58	1/2	4,464.20	1/2	4,828.42	1/2	5,193.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,738.59	3/4	4,105.22	3/4	4,471.84	3/4	4,837.01	3/4	5,201.51	3/4		3/4		3/4		3/4		3/4	
3	3,746.23	3	4,112.86	3	4,479.48	3	4,844.61	3	5,209.10	3		3		3		3		3	
1/4	3,753.87	1/4	4,120.49	1/4	4,487.12	1/4	4,852.20	1/4	5,216.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,761.51	1/2	4,128.13	1/2	4,494.76	1/2	4,859.79	1/2	5,224.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,769.15	3/4	4,135.77	3/4	4,502.39	3/4	4,867.39	3/4	5,231.85	3/4		3/4		3/4		3/4		3/4	
4	3,776.78	4	4,143.41	4	4,510.03	4	4,874.98	4	5,239.44	4		4		4		4		4	
1/4	3,784.42	1/4	4,151.05	1/4	4,517.67	1/4	4,882.57	1/4	5,247.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,792.06	1/2	4,158.68	1/2	4,525.31	1/2	4,890.17	1/2	5,254.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,799.70	3/4	4,166.32	3/4	4,532.95	3/4	4,897.76	3/4	5,262.20	3/4		3/4		3/4		3/4		3/4	
5	3,807.34	5	4,173.96	5	4,540.58	5	4,905.36	5	5,269.78	5		5		5		5		5	
1/4	3,814.97	1/4	4,181.60	1/4	4,548.22	1/4	4,912.95	1/4	5,277.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,822.61	1/2	4,189.24	1/2	4,555.86	1/2	4,920.54	1/2	5,284.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,830.25	3/4	4,196.87	3/4	4,563.50	3/4	4,928.14	3/4	5,292.54	3/4		3/4		3/4		3/4		3/4	
6	3,837.89	6	4,204.51	6	4,571.14	6	4,935.73	6	5,300.12	6		6		6		6		6	
1/4	3,845.53	1/4	4,212.15	1/4	4,578.77	1/4	4,943.33	1/4	5,307.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,853.16	1/2	4,219.79	1/2	4,586.41	1/2	4,950.92	1/2	5,315.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,860.80	3/4	4,227.43	3/4	4,594.01	3/4	4,958.51	3/4	5,322.88	3/4		3/4		3/4		3/4		3/4	
7	3,868.44	7	4,235.06	7	4,601.60	7	4,966.11	7	5,330.47	7		7		7		7		7	
1/4	3,876.08	1/4	4,242.70	1/4	4,609.19	1/4	4,973.70	1/4	5,338.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,883.72	1/2	4,250.34	1/2	4,616.79	1/2	4,981.30	1/2	5,345.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,891.35	3/4	4,257.98	3/4	4,624.38	3/4	4,988.89	3/4	5,353.22	3/4		3/4		3/4		3/4		3/4	
8	3,898.99	8	4,265.62	8	4,631.98	8	4,996.48	8	5,360.81	8		8		8		8		8	
1/4	3,906.63	1/4	4,273.25	1/4	4,639.57	1/4	5,004.08	1/4	5,368.40	1/4		1/4		1/4		1/4		1/4	
1/2	3,914.27	1/2	4,280.89	1/2	4,647.16	1/2	5,011.67	1/2	5,375.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,921.91	3/4	4,288.53	3/4	4,654.76	3/4	5,019.27	3/4	5,382.94	3/4		3/4		3/4		3/4		3/4	
9	3,929.54	9	4,296.17	9	4,662.35	9	5,026.86	9	5,389.89	9		9		9		9		9	
1/4	3,937.18	1/4	4,303.81	1/4	4,669.95	1/4	5,034.45	1/4	5,396.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,944.82	1/2	4,311.44	1/2	4,677.54	1/2	5,042.05	1/2	5,403.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,952.46	3/4	4,319.08	3/4	4,685.13	3/4	5,049.64	3/4	5,409.48	3/4		3/4		3/4		3/4		3/4	
10	3,960.10	10	4,326.72	10	4,692.73	10	5,057.23	10	5,415.16	10		10		10		10		10	
1/4	3,967.73	1/4	4,334.36	1/4	4,700.32	1/4	5,064.83	1/4	5,420.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,975.37	1/2	4,342.00	1/2	4,707.92	1/2	5,072.42	1/2	5,426.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,983.01	3/4	4,349.63	3/4	4,715.51	3/4	5,080.02	3/4	5,430.93	3/4		3/4		3/4		3/4		3/4	
11	3,990.65	11	4,357.27	11	4,723.10	11	5,087.61	11	5,435.34	11		11		11		11		11	
1/4	3,998.29	1/4	4,364.91	1/4	4,730.70	1/4	5,095.20	1/4	5,439.74	1/4		1/4		1/4		1/4		1/4	
1/2	4,005.92	1/2	4,372.55	1/2	4,738.29	1/2	5,102.80	1/2	5,444.15	1/2		1/2		1/2		1/2		1/2	
3/4	4,013.56	3/4	4,380.19	3/4	4,745.88	3/4	5,110.39	3/4	5,445.71	3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Out of Bar



BARGE "RBT 318"

HULL NO. 4512

2 PORT INNAGE TABLE

GAUGE HEIGHT: 16'-6"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.11	0	376.56	0	756.38	0	1,140.65	0	1,525.23	0	1,910.04	0	2,294.81	0	2,679.98	0	3,065.16	0	3,450.13
1/4	18.12	1/4	386.58	1/4	764.41	1/4	1,148.65	1/4	1,533.25	1/4	1,918.03	1/4	2,302.84	1/4	2,688.01	1/4	3,073.18	1/4	3,458.15
1/2	22.14	1/2	394.61	1/2	772.43	1/2	1,156.65	1/2	1,541.28	1/2	1,926.01	1/2	2,310.86	1/2	2,696.03	1/2	3,081.20	1/2	3,466.17
3/4	28.82	3/4	402.63	3/4	780.46	3/4	1,164.65	3/4	1,549.30	3/4	1,934.01	3/4	2,318.89	3/4	2,704.06	3/4	3,089.23	3/4	3,474.19
1	35.51	1	410.66	1	788.48	1	1,172.65	1	1,557.33	1	1,942.00	1	2,326.91	1	2,712.08	1	3,097.25	1	3,482.21
1/4	42.20	1/4	418.68	1/4	796.51	1/4	1,180.65	1/4	1,565.35	1/4	1,950.00	1/4	2,334.94	1/4	2,720.11	1/4	3,105.28	1/4	3,490.23
1/2	48.89	1/2	426.71	1/2	804.53	1/2	1,188.65	1/2	1,573.37	1/2	1,958.00	1/2	2,342.96	1/2	2,728.13	1/2	3,113.30	1/2	3,498.24
3/4	56.61	3/4	434.73	3/4	812.56	3/4	1,196.65	3/4	1,581.40	3/4	1,966.00	3/4	2,350.98	3/4	2,736.16	3/4	3,121.33	3/4	3,506.26
2	64.33	2	442.76	2	820.58	2	1,204.65	2	1,589.42	2	1,974.00	2	2,359.01	2	2,744.18	2	3,129.35	2	3,514.28
1/4	72.05	1/4	450.78	1/4	828.61	1/4	1,212.65	1/4	1,597.45	1/4	1,989.99	1/4	2,367.03	1/4	2,752.20	1/4	3,137.38	1/4	3,522.30
1/2	79.77	1/2	458.81	1/2	836.63	1/2	1,220.65	1/2	1,605.47	1/2	1,989.99	1/2	2,375.06	1/2	2,760.23	1/2	3,145.40	1/2	3,530.32
3/4	87.44	3/4	466.78	3/4	844.63	3/4	1,228.65	3/4	1,613.50	3/4	1,997.99	3/4	2,383.08	3/4	2,768.25	3/4	3,153.42	3/4	3,538.34
3	95.11	3	474.75	3	852.64	3	1,236.65	3	1,621.52	3	2,005.99	3	2,391.11	3	2,776.28	3	3,161.44	3	3,546.36
1/4	102.77	1/4	482.72	1/4	860.64	1/4	1,244.65	1/4	1,629.55	1/4	2,013.99	1/4	2,399.13	1/4	2,784.30	1/4	3,169.46	1/4	3,554.38
1/2	110.44	1/2	490.69	1/2	868.64	1/2	1,252.65	1/2	1,637.57	1/2	2,021.98	1/2	2,407.15	1/2	2,792.33	1/2	3,177.48	1/2	3,562.40
3/4	118.11	3/4	498.36	3/4	876.65	3/4	1,260.65	3/4	1,645.59	3/4	2,030.01	3/4	2,415.18	3/4	2,800.35	3/4	3,185.50	3/4	3,570.42
4	125.78	4	506.03	4	884.65	4	1,268.65	4	1,653.62	4	2,038.03	4	2,423.20	4	2,808.37	4	3,193.51	4	3,578.44
1/4	133.44	1/4	513.69	1/4	892.65	1/4	1,276.65	1/4	1,661.64	1/4	2,046.06	1/4	2,431.23	1/4	2,816.40	1/4	3,201.53	1/4	3,586.46
1/2	141.11	1/2	521.36	1/2	900.66	1/2	1,284.65	1/2	1,669.67	1/2	2,054.08	1/2	2,439.25	1/2	2,824.42	1/2	3,209.55	1/2	3,594.47
3/4	148.78	3/4	529.03	3/4	908.66	3/4	1,292.65	3/4	1,677.69	3/4	2,062.11	3/4	2,447.28	3/4	2,832.45	3/4	3,217.57	3/4	3,602.49
5	156.44	5	536.69	5	916.66	5	1,300.66	5	1,685.72	5	2,070.13	5	2,455.30	5	2,840.47	5	3,225.59	5	3,610.51
1/4	164.11	1/4	544.36	1/4	924.65	1/4	1,308.66	1/4	1,693.74	1/4	2,078.15	1/4	2,463.33	1/4	2,848.50	1/4	3,233.61	1/4	3,618.53
1/2	171.78	1/2	552.03	1/2	932.65	1/2	1,316.67	1/2	1,701.77	1/2	2,086.18	1/2	2,471.35	1/2	2,856.52	1/2	3,241.63	1/2	3,626.55
3/4	179.45	3/4	559.70	3/4	940.65	3/4	1,324.67	3/4	1,709.79	3/4	2,094.20	3/4	2,479.37	3/4	2,864.55	3/4	3,249.65	3/4	3,634.57
6	187.11	6	567.36	6	948.65	6	1,332.67	6	1,717.81	6	2,102.23	6	2,487.40	6	2,872.57	6	3,257.67	6	3,642.59
1/4	194.78	1/4	575.03	1/4	956.65	1/4	1,340.68	1/4	1,725.84	1/4	2,110.25	1/4	2,495.42	1/4	2,880.59	1/4	3,265.69	1/4	3,650.61
1/2	202.45	1/2	582.70	1/2	964.65	1/2	1,348.68	1/2	1,733.86	1/2	2,118.28	1/2	2,503.45	1/2	2,888.62	1/2	3,273.71	1/2	3,658.63
3/4	210.42	3/4	590.36	3/4	972.65	3/4	1,356.71	3/4	1,741.89	3/4	2,126.30	3/4	2,511.47	3/4	2,896.64	3/4	3,281.73	3/4	3,666.65
7	218.39	7	598.03	7	980.65	7	1,364.73	7	1,749.91	7	2,134.33	7	2,519.50	7	2,904.67	7	3,289.75	7	3,674.67
1/4	226.36	1/4	605.70	1/4	988.65	1/4	1,372.76	1/4	1,757.94	1/4	2,142.35	1/4	2,527.52	1/4	2,912.69	1/4	3,297.76	1/4	3,682.69
1/2	234.33	1/2	613.37	1/2	996.65	1/2	1,380.78	1/2	1,765.96	1/2	2,150.37	1/2	2,535.55	1/2	2,920.72	1/2	3,305.78	1/2	3,690.71
3/4	242.30	3/4	621.03	3/4	1,004.65	3/4	1,388.81	3/4	1,773.98	3/4	2,158.40	3/4	2,543.57	3/4	2,928.74	3/4	3,313.80	3/4	3,698.72
8	250.27	8	628.70	8	1,012.65	8	1,396.83	8	1,782.01	8	2,166.42	8	2,551.59	8	2,936.77	8	3,321.82	8	3,706.74
1/4	258.24	1/4	636.37	1/4	1,020.65	1/4	1,404.86	1/4	1,790.03	1/4	2,174.45	1/4	2,559.62	1/4	2,944.79	1/4	3,329.84	1/4	3,714.76
1/2	266.21	1/2	644.03	1/2	1,028.65	1/2	1,412.88	1/2	1,798.06	1/2	2,182.47	1/2	2,567.64	1/2	2,952.81	1/2	3,337.86	1/2	3,722.78
3/4	274.24	3/4	652.06	3/4	1,036.65	3/4	1,420.91	3/4	1,806.08	3/4	2,190.50	3/4	2,575.67	3/4	2,960.84	3/4	3,345.88	3/4	3,730.80
9	282.26	9	660.08	9	1,044.65	9	1,428.93	9	1,814.11	9	2,198.52	9	2,583.69	9	2,968.86	9	3,353.90	9	3,738.82
1/4	290.29	1/4	668.11	1/4	1,052.65	1/4	1,436.95	1/4	1,822.13	1/4	2,206.54	1/4	2,591.72	1/4	2,976.89	1/4	3,361.92	1/4	3,746.84
1/2	298.31	1/2	676.13	1/2	1,060.65	1/2	1,444.98	1/2	1,830.16	1/2	2,214.57	1/2	2,603.74	1/2	2,984.91	1/2	3,369.94	1/2	3,754.86
3/4	306.34	3/4	684.16	3/4	1,068.65	3/4	1,453.00	3/4	1,838.15	3/4	2,222.59	3/4	2,607.76	3/4	2,992.94	3/4	3,377.96	3/4	3,762.88
10	314.36	10	692.18	10	1,076.65	10	1,461.03	10	1,846.15	10	2,230.62	10	2,615.79	10	3,000.96	10	3,385.98	10	3,770.90
1/4	322.39	1/4	700.21	1/4	1,084.65	1/4	1,469.05	1/4	1,854.15	1/4	2,238.64	1/4	2,623.81	1/4	3,008.98	1/4	3,393.99	1/4	3,778.92
1/2	330.41	1/2	708.23	1/2	1,092.65	1/2	1,477.08	1/2	1,862.15	1/2	2,246.67	1/2	2,631.84	1/2	3,017.01	1/2	3,402.01	1/2	3,786.94
3/4	338.44	3/4	716.26	3/4	1,100.65	3/4	1,485.10	3/4	1,870.13	3/4	2,254.69	3/4	2,639.86	3/4	3,025.03	3/4	3,410.03	3/4	3,794.95
11	346.46	11	724.28	11	1,108.65	11	1,493.13	11	1,878.11	11	2,262.72	11	2,647.89	11	3,033.06	11	3,418.05	11	3,802.97
1/4	354.49	1/4	732.31	1/4	1,116.65	1/4	1,501.15	1/4	1,886.10	1/4	2,270.74	1/4	2,655.91	1/4	3,041.08	1/4	3,426.07	1/4	3,810.99
1/2	362.51	1/2	740.33	1/2	1,124.65	1/2	1,509.18	1/2	1,894.08	1/2	2,278.76	1/2	2,663.94	1/2	3,049.11	1/2	3,434.09	1/2	3,818.01
3/4	370.54	3/4	748.36	3/4	1,132.65	3/4	1,517.20	3/4	1,902.06	3/4	2,286.79	3/4	2,671.96	3/4	3,057.13	3/4	3,442.11	3/4	3,827.03

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

1. STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
2. GAUGE POINT: TO TOP LIP OF 10" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED 12'-0" OFF CENTERLINE AND 48'-10" FORWARD OF AFT BULKHEAD.
3. NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
4. TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06

CHART IS CERTIFIED FOR THIS TANK ONLY.



Bill A. Brown



BARGE "RBT 318"
HULL NO. 4512

2 PORT
INNAGE TABLE

Gauge Height: 16'-6"

IN	10. FT.	IN	11. FT.	IN	12. FT.	IN	13. FT.	IN	14. FT.	IN	15. FT.	IN	16. FT.	IN	17. FT.	IN	18. FT.	IN	19. FT.
0	3,835.05	0	4,219.97	0	4,604.89	0	4,988.84	0	5,371.64	0		0		0		0		0	
1/4	3,843.07	1/4	4,227.99	1/4	4,612.91	1/4	4,996.82	1/4	5,379.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,851.09	1/2	4,236.01	1/2	4,620.93	1/2	5,004.79	1/2	5,387.59	1/2		1/2		1/2		1/2		1/2	
3/4	3,859.11	3/4	4,244.03	3/4	4,628.95	3/4	5,012.77	3/4	5,395.56	3/4		3/4		3/4		3/4		3/4	
1	3,867.13	1	4,252.05	1	4,636.97	1	5,020.74	1	5,403.54	1		1		1		1		1	
1/4	3,875.15	1/4	4,260.07	1/4	4,644.99	1/4	5,028.72	1/4	5,411.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,883.17	1/2	4,268.09	1/2	4,653.01	1/2	5,036.69	1/2	5,419.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,891.19	3/4	4,276.11	3/4	4,661.03	3/4	5,044.67	3/4	5,427.46	3/4		3/4		3/4		3/4		3/4	
2	3,899.20	2	4,284.13	2	4,669.05	2	5,052.64	2	5,435.44	2		2		2		2		2	
1/4	3,907.22	1/4	4,292.15	1/4	4,677.07	1/4	5,060.62	1/4	5,443.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,915.24	1/2	4,300.16	1/2	4,685.09	1/2	5,068.59	1/2	5,451.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,923.26	3/4	4,308.18	3/4	4,693.11	3/4	5,076.56	3/4	5,459.35	3/4		3/4		3/4		3/4		3/4	
3	3,931.28	3	4,316.20	3	4,701.12	3	5,084.54	3	5,467.32	3		3		3		3		3	
1/4	3,939.30	1/4	4,324.22	1/4	4,709.14	1/4	5,092.51	1/4	5,475.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,947.32	1/2	4,332.24	1/2	4,717.16	1/2	5,100.49	1/2	5,483.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,955.34	3/4	4,340.26	3/4	4,725.18	3/4	5,108.46	3/4	5,491.22	3/4		3/4		3/4		3/4		3/4	
4	3,963.36	4	4,348.28	4	4,733.20	4	5,116.44	4	5,499.19	4		4		4		4		4	
1/4	3,971.38	1/4	4,356.30	1/4	4,741.22	1/4	5,124.41	1/4	5,507.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,979.40	1/2	4,364.32	1/2	4,749.24	1/2	5,132.39	1/2	5,515.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,987.42	3/4	4,372.34	3/4	4,757.26	3/4	5,140.36	3/4	5,523.09	3/4		3/4		3/4		3/4		3/4	
5	3,995.43	5	4,380.36	5	4,765.28	5	5,148.34	5	5,531.06	5		5		5		5		5	
1/4	4,003.45	1/4	4,388.38	1/4	4,773.30	1/4	5,156.31	1/4	5,539.02	1/4		1/4		1/4		1/4		1/4	
1/2	4,011.47	1/2	4,396.39	1/2	4,781.32	1/2	5,164.29	1/2	5,546.99	1/2		1/2		1/2		1/2		1/2	
3/4	4,019.49	3/4	4,404.41	3/4	4,789.34	3/4	5,172.26	3/4	5,554.96	3/4		3/4		3/4		3/4		3/4	
6	4,027.51	6	4,412.43	6	4,797.35	6	5,180.24	6	5,562.92	6		6		6		6		6	
1/4	4,035.53	1/4	4,420.45	1/4	4,805.37	1/4	5,188.21	1/4	5,570.89	1/4		1/4		1/4		1/4		1/4	
1/2	4,043.55	1/2	4,428.47	1/2	4,813.39	1/2	5,196.19	1/2	5,578.86	1/2		1/2		1/2		1/2		1/2	
3/4	4,051.57	3/4	4,436.49	3/4	4,821.37	3/4	5,204.16	3/4	5,586.83	3/4		3/4		3/4		3/4		3/4	
7	4,059.59	7	4,444.51	7	4,829.34	7	5,212.14	7	5,594.79	7		7		7		7		7	
1/4	4,067.61	1/4	4,452.53	1/4	4,837.32	1/4	5,220.11	1/4	5,602.76	1/4		1/4		1/4		1/4		1/4	
1/2	4,075.63	1/2	4,460.55	1/2	4,845.29	1/2	5,228.09	1/2	5,610.73	1/2		1/2		1/2		1/2		1/2	
3/4	4,083.65	3/4	4,468.57	3/4	4,853.27	3/4	5,236.06	3/4	5,618.69	3/4		3/4		3/4		3/4		3/4	
8	4,091.67	8	4,476.59	8	4,861.24	8	5,244.04	8	5,626.66	8		8		8		8		8	
1/4	4,099.68	1/4	4,484.61	1/4	4,869.22	1/4	5,252.01	1/4	5,634.63	1/4		1/4		1/4		1/4		1/4	
1/2	4,107.70	1/2	4,492.63	1/2	4,877.19	1/2	5,259.99	1/2	5,642.60	1/2		1/2		1/2		1/2		1/2	
3/4	4,115.72	3/4	4,500.64	3/4	4,885.17	3/4	5,267.96	3/4	5,649.90	3/4		3/4		3/4		3/4		3/4	
9	4,123.74	9	4,508.66	9	4,893.14	9	5,275.94	9	5,657.20	9		9		9		9		9	
1/4	4,131.76	1/4	4,516.68	1/4	4,901.12	1/4	5,283.91	1/4	5,664.51	1/4		1/4		1/4		1/4		1/4	
1/2	4,139.78	1/2	4,524.70	1/2	4,909.09	1/2	5,291.89	1/2	5,671.81	1/2		1/2		1/2		1/2		1/2	
3/4	4,147.80	3/4	4,532.72	3/4	4,917.07	3/4	5,299.86	3/4	5,677.78	3/4		3/4		3/4		3/4		3/4	
10	4,155.82	10	4,540.74	10	4,925.04	10	5,307.84	10	5,683.74	10		10		10		10		10	
1/4	4,163.84	1/4	4,548.76	1/4	4,933.02	1/4	5,315.81	1/4	5,689.71	1/4		1/4		1/4		1/4		1/4	
1/2	4,171.86	1/2	4,556.78	1/2	4,940.99	1/2	5,323.79	1/2	5,695.67	1/2		1/2		1/2		1/2		1/2	
3/4	4,179.88	3/4	4,564.80	3/4	4,948.97	3/4	5,331.76	3/4	5,700.30	3/4		3/4		3/4		3/4		3/4	
11	4,187.90	11	4,572.82	11	4,956.94	11	5,339.74	11	5,704.93	11		11		11		11		11	
1/4	4,195.91	1/4	4,580.84	1/4	4,964.92	1/4	5,347.71	1/4	5,709.56	1/4		1/4		1/4		1/4		1/4	
1/2	4,203.93	1/2	4,588.86	1/2	4,972.89	1/2	5,355.69	1/2	5,714.19	1/2		1/2		1/2		1/2		1/2	
3/4	4,211.95	3/4	4,596.87	3/4	4,980.87	3/4	5,363.66	3/4	5,719.12	3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06





BARGE "RBT 318"

HULL NO. 4512

2 STBD

INNAGE TABLE

GAUGE HEIGHT: 16'- 5 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.14	0	379.43	0	758.13	0	1,143.27	0	1,528.73	0	1,914.42	0	2,300.06	0	2,686.11	0	3,072.15	0	3,458.00
1/4	18.16	1/4	387.48	1/4	766.17	1/4	1,151.29	1/4	1,536.77	1/4	1,922.42	1/4	2,308.10	1/4	2,694.15	1/4	3,080.19	1/4	3,466.04
1/2	22.18	1/2	395.52	1/2	774.22	1/2	1,159.31	1/2	1,544.81	1/2	1,930.42	1/2	2,316.15	1/2	2,702.19	1/2	3,088.24	1/2	3,474.07
3/4	28.89	3/4	403.56	3/4	782.26	3/4	1,167.33	3/4	1,552.86	3/4	1,938.44	3/4	2,324.19	3/4	2,710.23	3/4	3,096.28	3/4	3,482.11
1	35.59	1	411.61	1	790.30	1	1,175.35	1	1,560.90	1	1,946.45	1	2,332.23	1	2,718.28	1	3,104.32	1	3,490.15
1/4	42.29	1/4	419.65	1/4	798.34	1/4	1,183.36	1/4	1,568.94	1/4	1,954.47	1/4	2,340.28	1/4	2,726.32	1/4	3,120.41	1/4	3,498.18
1/2	49.00	1/2	427.69	1/2	806.39	1/2	1,191.38	1/2	1,576.98	1/2	1,962.48	1/2	2,348.32	1/2	2,734.36	1/2	3,120.41	1/2	3,506.22
3/4	56.74	3/4	435.73	3/4	814.43	3/4	1,199.40	3/4	1,585.03	3/4	1,970.50	3/4	2,356.36	3/4	2,742.41	3/4	3,128.45	3/4	3,514.26
2	64.48	2	443.78	2	822.47	2	1,207.42	2	1,593.07	2	1,978.52	2	2,364.40	2	2,750.45	2	3,136.49	2	3,522.30
1/4	72.21	1/4	451.82	1/4	830.52	1/4	1,215.44	1/4	1,601.11	1/4	1,986.53	1/4	2,372.45	1/4	2,758.49	1/4	3,144.54	1/4	3,530.34
1/2	79.95	1/2	459.86	1/2	838.56	1/2	1,223.46	1/2	1,609.15	1/2	1,994.55	1/2	2,380.49	1/2	2,766.53	1/2	3,152.58	1/2	3,538.37
3/4	87.64	3/4	467.85	3/4	846.58	3/4	1,231.47	3/4	1,617.20	3/4	2,002.57	3/4	2,396.57	3/4	2,774.58	3/4	3,160.62	3/4	3,546.41
1	95.33	3	475.84	3	854.60	3	1,239.49	3	1,625.24	3	2,010.58	3	2,396.57	3	2,782.62	3	3,168.65	3	3,554.45
1/4	103.01	1/4	483.83	1/4	862.62	1/4	1,247.51	1/4	1,633.28	1/4	2,018.60	1/4	2,404.62	1/4	2,790.66	1/4	3,176.69	1/4	3,562.49
1/2	110.70	1/2	491.82	1/2	870.65	1/2	1,255.53	1/2	1,641.33	1/2	2,026.61	1/2	2,412.66	1/2	2,798.70	1/2	3,184.73	1/2	3,570.52
3/4	118.38	3/4	499.50	3/4	878.67	3/4	1,263.55	3/4	1,649.37	3/4	2,034.66	3/4	2,420.70	3/4	2,806.75	3/4	3,192.76	3/4	3,578.56
2	126.07	4	507.19	4	886.69	4	1,271.57	4	1,657.41	4	2,042.70	4	2,428.74	4	2,814.79	4	3,200.80	4	3,586.60
1/4	133.75	1/4	514.88	1/4	894.71	1/4	1,279.58	1/4	1,665.45	1/4	2,050.74	1/4	2,436.79	1/4	2,822.83	1/4	3,208.84	1/4	3,594.63
1/2	141.44	1/2	522.56	1/2	902.73	1/2	1,287.60	1/2	1,673.50	1/2	2,058.78	1/2	2,444.83	1/2	2,830.87	1/2	3,216.88	1/2	3,602.67
3/4	149.12	3/4	530.25	3/4	910.75	3/4	1,295.63	3/4	1,681.54	3/4	2,066.83	3/4	2,452.87	3/4	2,838.92	3/4	3,224.91	3/4	3,610.71
1	156.81	5	537.93	5	918.77	5	1,303.65	5	1,689.58	5	2,074.87	5	2,460.91	5	2,846.96	5	3,232.95	5	3,618.75
1/4	164.49	1/4	545.62	1/4	926.79	1/4	1,311.67	1/4	1,697.62	1/4	2,080.91	1/4	2,468.96	1/4	2,855.00	1/4	3,240.99	1/4	3,626.78
1/2	172.18	1/2	553.30	1/2	934.80	1/2	1,319.69	1/2	1,705.67	1/2	2,090.95	1/2	2,477.00	1/2	2,863.04	1/2	3,249.03	1/2	3,634.82
3/4	179.86	3/4	560.99	3/4	942.82	3/4	1,327.71	3/4	1,713.71	3/4	2,099.00	3/4	2,485.04	3/4	2,871.09	3/4	3,257.06	3/4	3,642.86
2	187.55	6	568.67	6	950.84	6	1,335.74	6	1,721.75	6	2,107.04	6	2,493.08	6	2,879.13	6	3,265.10	6	3,650.90
1/4	195.24	1/4	576.06	1/4	958.86	1/4	1,343.76	1/4	1,729.79	1/4	2,115.08	1/4	2,501.13	1/4	2,887.17	1/4	3,273.14	1/4	3,658.93
1/2	202.92	1/2	584.04	1/2	966.87	1/2	1,351.78	1/2	1,737.84	1/2	2,123.13	1/2	2,509.17	1/2	2,895.21	1/2	3,281.18	1/2	3,666.97
3/4	210.91	3/4	591.73	3/4	974.89	3/4	1,359.82	3/4	1,745.88	3/4	2,131.17	3/4	2,512.21	3/4	2,903.26	3/4	3,289.21	3/4	3,675.01
1	218.90	7	599.42	7	982.91	7	1,367.87	7	1,753.92	7	2,139.21	7	2,525.26	7	2,911.30	7	3,297.25	7	3,683.05
1/4	226.89	1/4	607.10	1/4	990.93	1/4	1,375.91	1/4	1,761.96	1/4	2,147.25	1/4	2,533.30	1/4	2,919.34	1/4	3,305.29	1/4	3,691.08
1/2	234.88	1/2	614.79	1/2	998.94	1/2	1,383.95	1/2	1,770.01	1/2	2,155.30	1/2	2,541.34	1/2	2,927.39	1/2	3,313.33	1/2	3,699.12
3/4	242.87	3/4	622.47	3/4	1,006.96	3/4	1,392.00	3/4	1,778.05	3/4	2,163.34	3/4	2,549.38	3/4	2,935.43	3/4	3,321.36	3/4	3,707.16
2	250.85	8	630.16	8	1,014.98	8	1,400.08	8	1,786.09	8	2,171.38	8	2,557.43	8	2,943.47	8	3,329.40	8	3,715.20
1/4	258.84	1/4	637.84	1/4	1,023.00	1/4	1,408.08	1/4	1,794.13	1/4	2,179.42	1/4	2,565.47	1/4	2,951.51	1/4	3,337.44	1/4	3,723.23
1/2	266.83	1/2	645.53	1/2	1,031.01	1/2	1,416.13	1/2	1,802.18	1/2	2,187.47	1/2	2,573.51	1/2	2,959.56	1/2	3,345.48	1/2	3,731.27
3/4	274.87	3/4	653.57	3/4	1,039.03	3/4	1,424.17	3/4	1,810.22	3/4	2,195.51	3/4	2,581.55	3/4	2,967.60	3/4	3,353.51	3/4	3,739.31
1	282.92	9	661.61	9	1,047.05	9	1,432.21	9	1,818.26	9	2,203.55	9	2,589.60	9	2,975.64	9	3,361.55	9	3,747.35
1/4	290.96	1/4	669.66	1/4	1,055.07	1/4	1,440.25	1/4	1,826.30	1/4	2,211.59	1/4	2,597.64	1/4	2,983.68	1/4	3,369.59	1/4	3,755.38
1/2	299.00	1/2	677.70	1/2	1,063.09	1/2	1,448.30	1/2	1,834.35	1/2	2,219.64	1/2	2,605.68	1/2	2,991.73	1/2	3,377.63	1/2	3,763.42
3/4	307.05	3/4	685.74	3/4	1,071.11	3/4	1,456.34	3/4	1,842.36	3/4	2,227.68	3/4	2,613.72	3/4	2,999.77	3/4	3,385.66	3/4	3,771.46
2	315.09	10	693.79	10	1,079.12	10	1,464.38	10	1,850.38	10	2,233.72	10	2,621.77	10	3,007.81	10	3,393.70	10	3,779.50
1/4	323.13	1/4	701.83	1/4	1,087.14	1/4	1,472.43	1/4	1,858.40	1/4	2,244.76	1/4	2,629.81	1/4	3,015.85	1/4	3,401.74	1/4	3,787.53
1/2	331.18	1/2	709.87	1/2	1,095.16	1/2	1,480.47	1/2	1,866.41	1/2	2,252.81	1/2	2,637.85	1/2	3,023.90	1/2	3,409.77	1/2	3,795.57
3/4	339.22	3/4	717.91	3/4	1,103.18	3/4	1,488.51	3/4	1,874.41	3/4	2,259.85	3/4	2,645.89	3/4	3,031.94	3/4	3,417.81	3/4	3,803.61
1	347.26	11	725.96	11	1,111.20	11	1,496.56	11	1,882.41	11	2,267.89	11	2,653.94	11	3,039.98	11	3,425.85	11	3,811.64
1/4	355.30	1/4	734.00	1/4	1,119.22	1/4	1,504.60	1/4	1,890.42	1/4	2,275.93	1/4	2,661.98	1/4	3,048.02	1/4	3,433.89	1/4	3,819.68
1/2	363.35	1/2	742.04	1/2	1,127.23	1/2	1,512.64	1/2	1,898.42	1/2	2,283.98	1/2	2,670.02	1/2	3,056.07	1/2	3,441.92	1/2	3,827.72
3/4	371.39	3/4	750.09	3/4	1,135.25	3/4	1,520.68	3/4	1,906.42	3/4	2,292.02	3/4	2,678.06	3/4	3,064.11	3/4	3,449.96	3/4	3,835.76

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

1. STRAPPED AND COMPUTED IN ACCORDANCE WITH MPNS CHAPTER 2.7
2. GAUGE POINT: TO TOP LIP OF 10" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED 12'- 0" OFF CENTRELINE AND 48'- 10" FORWARD OF AFT BULKHEAD.
3. NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
4. TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Paul A. Brown



BARGE "RBT 318"

HULL NO. 4512

2 STBD INNAGE TABLE

GAUGE HEIGHT: 16'-5 1/2"

IN	10. FT.	IN	11. FT.	IN	12. FT.	IN	13. FT.	IN	14. FT.	IN	15. FT.	IN	16. FT.	IN	17. FT.	IN	18. FT.	IN	19. FT.
0	3,843.79	0	4,229.59	0	4,615.38	0	5,000.21	0	5,383.87	0		0		0		0		0	
1/4	3,851.83	1/4	4,237.63	1/4	4,623.42	1/4	5,008.20	1/4	5,391.87	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	3,859.87	1/2	4,245.66	1/2	4,631.46	1/2	5,016.19	1/2	5,399.86	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	3,867.91	3/4	4,253.70	3/4	4,639.50	3/4	5,024.18	3/4	5,407.85	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
1	3,875.94	1	4,261.74	1	4,647.53	1	5,032.18	1	5,415.85	1		1	1	1		1	1	1	
1/4	3,883.98	1/4	4,269.78	1/4	4,655.57	1/4	5,040.17	1/4	5,423.84	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	3,892.02	1/2	4,277.81	1/2	4,663.61	1/2	5,048.16	1/2	5,431.83	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	3,900.06	3/4	4,285.85	3/4	4,671.65	3/4	5,056.16	3/4	5,439.83	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
2	3,908.09	2	4,293.89	2	4,679.69	2	5,064.15	2	5,447.82	2		2	2	2		2	2	2	
1/4	3,916.13	1/4	4,301.93	1/4	4,687.72	1/4	5,072.14	1/4	5,455.81	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	3,924.17	1/2	4,309.96	1/2	4,695.76	1/2	5,080.14	1/2	5,463.81	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	3,932.21	3/4	4,318.00	3/4	4,703.80	3/4	5,088.13	3/4	5,471.79	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
3	3,940.24	3	4,326.04	3	4,711.83	3	5,096.12	3	5,479.78	3		3	3	3		3	3	3	
1/4	3,948.28	1/4	4,334.08	1/4	4,719.87	1/4	5,104.12	1/4	5,487.76	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	3,956.32	1/2	4,342.11	1/2	4,727.91	1/2	5,112.11	1/2	5,495.75	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	3,964.36	3/4	4,350.15	3/4	4,735.95	3/4	5,120.10	3/4	5,503.73	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
4	3,972.39	4	4,358.19	4	4,743.98	4	5,128.09	4	5,511.72	4		4	4	4		4	4	4	
1/4	3,980.43	1/4	4,366.23	1/4	4,752.02	1/4	5,136.09	1/4	5,519.70	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	3,988.47	1/2	4,374.26	1/2	4,760.06	1/2	5,144.08	1/2	5,527.69	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	3,996.50	3/4	4,382.30	3/4	4,768.10	3/4	5,152.07	3/4	5,535.67	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
5	4,004.54	5	4,390.34	5	4,776.13	5	5,160.07	5	5,543.66	5		5	5	5		5	5	5	
1/4	4,012.58	1/4	4,398.37	1/4	4,784.17	1/4	5,168.06	1/4	5,551.64	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,020.62	1/2	4,406.41	1/2	4,792.21	1/2	5,176.05	1/2	5,559.63	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,028.65	3/4	4,414.45	3/4	4,800.24	3/4	5,184.05	3/4	5,567.61	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
6	4,036.69	6	4,422.49	6	4,808.28	6	5,192.04	6	5,575.60	6		6	6	6		6	6	6	
1/4	4,044.73	1/4	4,430.52	1/4	4,816.32	1/4	5,200.03	1/4	5,583.58	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,052.77	1/2	4,438.56	1/2	4,824.36	1/2	5,208.03	1/2	5,591.57	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,060.80	3/4	4,446.60	3/4	4,832.35	3/4	5,216.02	3/4	5,599.56	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
7	4,068.84	7	4,454.64	7	4,840.34	7	5,224.01	7	5,607.54	7		7	7	7		7	7	7	
1/4	4,076.88	1/4	4,462.67	1/4	4,848.34	1/4	5,232.01	1/4	5,615.53	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,084.92	1/2	4,470.71	1/2	4,856.33	1/2	5,240.00	1/2	5,623.51	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,092.95	3/4	4,478.75	3/4	4,864.32	3/4	5,247.99	3/4	5,631.50	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
8	4,100.99	8	4,486.79	8	4,872.32	8	5,255.98	8	5,639.48	8		8	8	8		8	8	8	
1/4	4,109.03	1/4	4,494.82	1/4	4,880.31	1/4	5,263.98	1/4	5,647.47	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,117.07	1/2	4,502.86	1/2	4,888.30	1/2	5,271.97	1/2	5,655.45	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,125.10	3/4	4,510.90	3/4	4,896.30	3/4	5,279.96	3/4	5,662.77	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
9	4,133.14	9	4,518.94	9	4,904.29	9	5,287.96	9	5,670.09	9		9	9	9		9	9	9	
1/4	4,141.18	1/4	4,526.97	1/4	4,912.28	1/4	5,295.95	1/4	5,677.41	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,149.22	1/2	4,535.01	1/2	4,920.27	1/2	5,303.94	1/2	5,684.73	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,157.25	3/4	4,543.05	3/4	4,928.27	3/4	5,311.94	3/4	5,690.71	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
10	4,165.29	10	4,551.09	10	4,936.26	10	5,319.93	10	5,696.69	10		10	10	10		10	10	10	
1/4	4,173.33	1/4	4,559.12	1/4	4,944.25	1/4	5,327.92	1/4	5,702.67	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,181.37	1/2	4,567.16	1/2	4,952.25	1/2	5,335.92	1/2	5,708.65	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,189.40	3/4	4,575.20	3/4	4,960.24	3/4	5,343.91	3/4	5,713.29	3/4		3/4	3/4	3/4		3/4	3/4	3/4	
11	4,197.44	11	4,583.24	11	4,968.23	11	5,351.90	11	5,717.93	11		11	11	11		11	11	11	
1/4	4,205.48	1/4	4,591.27	1/4	4,976.23	1/4	5,359.89	1/4	5,722.57	1/4		1/4	1/4	1/4		1/4	1/4	1/4	
1/2	4,213.51	1/2	4,599.31	1/2	4,984.22	1/2	5,367.89	1/2	5,727.21	1/2		1/2	1/2	1/2		1/2	1/2	1/2	
3/4	4,221.55	3/4	4,607.35	3/4	4,992.21	3/4	5,375.88	3/4		3/4		3/4	3/4	3/4		3/4	3/4	3/4	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Dar A. Brown



BARGE "RBT 318"

HULL NO. 4512

3 PORT

INNAGE TABLE

GAUGE HEIGHT: 16'- 5 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	13.41	0	358.52	0	717.07	0	1,080.81	0	1,444.79	0	1,808.08	0	2,171.86	0	2,536.34	0	2,900.05	0	3,262.85
1/4	17.21	1/4	366.11	1/4	724.67	1/4	1,088.38	1/4	1,452.38	1/4	1,815.50	1/4	2,179.45	1/4	2,543.94	1/4	2,907.61	1/4	3,270.41
1/2	21.02	1/2	373.71	1/2	732.26	1/2	1,095.95	1/2	1,459.98	1/2	1,822.91	1/2	2,187.05	1/2	2,551.53	1/2	2,915.17	1/2	3,277.97
3/4	27.35	3/4	381.30	3/4	739.86	3/4	1,103.53	3/4	1,467.57	3/4	1,830.47	3/4	2,194.64	3/4	2,559.12	3/4	2,922.73	3/4	3,285.53
1	33.69	1	388.89	1	747.45	1	1,111.10	1	1,475.16	1	1,838.04	1	2,202.23	1	2,566.72	1	2,930.29	1	3,293.09
1/4	40.03	1/4	396.49	1/4	755.04	1/4	1,118.68	1/4	1,482.76	1/4	1,845.60	1/4	2,209.83	1/4	2,574.31	1/4	2,937.85	1/4	3,300.64
1/2	46.37	1/2	404.08	1/2	762.64	1/2	1,126.25	1/2	1,490.35	1/2	1,853.17	1/2	2,217.42	1/2	2,581.90	1/2	2,945.40	1/2	3,308.20
3/4	53.69	3/4	411.68	3/4	770.23	3/4	1,133.82	3/4	1,497.94	3/4	1,860.73	3/4	2,225.01	3/4	2,589.50	3/4	2,952.96	3/4	3,315.76
2	61.01	2	419.27	2	777.82	2	1,141.40	2	1,505.54	2	1,868.30	2	2,232.61	2	2,597.68	2	2,964.08	2	3,323.32
1/4	68.33	1/4	426.86	1/4	785.42	1/4	1,148.97	1/4	1,513.13	1/4	1,875.86	1/4	2,240.20	1/4	2,604.68	1/4	2,968.08	1/4	3,330.88
1/2	75.64	1/2	434.46	1/2	793.01	1/2	1,156.54	1/2	1,520.72	1/2	1,883.43	1/2	2,247.79	1/2	2,612.28	1/2	2,975.64	1/2	3,338.44
3/4	82.91	3/4	442.00	3/4	800.59	3/4	1,164.12	3/4	1,528.32	3/4	1,890.99	3/4	2,255.39	3/4	2,619.87	3/4	2,983.19	3/4	3,345.99
3	90.17	3	449.54	3	808.16	3	1,171.69	3	1,535.91	3	1,898.55	3	2,262.98	3	2,627.46	3	2,990.75	3	3,353.55
1/4	97.44	1/4	457.08	1/4	815.73	1/4	1,179.27	1/4	1,543.50	1/4	1,906.12	1/4	2,270.57	1/4	2,635.06	1/4	2,998.31	1/4	3,361.11
1/2	104.70	1/2	464.62	1/2	823.31	1/2	1,186.84	1/2	1,551.10	1/2	1,913.68	1/2	2,278.17	1/2	2,642.65	1/2	2,997.87	1/2	3,368.67
3/4	111.97	3/4	471.92	3/4	830.88	3/4	1,194.41	3/4	1,558.69	3/4	1,921.28	3/4	2,285.76	3/4	2,650.24	3/4	2,997.87	3/4	3,376.23
4	119.23	4	479.23	4	838.45	4	1,201.99	4	1,566.28	4	1,928.87	4	2,293.35	4	2,657.84	4	3,002.99	4	3,383.78
1/4	126.50	1/4	486.54	1/4	846.03	1/4	1,209.56	1/4	1,573.88	1/4	1,936.46	1/4	2,300.95	1/4	2,665.43	1/4	3,008.54	1/4	3,391.34
1/2	133.76	1/2	493.85	1/2	853.60	1/2	1,217.14	1/2	1,581.47	1/2	1,944.06	1/2	2,308.54	1/2	2,673.02	1/2	3,013.43	1/2	3,398.90
3/4	141.03	3/4	501.15	3/4	861.17	3/4	1,224.71	3/4	1,589.06	3/4	1,951.65	3/4	2,316.13	3/4	2,680.62	3/4	3,013.43	3/4	3,406.46
5	148.29	5	508.46	5	868.75	5	1,232.28	5	1,596.66	5	1,959.24	5	2,323.73	5	2,688.21	5	3,051.22	5	3,414.02
1/4	155.56	1/4	515.77	1/4	876.32	1/4	1,239.86	1/4	1,604.25	1/4	1,966.84	1/4	2,331.32	1/4	2,695.80	1/4	3,058.78	1/4	3,421.58
1/2	162.82	1/2	523.07	1/2	883.89	1/2	1,247.43	1/2	1,611.84	1/2	1,974.43	1/2	2,338.91	1/2	2,703.40	1/2	3,066.34	1/2	3,429.13
3/4	170.09	3/4	530.38	3/4	891.47	3/4	1,255.00	3/4	1,619.44	3/4	1,982.02	3/4	2,346.51	3/4	2,710.99	3/4	3,073.89	3/4	3,436.69
6	177.35	6	537.69	6	899.04	6	1,262.58	6	1,627.03	6	1,989.62	6	2,351.69	6	2,718.58	6	3,081.45	6	3,444.25
1/4	184.62	1/4	545.00	1/4	906.61	1/4	1,270.15	1/4	1,634.62	1/4	1,997.21	1/4	2,361.69	1/4	2,726.18	1/4	3,089.01	1/4	3,451.81
1/2	191.88	1/2	552.30	1/2	914.19	1/2	1,277.73	1/2	1,642.22	1/2	2,004.80	1/2	2,369.29	1/2	2,733.77	1/2	3,096.57	1/2	3,459.37
3/4	199.42	3/4	559.61	3/4	921.76	3/4	1,285.32	3/4	1,649.81	3/4	2,012.40	3/4	2,376.88	3/4	2,741.33	3/4	3,104.13	3/4	3,466.93
7	206.96	7	566.92	7	929.33	7	1,292.91	7	1,657.41	7	2,019.99	7	2,384.47	7	2,748.89	7	3,111.69	7	3,474.48
1/4	214.50	1/4	574.22	1/4	936.91	1/4	1,300.51	1/4	1,665.00	1/4	2,027.58	1/4	2,392.07	1/4	2,756.45	1/4	3,119.24	1/4	3,482.04
1/2	222.04	1/2	581.53	1/2	944.48	1/2	1,308.10	1/2	1,672.59	1/2	2,035.18	1/2	2,399.66	1/2	2,764.00	1/2	3,126.80	1/2	3,489.60
3/4	229.58	3/4	588.84	3/4	952.05	3/4	1,315.69	3/4	1,680.19	3/4	2,042.77	3/4	2,407.25	3/4	2,771.56	3/4	3,134.36	3/4	3,497.16
8	237.12	8	596.15	8	959.63	8	1,323.29	8	1,687.78	8	2,050.37	8	2,414.85	8	2,779.12	8	3,141.92	8	3,504.72
1/4	244.66	1/4	603.45	1/4	967.20	1/4	1,330.88	1/4	1,695.37	1/4	2,057.96	1/4	2,422.44	1/4	2,786.68	1/4	3,149.48	1/4	3,512.28
1/2	252.20	1/2	610.76	1/2	974.77	1/2	1,338.48	1/2	1,702.97	1/2	2,065.55	1/2	2,430.04	1/2	2,794.24	1/2	3,157.04	1/2	3,519.83
3/4	259.80	3/4	618.35	3/4	982.35	3/4	1,346.07	3/4	1,710.56	3/4	2,073.15	3/4	2,437.63	3/4	2,801.80	3/4	3,164.59	3/4	3,527.39
9	267.39	9	625.95	9	989.92	9	1,353.66	9	1,718.15	9	2,080.74	9	2,445.22	9	2,809.35	9	3,172.15	9	3,534.95
1/4	274.98	1/4	633.54	1/4	997.50	1/4	1,361.26	1/4	1,725.75	1/4	2,088.33	1/4	2,452.82	1/4	2,816.91	1/4	3,179.71	1/4	3,542.51
1/2	282.58	1/2	641.14	1/2	1,005.07	1/2	1,368.85	1/2	1,733.34	1/2	2,095.93	1/2	2,460.41	1/2	2,824.47	1/2	3,187.27	1/2	3,550.07
3/4	290.17	3/4	648.73	3/4	1,012.64	3/4	1,376.44	3/4	1,740.90	3/4	2,103.52	3/4	2,468.00	3/4	2,832.03	3/4	3,194.83	3/4	3,557.63
10	297.77	10	656.32	10	1,020.22	10	1,384.04	10	1,748.47	10	2,111.11	10	2,475.60	10	2,839.59	10	3,202.39	10	3,565.18
1/4	305.36	1/4	663.92	1/4	1,027.79	1/4	1,391.63	1/4	1,756.03	1/4	2,118.71	1/4	2,483.19	1/4	2,847.15	1/4	3,209.94	1/4	3,572.74
1/2	312.92	1/2	671.51	1/2	1,035.36	1/2	1,399.23	1/2	1,763.60	1/2	2,126.30	1/2	2,490.78	1/2	2,854.70	1/2	3,217.50	1/2	3,580.30
3/4	320.55	3/4	679.10	3/4	1,042.94	3/4	1,406.82	3/4	1,771.01	3/4	2,133.89	3/4	2,498.38	3/4	2,862.26	3/4	3,225.06	3/4	3,587.86
11	328.14	11	686.70	11	1,050.51	11	1,414.41	11	1,778.43	11	2,141.49	11	2,505.97	11	2,869.82	11	3,232.62	11	3,595.42
1/4	335.74	1/4	694.29	1/4	1,058.09	1/4	1,422.01	1/4	1,785.84	1/4	2,149.08	1/4	2,513.56	1/4	2,877.38	1/4	3,240.18	1/4	3,602.98
1/2	343.33	1/2	701.89	1/2	1,065.66	1/2	1,429.60	1/2	1,793.25	1/2	2,156.67	1/2	2,521.16	1/2	2,884.94	1/2	3,247.74	1/2	3,610.53
3/4	350.92	3/4	709.48	3/4	1,073.23	3/4	1,437.20	3/4	1,800.67	3/4	2,164.27	3/4	2,528.75	3/4	2,892.50	3/4	3,255.29	3/4	3,618.09

1. STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

2. GAUGE POINT: TO TOP LIP OF 10" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED 12'- 0" OFF CENTERLINE AND 58'- 0" FORWARD OF AFT BULKHEAD.

3. NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

4. TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Bill A. Rose



BARGE "RBT 318"

HULL NO. 4512

3 PORT INNAGE TABLE

GAUGE HEIGHT: 16'- 5 1/8"

IN	10. FT.	IN	11. FT.	IN	12. FT.	IN	13. FT.	IN	14. FT.	IN	15. FT.	IN	16. FT.	IN	17. FT.	IN	18. FT.	IN	19. FT.
0	3,625.65	0	3,939.16	0	4,078.60	0	4,216.81	0	4,355.02	0		0		0		0			
1/4	3,633.21	1/4	3,942.38	1/4	4,081.48	1/4	4,219.69	1/4	4,357.90	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,640.77	1/2	3,945.60	1/2	4,084.36	1/2	4,222.57	1/2	4,360.77	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,648.27	3/4	3,948.50	3/4	4,087.24	3/4	4,225.45	3/4	4,363.65	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3,655.77	1	3,951.39	1	4,090.12	1	4,228.33	1	4,366.53	1	1	1	1	1	1	1	1	1	1
1/4	3,663.27	1/4	3,954.29	1/4	4,093.00	1/4	4,231.21	1/4	4,369.41	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,670.78	1/2	3,957.19	1/2	4,095.88	1/2	4,234.09	1/2	4,372.29	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,678.28	3/4	3,960.08	3/4	4,098.76	3/4	4,236.96	3/4	4,375.17	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	3,685.78	2	3,962.88	2	4,101.64	2	4,239.84	2	4,378.05	2	2	2	2	2	2	2	2	2	2
1/4	3,693.28	1/4	3,965.88	1/4	4,104.52	1/4	4,242.72	1/4	4,380.93	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,700.79	1/2	3,968.77	1/2	4,107.40	1/2	4,245.60	1/2	4,383.81	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,708.29	3/4	3,971.67	3/4	4,110.28	3/4	4,248.48	3/4	4,386.65	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3,715.79	3	3,974.57	3	4,113.15	3	4,251.36	3	4,389.50	3	3	3	3	3	3	3	3	3	3
1/4	3,723.29	1/4	3,977.46	1/4	4,116.03	1/4	4,254.24	1/4	4,392.34	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,730.79	1/2	3,980.36	1/2	4,118.91	1/2	4,257.12	1/2	4,395.19	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,738.30	3/4	3,983.26	3/4	4,121.79	3/4	4,260.00	3/4	4,398.03	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	3,745.80	4	3,986.15	4	4,124.67	4	4,262.88	4	4,400.88	4	4	4	4	4	4	4	4	4	4
1/4	3,753.30	1/4	3,989.05	1/4	4,127.55	1/4	4,265.76	1/4	4,403.72	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,760.80	1/2	3,991.95	1/2	4,130.43	1/2	4,268.64	1/2	4,406.57	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,768.31	3/4	3,994.84	3/4	4,133.31	3/4	4,271.52	3/4	4,409.41	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	3,775.81	5	3,997.74	5	4,136.19	5	4,274.40	5	4,412.26	5	5	5	5	5	5	5	5	5	5
1/4	3,783.31	1/4	4,000.64	1/4	4,139.07	1/4	4,277.27	1/4	4,415.10	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,790.81	1/2	4,003.53	1/2	4,141.95	1/2	4,280.15	1/2	4,417.95	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,798.32	3/4	4,006.43	3/4	4,144.83	3/4	4,283.03	3/4	4,420.79	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	3,805.82	6	4,009.33	6	4,147.71	6	4,285.91	6	4,423.64	6	6	6	6	6	6	6	6	6	6
1/4	3,813.32	1/4	4,012.22	1/4	4,150.59	1/4	4,288.79	1/4	4,426.48	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,820.82	1/2	4,015.12	1/2	4,153.47	1/2	4,291.67	1/2	4,429.33	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,827.97	3/4	4,018.02	3/4	4,156.34	3/4	4,294.55	3/4	4,432.17	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	3,835.11	7	4,020.91	7	4,159.22	7	4,297.43	7	4,435.02	7	7	7	7	7	7	7	7	7	7
1/4	3,842.26	1/4	4,023.81	1/4	4,162.10	1/4	4,300.31	1/4	4,437.86	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,849.40	1/2	4,026.71	1/2	4,164.98	1/2	4,303.19	1/2	4,440.70	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,855.76	3/4	4,029.60	3/4	4,167.86	3/4	4,306.07	3/4	4,443.55	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	3,862.12	8	4,032.50	8	4,170.74	8	4,308.95	8	4,446.39	8	8	8	8	8	8	8	8	8	8
1/4	3,868.48	1/4	4,035.40	1/4	4,173.62	1/4	4,311.83	1/4	4,449.24	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,874.84	1/2	4,038.29	1/2	4,176.50	1/2	4,314.71	1/2	4,452.08	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,880.42	3/4	4,041.17	3/4	4,179.38	3/4	4,317.59	3/4	4,454.69	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	3,885.99	9	4,044.05	9	4,182.26	9	4,320.46	9	4,457.29	9	9	9	9	9	9	9	9	9	9
1/4	3,891.57	1/4	4,046.93	1/4	4,185.14	1/4	4,323.34	1/4	4,459.90	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,897.14	1/2	4,049.81	1/2	4,188.02	1/2	4,326.22	1/2	4,462.50	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,901.93	3/4	4,052.69	3/4	4,190.90	3/4	4,329.10	3/4	4,464.62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	3,906.72	10	4,055.57	10	4,193.78	10	4,331.98	10	4,466.74	10	10	10	10	10	10	10	10	10	10
1/4	3,911.51	1/4	4,058.45	1/4	4,196.65	1/4	4,334.86	1/4	4,468.86	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,916.30	1/2	4,061.33	1/2	4,199.53	1/2	4,337.74	1/2	4,470.98	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,920.41	3/4	4,064.21	3/4	4,202.41	3/4	4,340.62	3/4	4,472.62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	3,924.51	11	4,067.09	11	4,205.29	11	4,343.50	11	4,474.26	11	11	11	11	11	11	11	11	11	11
1/4	3,928.61	1/4	4,069.97	1/4	4,208.17	1/4	4,346.38	1/4	4,476.38	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,932.72	1/2	4,072.84	1/2	4,211.05	1/2	4,349.26	1/2	4,478.50	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,935.94	3/4	4,075.72	3/4	4,213.93	3/4	4,352.14	3/4	4,480.62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Dale S. Ben



BARGE "RBT 318"

HULL NO. 4512

3 STBD INNAGE TABLE

GAUGE HEIGHT: 16'- 5"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	13.39	0	352.34	0	709.67	0	1,073.72	0	1,437.64	0	1,800.85	0	2,164.53	0	2,528.86	0	2,892.92	0	3,255.07
1/4	17.18	1/4	359.93	1/4	717.26	1/4	1,081.31	1/4	1,445.23	1/4	1,808.23	1/4	2,172.12	1/4	2,536.45	1/4	2,899.97	1/4	3,262.62
1/2	20.98	1/2	367.52	1/2	724.85	1/2	1,088.89	1/2	1,452.82	1/2	1,815.66	1/2	2,179.71	1/2	2,544.04	1/2	2,907.53	1/2	3,270.18
3/4	27.30	3/4	375.11	3/4	732.44	3/4	1,096.48	3/4	1,460.41	3/4	1,823.23	3/4	2,187.30	3/4	2,551.63	3/4	2,915.08	3/4	3,277.73
1	33.63	1	382.70	1	740.03	1	1,104.06	1	1,468.00	1	1,830.80	1	2,194.89	1	2,559.22	1	2,922.64	1	3,285.29
1/4	39.95	1/4	390.29	1/4	747.62	1/4	1,111.64	1/4	1,475.59	1/4	1,838.36	1/4	2,202.48	1/4	2,566.81	1/4	2,930.20	1/4	3,292.84
1/2	46.28	1/2	397.88	1/2	755.21	1/2	1,119.23	1/2	1,483.18	1/2	1,845.93	1/2	2,210.07	1/2	2,574.40	1/2	2,937.75	1/2	3,300.40
3/4	53.30	3/4	405.47	3/4	762.80	3/4	1,126.81	3/4	1,490.77	3/4	1,853.50	3/4	2,217.66	3/4	2,581.99	3/4	2,945.31	3/4	3,307.96
2	60.31	2	413.06	2	770.39	2	1,134.40	2	1,498.36	2	1,861.06	2	2,225.25	2	2,589.58	2	2,952.86	2	3,315.51
1/4	67.33	1/4	420.65	1/4	777.98	1/4	1,141.98	1/4	1,505.95	1/4	1,868.63	1/4	2,232.84	1/4	2,597.17	1/4	2,960.42	1/4	3,323.07
1/2	74.35	1/2	428.24	1/2	785.57	1/2	1,149.56	1/2	1,513.54	1/2	1,876.20	1/2	2,240.43	1/2	2,604.76	1/2	2,967.97	1/2	3,330.62
3/4	81.31	3/4	435.78	3/4	793.16	3/4	1,157.14	3/4	1,521.13	3/4	1,883.76	3/4	2,248.02	3/4	2,612.35	3/4	2,975.53	3/4	3,338.18
3	88.28	3	443.32	3	800.75	3	1,164.71	3	1,528.72	3	1,891.33	3	2,255.61	3	2,619.94	3	2,983.08	3	3,345.73
1/4	95.24	1/4	450.85	1/4	808.34	1/4	1,172.28	1/4	1,536.31	1/4	1,898.90	1/4	2,263.20	1/4	2,627.53	1/4	2,990.64	1/4	3,353.29
1/2	102.21	1/2	458.39	1/2	815.92	1/2	1,179.85	1/2	1,543.90	1/2	1,906.46	1/2	2,270.79	1/2	2,635.12	1/2	2,998.19	1/2	3,360.84
3/4	109.17	3/4	465.64	3/4	823.51	3/4	1,187.42	3/4	1,559.09	3/4	1,914.05	3/4	2,278.38	3/4	2,642.71	3/4	2,995.75	3/4	3,368.40
4	116.13	4	472.89	4	831.09	4	1,195.00	4	1,566.67	4	1,929.23	4	2,285.97	4	2,650.30	4	3,003.30	4	3,375.95
1/4	123.10	1/4	480.14	1/4	838.68	1/4	1,202.57	1/4	1,574.26	1/4	1,936.82	1/4	2,293.56	1/4	2,657.89	1/4	3,010.86	1/4	3,383.51
1/2	130.06	1/2	487.39	1/2	846.26	1/2	1,210.14	1/2	1,581.85	1/2	1,944.41	1/2	2,301.15	1/2	2,665.48	1/2	3,018.41	1/2	3,391.06
3/4	137.03	3/4	494.64	3/4	853.84	3/4	1,217.72	3/4	1,588.44	3/4	1,952.00	3/4	2,308.74	3/4	2,673.07	3/4	3,025.97	3/4	3,398.62
5	143.99	5	501.89	5	861.42	5	1,225.29	5	1,599.44	5	1,952.00	5	2,316.33	5	2,680.66	5	3,033.52	5	3,406.17
1/4	150.96	1/4	509.14	1/4	869.00	1/4	1,232.87	1/4	1,597.03	1/4	1,959.59	1/4	2,323.92	1/4	2,688.25	1/4	3,041.08	1/4	3,413.73
1/2	157.92	1/2	516.39	1/2	876.58	1/2	1,240.44	1/2	1,604.62	1/2	1,967.18	1/2	2,331.51	1/2	2,695.84	1/2	3,048.63	1/2	3,421.28
3/4	164.88	3/4	523.64	3/4	884.17	3/4	1,248.02	3/4	1,612.21	3/4	1,974.78	3/4	2,339.10	3/4	2,703.43	3/4	3,056.19	3/4	3,428.84
6	171.85	6	530.89	6	891.75	6	1,255.60	6	1,619.80	6	1,982.37	6	2,346.69	6	2,711.02	6	3,063.74	6	3,436.39
1/4	178.81	1/4	538.14	1/4	899.33	1/4	1,263.17	1/4	1,627.39	1/4	1,989.96	1/4	2,354.29	1/4	2,718.61	1/4	3,071.30	1/4	3,443.95
1/2	185.78	1/2	545.40	1/2	906.91	1/2	1,270.75	1/2	1,634.98	1/2	1,997.55	1/2	2,361.88	1/2	2,726.20	1/2	3,078.85	1/2	3,451.50
3/4	193.31	3/4	552.65	3/4	914.49	3/4	1,278.33	3/4	1,642.57	3/4	2,005.14	3/4	2,369.47	3/4	2,733.76	3/4	3,086.41	3/4	3,459.06
7	200.85	7	559.90	7	922.07	7	1,285.91	7	1,650.16	7	2,012.73	7	2,377.06	7	2,741.32	7	3,093.96	7	3,466.61
1/4	208.39	1/4	567.15	1/4	929.65	1/4	1,293.48	1/4	1,657.75	1/4	2,020.32	1/4	2,384.65	1/4	2,748.87	1/4	3,101.52	1/4	3,474.17
1/2	215.92	1/2	574.40	1/2	937.23	1/2	1,301.06	1/2	1,665.34	1/2	2,027.91	1/2	2,392.24	1/2	2,756.43	1/2	3,109.08	1/2	3,481.72
3/4	223.46	3/4	581.65	3/4	944.81	3/4	1,308.64	3/4	1,672.94	3/4	2,035.50	3/4	2,399.83	3/4	2,763.98	3/4	3,116.63	3/4	3,489.28
8	231.00	8	588.50	8	952.39	8	1,316.22	8	1,680.53	8	2,043.09	8	2,407.42	8	2,771.54	8	3,124.19	8	3,496.84
1/4	238.53	1/4	596.15	1/4	959.97	1/4	1,323.80	1/4	1,688.12	1/4	2,050.68	1/4	2,415.01	1/4	2,779.09	1/4	3,131.74	1/4	3,504.39
1/2	246.07	1/2	603.40	1/2	967.55	1/2	1,331.38	1/2	1,695.71	1/2	2,058.27	1/2	2,422.60	1/2	2,786.65	1/2	3,139.30	1/2	3,511.95
3/4	253.66	3/4	610.99	3/4	975.14	3/4	1,338.97	3/4	1,703.30	3/4	2,065.86	3/4	2,430.19	3/4	2,794.20	3/4	3,146.85	3/4	3,519.50
9	261.25	9	618.58	9	982.72	9	1,346.56	9	1,710.89	9	2,073.45	9	2,437.78	9	2,801.76	9	3,154.41	9	3,527.06
1/4	268.84	1/4	626.17	1/4	990.30	1/4	1,354.15	1/4	1,718.48	1/4	2,081.04	1/4	2,445.37	1/4	2,809.31	1/4	3,161.96	1/4	3,534.61
1/2	276.43	1/2	633.76	1/2	997.88	1/2	1,361.74	1/2	1,726.07	1/2	2,088.62	1/2	2,452.96	1/2	2,816.87	1/2	3,169.52	1/2	3,542.17
3/4	284.02	3/4	641.35	3/4	1,005.47	3/4	1,369.33	3/4	1,733.63	3/4	2,096.22	3/4	2,460.55	3/4	2,824.42	3/4	3,177.07	3/4	3,549.72
10	291.61	10	648.94	10	1,013.05	10	1,376.92	10	1,741.20	10	2,103.81	10	2,468.14	10	2,831.98	10	3,184.63	10	3,557.28
1/4	299.20	1/4	656.53	1/4	1,020.63	1/4	1,384.51	1/4	1,748.77	1/4	2,111.44	1/4	2,475.75	1/4	2,839.53	1/4	3,192.18	1/4	3,564.83
1/2	306.79	1/2	664.12	1/2	1,028.22	1/2	1,392.10	1/2	1,756.33	1/2	2,118.99	1/2	2,483.32	1/2	2,847.09	1/2	3,199.74	1/2	3,572.39
3/4	314.39	3/4	671.71	3/4	1,035.80	3/4	1,399.69	3/4	1,763.75	3/4	2,126.58	3/4	2,490.91	3/4	2,854.64	3/4	3,207.29	3/4	3,579.94
11	321.98	11	679.30	11	1,043.39	11	1,407.28	11	1,771.17	11	2,134.17	11	2,498.50	11	2,862.20	11	3,214.85	11	3,587.50
1/4	329.57	1/4	686.90	1/4	1,050.97	1/4	1,414.87	1/4	1,778.58	1/4	2,141.76	1/4	2,506.09	1/4	2,869.75	1/4	3,222.40	1/4	3,595.05
1/2	337.16	1/2	694.49	1/2	1,058.55	1/2	1,422.46	1/2	1,786.00	1/2	2,149.35	1/2	2,513.68	1/2	2,877.31	1/2	3,229.96	1/2	3,602.61
3/4	344.75	3/4	702.08	3/4	1,066.14	3/4	1,430.05	3/4	1,793.41	3/4	2,156.94	3/4	2,521.27	3/4	2,884.86	3/4	3,237.51	3/4	3,610.16

1. STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
2. GAUGE POINT: TO TOP LIP OF 10" DIAMETER GAUGE HATCH, OPPOSITE HINGE, LOCATED 12'- 0" OFF CENTERLINE AND 58'- 0" FORWARD OF AFT BULKHEAD.
3. NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
4. TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CAPACITIES GIVE IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Bill A. Rose



BARGE "RBT 318"

HULL NO. 4512

3 STBD
INNAGE TABLE

GAUGE HEIGHT: 16'-5"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,617.72	0	3,931.17	0	4,070.36	0	4,208.28	0	4,346.20	0		0		0		0		0	
1/4	3,625.27	1/4	3,934.40	1/4	4,073.23	1/4	4,211.15	1/4	4,349.08	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,632.83	1/2	3,937.62	1/2	4,076.10	1/2	4,214.03	1/2	4,351.95	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,640.33	3/4	3,940.51	3/4	4,078.98	3/4	4,216.90	3/4	4,354.82	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3,647.83	1	3,943.41	1	4,081.85	1	4,219.77	1	4,357.70	1	1	1	1	1	1	1	1	1	1
1/4	3,655.33	1/4	3,946.30	1/4	4,084.72	1/4	4,222.65	1/4	4,360.57	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,662.83	1/2	3,949.19	1/2	4,087.60	1/2	4,225.52	1/2	4,363.44	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,670.32	3/4	3,952.08	3/4	4,090.47	3/4	4,228.39	3/4	4,366.32	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	3,677.82	2	3,954.97	2	4,093.34	2	4,231.27	2	4,369.19	2		2		2		2		2	
1/4	3,685.32	1/4	3,957.86	1/4	4,096.22	1/4	4,234.14	1/4	4,372.06	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,692.82	1/2	3,960.75	1/2	4,099.09	1/2	4,237.01	1/2	4,374.94	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,700.32	3/4	3,963.64	3/4	4,101.96	3/4	4,239.89	3/4	4,377.78	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3,707.82	3	3,966.53	3	4,104.84	3	4,242.76	3	4,380.62	3		3		3		3		3	
1/4	3,715.32	1/4	3,969.42	1/4	4,107.71	1/4	4,245.63	1/4	4,383.45	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,722.82	1/2	3,972.31	1/2	4,110.58	1/2	4,248.51	1/2	4,386.29	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,730.32	3/4	3,975.20	3/4	4,113.46	3/4	4,251.38	3/4	4,389.13	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	3,737.82	4	3,978.10	4	4,116.33	4	4,254.25	4	4,391.97	4		4		4		4		4	
1/4	3,745.32	1/4	3,980.99	1/4	4,119.21	1/4	4,257.13	1/4	4,394.81	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,752.82	1/2	3,983.88	1/2	4,122.08	1/2	4,260.00	1/2	4,397.65	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,760.32	3/4	3,986.77	3/4	4,124.95	3/4	4,262.88	3/4	4,400.49	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	3,767.81	5	3,989.66	5	4,127.83	5	4,265.75	5	4,403.33	5		5		5		5		5	
1/4	3,775.31	1/4	3,992.55	1/4	4,130.70	1/4	4,268.62	1/4	4,406.17	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,782.81	1/2	3,995.44	1/2	4,133.57	1/2	4,271.50	1/2	4,409.01	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,790.31	3/4	3,998.33	3/4	4,136.45	3/4	4,274.37	3/4	4,411.84	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	3,797.81	6	4,001.22	6	4,139.32	6	4,277.24	6	4,414.68	6		6		6		6		6	
1/4	3,805.31	1/4	4,004.11	1/4	4,142.19	1/4	4,280.12	1/4	4,417.52	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,812.81	1/2	4,007.00	1/2	4,145.07	1/2	4,282.99	1/2	4,420.36	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,819.95	3/4	4,009.89	3/4	4,147.94	3/4	4,285.86	3/4	4,423.20	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	3,827.09	7	4,012.78	7	4,150.81	7	4,288.74	7	4,426.04	7		7		7		7		7	
1/4	3,834.24	1/4	4,015.68	1/4	4,153.69	1/4	4,291.61	1/4	4,428.88	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,841.38	1/2	4,018.57	1/2	4,156.56	1/2	4,294.48	1/2	4,431.72	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,847.74	3/4	4,021.46	3/4	4,159.43	3/4	4,297.36	3/4	4,434.56	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	3,854.10	8	4,024.35	8	4,162.31	8	4,300.23	8	4,437.40	8		8		8		8		8	
1/4	3,860.46	1/4	4,027.24	1/4	4,165.18	1/4	4,303.10	1/4	4,440.23	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,866.82	1/2	4,030.13	1/2	4,168.05	1/2	4,305.98	1/2	4,443.07	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,872.39	3/4	4,033.00	3/4	4,170.93	3/4	4,308.85	3/4	4,445.67	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	3,877.97	9	4,035.88	9	4,173.80	9	4,311.72	9	4,448.27	9		9		9		9		9	
1/4	3,883.54	1/4	4,038.75	1/4	4,176.67	1/4	4,314.60	1/4	4,450.87	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,889.12	1/2	4,041.62	1/2	4,179.55	1/2	4,317.47	1/2	4,453.47	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,893.91	3/4	4,044.50	3/4	4,182.42	3/4	4,320.34	3/4	4,455.59	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	3,898.70	10	4,047.37	10	4,185.29	10	4,323.22	10	4,457.70	10		10		10		10		10	
1/4	3,903.50	1/4	4,050.24	1/4	4,188.17	1/4	4,326.09	1/4	4,459.82	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,908.29	1/2	4,053.12	1/2	4,191.04	1/2	4,328.96	1/2	4,461.94	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,912.40	3/4	4,055.99	3/4	4,193.91	3/4	4,331.84	3/4	4,463.57	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	3,916.51	11	4,058.86	11	4,196.79	11	4,334.71	11	4,465.21	11		11		11		11		11	
1/4	3,920.61	1/4	4,061.74	1/4	4,199.66	1/4	4,337.58	1/4	4,467.33	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	3,924.72	1/2	4,064.61	1/2	4,202.53	1/2	4,340.46	1/2	4,469.45	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3,927.95	3/4	4,067.48	3/4	4,205.41	3/4	4,343.33	3/4	4,471.57	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

CHART IS CERTIFIED FOR THIS TANK ONLY.

DATE STRAPPED: 3/15/06 BY: CA
DATE COMPUTED: 3/20/06 BY: DAR
DATE ISSUED: 3/21/06



Bill A. Brown